## Michael Rink

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/192975/michael-rink-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 3,395 30 53 h-index g-index citations papers 4.89 178 4,350 4.2 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
167	Carboplatin-based adjuvant chemotherapy versus observation after radical cystectomy in patients with pN1-3 urothelial bladder cancer <i>World Journal of Urology</i> , <b>2022</b> , 1	4	O
166	Preoperative plasma level of endoglin as a predictor for disease outcomes after radical cystectomy for nonmetastatic urothelial carcinoma of the bladder. <i>Molecular Carcinogenesis</i> , <b>2022</b> , 61, 5-18	5	2
165	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration <i>World Journal of Urology</i> , <b>2022</b> , 1	4	O
164	Urinary Diversion With or Without Concomitant Cystectomy for Benign Conditions: A Comparative Morbidity Assessment According to the Updated European Association of Urology Guidelines on Reporting and Grading of Complications <i>European Urology Focus</i> , <b>2022</b> ,	5.1	1
163	Re: Christopher Soliman, Niranjan J. Sathianathen, Gianluca Giannarini, et al. There is a Need for a Universal Language in the Reporting and Grading of Complication and Intervention Events to Ensure Comparability and Improvement of Surgical Care. Eur Urol. In press.	10.2	
162	Quality indicators for the management of muscle-invasive bladder cancer in the perioperative setting of radical cystectomy: a narrative review <i>Translational Cancer Research</i> , <b>2022</b> , 11, 908-917	0.3	1
161	Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , <b>2021</b> , 4, 580-593	6.7	7
160	Learning benefits of live surgery and semi-live surgery in urology-informing the debate with results from the International Meeting of Reconstructive Urology (IMORU) VIII. <i>World Journal of Urology</i> , <b>2021</b> , 39, 2801-2807	4	3
159	Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , <b>2021</b> ,	2.3	2
158	Analysis by region of outcomes for patients with advanced renal cell carcinoma treated with cabozantinib or everolimus: a sub-analysis of the METEOR study. <i>Acta Oncolgica</i> , <b>2021</b> , 1-6	3.2	
157	Does the Identification of a Minimum Number of Cases Correlate With Better Adherence to International Guidelines Regarding the Treatment of Penile Cancer? Survey Results of the European PROspective Penile Cancer Study (E-PROPS) Frontiers in Oncology, <b>2021</b> , 11, 759362	5.3	2
156	Treatment and Outcome of Metastatic Renal Cell Carcinoma With Sarcomatoid Differentiation: A Single-Center, Real-World Analysis of Retrospective Data. <i>Frontiers in Surgery</i> , <b>2021</b> , 8, 763271	2.3	1
155	Fighting the <b>Q</b> obacco epidemicQ A call to action to identify Targeted Intervention Points (TIPs) for better counseling patients with urothelial cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 793-796	2.8	O
154	Longitudinal Evaluation of Perineogenital Pain and Postoperative Complications After One-stage Buccal Mucosal Graft Urethroplasty: A Secondary Analysis of a Randomized Controlled Trial. <i>European Urology Focus</i> , <b>2021</b> , 7, 1157-1165	5.1	2
153	Incidence and outcome of salvage cystectomy after bladder sparing therapy for muscle invasive bladder cancer: a systematic review and meta-analysis. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1757-1768	4	7
152	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1947-1953	4	1
151	Predictive value of De Ritis ratio in metastatic renal cell carcinoma treated with tyrosine-kinase inhibitors. <i>World Journal of Urology</i> , <b>2021</b> , 39, 2977-2985	4	2

## (2021-2021)

150	Mismatch repair deficiency occurs very rarely in seminomas. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 1048-1055	2.3	1
149	Napsin A Expression in Human Tumors and Normal Tissues. <i>Pathology and Oncology Research</i> , <b>2021</b> , 27, 613099	2.6	2
148	A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , <b>2021</b> ,	5.6	7
147	Accuracy of Transurethral Resection of the Bladder in Detecting Variant Histology of Bladder Cancer Compared with Radical Cystectomy. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	1
146	Tumor cell PD-L1 expression is a strong predictor of unfavorable prognosis in immune checkpoint therapy-naive clear cell renal cell cancer. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 2493-2503	2.3	2
145	Benefit of Adjuvant Chemotherapy After Radical Cystectomy for Treatment of Urothelial Carcinoma of the Bladder in the Elderly An International Multicenter Study. <i>Bladder Cancer</i> , <b>2021</b> , 7, 173-185	1	
144	Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , <b>2021</b> , 1	7.4	2
143	A Systematic Review and Scoping Analysis of Smoking Cessation after a Urological Cancer Diagnosis. <i>Journal of Urology</i> , <b>2021</b> , 205, 1275-1285	2.5	1
142	Quality indicators for the management of high-risk upper tract urothelial carcinoma requiring radical nephroureterectomy. <i>Current Opinion in Urology</i> , <b>2021</b> , 31, 291-296	2.8	O
141	Real-world outcomes in patients with metastatic renal cell carcinoma according to risk factors: the STAR-TOR registry. <i>Future Oncology</i> , <b>2021</b> , 17, 2325-2338	3.6	1
140	Prognostic Impact of Preoperative Plasma Levels of Urokinase Plasminogen Activator Proteins on Disease Outcomes after Radical Cystectomy. <i>Journal of Urology</i> , <b>2021</b> , 206, 1122-1131	2.5	2
139	High level of EZH2 expression is linked to high density of CD8-positive T-lymphocytes and an aggressive phenotype in renal cell carcinoma. <i>World Journal of Urology</i> , <b>2021</b> , 39, 481-490	4	4
138	The impact of treatment modality on survival in patients with clinical node-positive bladder cancer: results from a multicenter collaboration. <i>World Journal of Urology</i> , <b>2021</b> , 39, 443-451	4	4
137	A non-diploid DNA status is linked to poor prognosis in renal cell cancer. <i>World Journal of Urology</i> , <b>2021</b> , 39, 829-837	4	3
136	Primary Ta high grade bladder tumors: Determination of the risk of progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 132.e7-132.e11	2.8	7
135	Assessing the Outcome of Holmium Laser Enucleation of the Prostate by Age, Prostate Volume, and a History of Blood Thinning Agents: Report from a Single-Center Series of >1800 Consecutive Cases. <i>Journal of Endourology</i> , <b>2021</b> , 35, 639-646	2.7	3
134	Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 235.e5-235.e14	2.8	3
133	Prognostic value of albumin to globulin ratio in non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , <b>2021</b> , 39, 3345-3352	4	3

132	p63 expression in human tumors and normal tissues: a tissue microarray study on 10,200 tumors. <i>Biomarker Research</i> , <b>2021</b> , 9, 7	8	4
131	Diagnostic challenges and treatment strategies in the management of upper-tract urothelial carcinoma. <i>Turkish Journal of Urology</i> , <b>2021</b> , 47, S33-S44	1.3	O
130	Y-chromosome loss is frequent in male renal tumors. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 209	3.2	2
129	Anesthetic Technique (Spinal vs. General Anesthesia) in Holmium Laser Enucleation of the Prostate: Retrospective Analysis of Procedural and Functional Outcomes among 1,159 Patients. <i>Urologia Internationalis</i> , <b>2021</b> , 1-8	1.9	O
128	Postoperative Chemotherapy Bladder Instillation After Radical Nephroureterectomy: Results of a European Survey from the Young Academic Urologist Urothelial Cancer Group. <i>European Urology Open Science</i> , <b>2020</b> , 22, 45-50	0.9	3
127	Copy number variations in primary tumor, serum and lymph node metastasis of bladder cancer patients treated with radical cystectomy. <i>Scientific Reports</i> , <b>2020</b> , 10, 21562	4.9	1
126	The Impact of Circulating Tumor Cells on Venous Thromboembolism and Cardiovascular Events in Bladder Cancer Patients Treated with Radical Cystectomy. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
125	Reply to Francesco Montorsi, Marco Bandini, and Andrea NecchiQ Letter to the Editor re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized	10.2	
124	Evaluation of PD-L1 expression on circulating tumor cells (CTCs) in patients with advanced urothelial carcinoma (UC). <i>OncoImmunology</i> , <b>2020</b> , 9, 1738798	7.2	14
123	Chromosome 17p13 deletion is associated with an aggressive tumor phenotype in clear cell renal cell carcinoma. <i>World Journal of Surgical Oncology</i> , <b>2020</b> , 18, 128	3.4	2
122	The impact of cytoreductive nephrectomy on survival outcomes in patients treated with tyrosine kinase inhibitors for metastatic renal cell carcinoma in a real-world cohort. <i>Urologic Oncology:</i> Seminars and Original Investigations, <b>2020</b> , 38, 739.e9-739.e15	2.8	7
121	Chromosomal deletion of 9p21 is linked to poor patient prognosis in papillary and clear cell kidney cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 605.e1-605.e8	2.8	2
120	Prevalence and clinical significance of VHL mutations and 3p25 deletions in renal tumor subtypes. <i>Oncotarget</i> , <b>2020</b> , 11, 237-249	3.3	11
119	Real-world outcomes in patients with metastatic renal cell carcinoma according to risk factors: Analysis of the STAR TOR registry <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 628-628	2.2	
118	CASSIOPE: A real-world study assessing the use of cabozantinib for the treatment of advanced renal cell carcinoma (aRCC) after vascular endothelial growth factor (VEGF)-targeted therapy in Europe <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, TPS770-TPS770	2.2	
117	Effect of comorbidities/comedications on treatment outcomes with sunitinib in patients (pts) with metastatic renal cell carcinoma (mRCC): Subgroup analyses from the STAR-TOR registry <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 631-631	2.2	
116	Electronic cigarettes and bladder cancer - a game-changer?. <i>Nature Reviews Urology</i> , <b>2020</b> , 17, 435-436	5.5	
115	The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 685.e17-685.e25	2.8	1

114	Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , <b>2020</b> , 38, 1959-1968	4	12
113	Reply to Liang Sun and Yi Feng@Letter to the Editor re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the	10.2	2
112	8p deletions in renal cell carcinoma are associated with unfavorable tumor features and poor overall survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 43.e13-43.e20	2.8	5
111	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , <b>2020</b> , 77, 223-250	10.2	60
110	Pathomics in urology. Current Opinion in Urology, 2020, 30, 823-831	2.8	7
109	The association of cigarette smoking and pathological response to neoadjuvant platinum-based chemotherapy in patients undergoing treatment for urinary bladder cancer - A prospective European multicenter observational study of the EAU Young Academic Urologists (YAU) urothelial	2.5	3
108	Pathogen-induced tissue-resident memory T17 (T17) cells amplify autoimmune kidney disease. <i>Science Immunology</i> , <b>2020</b> , 5,	28	31
107	Impact of tumor size on the oncological outcome of high-grade nonmuscle invasive bladder cancer - examining the utility of classifying Ta bladder cancer based on size. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 851.e19-851.e25	2.8	2
106	Prevalence of APC and PTEN Alterations in Urachal Cancer. <i>Pathology and Oncology Research</i> , <b>2020</b> , 26, 2773-2781	2.6	4
105	Retrograde ejaculation after holmium laser enucleation of the prostate (HoLEP)-Impact on sexual function and evaluation of patient bother using validated questionnaires. <i>Andrology</i> , <b>2020</b> , 8, 1779-178	6 <sup>4.2</sup>	2
104	Urothelial Carcinoma in Bladder Diverticula: A Multicenter Analysis of Characteristics and Clinical Outcomes. <i>European Urology Focus</i> , <b>2020</b> , 6, 1226-1232	5.1	6
103	Diagnostic performance of multidetector computed tomographic (MDCTU) in upper tract urothelial carcinoma (UTUC): a systematic review and meta-analysis. <i>World Journal of Urology</i> , <b>2020</b> , 38, 1165-117.	5 <sup>4</sup>	25
102	Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the Comprehensive Complication Index. <i>European Urology</i> , <b>2020</b> , 77, 55-65	10.2	38
101	Do Younger Patients with Muscle-Invasive Bladder Cancer have Better Outcomes?. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	8
100	The impact of variant histological differentiation on extranodal extension and survival in node positive bladder cancer treated with radical cystectomy. <i>Surgical Oncology</i> , <b>2019</b> , 28, 208-213	2.5	7
99	Current Therapies of Wilms Tumors in the Adult: Diagnostic Considerations and Treatment Challenges. <i>Clinical Genitourinary Cancer</i> , <b>2019</b> , 17, e522-e525	3.3	O
98	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , <b>2019</b> , 124, 656	5.6	25
97	Outcome of buccal mucosa graft urethroplasty: a detailed analysis of success, morbidity and quality of life in a contemporary patient cohort at a referral center. <i>BMC Urology</i> , <b>2019</b> , 19, 18	2.2	8

96	The current role of circulating biomarkers in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , <b>2019</b> , 8, 61-75	2.3	6
95	Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	7
94	Current Disease Management of Primary Urethral Carcinoma. European Urology Focus, 2019, 5, 722-734	5.1	17
93	Negative Self-Perception and Self-Attitude of Sexuality Is a Risk Factor for Patient Dissatisfaction Following Penile Surgery with Small Intestinal Submucosa Grafting for the Treatment of Severe Peyronie@ Disease. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	5
92	Prognostic value of modified Glasgow Prognostic Score in non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2019</b> , 37, 179.e19-179.e28	2.8	19
91	Propensity-score-matched comparison of soft tissue surgical margins status between open and robotic-assisted radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2019</b> , 37, 179.e1-179.e7	2.8	8
90	The current role and future directions of circulating tumor cells and circulating tumor DNA in urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , <b>2019</b> , 37, 1785-1799	4	14
89	Discrepancy Between European Association of Urology Guidelines and Daily Practice in the Management of Non-muscle-invasive Bladder Cancer: Results of a European Survey. <i>European Urology Focus</i> , <b>2019</b> , 5, 681-688	5.1	26
88	Obesity paradox in prostate cancer: increased body mass index was associated with decreased risk of metastases after surgery in 13,667 patients. <i>World Journal of Urology</i> , <b>2018</b> , 36, 1067-1072	4	14
87	Conditional analyses of recurrence and progression in patients with TaG1 non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2018</b> , 36, 238.e19-238.e27	2.8	2
86	Effectiveness of Adjuvant Chemotherapy After Radical Cystectomy for Locally Advanced and/or Pelvic Lymph Node-Positive Muscle-invasive Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Competing Risks Analysis. <i>European Urology Focus</i> , <b>2018</b> , 4, 252-259	5.1	12
85	The prognostic effect of salvage surgery and radiotherapy in patients with recurrent primary urethral carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2018</b> , 36, 10.e7-10.e14	2.8	9
84	Immunotherapy for metastatic urothelial carcinoma: status quo and the future. <i>Current Opinion in Urology</i> , <b>2018</b> , 28, 1-7	2.8	5
83	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. BJU International,	5.6	41
82	Prognostic Value of Serum Cholinesterase in Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, e1123-e1132	3.3	11
81	Detection and oncological impact of circulating tumor cells in bladder cancer patients with presence of copy number variations of circulating cell free DNA <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 495-495	2.2	1
80	Substitution Urethroplasty with Closure Versus Nonclosure of the Buccal Mucosa Graft Harvest Site: A Randomized Controlled Trial with a Detailed Analysis of Oral Pain and Morbidity. <i>European Urology</i> , <b>2018</b> , 73, 910-922	10.2	19
79	Evaluating Guideline Adherence for T1 Bladder Cancer Treatment and Surveillance: A Retrospective German Multicenter Observation. <i>Urologia Internationalis</i> , <b>2018</b> , 101, 285-292	1.9	2

#### (2017-2018)

78	Aberrant expression of membranous carbonic anhydrase IX (CAIX) is associated with unfavorable disease course in papillary and clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2018</b> , 36, 531.e19-531.e25	2.8	9
77	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , <b>2017</b> , 119, 234-238	5.6	11
76	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , <b>2017</b> , 35, 113-120	4	15
75	Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , <b>2017</b> , 35, 121-130	4	25
74	Editorial Comment. <i>Journal of Urology</i> , <b>2017</b> , 197, 558	2.5	
73	II-tubulin overexpression is linked to aggressive tumor features and genetic instability in urinary bladder cancer. <i>Human Pathology</i> , <b>2017</b> , 61, 210-220	3.7	15
72	Perioperative chemotherapy in upper tract urothelial carcinoma: a comprehensive review. <i>World Journal of Urology</i> , <b>2017</b> , 35, 1401-1407	4	26
71	Detection and oncological effect of circulating tumour cells in patients with variant urothelial carcinoma histology treated with radical cystectomy. <i>BJU International</i> , <b>2017</b> , 119, 854-861	5.6	18
7°	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e809-e817	3.3	17
69	Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 356-36	5 <b>2</b> .8	2
68	Copy number variations of circulating, cell-free DNA in urothelial carcinoma of the bladder patients treated with radical cystectomy: a prospective study. <i>Oncotarget</i> , <b>2017</b> , 8, 56398-56407	3.3	20
67	The current status and clinical value of circulating tumor cells and circulating cell-free tumor DNA in bladder cancer. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 1090-1110	2.3	18
66	Online tools for patient counseling in bladder and kidney cancer-ready for prime time?. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 1123-1131	2.3	
65	The effect of AB0 and Rhesus blood grouping systems on oncological outcome in patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 671.e17-671.e23	2.8	1
64	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e1039-e1045	3.3	7
63	A nonrandomized, prospective, clinical study on the impact of circulating tumor cells on outcomes of urothelial carcinoma of the bladder patients treated with radical cystectomy with or without adjuvant chemotherapy. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 381-389	7.5	22
62	Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , <b>2017</b> , 35, 379-387	4	132
61	Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , <b>2017</b> , 3, 161-169	1	7

60	Impact of the Ki-67 labeling index and p53 expression status on disease-free survival in pT1 urothelial carcinoma of the bladder. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 1018-1026	2.3	8
59	Prognostic significance of markers of systemic inflammatory response in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 483.e17-483.e24	2.8	40
58	Comparative analysis of the effect of prostatic invasion patterns on cancer-specific mortality after radical cystectomy in pT4a urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 432.e1-8	2.8	6
57	The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , <b>2016</b> , 2, 79-85	5.1	29
56	Words of Wisdom. Re: Vinflunine in Routine Clinical Practice for the Treatment of Advanced or Metastatic Urothelial Cell CarcinomaData from a Prospective, Multicenter Experience. <i>European Urology</i> , <b>2016</b> , 69, 373-4	10.2	
55	Prognostic factors and outcomes in primary urethral cancer: results from the international collaboration on primary urethral carcinoma. <i>World Journal of Urology</i> , <b>2016</b> , 34, 97-103	4	37
54	Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 233.e1-6	2.8	19
53	Impact of Perioperative Allogenic Blood Transfusion on Survival After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, 96-104	3.3	13
52	Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , <b>2016</b> , 34, 1411-9	4	7
51	Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , <b>2016</b> , 34, 1155-61	4	4
50	Psychometric validation of a German language version of a PROM for urethral stricture surgery and preliminary testing of supplementary ED and UI constructs. <i>World Journal of Urology</i> , <b>2016</b> , 34, 369-75	4	22
49	Second Line Chemotherapy for Advanced and Metastatic Urothelial Carcinoma: Vinflunine and Beyond-A Comprehensive Review of the Current Literature. <i>Journal of Urology</i> , <b>2016</b> , 195, 254-63	2.5	70
48	Female with bladder cancer: what and why is there a difference?. <i>Translational Andrology and Urology</i> , <b>2016</b> , 5, 668-682	2.3	26
47	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , <b>2016</b> , 118, 243-9	5.6	11
46	Risk stratification for locoregional recurrence after radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , <b>2015</b> , 33, 1753-61	4	22
45	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , <b>2015</b> , 33, 1419-28	4	16
44	III-tubulin overexpression is linked to aggressive tumor features and shortened survival in clear cell renal cell carcinoma. <i>World Journal of Urology</i> , <b>2015</b> , 33, 1561-9	4	10
43	The Impact of Tumor Diameter and Tumor Necrosis on Oncologic Outcomes in Patients With Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy. <i>Urology</i> , <b>2015</b> , 86, 92-8	1.6	23

42	Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>European Urology</i> , <b>2015</b> , 68, 949-56	10.2	37
41	The impact of the AB0 and the Rhesus blood group system on outcomes in bladder cancer patients treated with radical cystectomy. <i>World Journal of Urology</i> , <b>2015</b> , 33, 1769-76	4	10
40	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2015</b> , 33, 495.e15-22	2.8	10
39	Do circulating tumor cells have a role in deciding on adjuvant chemotherapy after radical cystectomy?. <i>Current Urology Reports</i> , <b>2015</b> , 16, 46	2.9	10
38	Does the extent of variant histology affect oncological outcomes in patients with urothelial carcinoma of the bladder treated with radical cystectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2015</b> , 33, 21.e1-21.e9	2.8	34
37	Non-continent urinary diversion <b>2015</b> , 258-269		
36	Smoking and Bladder Cancer: A Systematic Review of Risk and Outcomes. <i>European Urology Focus</i> , <b>2015</b> , 1, 17-27	5.1	57
35	ERCC1 as a Prognostic and Predictive Biomarker for Urothelial Carcinoma of the Bladder following Radical Cystectomy. <i>Journal of Urology</i> , <b>2015</b> , 194, 1456-62	2.5	22
34	Impact of salvage surgery and radiotherapy on overall survival in patients with recurrent primary urethral cancer <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4568-4568	2.2	1
33	Effect of smoking on outcomes of urothelial carcinoma: a systematic review of the literature. <i>European Urology</i> , <b>2014</b> , 65, 742-54	10.2	127
32	Histopathological characteristics of buccal mucosa transplants in humans after engraftment to the urethra: a prospective study. <i>Journal of Urology</i> , <b>2014</b> , 192, 1725-9	2.5	23
31	Prognostic relevance of postoperative platelet count in upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Journal of Cancer</i> , <b>2014</b> , 50, 2583-91	7.5	11
30	Reduced membranous MET expression is linked to bladder cancer progression. <i>Cancer Genetics</i> , <b>2014</b> , 207, 147-52	2.3	4
29	Re: Global effects of smoking, of quitting, and of taxing tobacco. <i>European Urology</i> , <b>2014</b> , 66, 176-8	10.2	4
28	Impact of preoperative anemia on oncologic outcomes of upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Journal of Urology</i> , <b>2014</b> , 191, 316-22	2.5	39
27	Impact of distal ureter management on oncologic outcomes following radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , <b>2014</b> , 65, 210-7	10.2	150
26	Re-assessment of 30-, 60- and 90-day mortality rates in non-metastatic prostate cancer patients treated either with radical prostatectomy or radiation therapy. <i>Canadian Urological Association Journal</i> , <b>2014</b> , 8, E75-80	1.2	4
25	Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2014</b> , 32–433-40	2.8	28

24	Impact of perioperative chemotherapy on survival in patients with advanced primary urethral cancer: Results of the international collaboration on primary urethral carcinoma <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 4587-4587	2.2	1
23	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , <b>2013</b> , 111, 74-84	5.6	24
22	Lymph node dissection during radical cystectomy for bladder cancer treatment: considerations on relevance and extent. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 1561-7	2.3	11
21	Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , <b>2013</b> , 111, E30-6	5.6	60
20	Urothelial carcinoma of the bladder and the upper tract: disparate twins. <i>Journal of Urology</i> , <b>2013</b> , 189, 1214-21	2.5	212
19	Impact of smoking on oncologic outcomes of upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Urology</i> , <b>2013</b> , 63, 1082-90	10.2	65
18	Loss of SPINK1 expression is associated with unfavorable outcomes in urothelial carcinoma of the bladder after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 1716	;- <del>2</del> 8	13
17	Impact of histological variants on oncological outcomes of patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 1889-97	7.5	119
16	Impact of smoking and smoking cessation on outcomes in bladder cancer patients treated with radical cystectomy. <i>European Urology</i> , <b>2013</b> , 64, 456-64	10.2	75
15	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , <b>2013</b> , 64, 837-45	10.2	47
14	Impact of smoking and smoking cessation on oncologic outcomes in primary non-muscle-invasive bladder cancer. <i>European Urology</i> , <b>2013</b> , 63, 724-32	10.2	87
13	Gender-specific effect of smoking on upper tract urothelial carcinoma outcomes. <i>BJU International</i> , <b>2013</b> , 112, 623-37	5.6	22
12	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , <b>2013</b> , 112, 453-61	5.6	97
11	Death certificates are valid for the determination of cause of death in patients with upper and lower tract urothelial carcinoma. <i>European Urology</i> , <b>2012</b> , 61, 854-5	10.2	138
10	Prognostic role and HER2 expression of circulating tumor cells in peripheral blood of patients prior to radical cystectomy: a prospective study. <i>European Urology</i> , <b>2012</b> , 61, 810-7	10.2	119
9	Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. <i>World Journal of Urology</i> , <b>2012</b> , 30, 807-14	4	13
8	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , <b>2012</b> , 62, 677-84	10.2	74
7	Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 4337-44	3.1	42

#### LIST OF PUBLICATIONS

6	Impact of histological variants on clinical outcomes of patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , <b>2012</b> , 188, 398-404	2.5	78
5	Biomolecular predictors of urothelial cancer behavior and treatment outcomes. <i>Current Urology Reports</i> , <b>2012</b> , 13, 122-35	2.9	45
4	Detection of circulating tumour cells in peripheral blood of patients with advanced non-metastatic bladder cancer. <i>BJU International</i> , <b>2011</b> , 107, 1668-75	5.6	71
3	Older patients suffer from adverse histopathological features after radical cystectomy. <i>International Journal of Urology</i> , <b>2011</b> , 18, 576-84	2.3	12
2	Tissue factor procoagulant activity of plasma microparticles is increased in patients with early-stage prostate cancer. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 1147-1155	7	60
1	Tissue factor procoagulant activity of plasma microparticles is increased in patients with early-stage prostate cancer. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 1147-55	7	25