

Feng Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1930480/publications.pdf>

Version: 2024-02-01

40
papers

1,543
citations

361296

20
h-index

315616

38
g-index

40
all docs

40
docs citations

40
times ranked

2649
citing authors

#	ARTICLE	IF	CITATIONS
1	circFBXW7 Inhibits Malignant Progression by Sponging miR-197-3p and Encoding a 185-aa Protein in Triple-Negative Breast Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 88-98.	2.3	167
2	LGR5 Promotes Breast Cancer Progression and Maintains Stem-Like Cells Through Activation of Wnt/ β -Catenin Signaling. <i>Stem Cells</i> , 2015, 33, 2913-2924.	1.4	135
3	The miR-34a-LDHA axis regulates glucose metabolism and tumor growth in breast cancer. <i>Scientific Reports</i> , 2016, 6, 21735.	1.6	109
4	High expressions of LDHA and AMPK as prognostic biomarkers for breast cancer. <i>Breast</i> , 2016, 30, 39-46.	0.9	102
5	miR-185 Suppresses Tumor Proliferation by Directly Targeting E2F6 and DNMT1 and Indirectly Upregulating BRCA1 in Triple-Negative Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 3185-3197.	1.9	93
6	miR-26a suppresses tumour proliferation and metastasis by targeting metadherin in triple negative breast cancer. <i>Cancer Letters</i> , 2015, 357, 384-392.	3.2	85
7	miR-22 as a prognostic factor targets glucose transporter protein type 1 in breast cancer. <i>Cancer Letters</i> , 2015, 356, 410-417.	3.2	81
8	N6-methyladenosine regulated FGFR4 attenuates ferroptotic cell death in recalcitrant HER2-positive breast cancer. <i>Nature Communications</i> , 2022, 13, 2672.	5.8	80
9	The effect of preoperative serum triglycerides and high-density lipoprotein-cholesterol levels on the prognosis of breast cancer. <i>Breast</i> , 2017, 32, 1-6.	0.9	74
10	miR-200c inhibits breast cancer proliferation by targeting KRAS. <i>Oncotarget</i> , 2015, 6, 34968-34978.	0.8	72
11	Diallyl Disulfide Suppresses SRC/Ras/ERK Signaling-Mediated Proliferation and Metastasis in Human Breast Cancer by Up-Regulating miR-34a. <i>PLoS ONE</i> , 2014, 9, e112720.	1.1	67
12	mir-101-3p is a key regulator of tumor metabolism in triple negative breast cancer targeting AMPK. <i>Oncotarget</i> , 2016, 7, 35188-35198.	0.8	55
13	Metformin mediates induction of miR-708 to inhibit self-renewal and chemoresistance of breast cancer stem cells through targeting CD47. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5994-6004.	1.6	52
14	The preoperative plasma fibrinogen level is an independent prognostic factor for overall survival of breast cancer patients who underwent surgical treatment. <i>Breast</i> , 2015, 24, 745-750.	0.9	46
15	Development and validation of a prognostic nomogram based on the log odds of positive lymph nodes (LODDS) for breast cancer. <i>Oncotarget</i> , 2016, 7, 21046-21053.	0.8	44
16	circGNB1 Facilitates Triple-Negative Breast Cancer Progression by Regulating miR-141-5p-IGF1R Axis. <i>Frontiers in Genetics</i> , 2020, 11, 193.	1.1	41
17	Development and validation of a nomogram for predicting survival on the base of modified lymph node ratio in breast cancer patients. <i>Breast</i> , 2017, 33, 14-22.	0.9	31
18	miR-200c suppresses stemness and increases cellular sensitivity to trastuzumab in HER2+ breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 8114-8127.	1.6	28

#	ARTICLE	IF	CITATIONS
19	Diallyl Disulfide Inhibits Breast Cancer Stem Cell Progression and Glucose Metabolism by Targeting CD44/PKM2/AMPK Signaling. <i>Current Cancer Drug Targets</i> , 2018, 18, 592-599.	0.8	27
20	Diagnostic and prognostic value of serum MACC1 in breast cancer patients. <i>Oncotarget</i> , 2016, 7, 84408-84415.	0.8	21
21	A Novel Platelet-Related Gene Signature for Predicting the Prognosis of Triple-Negative Breast Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 795600.	1.8	17
22	Prognosis of invasive micropapillary carcinoma compared with invasive ductal carcinoma in breast: A meta-analysis of PSM studies. <i>Breast</i> , 2020, 51, 11-20.	0.9	16
23	High Residual Tumor Rate for Early Breast Cancer Patients Receiving Vacuum-assisted Breast Biopsy. <i>Journal of Cancer</i> , 2017, 8, 490-496.	1.2	13
24	The Influence of Hormone Therapy on secondary diabetes mellitus in Breast Cancer: A Meta-analysis. <i>Clinical Breast Cancer</i> , 2022, 22, e48-e58.	1.1	12
25	Breast-Conserving Therapy Versus Mastectomy in Young Breast Cancer Patients Concerning Molecular Subtypes: A SEER Population-Based Study. <i>Cancer Control</i> , 2020, 27, 107327482097666.	0.7	11
26	Survival benefit of platinum-based regimen in early stage triple negative breast cancer: A meta-analysis of randomized controlled trials. <i>Npj Breast Cancer</i> , 2021, 7, 157.	2.3	10
27	The Practicability of a Novel Prognostic Index (PI) Model and Comparison with Nottingham Prognostic Index (NPI) in Stage III Breast Cancer Patients Undergoing Surgical Treatment. <i>PLoS ONE</i> , 2015, 10, e0143537.	1.1	9
28	Breast-conserving therapy shows better prognosis in mucinous breast carcinoma compared with mastectomy: A SEER population-based study. <i>Cancer Medicine</i> , 2020, 9, 5381-5391.	1.3	8
29	The role of surgical intervention for isolated breast cancer liver metastasis: Results of case-control study with comparison to medical treatment. <i>Cancer Medicine</i> , 2020, 9, 4656-4666.	1.3	6
30	Hepatitis B virus infection specially increases risk of liver metastasis in breast cancer patients: a propensity-matched analysis. <i>Translational Cancer Research</i> , 2020, 9, 1506-1517.	0.4	6
31	BikDDA, a Mutant of Bik with Longer Half-Life Expression Protein, Can Be a Novel Therapeutic Gene for Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e92172.	1.1	5
32	The tumor-to-breast volume ratio (TBR) predicts cancer-specific survival in breast cancer patients who underwent modified radical mastectomy. <i>Tumor Biology</i> , 2016, 37, 7493-7500.	0.8	5
33	Nomogram to Predict Internal Mammary Lymph Nodes Metastasis in Patients With Breast Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 1193.	1.3	5
34	Predictive Nomogram of Subsequent Liver Metastasis After Mastectomy or Breast-Conserving Surgery in Patients With Nonmetastatic Breast Cancer. <i>Cancer Control</i> , 2021, 28, 107327482199741.	0.7	3
35	Application of a novel prognostic invasive lesion index in ductal carcinoma in situ with minimal invasion of the breast. <i>Cancer Medicine</i> , 2017, 6, 2489-2496.	1.3	2
36	Additional capecitabine use in early-stage triple negative breast cancer patients receiving standard chemotherapy: a new era? A meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , 2022, 22, 261.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Peripheral blood lymphocytes subtypes as new predictors for neoadjuvant therapy efficacy in breast cancer. <i>Cancer Medicine</i> , 2022, 11, 2923-2933.	1.3	2
38	Identification and Validation of Immune-Related Methylation Clusters for Predicting Immune Activity and Prognosis in Breast Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 704557.	2.2	1
39	Intraoperative ipsilateral subclavian port catheter implantation in resectable breast cancer patients: A novel, safe, and convenient clinical practice. <i>Cancer Medicine</i> , 2020, 9, 8970-8978.	1.3	0
40	Increased number and function of endothelial progenitor cells in breast cancer patients and the linear correlation with VEGF level. <i>Neoplasma</i> , 2022, 69, 242-250.	0.7	0