Lei Gao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1931070/publications.pdf

Version: 2024-02-01

567281 526287 41 883 15 27 citations h-index g-index papers 48 48 48 864 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Hepatic TGFβr1 Deficiency Attenuates Lipopolysaccharide/D-Galactosamine–Induced Acute Liver Failure Through Inhibiting GSK3β–Nrf2–Mediated Hepatocyte Apoptosis and Ferroptosis. Cellular and Molecular Gastroenterology and Hepatology, 2022, 13, 1649-1672.	4.5	32
2	LMO1 Plays an Oncogenic Role in Human Glioma Associated With NF-kB Pathway. Frontiers in Oncology, 2022, 12, 770299.	2.8	3
3	Regional amplitude abnormities in the major depressive disorder: A resting-state fMRI study and support vector machine analysis. Journal of Affective Disorders, 2022, 308, 1-9.	4.1	14
4	Lamin B1 is a potential therapeutic target and prognostic biomarker for hepatocellular carcinoma. Bioengineered, 2022, 13, 9211-9231.	3.2	7
5	Isoliquiritigenin alleviates liver fibrosis through caveolin-1-mediated hepatic stellate cells ferroptosis in zebrafish and mice. Phytomedicine, 2022, 101, 154117.	5. 3	28
6	Ginsenoside Rb1 Alleviates Alcohol-Induced Liver Injury by Inhibiting Steatosis, Oxidative Stress, and Inflammation. Frontiers in Pharmacology, 2021, 12, 616409.	3 . 5	18
7	Blockade of Indoleamine 2, 3-dioxygenase 1 ameliorates hippocampal neurogenesis and BOLD-fMRI signals in chronic stress precipitated depression. Aging, 2021, 13, 5875-5891.	3.1	17
8	Lupeol ameliorates LPS/D-GalN induced acute hepatic damage by suppressing inflammation and oxidative stress through TGF \hat{l}^2 1-Nrf2 signal pathway. Aging, 2021, 13, 6592-6605.	3.1	17
9	Biejiajian Pill Inhibits Carcinogenesis and Metastasis via the Akt/GSK-3β/Snail Signaling Pathway in Hepatocellular Carcinoma. Frontiers in Pharmacology, 2021, 12, 610158.	3.5	7
10	Ginsenoside-Rg1 acts as an IDO1 inhibitor, protects against liver fibrosis via alleviating IDO1-mediated the inhibition of DCs maturation. Phytomedicine, 2021, 84, 153524.	5. 3	13
11	Integrated genomic and transcriptomic analysis identified <i>KRT18</i> mutation and <i>MTAP</i> loss as key genetic alterations related to the prognosis of astrocytoma and glioblastoma Journal of Clinical Oncology, 2021, 39, e14039-e14039.	1.6	О
12	Spliceosome-regulated RSRP1-dependent NF-κB activation promotes the glioblastoma mesenchymal phenotype. Neuro-Oncology, 2021, 23, 1693-1708.	1.2	12
13	Ethyl Acetate Fraction of Dicliptera chinensis (L.) Juss. Ameliorates Liver Fibrosis by Inducing Autophagy via PI3K/AKT/mTOR/p70S6K Signaling Pathway. Chinese Journal of Integrative Medicine, 2021, , 1.	1.6	2
14	Piceatannol protects against sepsis-induced myocardial dysfunction via direct inhibition of JAK2. International Immunopharmacology, 2021, 96, 107639.	3.8	11
15	Indoleamine 2, 3-dioxygenase 1 aggravates acetaminophen-induced acute liver failure by triggering excess nitroxidative stress and iron accumulation. Free Radical Biology and Medicine, 2021, 172, 578-589.	2.9	4
16	Xiaoyaosan Exerts Antidepressant Effect by Downregulating RAGE Expression in Cingulate Gyrus of Depressive-Like Mice. Frontiers in Pharmacology, 2021, 12, 703965.	3 . 5	4
17	Indoleamine 2,3-dioxygenase 1 limits hepatic inflammatory cells recruitment and promotes bile duct ligation-induced liver fibrosis. Cell Death and Disease, 2021, 12, 16.	6. 3	15
18	Oridonin Alters Hepatic Urea Cycle via Gut Microbiota and Protects against Acetaminophen-Induced Liver Injury. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-15.	4.0	9

#	Article	IF	Citations
19	Limonin Alleviates Non-alcoholic Fatty Liver Disease by Reducing Lipid Accumulation, Suppressing Inflammation and Oxidative Stress. Frontiers in Pharmacology, 2021, 12, 801730.	3.5	9
20	Caveolin-1 dictates ferroptosis in the execution of acute immune-mediated hepatic damage by attenuating nitrogen stress. Free Radical Biology and Medicine, 2020, 148, 151-161.	2.9	57
21	Metagenomic analysis of potential pathogens from blood donors in Guangzhou, China. Transfusion Medicine, 2020, 30, 61-69.	1.1	4
22	Caveolin-1 protects against DSS-induced colitis through inhibiting intestinal nitrosative stress and mucosal barrier damage in mice. Biochemical Pharmacology, 2020, 180, 114153.	4.4	10
23	Mutual antagonism between indoleamine 2,3-dioxygenase 1 and nuclear factor E2-related factor 2 regulates the maturation status of DCs in liver fibrosis. Free Radical Biology and Medicine, 2020, 160, 178-190.	2.9	10
24	Glycyrrhizin Ameliorates Radiation Enteritis in Mice Accompanied by the Regulation of the HMGB1/TLR4 Pathway. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-10.	1.2	5
25	Actinidia chinensis Planch prevents proliferation and migration of gastric cancer associated with apoptosis, ferroptosis activation and mesenchymal phenotype suppression. Biomedicine and Pharmacotherapy, 2020, 126, 110092.	5. 6	61
26	Indoleamine 2, 3-dioxygenase 1enhanceshepatocytes ferroptosis in acute immune hepatitis associated with excess nitrative stress. Free Radical Biology and Medicine, 2020, 152, 668-679.	2.9	43
27	Physical exercise rectifies CUMS-induced aberrant regional homogeneity in mice accompanied by the adjustment of skeletal muscle PGC-1a/IDO1 signals and hippocampal function. Behavioural Brain Research, 2020, 383, 112516.	2.2	17
28	Naringin attenuates alcoholic liver injury by reducing lipid accumulation and oxidative stress. Life Sciences, 2019, 216, 305-312.	4.3	78
29	Modified Xiaoyaosan reverses aberrant brain regional homogeneity to exert antidepressive effects in mice. Neuropathology, 2019, 39, 85-96.	1.2	7
30	Betulinic acid attenuates liver fibrosis by inducing autophagy via the mitogen-activated protein kinase/extracellular signal-regulated kinase pathway. Journal of Natural Medicines, 2019, 73, 179-189.	2.3	17
31	P-Hydroxyacetophenone Ameliorates Alcohol-Induced Steatosis and Oxidative Stress via the NF-κB Signaling Pathway in Zebrafish and Hepatocytes. Frontiers in Pharmacology, 2019, 10, 1594.	3.5	11
32	Polydatin alleviated alcoholic liver injury in zebrafish larvae through ameliorating lipid metabolism and oxidative stress. Journal of Pharmacological Sciences, 2018, 138, 46-53.	2.5	40
33	Modified Xiaoyaosan (MXYS) Exerts Anti-depressive Effects by Rectifying the Brain Blood Oxygen Level-Dependent fMRI Signals and Improving Hippocampal Neurogenesis in Mice. Frontiers in Pharmacology, 2018, 9, 1098.	3.5	28
34	Neural circuitry among connecting the hippocampus, prefrontal cortex and basolateral amygdala in a mouse depression model: Associations correlations between BDNF levels and BOLD – fMRI signals. Brain Research Bulletin, 2018, 142, 107-115.	3.0	37
35	Voluntary wheel running ameliorates depression-like behaviors and brain blood oxygen level-dependent signals in chronic unpredictable mild stress mice. Behavioural Brain Research, 2017, 330, 17-24.	2.2	41
36	Naringenin inhibits alcoholic injury by improving lipid metabolism and reducing apoptosis in zebrafish larvae. Oncology Reports, 2017, 38, 2877-2884.	2.6	35

Lei Gao

#	ARTICLE	IF	CITATION
37	Hesperidin Protects against Acute Alcoholic Injury through Improving Lipid Metabolism and Cell Damage in Zebrafish Larvae. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-9.	1.2	13
38	Paeoniflorin ameliorates interferon-alpha-induced neuroinflammation and depressive-like behaviors in mice. Oncotarget, 2017, 8, 8264-8282.	1.8	33
39	Indoleamine 2,3-dioxygenase 1 deficiency attenuates CCl4-induced fibrosis through Th17 cells down-regulation and tryptophan 2,3-dioxygenase compensation. Oncotarget, 2017, 8, 40486-40500.	1.8	26
40	Caveolin-1 protects against hepatic ischemia/reperfusion injury through ameliorating peroxynitrite-mediated cell death. Free Radical Biology and Medicine, 2016, 95, 209-215.	2.9	30
41	Caveolin-1 is essential for protecting against binge drinking-induced liver damage through inhibiting reactive nitrogen species. Hepatology, 2014, 60, 687-699.	7.3	48