

Savitri Krishnamurthy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1931082/publications.pdf>

Version: 2024-02-01

133
papers

7,690
citations

61984

43
h-index

56724

83
g-index

133
all docs

133
docs citations

133
times ranked

11906
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Landscape of somatic mutations in 560 breast cancer whole-genome sequences. <i>Nature</i> , 2016, 534, 47-54. | 27.8 | 1,760 |
| 2 | Improved Axillary Evaluation Following Neoadjuvant Therapy for Patients With Node-Positive Breast Cancer Using Selective Evaluation of Clipped Nodes: Implementation of Targeted Axillary Dissection. <i>Journal of Clinical Oncology</i> , 2016, 34, 1072-1078. | 1.6 | 626 |
| 3 | Role of ultrasound-guided fine-needle aspiration of indeterminate and suspicious axillary lymph nodes in the initial staging of breast carcinoma. <i>Cancer</i> , 2002, 95, 982-988. | 4.1 | 330 |
| 4 | Cortical Morphologic Features of Axillary Lymph Nodes as a Predictor of Metastasis in Breast Cancer: In Vitro Sonographic Study. <i>American Journal of Roentgenology</i> , 2008, 191, 646-652. | 2.2 | 241 |
| 5 | Total RNA yield and microarray gene expression profiles from fine-needle aspiration biopsy and core-needle biopsy samples of breast carcinoma. <i>Cancer</i> , 2003, 97, 2960-2971. | 4.1 | 170 |
| 6 | Ductal Carcinoma in Situ: State of the Science and Roadmap to Advance the Field. <i>Journal of Clinical Oncology</i> , 2009, 27, 279-288. | 1.6 | 151 |
| 7 | Identification of Patients With Documented Pathologic Complete Response in the Breast After Neoadjuvant Chemotherapy for Omission of Axillary Surgery. <i>JAMA Surgery</i> , 2017, 152, 665. | 4.3 | 149 |
| 8 | Mesenchymal Stem Cells Promote Mammosphere Formation and Decrease E-Cadherin in Normal and Malignant Breast Cells. <i>PLoS ONE</i> , 2010, 5, e12180. | 2.5 | 148 |
| 9 | Selective Surgical Localization of Axillary Lymph Nodes Containing Metastases in Patients With Breast Cancer. <i>JAMA Surgery</i> , 2015, 150, 137. | 4.3 | 148 |
| 10 | A Clinical Feasibility Trial for Identification of Exceptional Responders in Whom Breast Cancer Surgery Can Be Eliminated Following Neoadjuvant Systemic Therapy. <i>Annals of Surgery</i> , 2018, 267, 946-951. | 4.2 | 147 |
| 11 | Uncovering the Molecular Secrets of Inflammatory Breast Cancer Biology: An Integrated Analysis of Three Distinct Affymetrix Gene Expression Datasets. <i>Clinical Cancer Research</i> , 2013, 19, 4685-4696. | 7.0 | 130 |
| 12 | Inflammation Mediated Metastasis: Immune Induced Epithelial-To-Mesenchymal Transition in Inflammatory Breast Cancer Cells. <i>PLoS ONE</i> , 2015, 10, e0132710. | 2.5 | 121 |
| 13 | Impact of Clinicopathological Factors on Sensitivity of Axillary Ultrasonography in the Detection of Axillary Nodal Metastases in Patients With Breast Cancer. <i>Annals of Surgical Oncology</i> , 2003, 10, 1025-1030. | 1.5 | 120 |
| 14 | Concurrent fine needle aspirations and core needle biopsies: a comparative study of substrates for next-generation sequencing in solid organ malignancies. <i>Modern Pathology</i> , 2017, 30, 499-508. | 5.5 | 116 |
| 15 | Analytical Validation of the Next-Generation Sequencing Assay for a Nationwide Signal-Finding Clinical Trial. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 313-327. | 2.8 | 115 |
| 16 | Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Reverses Mesenchymal to Epithelial Phenotype and Inhibits Metastasis in Inflammatory Breast Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 6639-6648. | 7.0 | 113 |
| 17 | Distinction of phyllodes tumor from fibroadenoma. <i>Cancer</i> , 2000, 90, 342-349. | 4.1 | 109 |
| 18 | Detection of minimal residual disease in blood and bone marrow in early stage breast cancer. <i>Cancer</i> , 2010, 116, 3330-3337. | 4.1 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Fine-needle aspiration cytology of mucinous tumors of the pancreas. <i>Cancer</i> , 2004, 102, 92-99. | 4.1 | 103 |
| 20 | Predicting the Extent of Nodal Disease in Early-Stage Breast Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 3440-3447. | 1.5 | 98 |
| 21 | A prospective study comparing touch imprint cytology, frozen section analysis, and rapid cytokeratin immunostain for intraoperative evaluation of axillary sentinel lymph nodes in breast cancer. <i>Cancer</i> , 2009, 115, 1555-1562. | 4.1 | 91 |
| 22 | Multidisciplinary Considerations in the Management of High-Risk Breast Lesions. <i>American Journal of Roentgenology</i> , 2012, 198, W132-W140. | 2.2 | 77 |
| 23 | A novel automated assay for the rapid identification of metastatic breast carcinoma in sentinel lymph nodes. <i>Cancer</i> , 2011, 117, 2599-2607. | 4.1 | 75 |
| 24 | Spatial charting of single-cell transcriptomes in tissues. <i>Nature Biotechnology</i> , 2022, 40, 1190-1199. | 17.5 | 72 |
| 25 | miR-141-Mediated Regulation of Brain Metastasis From Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw026. | 6.3 | 70 |
| 26 | Intramammary lymph node metastases are an independent predictor of poor outcome in patients with breast carcinoma. <i>Cancer</i> , 2004, 101, 1330-1337. | 4.1 | 69 |
| 27 | Different gene expressions are associated with the different molecular subtypes of inflammatory breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 125, 785-795. | 2.5 | 68 |
| 28 | Is Sentinel Lymph Node Dissection Warranted for Patients with a Diagnosis of Ductal Carcinoma In Situ?. <i>Annals of Surgical Oncology</i> , 2015, 22, 4270-4279. | 1.5 | 62 |
| 29 | Multi-Institutional Comparison of Whole Slide Digital Imaging and Optical Microscopy for Interpretation of Hematoxylin-Eosin Stained Breast Tissue Sections. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1733-1739. | 2.5 | 60 |
| 30 | Accuracy of Post-Neoadjuvant Chemotherapy Image-Guided Breast Biopsy to Predict Residual Cancer. <i>JAMA Surgery</i> , 2020, 155, e204103. | 4.3 | 58 |
| 31 | Endovascular Embolization by Transcatheter Delivery of Particles: Past, Present, and Future. <i>Journal of Functional Biomaterials</i> , 2017, 8, 12. | 4.4 | 54 |
| 32 | Histone deacetylase inhibitor-induced cancer stem cells exhibit high pentose phosphate pathway metabolism. <i>Oncotarget</i> , 2016, 7, 28329-28339. | 1.8 | 54 |
| 33 | Implementation of the American College of Surgeons Oncology Group Z1071 Trial Data in Clinical Practice: Is There a Way Forward for Sentinel Lymph Node Dissection in Clinically Node-Positive Breast Cancer Patients Treated with Neoadjuvant Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2014, 21, 2468-2473. | 1.5 | 53 |
| 34 | Applications of molecular techniques to fine-needle aspiration biopsy. <i>Cancer</i> , 2007, 111, 106-122. | 4.1 | 51 |
| 35 | Feasibility of confocal fluorescence microscopy for real-time evaluation of neoplasia in fresh human breast tissue. <i>Journal of Biomedical Optics</i> , 2013, 18, 106016. | 2.6 | 50 |
| 36 | Confocal fluorescence microscopy for rapid evaluation of invasive tumor cellularity of inflammatory breast carcinoma core needle biopsies. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 303-310. | 2.5 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Mesenchymal stem cells mediate the clinical phenotype of inflammatory breast cancer in a preclinical model. <i>Breast Cancer Research</i> , 2015, 17, 42. | 5.0 | 49 |
| 38 | Optimizing the <scp>DNA</scp> yield for molecular analysis from cytologic preparations. <i>Cancer Cytopathology</i> , 2016, 124, 254-260. | 2.4 | 49 |
| 39 | Molecular and Biologic Markers of Premalignant Lesions of Human Breast. <i>Advances in Anatomic Pathology</i> , 2002, 9, 185-197. | 4.3 | 48 |
| 40 | Phyllodes Tumor of the Breast: Ultrasound-Pathology Correlation. <i>American Journal of Roentgenology</i> , 2018, 210, W173-W179. | 2.2 | 48 |
| 41 | Ultrasound-guided fine-needle aspiration biopsy of the thyroid bed. <i>Cancer</i> , 2001, 93, 199-205. | 4.1 | 46 |
| 42 | Comparison of molecular subtype distribution in triple-negative inflammatory and non-inflammatory breast cancers. <i>Breast Cancer Research</i> , 2013, 15, R112. | 5.0 | 46 |
| 43 | Discordance in <scp><i>HER2</i></scp> gene amplification in circulating and disseminated tumor cells in patients with operable breast cancer. <i>Cancer Medicine</i> , 2013, 2, 226-233. | 2.8 | 44 |
| 44 | Nipple aspirate fluid cytology in breast carcinoma. <i>Cancer</i> , 2002, 99, 97-104. | 4.1 | 43 |
| 45 | Microcalcifications in 1657 Patients with Pure Ductal Carcinoma in Situ of the Breast: Correlation with Clinical, Histopathologic, Biologic Features, and Local Recurrence. <i>Annals of Surgical Oncology</i> , 2016, 23, 482-489. | 1.5 | 41 |
| 46 | Ex Vivo Microscopy: A Promising Next-Generation Digital Microscopy Tool for Surgical Pathology Practice. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 1058-1068. | 2.5 | 38 |
| 47 | Bovine leukemia virus linked to breast cancer but not coinfection with human papillomavirus: Caseâ€control study of women in Texas. <i>Cancer</i> , 2018, 124, 1342-1349. | 4.1 | 37 |
| 48 | Biopsy Feasibility Trial for Breast Cancer Pathologic Complete Response Detection after Neoadjuvant Chemotherapy: Imaging Assessment and Correlation Endpoints. <i>Annals of Surgical Oncology</i> , 2018, 25, 1953-1960. | 1.5 | 36 |
| 49 | Fine-needle aspiration cytology of a case of oncocytic adrenocortical carcinoma. , 2000, 22, 299-303. | | 35 |
| 50 | Cyclin E overexpression as a biomarker for combination treatment strategies in inflammatory breast cancer. <i>Oncotarget</i> , 2017, 8, 14897-14911. | 1.8 | 35 |
| 51 | Radiologic Mapping for Targeted Axillary Dissection: Needle Biopsy to Excision. <i>American Journal of Roentgenology</i> , 2016, 207, 1372-1379. | 2.2 | 33 |
| 52 | MicroRNA expression profiling identifies decreased expression of miR-205 in inflammatory breast cancer. <i>Modern Pathology</i> , 2016, 29, 330-346. | 5.5 | 33 |
| 53 | Utility of the BRAF p.V600E immunoperoxidase stain in FNA direct smears and cell block preparations from patients with thyroid carcinoma. <i>Cancer Cytopathology</i> , 2018, 126, 406-413. | 2.4 | 33 |
| 54 | TRPS1, GATA3, and SOX10 expression in triple-negative breast carcinoma. <i>Human Pathology</i> , 2022, 125, 97-107. | 2.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Towards a transcriptome-based theranostic platform for unfavorable breast cancer phenotypes. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 12780-12785. | 7.1 | 31 |
| 56 | Poor prognosis of patients with triple-negative breast cancer can be stratified by RANK and RANKL dual expression. Breast Cancer Research and Treatment, 2017, 164, 57-67. | 2.5 | 31 |
| 57 | Ductal Carcinoma In Situ and Margins <2â€Šmm. Annals of Surgery, 2019, 269, 150-157. | 4.2 | 29 |
| 58 | Prospective Feasibility Trial of Sentinel Lymph Node Biopsy in the Setting of Inflammatory Breast Cancer. Clinical Breast Cancer, 2018, 18, e73-e77. | 2.4 | 28 |
| 59 | Cyclooxygenase-2 expression in non-metastatic triple-negative breast cancer patients. Molecular and Clinical Oncology, 2014, 2, 845-850. | 1.0 | 27 |
| 60 | Identification of frequent somatic mutations in inflammatory breast cancer. Breast Cancer Research and Treatment, 2017, 163, 263-272. | 2.5 | 27 |
| 61 | Characteristics of percutaneous core biopsies adequate for next generation genomic sequencing. PLoS ONE, 2017, 12, e0189651. | 2.5 | 27 |
| 62 | Immunocytochemical study of the expression of mesothelin in fine-needle aspiration biopsy specimens of pancreatic adenocarcinoma. Diagnostic Cytopathology, 2007, 35, 143-147. | 1.0 | 26 |
| 63 | Circulating Tumor Cells and Recurrence After Primary Systemic Therapy in Stage III Inflammatory Breast Cancer. Journal of the National Cancer Institute, 2015, 107, djv250. | 6.3 | 25 |
| 64 | In Vivo and Ex Vivo Microscopy: Moving Toward the Integration of Optical Imaging Technologies Into Pathology Practice. Archives of Pathology and Laboratory Medicine, 2019, 143, 288-298. | 2.5 | 25 |
| 65 | Fine-needle aspiration of an unusual case of poorly differentiated insular carcinoma of the thyroid. Diagnostic Cytopathology, 2005, 32, 103-107. | 1.0 | 24 |
| 66 | Current applications and future prospects of fineâ€Šneedle aspiration biopsy of locoregional lymph nodes in the management of breast cancer. Cancer Cytopathology, 2009, 117, 451-462. | 2.4 | 22 |
| 67 | Use of the monoclonal antibody MOCâ€Š1 as an immunomarker for detecting metastatic adenocarcinoma in effusion cytology. Cancer Cytopathology, 2011, 119, 272-278. | 2.4 | 22 |
| 68 | Sonography and Sonographically Guided Needle Biopsy of Internal Mammary Nodes in Staging of Patients With Breast Cancer. American Journal of Roentgenology, 2015, 205, 905-911. | 2.2 | 22 |
| 69 | Status of the anaplastic lymphoma kinase (ALK) gene in inflammatory breast carcinoma. SpringerPlus, 2013, 2, 409. | 1.2 | 21 |
| 70 | Prospective Registry Trial Assessing the Use of Magnetic Seeds to Locate Clipped Nodes After Neoadjuvant Chemotherapy for Breast Cancer Patients. Annals of Surgical Oncology, 2021, 28, 4277-4283. | 1.5 | 21 |
| 71 | The role of cytology in the era of HPV-related head and neck carcinoma. Seminars in Diagnostic Pathology, 2015, 32, 250-257. | 1.5 | 20 |
| 72 | Somatic loss of estrogen receptor beta and p53 synergize to induce breast tumorigenesis. Breast Cancer Research, 2017, 19, 79. | 5.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Decreased expression of microRNA-26b in locally advanced and inflammatory breast cancer. <i>Human Pathology</i> , 2018, 77, 121-129. | 2.0 | 20 |
| 74 | Implementation of a Multiplex and Quantitative Proteomics Platform for Assessing Protein Lysates Using DNA-Barcoded Antibodies. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 1245-1258. | 3.8 | 19 |
| 75 | Distinguishing Non-Small Cell Lung Cancer Subtypes in Fine Needle Aspiration Biopsies by Desorption Electrospray Ionization Mass Spectrometry Imaging. <i>Clinical Chemistry</i> , 2020, 66, 1424-1433. | 3.2 | 19 |
| 76 | Comparison of Real-Time Fluorescence Confocal Digital Microscopy With Hematoxylin-Eosin Stained Sections of Core-Needle Biopsy Specimens. <i>JAMA Network Open</i> , 2020, 3, e200476. | 5.9 | 19 |
| 77 | Phase II Randomized Study of Ixabepilone Versus Observation in Patients With Significant Residual Disease After Neoadjuvant Systemic Therapy for HER2-Negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2015, 15, 325-331. | 2.4 | 18 |
| 78 | Expression of TRPS1 in phyllodes tumor and sarcoma of the breast. <i>Human Pathology</i> , 2022, 121, 73-80. | 2.0 | 18 |
| 79 | Fine-needle aspiration cytology of a case of HIV-associated anaplastic myeloma. <i>Diagnostic Cytopathology</i> , 2002, 27, 218-222. | 1.0 | 17 |
| 80 | Immunocytochemical evaluation of estrogen receptor on archival Papanicolaou-stained fine-needle aspirate smears. <i>Diagnostic Cytopathology</i> , 2003, 29, 309-314. | 1.0 | 17 |
| 81 | Toward nodal staging of axillary lymph node basins through intradermal administration of fluorescent imaging agents. <i>Biomedical Optics Express</i> , 2014, 5, 183. | 2.9 | 16 |
| 82 | Distinct epidemiological profiles associated with inflammatory breast cancer (IBC): A comprehensive analysis of the IBC registry at The University of Texas MD Anderson Cancer Center. <i>PLoS ONE</i> , 2018, 13, e0204372. | 2.5 | 16 |
| 83 | Feasibility of fine-needle aspiration for assessing responses to chemotherapy in metastatic nodes marked with clips in breast cancer: A prospective registry study. <i>Cancer</i> , 2019, 125, 365-373. | 4.1 | 16 |
| 84 | Confocal Fluorescence Microscopy Platform Suitable for Rapid Evaluation of Small Fragments of Tissue in Surgical Pathology Practice. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 305-313. | 2.5 | 16 |
| 85 | In vitro vascularized tumor platform for modeling tumor-vasculature interactions of inflammatory breast cancer. <i>Biotechnology and Bioengineering</i> , 2020, 117, 3572-3590. | 3.3 | 16 |
| 86 | Variability in grading of ductal carcinoma <i>in situ</i> among an international group of pathologists. <i>Journal of Pathology: Clinical Research</i> , 2021, 7, 233-242. | 3.0 | 16 |
| 87 | Feasibility and utility of using chromosomal aneusomy to further define the cytologic categories in nipple aspirate fluid specimens. <i>Cancer</i> , 2004, 102, 322-327. | 4.1 | 15 |
| 88 | Paradigm Shifts in Breast Care Delivery: Impact of Imaging in a Multidisciplinary Environment. <i>American Journal of Roentgenology</i> , 2017, 208, 248-255. | 2.2 | 15 |
| 89 | Scientific Summary from the Morgan Welch MD Anderson Cancer Center Inflammatory Breast Cancer (IBC) Program 10th Anniversary Conference. <i>Journal of Cancer</i> , 2017, 8, 3607-3614. | 2.5 | 15 |
| 90 | Mammary stem cell and macrophage markers are enriched in normal tissue adjacent to inflammatory breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 283-293. | 2.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Confocal fluorescence microscopy to evaluate changes in adipocytes in the tumor microenvironment associated with invasive ductal carcinoma and ductal carcinoma <i>in situ</i> . International Journal of Cancer, 2016, 139, 1140-1149. | 5.1 | 13 |
| 92 | Comparison of immunomarkers for the identification of adrenocortical cells in cytology specimens. Diagnostic Cytopathology, 2005, 33, 78-82. | 1.0 | 12 |
| 93 | Micro-anatomical quantitative optical imaging: toward automated assessment of breast tissues. Breast Cancer Research, 2015, 17, 105. | 5.0 | 12 |
| 94 | Aldehyde Dehydrogenase1 Immunohistochemical Staining in Primary Breast Cancer Cells Independently Predicted Overall Survival But Did Not Correlate with the Presence of Circulating or Disseminated Tumors Cells. Journal of Cancer, 2014, 5, 360-367. | 2.5 | 11 |
| 95 | Sonographic Evaluation of Intrathyroid Metastases. Journal of Ultrasound in Medicine, 2017, 36, 69-76. | 1.7 | 11 |
| 96 | Emperipolesis in the cerebrospinal fluid from a patient with Rosai-Dorfman disease. Diagnostic Cytopathology, 2008, 36, 67-68. | 1.0 | 10 |
| 97 | Biospecimen repositories and cytopathology. Cancer Cytopathology, 2015, 123, 152-161. | 2.4 | 10 |
| 98 | Prospective evaluation of a novel approach for the use of a quantitative galactose oxidase-Schiff reaction in ductal fluid samples from women with breast carcinoma. Cancer, 2004, 100, 2549-2554. | 4.1 | 9 |
| 99 | Investigation of tissue cellularity at the tip of the core biopsy needle with optical coherence tomography. Biomedical Optics Express, 2018, 9, 694. | 2.9 | 9 |
| 100 | Whole-genome sequencing of phenotypically distinct inflammatory breast cancers reveals similar genomic alterations to non-inflammatory breast cancers. Genome Medicine, 2021, 13, 70. | 8.2 | 8 |
| 101 | The emerging role of circulating tumor cells in breast cancer. Cancer Cytopathology, 2012, 120, 161-166. | 2.4 | 7 |
| 102 | Development of Functional Requirements for Ex Vivo Pathology Applications of In Vivo Microscopy Systems: A Proposal From the In Vivo Microscopy Committee of the College of American Pathologists. Archives of Pathology and Laboratory Medicine, 2019, 143, 1052-1057. | 2.5 | 7 |
| 103 | MRI features of pseudoangiomatous stromal hyperplasia with histopathological correlation. Breast Journal, 2021, 27, 242-247. | 1.0 | 7 |
| 104 | Estrogen Receptor β -Mediated Inhibition of Actin-Based Cell Migration Suppresses Metastasis of Inflammatory Breast Cancer. Cancer Research, 2021, 81, 2399-2414. | 0.9 | 7 |
| 105 | Dynamic changes in CD44v-positive cells after preoperative anti-HER2 therapy and its correlation with pathologic complete response in HER2-positive breast cancer. Oncotarget, 2018, 9, 6872-6882. | 1.8 | 7 |
| 106 | Vascular flow on doppler sonography may not be a valid characteristic to distinguish colloid nodules from papillary thyroid carcinoma even when accounting for nodular size. Gland Surgery, 2019, 8, 461-468. | 1.1 | 6 |
| 107 | Assessment of breast cancer surgical margins with multimodal optical microscopy: A feasibility clinical study. PLoS ONE, 2021, 16, e0245334. | 2.5 | 6 |
| 108 | Kidneys, Adrenals, and Retroperitoneum. , 2008, , 811-871. | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Feasibility of using digital confocal microscopy for cytopathological examination in clinical practice. <i>Modern Pathology</i> , 2021, , . | 5.5 | 5 |
| 110 | Comment on "Diagnosis of pathological complete response to neoadjuvant chemotherapy in breast cancer by minimal invasive biopsy techniques". <i>British Journal of Cancer</i> , 2016, 114, e3-e3. | 6.4 | 4 |
| 111 | Unusual Benign Tumors of the Breast. <i>Journal of Clinical Imaging Science</i> , 2015, 5, 27. | 1.1 | 4 |
| 112 | Role of Ultrasonography of Regional Nodal Basins in Staging Triple-Negative Breast Cancer and Implications For Local-Regional Treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 102-110. | 0.8 | 3 |
| 113 | Utility of subcategorization of atypia of undetermined significance/follicular lesion of undetermined significance category in ultrasound-guided thyroid fine-needle aspiration in a large referral cancer center. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 309-316. | 0.5 | 3 |
| 114 | The impact of Ki-67 in the context of multidisciplinary care in primary inflammatory breast cancer. <i>Journal of Cancer</i> , 2019, 10, 2635-2642. | 2.5 | 3 |
| 115 | A Randomized Phase II Study of Sequential Eribulin Versus Paclitaxel Followed by FAC/FEC as Neoadjuvant Therapy in Patients with Operable HER2-Negative Breast Cancer. <i>Oncologist</i> , 2021, 26, e230-e240. | 3.7 | 3 |
| 116 | Evolving role of endoscopic ultrasonography-guided fine-needle aspiration in tumor staging and treatment of patients with carcinomas of the upper gastrointestinal tract. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, 29-36. | 0.5 | 2 |
| 117 | Imaging and pathological findings in a case of invasive squamous cell carcinoma of the breast. <i>Breast Journal</i> , 2018, 24, 203-204. | 1.0 | 2 |
| 118 | Prognostic Value of HER2 to CEP17 Ratio on Fluorescence In Situ Hybridization Ratio in Patients with Nonmetastatic HER2-Positive Inflammatory and Noninflammatory Breast Cancer Treated with Neoadjuvant Chemotherapy with or without Trastuzumab. <i>Oncologist</i> , 2020, 25, e909-e919. | 3.7 | 2 |
| 119 | Clinical and cytopathological features of suspected thyroglossal duct cysts and neoplasms arising from them: A large series from a referral cancer center. <i>Cancer Cytopathology</i> , 2022, 130, 72-79. | 2.4 | 2 |
| 120 | Fine-needle aspiration detects primary neuroendocrine carcinoma of the breast in a patient with breast implants. <i>CytoJournal</i> , 2015, 12, 1. | 1.7 | 2 |
| 121 | Incidental Suspicious Regional Lymph Nodes on Breast Sonography: Is Sampling Necessary?. <i>Current Problems in Diagnostic Radiology</i> , 2017, 46, 100-104. | 1.4 | 1 |
| 122 | Relevance and impact of the International Academy of Cytology Yokohama System for standardized reporting of breast fine-needle aspiration biopsy cytology. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 63-66. | 0.5 | 1 |
| 123 | Nonphosphorylatable PEA15 mutant inhibits epithelial-mesenchymal transition in triple-negative breast cancer partly through the regulation of IL-8 expression. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 333-345. | 2.5 | 1 |
| 124 | Anti-cytokeratin CAM5.2 (BD Sciences) and CK8 Give No Remarkable Advantages to the Pancytokeratin Cocktail of Antibodies (AE1/AE3, CAM5.2, MNF116, CK8, and CK18) in Detecting Disseminated Tumor Cells in Biologic Subtypes of Stage III Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 2011, 18, 263-264. | 1.5 | 0 |
| 125 | Reply to detection of minimal residual disease in blood and bone marrow in early stage breast cancer. <i>Cancer</i> , 2011, 117, 2579-2579. | 4.1 | 0 |
| 126 | Sonographic characteristics of locoregional lymph nodes that can predict the presence of metastatic carcinoma by endoscopic ultrasound-guided fine needle aspiration in patients with carcinomas of the esophagus/gastroesophageal junction. <i>Esophagus</i> , 2016, 13, 187-194. | 1.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A common complication of myelofibrosis presenting as a rare finding in cerebrospinal fluid cytology. <i>Diagnostic Cytopathology</i> , 2017, 45, 1039-1041. | 1.0 | 0 |
| 128 | <i>Breast Pathology</i> . , 2020, , 921-1047. | | 0 |
| 129 | <i>Pathologic Evaluation of Tissues Obtained by Interventional Radiology Techniques</i> . , 2014, , 85-95. | | 0 |
| 130 | Thyroid carcinoma metastasizing to the submandibular gland: Sonographic findings. <i>Journal of Clinical Ultrasound</i> , 2020, 48, 227-230. | 0.8 | 0 |
| 131 | An inflammatory imposter: Three cases of Mullerian carcinoma appearing as inflammatory breast cancer. <i>Breast Journal</i> , 2020, 26, 1022-1024. | 1.0 | 0 |
| 132 | Ultrastructural Analysis of Inflammatory Breast Cancer Cell Clusters in an Ex Vivo Environment Mechanically Mimicking the Lymph Vascular System. <i>Breast Cancer: Basic and Clinical Research</i> , 2021, 15, 117822342110561. | 1.1 | 0 |
| 133 | Review of the Sonographic Features of Interpectoral (Rotter) Lymph Nodes in Breast Cancer Staging. <i>Ultrasound Quarterly</i> , 2022, Publish Ahead of Print, . | 0.8 | 0 |