

Binodh S Desilva

List of Publications by Citations

Source: <https://exaly.com/author-pdf/193213/binodh-s-desilva-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

2,395

citations

21

h-index

48

g-index

74

ext. papers

2,688

ext. citations

3.3

avg, IF

3.93

L-index

#	Paper	IF	Citations
63	Suppression of angiogenesis and tumor growth by selective inhibition of angiopoietin-2. <i>Cancer Cell</i> , 2004 , 6, 507-16	24.3	601
62	Recommendations for the bioanalytical method validation of ligand-binding assays to support pharmacokinetic assessments of macromolecules. <i>Pharmaceutical Research</i> , 2003 , 20, 1885-900	4.5	461
61	Key elements of bioanalytical method validation for macromolecules. <i>AAPS Journal</i> , 2007 , 9, E156-63	3.7	106
60	Workshop report: Crystal City V--quantitative bioanalytical method validation and implementation: the 2013 revised FDA guidance. <i>AAPS Journal</i> , 2015 , 17, 277-88	3.7	91
59	Bioanalytical method validation for macromolecules in support of pharmacokinetic studies. <i>Pharmaceutical Research</i> , 2005 , 22, 1425-31	4.5	84
58	Fully validated LC-MS/MS assay for the simultaneous quantitation of coadministered therapeutic antibodies in cynomolgus monkey serum. <i>Analytical Chemistry</i> , 2013 , 85, 9859-67	7.8	66
57	Ligand-binding mass spectrometry to study biotransformation of fusion protein drugs and guide immunoassay development: strategic approach and application to peptibodies targeting the thrombopoietin receptor. <i>AAPS Journal</i> , 2010 , 12, 576-85	3.7	50
56	Application of multi-factorial design of experiments to successfully optimize immunoassays for robust measurements of therapeutic proteins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 311-8	3.5	40
55	2014 White Paper on recent issues in bioanalysis: a full immersion in bioanalysis (Part 2 - hybrid LBA/LCMS, ELN & regulatory agencies input). <i>Bioanalysis</i> , 2014 , 6, 3237-49	2.1	36
54	Innovative use of LC-MS/MS for simultaneous quantitation of neutralizing antibody, residual drug, and human immunoglobulin G in immunogenicity assay development. <i>Analytical Chemistry</i> , 2014 , 86, 2673-80	7.8	33
53	2017 White Paper on recent issues in bioanalysis: a global perspective on immunogenicity guidelines & biomarker assay performance (Part 3 - LBA: immunogenicity, biomarkers and PK assays). <i>Bioanalysis</i> , 2017 , 9, 1967-1996	2.1	33
52	"Fit-for-purpose" method validation and application of a biomarker (C-terminal telopeptides of type 1 collagen) in denosumab clinical studies. <i>AAPS Journal</i> , 2009 , 11, 385-94	3.7	31
51	Anti-PEG antibody bioanalysis: a clinical case study with PEG-IFN- α 1a and PEG-IFN- α 2a in naive patients. <i>Bioanalysis</i> , 2015 , 7, 1093-106	2.1	25
50	An integrated multiplatform bioanalytical strategy for antibody-drug conjugates: a novel case study. <i>Bioanalysis</i> , 2015 , 7, 1569-82	2.1	25
49	Strategies to minimize variability and bias associated with manual pipetting in ligand binding assays to assure data quality of protein therapeutic quantification. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 623-30	3.5	25
48	Antibody-drug conjugate bioanalysis using LB-LC-MS/MS hybrid assays: strategies, methodology and correlation to ligand-binding assays. <i>Bioanalysis</i> , 2016 , 8, 1383-401	2.1	24
47	Novel approaches using alkaline or acid/guanidine treatment to eliminate therapeutic antibody interference in the measurement of total target ligand. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 1128-33	3.5	20

46	Development and validation of an LC-MS/MS assay for the quantitation of a PEGylated anti-CD28 domain antibody in human serum: overcoming interference from antidrug antibodies and soluble target. <i>Bioanalysis</i> , 2014 , 6, 2371-83	2.1	18
45	Development and characterization of a pre-treatment procedure to eliminate human monoclonal antibody therapeutic drug and matrix interference in cell-based functional neutralizing antibody assays. <i>Journal of Immunological Methods</i> , 2015 , 416, 94-104	2.5	18
44	Tartrate-resistant acid phosphatase (TRACP 5b): a biomarker of bone resorption rate in support of drug development: modification, validation and application of the BoneTRAP kit assay. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 1203-12	3.5	16
43	Development of a Generic Anti-PEG Antibody Assay Using BioScale® Acoustic Membrane MicroParticle Technology. <i>AAPS Journal</i> , 2015 , 17, 1511-6	3.7	15
42	Detection of drug specific circulating immune complexes from in vivo cynomolgus monkey serum samples. <i>Journal of Immunological Methods</i> , 2015 , 416, 124-36	2.5	15
41	Current Challenges and Potential Opportunities for the Pharmaceutical Sciences to Make Global Impact: An FIP Perspective. <i>Journal of Pharmaceutical Sciences</i> , 2016 , 105, 2489-2497	3.9	12
40	Experimental and statistical approaches in method cross-validation to support pharmacokinetic decisions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 613-8	3.5	12
39	A systematic study of the effect of low pH acid treatment on anti-drug antibodies specific for a domain antibody therapeutic: Impact on drug tolerance, assay sensitivity and post-validation method assessment of ADA in clinical serum samples. <i>Journal of Immunological Methods</i> , 2017 , 448, 91-104	2.5	11
38	Applications of a planar electrochemiluminescence platform to support regulated studies of macromolecules: benefits and limitations in assay range. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 626-32	3.5	11
37	Development and validation of a liquid chromatography tandem mass spectrometry assay for the quantitation of a protein therapeutic in cynomolgus monkey serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 81-7	3.2	9
36	Development and characterization of antibody reagents to assess anti-PEG IgG antibodies in clinical samples. <i>Bioanalysis</i> , 2015 , 7, 1869-83	2.1	9
35	Bioanalytical considerations in the comparability assessment of biotherapeutics. <i>Bioanalysis</i> , 2011 , 3, 613-22	2.1	9
34	A strategy for improving comparability across sites for ligand binding assays measuring therapeutic proteins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 729-34	3.5	9
33	A multiplexed immunocapture liquid chromatography tandem mass spectrometry assay for the simultaneous measurement of myostatin and GDF-11 in rat serum using an automated sample preparation platform. <i>Analytica Chimica Acta</i> , 2017 , 979, 36-44	6.6	8
32	Characterization of labeled reagents in ligand-binding assays by a surface plasmon resonance biosensor. <i>Bioanalysis</i> , 2017 , 9, 193-207	2.1	8
31	Surface plasmon resonance as a tool for ligand-binding assay reagent characterization in bioanalysis of biotherapeutics. <i>Bioanalysis</i> , 2018 , 10, 559-576	2.1	8
30	Development and Fit-for-Purpose Validation of a Soluble Human Programmed Death-1 Protein Assay. <i>AAPS Journal</i> , 2015 , 17, 976-87	3.7	8
29	Bioanalytical method requirements and statistical considerations in incurred sample reanalysis for macromolecules. <i>Bioanalysis</i> , 2010 , 2, 1587-96	2.1	8

28	Solid phase synthesis of bifunctional antibodies. <i>Journal of Immunological Methods</i> , 1995 , 188, 9-19	2.5	8
27	Report on the AAPS Immunogenicity Guidance Forum. <i>AAPS Journal</i> , 2019 , 21, 55	3.7	7
26	Addressing matrix effects in ligand-binding assays through the use of new reagents and technology. <i>Bioanalysis</i> , 2014 , 6, 1059-67	2.1	7
25	Laboratory automation of high-quality and efficient ligand-binding assays for biotherapeutic drug development. <i>Bioanalysis</i> , 2013 , 5, 1635-48	2.1	7
24	Assessment of incurred sample reanalysis for macromolecules to evaluate bioanalytical method robustness: effects from imprecision. <i>AAPS Journal</i> , 2011 , 13, 291-8	3.7	7
23	Synthesis of bifunctional antibodies for immunoassays. <i>Methods</i> , 2000 , 22, 33-43	4.6	7
22	Evaluating a Multiscale Mechanistic Model of the Immune System to Predict Human Immunogenicity for a Biotherapeutic in Phase 1. <i>AAPS Journal</i> , 2019 , 21, 94	3.7	6
21	Matrix interference in ligand-binding assays: challenge or solution?. <i>Bioanalysis</i> , 2014 , 6, 1029-31	2.1	6
20	Targeting an acid labile aspartyl-prolyl amide bond as a viable alternative to trypsin digestion to generate a surrogate peptide for LC-MS/MS analysis. <i>Bioanalysis</i> , 2014 , 6, 2985-98	2.1	6
19	Development and characterization of a free therapeutic ligand binding assay with assistance from kinetics modeling. <i>Journal of Immunological Methods</i> , 2015 , 419, 18-24	2.5	5
18	Bead-extraction and heat-dissociation (BEHD): A novel way to overcome drug and matrix interference in immunogenicity testing. <i>Journal of Immunological Methods</i> , 2018 , 462, 34-41	2.5	5
17	Rapid development of multiple fit-for-purpose assays on an automatic microfluidic system using a streamlined process in support of early biotherapeutics discovery programs. <i>Bioanalysis</i> , 2013 , 5, 1751-63 ¹	2.1	5
16	A generic template for automated bioanalytical ligand-binding assays using modular robotic scripts in support of discovery biotherapeutic programs. <i>Bioanalysis</i> , 2013 , 5, 1735-50	2.1	4
15	Bioanalysis of biomarkers for drug development. <i>Bioanalysis</i> , 2012 , 4, 2425-6	2.1	4
14	Accelerating Regulated Bioanalysis for Biotherapeutics: Case Examples Using a Microfluidic Ligand Binding Assay Platform. <i>AAPS Journal</i> , 2017 , 19, 82-91	3.7	3
13	Catalytic antibodies for complex reactions: hapten design and the importance of screening for catalysis in the generation of catalytic antibodies for the NDA/CN reaction. <i>Applied Biochemistry and Biotechnology</i> , 2000 , 83, 195-206; discussion 206-8, 297-313	3.2	3
12	Development and validation of a functional cell-based neutralizing antibody assay for ipilimumab. <i>Bioanalysis</i> , 2018 , 10, 1273-1287	2.1	3
11	Workshop Report: AAPS Workshop on Method Development, Validation, and Troubleshooting of Ligand-Binding Assays in the Regulated Environment. <i>AAPS Journal</i> , 2015 , 17, 1019-24	3.7	2

10	Validation of an integrated series of ligand-binding assays for the quantitative determination of antibody-drug conjugates in biological matrices. <i>Bioanalysis</i> , 2016 , 8, 519-31	2.1	2
9	Concerted application of LC-MS and ligand binding assays to better understand exposure of a large molecule drug. <i>Bioanalysis</i> , 2018 , 10, 1261-1272	2.1	2
8	Specific method validation and sample analysis approaches for biocomparability studies of denosumab addressing method and manufacture site changes. <i>AAPS Journal</i> , 2013 , 15, 70-7	3.7	2
7	Development of a cell culture system to study antibody convection in tumors. <i>Journal of Pharmaceutical Sciences</i> , 1997 , 86, 858-64	3.9	2
6	Biomarker Assay Validation by Mass Spectrometry.. <i>AAPS Journal</i> , 2022 , 24, 66	3.7	2
5	Stability assessment in ligand-binding assays: a critical parameter for data integrity. <i>Bioanalysis</i> , 2015 , 7, 1315-7	2.1	1
4	Validation of Ligand-Binding Assays to Support Pharmacokinetic Assessments of Biotherapeutics81-110		1
3	Analytical Considerations for Immunoassays for Macromolecules573-584		1
2	Ligand Binding Assays in the Regulated Bioanalytical Laboratory. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2017 , 177-228	0.5	
1	Analytical Considerations for Immunoassays for Macromolecules1		