

# Ralf Weigel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1932929/publications.pdf>

Version: 2024-02-01

50  
papers

2,230  
citations

257429

24  
h-index

214788

47  
g-index

50  
all docs

50  
docs citations

50  
times ranked

2552  
citing authors

#	ARTICLE	IF	CITATIONS
1	The public health approach to identify antiretroviral therapy failure: high-level nucleoside reverse transcriptase inhibitor resistance among Malawians failing first-line antiretroviral therapy. <i>Aids</i> , 2009, 23, 1127-1134.	2.2	256
2	Gender and the Use of Antiretroviral Treatment in Resource-Constrained Settings: Findings from a Multicenter Collaboration. <i>Journal of Women's Health</i> , 2008, 17, 47-55.	3.3	178
3	Mortality of HIV-Infected Patients Starting Antiretroviral Therapy in Sub-Saharan Africa: Comparison with HIV-Unrelated Mortality. <i>PLoS Medicine</i> , 2009, 6, e1000066.	8.4	161
4	Correcting Mortality for Loss to Follow-Up: A Nomogram Applied to Antiretroviral Treatment Programmes in Sub-Saharan Africa. <i>PLoS Medicine</i> , 2011, 8, e1000390.	8.4	136
5	Low Risk of Death, but Substantial Program Attrition, in Pediatric HIV Treatment Cohorts in Sub-Saharan Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 523-531.	2.1	106
6	Diagnosis of antiretroviral therapy failure in Malawi: poor performance of clinical and immunological WHO criteria. <i>Tropical Medicine and International Health</i> , 2009, 14, 856-861.	2.3	92
7	Early Mortality and Loss to Follow-up in HIV-Infected Children Starting Antiretroviral Therapy in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 54, 524-532.	2.1	88
8	Markers for predicting mortality in untreated HIV-infected children in resource-limited settings: a meta-analysis. <i>Aids</i> , 2008, 22, 97-105.	2.2	85
9	Adjusting Mortality for Loss to Follow-Up: Analysis of Five ART Programmes in Sub-Saharan Africa. <i>PLoS ONE</i> , 2010, 5, e14149.	2.5	85
10	Early active follow-up of patients on antiretroviral therapy (ART) who are lost to follow-up: the "Back to Care" project in Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2010, 15, 82-89.	2.3	83
11	Second-line treatment in the Malawi antiretroviral programme: high early mortality, but good outcomes in survivors, despite extensive drug resistance at baseline. <i>HIV Medicine</i> , 2010, 11, 510-518.	2.2	82
12	Effective coverage measurement in maternal, newborn, child, and adolescent health and nutrition: progress, future prospects, and implications for quality health systems. <i>The Lancet Global Health</i> , 2020, 8, e730-e736.	6.3	81
13	Outcomes of Patients Lost to Follow-up in African Antiretroviral Therapy Programs: Individual Patient Data Meta-analysis. <i>Clinical Infectious Diseases</i> , 2018, 67, 1643-1652.	5.8	73
14	Mortality and loss to follow-up in the first year of ART. <i>Aids</i> , 2012, 26, 365-373.	2.2	63
15	Comparison of Treatment Outcomes of New Smear-Positive Pulmonary Tuberculosis Patients by HIV and Antiretroviral Status in a TB/HIV Clinic, Malawi. <i>PLoS ONE</i> , 2013, 8, e56248.	2.5	59
16	Outcomes and associated risk factors of patients traced after being lost to follow-up from antiretroviral treatment in Lilongwe, Malawi. <i>BMC Infectious Diseases</i> , 2011, 11, 31.	2.9	58
17	Growth response to antiretroviral treatment in HIV-infected children: a cohort study from Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2010, 15, 934-944.	2.3	53
18	Variability of Growth in Children Starting Antiretroviral Treatment in Southern Africa. <i>Pediatrics</i> , 2012, 130, e966-e977.	2.1	46

#	ARTICLE	IF	CITATIONS
19	Disability Among Ebola Survivors and Their Close Contacts in Sierra Leone: A Retrospective Case-Controlled Cohort Study. <i>Clinical Infectious Diseases</i> , 2018, 66, 131-133.	5.8	44
20	An effective and safe protocol involving zidovudine and caesarean section to reduce vertical transmission of HIV-1 infection. <i>Aids</i> , 2000, 14, 2903-2911.	2.2	34
21	Effect of provider-initiated testing and counselling and integration of ART services on access to HIV diagnosis and treatment for children in Lilongwe, Malawi: a pre- post comparison. <i>BMC Pediatrics</i> , 2009, 9, 80.	1.7	31
22	Integrated tuberculosis and HIV care in a resource-limited setting: experience from the Martin Preuss centre, Malawi. <i>Tropical Medicine and International Health</i> , 2011, 16, 1397-1403.	2.3	31
23	Exploration of CYP450 and drug transporter genotypes and correlations with nevirapine exposure in Malawians. <i>Pharmacogenomics</i> , 2012, 13, 113-121.	1.3	27
24	Outcomes of patients with Kaposi's sarcoma who start antiretroviral therapy under routine programme conditions in Malawi. <i>Tropical Doctor</i> , 2008, 38, 5-7.	0.5	26
25	Peripheral neuropathy in HIV-positive patients at an antiretroviral clinic in Lilongwe, Malawi. <i>Tropical Doctor</i> , 2009, 39, 78-80.	0.5	24
26	Ensuring HIV-infected pregnant women start antiretroviral treatment: an operational cohort study from Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2012, 17, 751-759.	2.3	23
27	Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 70, e160-e167.	2.1	22
28	Supporting children to adhere to anti-retroviral therapy in urban Malawi: multi method insights. <i>BMC Pediatrics</i> , 2009, 9, 45.	1.7	18
29	Lessons Learned From a Paying Antiretroviral Therapy Service in the Public Health Sector at Kamuzu Central Hospital, Malawi. <i>Journal of the International Association of Providers of AIDS Care</i> , 2006, 5, 103-108.	1.2	17
30	Hospitalized care for MDR-TB in Port Harcourt, Nigeria: a qualitative study. <i>BMC Infectious Diseases</i> , 2017, 17, 50.	2.9	17
31	A Retrospective Survey of HIV Drug Resistance Among Patients 1 Year After Initiation of Antiretroviral Therapy at 4 Clinics in Malawi. <i>Clinical Infectious Diseases</i> , 2012, 54, S355-S361.	5.8	15
32	Seroprevalence of CMV, HSV-2 and HBV among HIV-Infected Malawian Children: A Cross-sectional Survey. <i>Journal of Tropical Pediatrics</i> , 2016, 62, 220-226.	1.5	13
33	Antiretroviral Therapy in the Malawi Defence Force: Access, Treatment Outcomes and Impact on Mortality. <i>PLoS ONE</i> , 2008, 3, e1445.	2.5	12
34	Pharmacokinetics of generic and trade formulations of lamivudine, stavudine and nevirapine in HIV-infected Malawian children. <i>Antiviral Therapy</i> , 2010, 15, 83-90.	1.0	12
35	A national survey of prisoners on antiretroviral therapy in Malawi: access to treatment and outcomes on therapy. <i>Journal of Infection in Developing Countries</i> , 2007, 1, 303-307.	1.2	12
36	Re-Treatment Tuberculosis Cases Categorized as "Other": Are They Properly Managed?. <i>PLoS ONE</i> , 2011, 6, e28034.	2.5	10

#	ARTICLE	IF	CITATIONS
37	Characteristics of adults and children diagnosed with tuberculosis in Lilongwe, Malawi: findings from an integrated HIV/TB clinic. <i>Tropical Medicine and International Health</i> , 2012, 17, 1108-1116.	2.3	7
38	Child Health Accountability Trackingâ€™ extending child health measurement. <i>The Lancet Child and Adolescent Health</i> , 2020, 4, 259-261.	5.6	7
39	Supporting recommendations for childhood preventive interventions for primary health care: elaboration of evidence synthesis and lessons learnt. <i>BMC Pediatrics</i> , 2021, 21, 356.	1.7	7
40	Revitalizing child health: lessons from the past. <i>Global Health Action</i> , 2021, 14, 1947565.	1.9	7
41	â€™Task shiftingâ€™™ in an antiretroviral clinic in Malawi: can health surveillance assistants manage patients safely? [Short communication]. <i>Public Health Action</i> , 2012, 2, 178-180.	1.2	6
42	Measuring and monitoring child health and wellbeing: recommendations for tracking progress with a core set of indicators in the Sustainable Development Goals era. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 345-352.	5.6	5
43	Antiretroviral Therapy in the Malawi Police Force: Access to Therapy and Treatment Outcomes. <i>Malawi Medical Journal</i> , 2008, 20, 23-7.	0.6	4
44	Managing HIV-infected children in a low-resource, public clinic: a comparison of nurse vs. clinical officer practices in ART refill, calculation of adherence and subsequent appointments. <i>Journal of the International AIDS Society</i> , 2012, 15, 17432.	3.0	4
45	Germany's expanding role in global health. <i>Lancet, The</i> , 2018, 391, 657-658.	13.7	4
46	Practices to improve identification of adult antiretroviral therapy failure at the Lighthouse Trust clinic in Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2012, 17, 169-176.	2.3	2
47	Global child health in Germany - Time for action. <i>Global Health Action</i> , 2020, 13, 1829401.	1.9	2
48	International medical electives for medical students at a German university: a secondary analysis of longitudinal data. <i>International Health</i> , 2021, 13, 485-487.	2.0	2
49	Entry characteristics and performance in a Masters module in Tropical Medicine: a 5â€™year analysis. <i>Tropical Medicine and International Health</i> , 2016, 21, 792-798.	2.3	0
50	Reply to Steptoe et al. <i>Clinical Infectious Diseases</i> , 2018, 66, 1319-1319.	5.8	0