

Jae-Sue Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1933221/publications.pdf>

Version: 2024-02-01

308
papers

12,709
citations

23879

60
h-index

56606

87
g-index

313
all docs

313
docs citations

313
times ranked

13461
citing authors

#	ARTICLE	IF	CITATIONS
1	PTP1B and α -glucosidase inhibitory activities of the chemical constituents from <i>Hedera rhombea</i> fruits: Kinetic analysis and molecular docking simulation. <i>Phytochemistry</i> , 2022, 197, 113100.	1.4	13
2	Inhibition Mechanism of Components Isolated from <i>Morus alba</i> Branches on Diabetes and Diabetic Complications via Experimental and Molecular Docking Analyses. <i>Antioxidants</i> , 2022, 11, 383.	2.2	9
3	Neuroprotective activity of macroalgal fucofuroeckols against amyloid β peptide-induced cell death and oxidative stress. <i>International Journal of Food Science and Technology</i> , 2022, 57, 4286-4295.	1.3	1
4	Insulin-Mimetic Dihydroxanthyletin-Type Coumarins from <i>Angelica decursiva</i> with Protein Tyrosine Phosphatase 1B and α -Glucosidase Inhibitory Activities and Docking Studies of Their Molecular Mechanisms. <i>Antioxidants</i> , 2021, 10, 292.	2.2	10
5	Identification of a Potent and Selective Human Monoamine Oxidase-A Inhibitor, Glycitein, an Isoflavone Isolated from <i>Pueraria lobata</i> Flowers. <i>ACS Food Science & Technology</i> , 2021, 1, 538-550.	1.3	11
6	Neuroprotective Effect of Aurantio-Obtusin, a Putative Vasopressin V1A Receptor Antagonist, on Transient Forebrain Ischemia Mice Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3335.	1.8	5
7	Discovery of Flazin, an Alkaloid Isolated from Cherry Tomato Juice, As a Novel Non-Enzymatic Protein Glycation Inhibitor <i>in vitro</i> and <i>in silico</i> Studies. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 3647-3657.	2.4	9
8	In Vitro and In Silico Characterization of G-Protein Coupled Receptor (GPCR) Targets of Phlorofucofuroeckol-A and Dieckol. <i>Marine Drugs</i> , 2021, 19, 326.	2.2	6
9	Monoamine Oxidase Inhibition by Major Tanshinones from <i>Salvia miltiorrhiza</i> and Selective Muscarinic Acetylcholine M4 Receptor Antagonism by Tanshinone I. <i>Biomolecules</i> , 2021, 11, 1001.	1.8	4
10	PTP1B inhibition studies of biological active phloroglucinols from the rhizomes of <i>Dryopteris crassirhizoma</i> : Kinetic properties and molecular docking simulation. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 719-728.	3.6	22
11	Alterations of amygdala-prefrontal cortical coupling and attention deficit/hyperactivity disorder-like behaviors induced by neonatal habenula lesion: normalization by <i>Ecklonia stolonifera</i> extract and its active compound fucosterol. <i>Behavioural Pharmacology</i> , 2021, 32, 308-320.	0.8	2
12	<i>In vitro</i> and <i>In silico</i> Characterization of Kurarinone as a Dopamine D _{1A} Receptor Antagonist and D _{2L} and D ₄ Receptor Agonist. <i>ACS Omega</i> , 2021, 6, 33443-33453.	1.6	3
13	Isoliquiritigenin, a potent human monoamine oxidase inhibitor, modulates dopamine D ₁ , D ₃ , and vasopressin V1A receptors. <i>Scientific Reports</i> , 2021, 11, 23528.	1.6	15
14	Structural Bases for Hesperetin Derivatives: Inhibition of Protein Tyrosine Phosphatase 1B, Kinetics Mechanism and Molecular Docking Study. <i>Molecules</i> , 2021, 26, 7433.	1.7	10
15	Antioxidant and anti-browning property of 2-arylbenzofuran derivatives from <i>Morus alba</i> Linn root bark. <i>Food Chemistry</i> , 2020, 309, 125739.	4.2	23
16	Emodin Derivatives as Multi-Target-Directed Ligands Inhibiting Monoamine Oxidase and Antagonizing Vasopressin V _{1A} Receptors. <i>ACS Omega</i> , 2020, 5, 26720-26731.	1.6	6
17	Luteolin, a Potent Human Monoamine Oxidase-A Inhibitor and Dopamine D ₄ and Vasopressin V _{1A} Receptor Antagonist. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 10719-10729.	2.4	14
18	Establishing GPCR Targets of hMAO Active Anthraquinones from <i>Cassia obtusifolia</i> Linn Seeds Using <i>In silico</i> and <i>In vitro</i> Methods. <i>ACS Omega</i> , 2020, 5, 7705-7715.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Antioxidant and Antidiabetic Activities of Flavonoid Derivatives from the Outer Skins of <i>Allium cepa</i> L. Journal of Agricultural and Food Chemistry, 2020, 68, 8797-8811.	2.4	31
20	Bromophenols from <i>Symphyclocladia latiuscula</i> Target Human Monoamine Oxidase and Dopaminergic Receptors for the Management of Neurodegenerative Diseases. Journal of Agricultural and Food Chemistry, 2020, 68, 2426-2436.	2.4	19
21	Tetra-aryl cyclobutane and stilbenes from the rhizomes of <i>Rheum undulatum</i> and their β -glucosidase inhibitory activity: Biological evaluation, kinetic analysis, and molecular docking simulation. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127049.	1.0	6
22	Stilbenes with Potent Protein Tyrosine Phosphatase-1B Inhibitory Activity from the Roots of <i>Polygonum multiflorum</i> . Journal of Natural Products, 2020, 83, 323-332.	1.5	17
23	A systematic review on anti-Alzheimer's disease activity of prescription Kangen-karyu. Drug Discoveries and Therapeutics, 2020, 14, 61-66.	0.6	7
24	Inhibition of PTP1B by farnesylated 2-arylbenzofurans isolated from <i>Morus alba</i> root bark: unraveling the mechanism of inhibition based on in vitro and in silico studies. Archives of Pharmacal Research, 2020, 43, 961-975.	2.7	14
25	Insight into the PTP1B Inhibitory Activity of Arylbenzofurans: An In Vitro and In Silico Study. Molecules, 2019, 24, 2893.	1.7	15
26	Characterizing fucoxanthin as a selective dopamine D3/D4 receptor agonist: Relevance to Parkinson's disease. Chemico-Biological Interactions, 2019, 310, 108757.	1.7	38
27	Rubrofusarin as a Dual Protein Tyrosine Phosphate 1B and Human Monoamine Oxidase-A Inhibitor: An in Vitro and in Silico Study. ACS Omega, 2019, 4, 11621-11630.	1.6	16
28	Anti-Alzheimer's Disease Activity of Bromophenols from a Red Alga, <i>Symphyclocladia latiuscula</i> (Harvey) Yamada. ACS Omega, 2019, 4, 12259-12270.	1.6	23
29	Phlorotannins with Potential Anti-tyrosinase and Antioxidant Activity Isolated from the Marine Seaweed <i>Ecklonia stolonifera</i> . Antioxidants, 2019, 8, 240.	2.2	58
30	Probing Multi-Target Action of Phlorotannins as New Monoamine Oxidase Inhibitors and Dopaminergic Receptor Modulators with the Potential for Treatment of Neuronal Disorders. Marine Drugs, 2019, 17, 377.	2.2	39
31	Identifying Phlorofucofuroeckol-A as a Dual Inhibitor of Amyloid- β 25-35 Self-Aggregation and Insulin Glycation: Elucidation of the Molecular Mechanism of Action. Marine Drugs, 2019, 17, 600.	2.2	27
32	Ethnobotany, Phytochemistry, and Pharmacology of <i>Angelica decursiva</i> Fr. et Sav.. Natural Product Sciences, 2019, 25, 181.	0.2	7
33	Influence of functional moiety in lupane-type triterpenoids in BACE1 inhibition. Computational Biology and Chemistry, 2019, 83, 107101.	1.1	3
34	In Vitro and in Silico Human Monoamine Oxidase Inhibitory Potential of Anthraquinones, Naphthopyrones, and Naphthalenic Lactones from <i>Cassia obtusifolia</i> Linn Seeds. ACS Omega, 2019, 4, 16139-16152.	1.6	22
35	Umbelliferone derivatives exert neuroprotective effects by inhibiting monoamine oxidase A, self-amyloid β aggregation, and lipid peroxidation. Bioorganic Chemistry, 2019, 92, 103293.	2.0	23
36	In vitro protein tyrosine phosphatase 1B inhibition and antioxidant property of different onion peel cultivars: A comparative study. Food Science and Nutrition, 2019, 7, 205-215.	1.5	15

#	ARTICLE	IF	CITATIONS
37	A New Tyrosinase Inhibitor from the Red Alga <i>Symphyclocladia latiuscula</i> (Harvey) Yamada (Rhodomelaceae). <i>Marine Drugs</i> , 2019, 17, 295.	2.2	26
38	Experimental and Computational Study to Reveal the Potential of Non-Polar Constituents from <i>Hizikia fusiformis</i> as Dual Protein Tyrosine Phosphatase 1B and β -Glucosidase Inhibitors. <i>Marine Drugs</i> , 2019, 17, 302.	2.2	22
39	Characterizing Eckol as a Therapeutic Aid: A Systematic Review. <i>Marine Drugs</i> , 2019, 17, 361.	2.2	39
40	Sargahydroquinoidic acid, a major compound in <i>Sargassum serratifolium</i> (C. Agardh) C. Agardh, widely activates lipid catabolic pathways, contributing to the formation of beige-like adipocytes. <i>Journal of Functional Foods</i> , 2019, 58, 355-366.	1.6	8
41	Anti-Diabetic Activity of 2,3,6-Tribromo-4,5-Dihydroxybenzyl Derivatives from <i>Symphyclocladia latiuscula</i> through PTP1B Downregulation and β -Glucosidase Inhibition. <i>Marine Drugs</i> , 2019, 17, 166.	2.2	31
42	Eckol as a Potential Therapeutic against Neurodegenerative Diseases Targeting Dopamine D3/D4 Receptors. <i>Marine Drugs</i> , 2019, 17, 108.	2.2	25
43	Arylbenzofurans from the Root Bark of <i>Morus alba</i> as Triple Inhibitors of Cholinesterase, β -Site Amyloid Precursor Protein Cleaving Enzyme 1, and Glycogen Synthase Kinase-3 β ; Relevance to Alzheimer's Disease. <i>ACS Omega</i> , 2019, 4, 6283-6294.	1.6	21
44	Korean Thistle (<i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum.): A Potential Dietary Supplement against Diabetes and Alzheimer's Disease. <i>Molecules</i> , 2019, 24, 649.	1.7	19
45	Isolation and Quantitative Analysis of BACE1 Inhibitory Compounds from <i>Cirsium maackii</i> Flower. <i>Natural Product Sciences</i> , 2019, 25, 326.	0.2	4
46	Angiotensin-I-Converting Enzyme Inhibitory Activity of Coumarins from <i>Angelica decursiva</i> . <i>Molecules</i> , 2019, 24, 3937.	1.7	28
47	Novel Diels-Alder Type Adducts from <i>Morus alba</i> Root Bark Targeting Human Monoamine Oxidase and Dopaminergic Receptors for the Management of Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6232.	1.8	12
48	Obtusifolin isolated from the seeds of <i>Cassia obtusifolia</i> regulates the gene expression and production of MUC5AC mucin in airway epithelial cells via affecting NF- κ B pathway. <i>Phytotherapy Research</i> , 2019, 33, 919-928.	2.8	18
49	Identifying an isoflavone from the root of <i>Pueraria lobata</i> as a potent tyrosinase inhibitor. <i>Food Chemistry</i> , 2019, 276, 383-389.	4.2	36
50	Structure determination and quantification of a new flavone glycoside with anti-acetylcholinesterase activity from the herbs of <i>Elsholtzia ciliata</i> . <i>Natural Product Research</i> , 2019, 33, 814-821.	1.0	14
51	Cholinesterase inhibitory alkaloids from the rhizomes of <i>Coptis chinensis</i> . <i>Bioorganic Chemistry</i> , 2018, 77, 625-632.	2.0	12
52	Aurantio-obtusin, an anthraquinone from <i>cassiae semen</i> , ameliorates lung inflammatory responses. <i>Phytotherapy Research</i> , 2018, 32, 1537-1545.	2.8	34
53	Computational insights into β -site amyloid precursor protein enzyme 1 (BACE1) inhibition by tanshinones and salvianolic acids from <i>Salvia miltiorrhiza</i> via molecular docking simulations. <i>Computational Biology and Chemistry</i> , 2018, 74, 273-285.	1.1	14
54	Dihydroxanthyletin-type coumarins from <i>Angelica decursiva</i> that inhibits the formation of advanced glycation end products and human recombinant aldose reductase. <i>Archives of Pharmacal Research</i> , 2018, 41, 196-207.	2.7	13

#	ARTICLE	IF	CITATIONS
55	Comparative study of selective in vitro and in silico BACE1 inhibitory potential of glycyrrhizin together with its metabolites, 18 β - and 18 α -glycyrrhetic acid, isolated from <i>Hizikia fusiformis</i> . Archives of Pharmacal Research, 2018, 41, 409-418.	2.7	30
56	Esculetin suppresses tumor growth and metastasis by targeting Axin2/E-cadherin axis in colorectal cancer. Biochemical Pharmacology, 2018, 152, 71-83.	2.0	55
57	Hepatoprotective effect of <i>Cassia obtusifolia</i> seed extract and constituents against oxidative damage induced by tert-butyl hydroperoxide in human hepatic HepG2 cells. Journal of Food Biochemistry, 2018, 42, e12439.	1.2	16
58	Protein tyrosine phosphatase 1B inhibitors from natural sources. Archives of Pharmacal Research, 2018, 41, 130-161.	2.7	56
59	Isolation of Flavonoid Glycosides with Cholinesterase Inhibition Activity and Quantification from <i>Stachys japonica</i> . Natural Product Sciences, 2018, 24, 259.	0.2	7
60	Rosmarinic Acid Derivatives' Inhibition of Glycogen Synthase Kinase-3 β Is the Pharmacological Basis of Kangen-Karyu in Alzheimer's Disease. Molecules, 2018, 23, 2919.	1.7	24
61	Discovery of a Highly Potent Tyrosinase Inhibitor, Luteolin 5-O- β -D-Glucopyranoside, Isolated from <i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum., Korean Thistle: Kinetics and Computational Molecular Docking Simulation. ACS Omega, 2018, 3, 17236-17245.	1.6	16
62	Fucosterol from an Edible Brown Alga <i>Ecklonia stolonifera</i> Prevents Soluble Amyloid Beta-Induced Cognitive Dysfunction in Aging Rats. Marine Drugs, 2018, 16, 368.	2.2	36
63	Meroterpenoid-Rich Fraction of the Ethanolic Extract from <i>Sargassum serratifolium</i> Suppressed Oxidative Stress Induced by Tert-Butyl Hydroperoxide in HepG2 Cells. Marine Drugs, 2018, 16, 374.	2.2	14
64	PTP1B inhibitory activity and molecular docking analysis of stilbene derivatives from the rhizomes of <i>Rheum undulatum</i> L. <i>FÄ-toterapÄ-Äç</i> , 2018, 131, 119-126.	1.1	23
65	Anti-inflammatory Potential of <i>Artemisia capillaris</i> and Its Constituents in LPS-induced RAW264.7 Cells. Natural Product Sciences, 2018, 24, 171.	0.2	7
66	Moracin derivatives from <i>Morus Radix</i> as dual BACE1 and cholinesterase inhibitors with antioxidant and anti-glycation capacities. Life Sciences, 2018, 210, 20-28.	2.0	27
67	Antraquinone and naphthopyrone glycosides from <i>Cassia obtusifolia</i> seeds mediate hepatoprotection via Nrf2-mediated HO-1 activation and MAPK modulation. Archives of Pharmacal Research, 2018, 41, 677-689.	2.7	32
68	28-Noroleanane-derived spirocyclic triterpenoids and iridoid glucosides from the roots of <i>Phlomis umbrosa</i> (Turcz.) Kamelin & Makhm with their cytotoxic effects. Phytochemistry, 2018, 153, 138-146.	1.4	7
69	Protein Tyrosine Phosphatase 1B Inhibition and Glucose Uptake Potentials of Mulberrofuran G, Albanol B, and Kuwanon G from Root Bark of <i>Morus alba</i> L. in Insulin-Resistant HepG2 Cells: An In Vitro and In Silico Study. International Journal of Molecular Sciences, 2018, 19, 1542.	1.8	47
70	Kinetics and molecular docking of dihydroxanthyletin-type coumarins from <i>Angelica decursiva</i> that inhibit cholinesterase and BACE1. Archives of Pharmacal Research, 2018, 41, 753-764.	2.7	12
71	Direct Activation of the Large-Conductance Calcium-Activated Potassium Channel by Flavonoids Isolated from <i>Sophora flavescens</i> . Biological and Pharmaceutical Bulletin, 2018, 41, 1295-1298.	0.6	6
72	Structure-Activity Relationship of the Tyrosinase Inhibitors Kuwanon G, Mulberrofuran G, and Albanol B from <i>Morus</i> Species: A Kinetics and Molecular Docking Study. Molecules, 2018, 23, 1413.	1.7	23

#	ARTICLE	IF	CITATIONS
73	Structure Related Inhibition of Enzyme Systems in Cholinesterases and BACE1 In Vitro by Naturally Occurring Naphthopyrone and Its Glycosides Isolated from <i>Cassia obtusifolia</i> . <i>Molecules</i> , 2018, 23, 69.	1.7	21
74	Comparative Evaluation of the Antioxidant and Anti-Alzheimer's Disease Potential of Coumestrol and Puerarol Isolated from <i>Pueraria lobata</i> Using Molecular Modeling Studies. <i>Molecules</i> , 2018, 23, 785.	1.7	14
75	Chalcone derivatives from the root bark of <i>Morus alba</i> L. act as inhibitors of PTP1B and α -glucosidase. <i>Phytochemistry</i> , 2018, 155, 114-125.	1.4	68
76	Two new naphthalenic lactone glycosides from <i>Cassia obtusifolia</i> L. seeds. <i>Archives of Pharmacal Research</i> , 2018, 41, 737-742.	2.7	11
77	Anti-Alzheimer's disease activity of compounds from the root bark of <i>Morus alba</i> L. <i>Archives of Pharmacal Research</i> , 2017, 40, 338-349.	2.7	55
78	Fucosterol, isolated from <i>Ecklonia stolonifera</i> , inhibits adipogenesis through modulation of FoxO1 pathway in 3T3-L1 adipocytes. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 325-333.	1.2	29
79	Evaluation of the inhibitory effects of eckol and dieckol isolated from edible brown alga <i>Eisenia bicyclis</i> on human monoamine oxidases A and B. <i>Archives of Pharmacal Research</i> , 2017, 40, 480-491.	2.7	39
80	Capillarisin attenuates exercise-induced muscle damage through MAPK and NF- κ B signaling. <i>Phytomedicine</i> , 2017, 32, 30-36.	2.3	13
81	Structure-related protein tyrosine phosphatase 1B inhibition by naringenin derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 2274-2280.	1.0	28
82	PTP1B inhibitors from <i>Selaginella tamariscina</i> (Beauv.) Spring and their kinetic properties and molecular docking simulation. <i>Bioorganic Chemistry</i> , 2017, 72, 273-281.	2.0	23
83	Ellagitannin and flavonoid constituents from <i>Agrimonia pilosa</i> Ledeb. with their protein tyrosine phosphatase and acetylcholinesterase inhibitory activities. <i>Bioorganic Chemistry</i> , 2017, 72, 293-300.	2.0	33
84	BACE1 inhibitory activity and molecular docking analysis of meroterpenoids from <i>Sargassum serratifolium</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 3964-3970.	1.4	38
85	Potential anti-cholinesterase and β -site amyloid precursor protein cleaving enzyme 1 inhibitory activities of cornuside and gallotannins from <i>Cornus officinalis</i> fruits. <i>Archives of Pharmacal Research</i> , 2017, 40, 836-853.	2.7	32
86	A New Naphthalenic Lactone Glycoside from the Seeds of <i>Cassia obtusifolia</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 429-431.	0.2	4
87	Hepatoprotective effects of different combinations of sweet orange, Unshiu mikan, and mini tomato juice powders against tert-butyl hydroperoxide-induced oxidative stress in HepG2 cells. <i>Journal of Food Biochemistry</i> , 2017, 41, e12369.	1.2	0
88	Anti-acetylcholinesterase activity of the aglycones of phenolic glycosides isolated from <i>Leonurus japonicus</i> . <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2017, 7, 849-854.	0.5	10
89	Oligonol promotes glucose uptake by modulating the insulin signaling pathway in insulin-resistant HepG2 cells via inhibiting protein tyrosine phosphatase 1B. <i>Archives of Pharmacal Research</i> , 2017, 40, 1314-1327.	2.7	14
90	Characterization of the inhibitory activity of natural tanshinones from <i>Salvia miltiorrhiza</i> roots on protein tyrosine phosphatase 1B. <i>Chemico-Biological Interactions</i> , 2017, 278, 65-73.	1.7	31

#	ARTICLE	IF	CITATIONS
91	Epigenetic modifications of gene expression by lifestyle and environment. Archives of Pharmacal Research, 2017, 40, 1219-1237.	2.7	82
92	Protective effects of flavonoids isolated from Korean milk thistle <i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum on tert -butyl hydroperoxide-induced hepatotoxicity in HepG2 cells. Journal of Ethnopharmacology, 2017, 209, 62-72.	2.0	22
93	PTP1B inhibitory and cytotoxic activities of triterpenoids from the aerial parts of <i>Agrimonia pilosa</i> . Medicinal Chemistry Research, 2017, 26, 2870-2878.	1.1	14
94	Comparative molecular docking studies of lupeol and lupenone isolated from <i>Pueraria lobata</i> that inhibits BACE1: Probable remedies for Alzheimer's disease. Asian Pacific Journal of Tropical Medicine, 2017, 10, 1117-1122.	0.4	32
95	Î±-Methyl artoflavanocoumarin from <i>Juniperus chinensis</i> exerts anti-diabetic effects by inhibiting PTP1B and activating the PI3K/Akt signaling pathway in insulin-resistant HepG2 cells. Archives of Pharmacal Research, 2017, 40, 1403-1413.	2.7	10
96	In vitro monoamine oxidase A and B inhibitory activity and molecular docking simulations of fucoxanthin. Fisheries Science, 2017, 83, 123-132.	0.7	16
97	Prunin is a highly potent flavonoid from <i>Prunus davidiana</i> stems that inhibits protein tyrosine phosphatase 1B and stimulates glucose uptake in insulin-resistant HepG2 cells. Archives of Pharmacal Research, 2017, 40, 37-48.	2.7	38
98	Recent advances in pharmacological research on <i>Ecklonia</i> species: a review. Archives of Pharmacal Research, 2017, 40, 981-1005.	2.7	26
99	Î±-Glucosidase and Protein Tyrosine Phosphatase 1B Inhibitory Activity of Plastoquinones from Marine Brown Alga <i>Sargassum serratifolium</i> . Marine Drugs, 2017, 15, 368.	2.2	54
100	Potential of Icariin Metabolites from <i>Epimedium koreanum</i> Nakai as Antidiabetic Therapeutic Agents. Molecules, 2017, 22, 986.	1.7	37
101	Kinetics and Molecular Docking Studies of 6-Formyl Umbelliferone Isolated from <i>Angelica decursiva</i> as an Inhibitor of Cholinesterase and BACE1. Molecules, 2017, 22, 1604.	1.7	27
102	Luteolin 5-O-glucoside from Korean Milk Thistle, <i>Cirsium maackii</i> , Exhibits Anti-Inflammatory Activity via Activation of the Nrf2/HO-1 Pathway. Natural Product Sciences, 2017, 23, 183.	0.2	7
103	Promising Inhibitory Effects of Anthraquinones, Naphthopyrone, and Naphthalene Glycosides, from <i>Cassia obtusifolia</i> on Î±-Glucosidase and Human Protein Tyrosine Phosphatases 1B. Molecules, 2017, 22, 28.	1.7	49
104	Suppression of Primary Splenocyte Proliferation by <i>Artemisia capillaris</i> and Its Components. Toxicological Research, 2017, 33, 283-290.	1.1	9
105	HPLC analysis of Phenolic Substances and Anti-Alzheimer's Activity of Korean <i>Quercus</i> Species. Natural Product Sciences, 2016, 22, 299.	0.2	7
106	Analysis of Flavonoid Composition of Korean Herbs in the Family of Compositae and their Utilization for Health. Natural Product Sciences, 2016, 22, 1.	0.2	5
107	Columbianadin Inhibits Cell Proliferation by Inducing Apoptosis and Necroptosis in HCT116 Colon Cancer Cells. Biomolecules and Therapeutics, 2016, 24, 320-327.	1.1	35
108	Health benefit of fucosterol from marine algae: a review. Journal of the Science of Food and Agriculture, 2016, 96, 1856-1866.	1.7	120

#	ARTICLE	IF	CITATIONS
109	Desmethylanhydroicaritin isolated from <i>Sophora flavescens</i> , shows antitumor activities in U87MG cells via inhibiting the proliferation, migration and invasion. <i>Environmental Toxicology and Pharmacology</i> , 2016, 43, 140-148.	2.0	10
110	Coumarins from <i>Angelica decursiva</i> inhibit α -glucosidase activity and protein tyrosine phosphatase 1B. <i>Chemico-Biological Interactions</i> , 2016, 252, 93-101.	1.7	49
111	Paecilonic acids A and B, bicyclic fatty acids from the jellyfish-derived fungus <i>Paecilomyces variotii</i> J08NF-1. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 2220-2223.	1.0	10
112	PTP1B, α -glucosidase, and DPP-IV inhibitory effects for chromene derivatives from the leaves of <i>Smilax china</i> L. <i>Chemico-Biological Interactions</i> , 2016, 253, 27-37.	1.7	46
113	Kinetics and molecular docking studies of loganin, morroniside and 7-O-galloyl-d-sedoheptulose derived from <i>Corni fructus</i> as cholinesterase and β -secretase 1 inhibitors. <i>Archives of Pharmacal Research</i> , 2016, 39, 794-805.	2.7	32
114	Anti-cholinesterases and memory improving effects of Vietnamese <i>Xylia xylocarpa</i> . <i>Chemistry Central Journal</i> , 2016, 10, 48.	2.6	13
115	Fucosterol activates the insulin signaling pathway in insulin resistant HepG2 cells via inhibiting PTP1B. <i>Archives of Pharmacal Research</i> , 2016, 39, 1454-1464.	2.7	14
116	Protein tyrosine phosphatase 1B and α -glucosidase inhibitory activities of <i>Pueraria lobata</i> root and its constituents. <i>Journal of Ethnopharmacology</i> , 2016, 194, 706-716.	2.0	65
117	In Vitro Antidiabetic and Antioxidant Potential of the Ethanolic Extract of Skipjack Tuna (<i>K</i>) Tj ETQq1 1 0.784314 rgBT/Overloc	1.2	11
118	Anti-wrinkle effects of a tuna heart H2O fraction on Hs27 human fibroblasts. <i>International Journal of Molecular Medicine</i> , 2016, 37, 92-98.	1.8	19
119	BACE1 molecular docking and anti-Alzheimer's disease activities of ginsenosides. <i>Journal of Ethnopharmacology</i> , 2016, 190, 219-230.	2.0	51
120	Inhibitory activities of major anthraquinones and other constituents from <i>Cassia obtusifolia</i> against β -secretase and cholinesterases. <i>Journal of Ethnopharmacology</i> , 2016, 191, 152-160.	2.0	63
121	Urinary Bladder-Relaxant Effect of Kurarinone Depending on Potentiation of Large-Conductance Ca ²⁺ -Activated K ⁺ Channels. <i>Molecular Pharmacology</i> , 2016, 90, 140-150.	1.0	12
122	Anti-inflammatory terpenylated coumarins from the leaves of <i>Zanthoxylum schinifolium</i> with α -glucosidase inhibitory activity. <i>Journal of Natural Medicines</i> , 2016, 70, 276-281.	1.1	25
123	Anti-Alzheimer's disease potential of coumarins from <i>Angelica decursiva</i> and <i>Artemisia capillaris</i> and structure-activity analysis. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016, 9, 103-111.	0.4	92
124	Promising anti-diabetic potential of capillin and capillinol isolated from <i>Artemisia capillaris</i> . <i>Archives of Pharmacal Research</i> , 2016, 39, 340-349.	2.7	15
125	Kinetics and molecular docking studies of fucosterol and fucoxanthin, BACE1 inhibitors from brown algae <i>Undaria pinnatifida</i> and <i>Ecklonia stolonifera</i> . <i>Food and Chemical Toxicology</i> , 2016, 89, 104-111.	1.8	68
126	Inhibitory evaluation of oligonol on α -glucosidase, protein tyrosine phosphatase 1B, cholinesterase, and β -secretase 1 related to diabetes and Alzheimer's disease. <i>Archives of Pharmacal Research</i> , 2016, 39, 409-420.	2.7	12

#	ARTICLE	IF	CITATIONS
127	Coumarins from <i>Angelica decursiva</i> inhibit lipopolysaccharide-induced nitrite oxide production in RAW 264.7 cells. <i>Archives of Pharmacal Research</i> , 2016, 39, 115-126.	2.7	30
128	Protective Effects of Sweet Orange, Unshiu Mikan, and Mini Tomato Juice Powders on t-BHP-Induced Oxidative Stress in HepG2 Cells. <i>Preventive Nutrition and Food Science</i> , 2016, 21, 208-220.	0.7	10
129	Protective Effects of <i>Ecklonia stolonifera</i> Extract on Ethanol-Induced Fatty Liver in Rats. <i>Biomolecules and Therapeutics</i> , 2016, 24, 650-658.	1.1	25
130	<i>Humulus japonicus</i> extract exhibits antioxidative and anti-aging effects via modulation of the AMPK-SIRT1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 1819-1826.	0.8	47
131	Anticholinesterase and β -Site Amyloid Precursor Protein Cleaving Enzyme 1 Inhibitory Compounds from the Heartwood of <i>Juniperus chinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 955-960.	0.6	18
132	Chemical Constituents of <i>Euonymus alatus</i> (Thunb.) Sieb. and Their PTP1B and α -Glucosidase Inhibitory Activities. <i>Phytotherapy Research</i> , 2015, 29, 1540-1548.	2.8	24
133	Anti-Diabetic and Anti-Inflammatory Potential of the Edible Brown Alga <i>Hizikia fusiformis</i> . <i>Journal of Food Biochemistry</i> , 2015, 39, 417-428.	1.2	25
134	Toluhydroquinone from <i>Aspergillus</i> sp. suppress inflammatory mediators via nuclear factor- β and mitogen-activated protein kinases pathways in lipopolysaccharide-induced RAW264.7 cells. <i>Journal of Pharmacy and Pharmacology</i> , 2015, 67, 1297-1305.	1.2	8
135	Nodakenin Enhances Cognitive Function and Adult Hippocampal Neurogenesis in Mice. <i>Neurochemical Research</i> , 2015, 40, 1438-1447.	1.6	28
136	Protein tyrosine phosphatase 1B inhibitory activity of alkaloids from <i>Rhizoma Coptidis</i> and their molecular docking studies. <i>Journal of Ethnopharmacology</i> , 2015, 171, 28-36.	2.0	52
137	Sargaquinoic acid attenuates inflammatory responses by regulating NF- β and Nrf2 pathways in lipopolysaccharide-stimulated RAW 264.7 cells. <i>International Immunopharmacology</i> , 2015, 29, 693-700.	1.7	38
138	Quantification of Major Compounds from <i>Ixeris dentata</i> , <i>Ixeris dentata</i> Var. <i>albiflora</i> , and <i>Ixeris sonchifolia</i> and Their Comparative Anti-Inflammatory Activity in Lipopolysaccharide-Stimulated RAW 264.7 Cells. <i>Journal of Medicinal Food</i> , 2015, 18, 83-94.	0.8	21
139	Acetyl- and butyryl-cholinesterase inhibitory activities of the edible brown alga <i>Eisenia bicyclis</i> . <i>Archives of Pharmacal Research</i> , 2015, 38, 1477-1487.	2.7	28
140	Kinetic and molecular docking studies of loganin and 7-O-galloyl-d-sedoheptulose from <i>Corni Fructus</i> as therapeutic agents for diabetic complications through inhibition of aldose reductase. <i>Archives of Pharmacal Research</i> , 2015, 38, 1090-1098.	2.7	15
141	Toluhydroquinone, the secondary metabolite of marine algae symbiotic microorganism, inhibits angiogenesis in HUVECs. <i>Biomedicine and Pharmacotherapy</i> , 2015, 70, 129-139.	2.5	14
142	Oligonol, a low-molecular-weight polyphenol derived from lychee fruit, attenuates gluco-lipotoxicity-mediated renal disorder in type 2 diabetic <i>db/db</i> mice. <i>Drug Discoveries and Therapeutics</i> , 2015, 9, 13-22.	0.6	27
143	Anti-diabetic and anti-Alzheimer's disease activities of <i>Angelica decursiva</i> . <i>Archives of Pharmacal Research</i> , 2015, 38, 2216-2227.	2.7	41
144	Anti-adipogenic effect of epiberberine is mediated by regulation of the Raf/MEK1/2/ERK1/2 and AMPK/Akt pathways. <i>Archives of Pharmacal Research</i> , 2015, 38, 2153-2162.	2.7	20

#	ARTICLE	IF	CITATIONS
145	Simultaneous quantification and validation of new peroxy-nitrite scavengers from <i>Artemisia iwayomogi</i> . <i>Pharmaceutical Biology</i> , 2015, 53, 653-661.	1.3	9
146	Selaginellin and biflavonoids as protein tyrosine phosphatase 1B inhibitors from <i>Selaginella tamariscina</i> and their glucose uptake stimulatory effects. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 3730-3737.	1.4	50
147	Cytochalasin derivatives from a jellyfish-derived fungus <i>Phoma</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2096-2099.	1.0	22
148	Isolation of cholinesterase and β -secretase 1 inhibiting compounds from <i>Lycopodiella cernua</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 3126-3134.	1.4	31
149	Protective effect of fucosterol isolated from the edible brown algae, <i>Ecklonia stolonifera</i> and <i>Eisenia bicyclis</i> , on <i>tert</i> -butyl hydroperoxide- and tacrine-induced HepG2 cell injury. <i>Journal of Pharmacy and Pharmacology</i> , 2015, 67, 1170-1178.	1.2	33
150	Kaempferol Isolated from <i>Nelumbo nucifera</i> Inhibits Lipid Accumulation and Increases Fatty Acid Oxidation Signaling in Adipocytes. <i>Journal of Medicinal Food</i> , 2015, 18, 1363-1370.	0.8	35
151	Kinetics and molecular docking studies of cholinesterase inhibitors derived from water layer of <i>Lycopodiella cernua</i> (L.) Pic. Serm. (II). <i>Chemico-Biological Interactions</i> , 2015, 240, 74-82.	1.7	17
152	Phlorofucofuroeckol B suppresses inflammatory responses by down-regulating nuclear factor κ B activation via Akt, ERK, and JNK in LPS-stimulated microglial cells. <i>International Immunopharmacology</i> , 2015, 28, 1068-1075.	1.7	40
153	Inhibition of advanced glycation endproducts formation by Korean thistle, <i>Cirsium maackii</i> . <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 1-5.	0.4	25
154	BACE1 and cholinesterase inhibitory activities of <i>Nelumbo nucifera</i> embryos. <i>Archives of Pharmacal Research</i> , 2015, 38, 1178-1187.	2.7	53
155	Anti-Diabetic and Anti-Inflammatory Effects of Green and Red Kohlrabi Cultivars (<i>Brassica oleracea</i>) Tj ETQq1 1 0.784314 rgBT ₃₁ /Overlock	0.7	31
156	Inhibitory Activities of Palmatine from <i>Coptis chinensis</i> Against <i>Helicobacter pylori</i> and Gastric Damage. <i>Toxicological Research</i> , 2014, 30, 45-48.	1.1	35
157	Phlorotannins isolated from the edible brown alga <i>Ecklonia stolonifera</i> exert anti-adipogenic activity on 3T3-L1 adipocytes by downregulating C/EBP β and PPAR δ . <i>F\ddot{A}-totera\ddot{P}-$\ddot{A}$$\ddot{C}$</i> , 2014, 92, 260-269.	1.1	91
158	Anti-hyperalgesic and anti-allodynic activities of capillarisin via suppression of inflammatory signaling in animal model. <i>Journal of Ethnopharmacology</i> , 2014, 152, 478-486.	2.0	43
159	Effects of C-glycosylation on anti-diabetic, anti-Alzheimer's disease and anti-inflammatory potential of apigenin. <i>Food and Chemical Toxicology</i> , 2014, 64, 27-33.	1.8	202
160	Vicenin 2 isolated from <i>Artemisia capillaris</i> exhibited potent anti-glycation properties. <i>Food and Chemical Toxicology</i> , 2014, 69, 55-62.	1.8	82
161	Simultaneous quantification and peroxy-nitrite-scavenging activities of flavonoids in <i>Polygonum aviculare</i> L. herb. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 89, 93-98.	1.4	25
162	Inhibition of airway inflammation by the roots of <i>Angelica decursiva</i> and its constituent, columbianadin. <i>Journal of Ethnopharmacology</i> , 2014, 155, 1353-1361.	2.0	50

#	ARTICLE	IF	CITATIONS
163	Coptis chinensis alkaloids exert anti-adipogenic activity on 3T3-L1 adipocytes by downregulating C/EBP- β and PPAR- β . <i>F\ddot{A}-toterap\ddot{A}-\ddot{A}c</i> , 2014, 98, 199-208.	1.1	79
164	Protective effect of the edible brown alga <i>Ecklonia stolonifera</i> on doxorubicin-induced hepatotoxicity in primary rat hepatocytes. <i>Journal of Pharmacy and Pharmacology</i> , 2014, 66, 1180-1188.	1.2	29
165	Anti-adipogenic activity of the edible brown alga <i>Ecklonia stolonifera</i> and its constituent fucosterol in 3T3-L1 adipocytes. <i>Archives of Pharmacal Research</i> , 2014, 37, 713-720.	2.7	57
166	The effects of C-glycosylation of luteolin on its antioxidant, anti-Alzheimer's disease, anti-diabetic, and anti-inflammatory activities. <i>Archives of Pharmacal Research</i> , 2014, 37, 1354-1363.	2.7	117
167	The inhibitory activities of the edible green alga <i>Capsosiphon fulvescens</i> on rat lens aldose reductase and advanced glycation end products formation. <i>European Journal of Nutrition</i> , 2014, 53, 233-242.	1.8	22
168	Kinetics and molecular docking studies of an anti-diabetic complication inhibitor fucosterol from edible brown algae <i>Eisenia bicyclis</i> and <i>Ecklonia stolonifera</i> . <i>Chemico-Biological Interactions</i> , 2013, 206, 55-62.	1.7	59
169	Marine algal fucoxanthin inhibits the metastatic potential of cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 439, 580-585.	1.0	65
170	Anti-inflammatory activity of edible brown alga <i>Eisenia bicyclis</i> and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages. <i>Food and Chemical Toxicology</i> , 2013, 59, 199-206.	1.8	192
171	Anti-inflammatory activity of edible brown alga <i>Saccharina japonica</i> and its constituents pheophorbide a and pheophytin a in LPS-stimulated RAW 264.7 macrophage cells. <i>Food and Chemical Toxicology</i> , 2013, 55, 541-548.	1.8	113
172	Potent β -glucosidase and protein tyrosine phosphatase 1B inhibitors from <i>Artemisia capillaris</i> . <i>Archives of Pharmacal Research</i> , 2013, 36, 542-552.	2.7	94
173	Kinetics and molecular docking studies of pimarane-type diterpenes as protein tyrosine phosphatase (PTP1B) inhibitors from <i>Aralia continentalis</i> roots. <i>Archives of Pharmacal Research</i> , 2013, 36, 957-965.	2.7	20
174	Neferine isolated from <i>Nelumbo nucifera</i> enhances anti-cancer activities in Hep3B cells: Molecular mechanisms of cell cycle arrest, ER stress induced apoptosis and anti-angiogenic response. <i>Phytomedicine</i> , 2013, 20, 1013-1022.	2.3	77
175	Capsfulvesins A-C, Cholinesterase Inhibitors from <i>Capsosiphon fulvescens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1351-1358.	0.6	10
176	Mechanism of anti-inflammatory activity of umbelliferone 6-carboxylic acid isolated from <i>Angelica decursiva</i> . <i>Journal of Ethnopharmacology</i> , 2012, 144, 175-181.	2.0	40
177	Isolation and Identification of Phlorotannins from <i>Ecklonia stolonifera</i> with Antioxidant and Hepatoprotective Properties in Tacrine-Treated HepG2 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 5340-5349.	2.4	64
178	Anti-inflammatory Activities of an Ethanol Extract of <i>Ecklonia stolonifera</i> in Lipopolysaccharide-Stimulated RAW 264.7 Murine Macrophage Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 9120-9129.	2.4	65
179	Anti-inflammatory activity of Korean thistle <i>Cirsium maackii</i> and its major flavonoid, luteolin 5-O-glucoside. <i>Food and Chemical Toxicology</i> , 2012, 50, 2171-2179.	1.8	64
180	Promising antidiabetic potential of fucoxanthin isolated from the edible brown algae <i>Eisenia bicyclis</i> and <i>Undaria pinnatifida</i> . <i>Fisheries Science</i> , 2012, 78, 1321-1329.	0.7	59

#	ARTICLE	IF	CITATIONS
181	Neuroprotective effect of edible brown alga <i>Eisenia bicyclis</i> on amyloid beta peptide-induced toxicity in PC12 cells. <i>Archives of Pharmacal Research</i> , 2012, 35, 1989-1998.	2.7	62
182	Inhibitory activity of <i>Aralia continentalis</i> roots on protein tyrosine phosphatase 1B and rat lens aldose reductase. <i>Archives of Pharmacal Research</i> , 2012, 35, 1771-1777.	2.7	28
183	In vitro antioxidant and anti-inflammatory activities of <i>Angelica decursiva</i> . <i>Archives of Pharmacal Research</i> , 2012, 35, 179-192.	2.7	60
184	Anti-inflammatory and antioxidant activities of constituents isolated from <i>Pueraria lobata</i> roots. <i>Archives of Pharmacal Research</i> , 2012, 35, 823-837.	2.7	125
185	Inhibitory activity of coumarins from <i>Artemisia capillaris</i> against advanced glycation endproduct formation. <i>Archives of Pharmacal Research</i> , 2012, 35, 1021-1035.	2.7	53
186	Inhibitory activity of <i>Ecklonia stolonifera</i> and its isolated phlorotannins against Cu ²⁺ -induced low-density lipoprotein oxidation. <i>Fisheries Science</i> , 2012, 78, 927-934.	0.7	4
187	Kinetics and molecular docking studies of kaempferol and its prenylated derivatives as aldose reductase inhibitors. <i>Chemico-Biological Interactions</i> , 2012, 197, 110-118.	1.7	16
188	Dioxinohydroeckol inhibits melanin synthesis through PI3K/Akt signalling pathway in α -melanocyte-stimulating hormone-treated B16F10 cells. <i>Experimental Dermatology</i> , 2012, 21, 471-473.	1.4	30
189	Protein Tyrosine Phosphatase 1B and α -Glucosidase Inhibitory Phlorotannins from Edible Brown Algae, <i>Ecklonia stolonifera</i> and <i>Eisenia bicyclis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2011, 75, 1472-1480.	0.6	128
190	Extraction and identification of three major aldose reductase inhibitors from <i>Artemisia montana</i> . <i>Food and Chemical Toxicology</i> , 2011, 49, 376-384.	1.8	102
191	Protective Effects of Luteolin against Apoptotic Liver Damage Induced by α -Galactosamine/Lipopolysaccharide in Mice. <i>Journal of Natural Products</i> , 2011, 74, 1916-1921.	1.5	40
192	Protective Effects of Hyperoside against Carbon Tetrachloride-Induced Liver Damage in Mice. <i>Journal of Natural Products</i> , 2011, 74, 1055-1060.	1.5	117
193	Phlorofucofuroeckol A inhibits the LPS-stimulated iNOS and COX-2 expressions in macrophages via inhibition of NF- κ B, Akt, and p38 MAPK. <i>Toxicology in Vitro</i> , 2011, 25, 1789-1795.	1.1	86
194	Simultaneous determination of bioactive flavonoids in some selected Korean thistles by high-performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2011, 34, 455-461.	2.7	33
195	Inhibition of 5-lipoxygenase and skin inflammation by the aerial parts of <i>Artemisia capillaris</i> and its constituents. <i>Archives of Pharmacal Research</i> , 2011, 34, 1561-1569.	2.7	81
196	Anti-tumorigenic activity of sophoflavesconol against Lewis lung carcinoma in vitro and in vivo. <i>Archives of Pharmacal Research</i> , 2011, 34, 2087-2099.	2.7	25
197	Inhibitory activities of the edible brown alga <i>Laminaria japonica</i> on glucose-mediated protein damage and rat lens aldose reductase. <i>Fisheries Science</i> , 2011, 77, 1069-1079.	0.7	12
198	Antidiabetic complications and anti- α -alzheimer activities of sophoflavesconol, a prenylated flavonol from <i>Sophora flavescens</i> , and its structure-activity relationship. <i>Phytotherapy Research</i> , 2011, 25, 709-715.	2.8	32

#	ARTICLE	IF	CITATIONS
199	Facile synthesis and stereochemical investigation of Mannich base derivatives: Evaluation of antioxidant property and antituberculosic potency. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2287-2296.	1.0	19
200	Selective Cholinesterase Inhibitory Activities of a New Monoterpene Diglycoside and Other Constituents from <i>Nelumbo nucifera</i> Stamens. <i>Biological and Pharmaceutical Bulletin</i> , 2010, 33, 267-272.	0.6	45
201	Addition: Anticholinesterase and Antioxidant Constituents from <i>Gloiopeltis furcata</i> [Chem. Pharm. Bull. 58(9): 1236-1239 (2010)]. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1554.	0.6	0
202	Peroxynitrite scavenging mode of alaternin isolated from <i>Cassia tora</i> . <i>Journal of Pharmacy and Pharmacology</i> , 2010, 56, 1315-1321.	1.2	29
203	Cytoprotective mechanism of baicalin against endothelial cell damage by peroxynitrite. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 1581-1590.	1.2	38
204	Inhibitory activities of prenylated flavonoids from <i>Sophora flavescens</i> against aldose reductase and generation of advanced glycation endproducts. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 1227-1236.	1.2	77
205	Quantitative determination of major phlorotannins in <i>Ecklonia stolonifera</i> . <i>Archives of Pharmacal Research</i> , 2010, 33, 539-544.	2.7	25
206	Isolation and quantitative analysis of peroxynitrite scavengers from <i>Artemisia princeps</i> var. <i>orientalis</i> . <i>Archives of Pharmacal Research</i> , 2010, 33, 703-708.	2.7	15
207	Molecular docking studies of phlorotannins from <i>Eisenia bicyclis</i> with BACE1 inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3211-3215.	1.0	95
208	Antioxidant activities of coumarins from Korean medicinal plants and their structure-activity relationships. <i>Phytotherapy Research</i> , 2010, 24, 101-106.	2.8	105
209	Selective Inhibition of Prenylated Flavonoids from <i>Sophora flavescens</i> against BACE1 and Cholinesterases. <i>The American Journal of Chinese Medicine</i> , 2010, 38, 415-429.	1.5	42
210	Hydroquinone modulates reactivity of peroxynitrite and nitric oxide production. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 475-481.	1.2	20
211	Anti-amnesic activity of neferine with antioxidant and anti-inflammatory capacities, as well as inhibition of ChEs and BACE1. <i>Life Sciences</i> , 2010, 87, 420-430.	2.0	96
212	Alaternin attenuates delayed neuronal cell death induced by transient cerebral hypoperfusion in mice. <i>Food and Chemical Toxicology</i> , 2010, 48, 1528-1536.	1.8	24
213	Desmethylanhydroicaritin inhibits NF- κ B-regulated inflammatory gene expression by modulating the redox-sensitive PI3K/PTEN/Akt pathway. <i>European Journal of Pharmacology</i> , 2009, 602, 422-431.	1.7	32
214	Inhibitory effects of phloroglucinol derivatives isolated from <i>Ecklonia stolonifera</i> on Fc γ RI expression. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4734-4739.	1.4	43
215	Simultaneous determination of quercetin and its glycosides from the leaves of <i>Nelumbo nucifera</i> by reversed-phase high-performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2009, 32, 201-206.	2.7	31
216	Qualitative and quantitative determination of the caffeoylquinic acids on the Korean mountainous vegetables used for Chwinamul and their peroxynitrite-scavenging effect. <i>Archives of Pharmacal Research</i> , 2009, 32, 1361-1367.	2.7	38

#	ARTICLE	IF	CITATIONS
217	Kaempferol glycosides with antioxidant activity from <i>Brassica juncea</i> . <i>Archives of Pharmacal Research</i> , 2009, 32, 1379-1384.	2.7	36
218	Cholinesterase and BACE1 inhibitory diterpenoids from <i>Aralia cordata</i> . <i>Archives of Pharmacal Research</i> , 2009, 32, 1399-1408.	2.7	63
219	A new abietic acid-type diterpene glucoside from the needles of <i>Pinus densiflora</i> . <i>Archives of Pharmacal Research</i> , 2009, 32, 1699-1704.	2.7	24
220	Inhibitory Activities of <i>Cassia tora</i> and its Anthraquinone Constituents on Angiotensinâ€Converting Enzyme. <i>Phytotherapy Research</i> , 2009, 23, 178-184.	2.8	52
221	Protective effect of daidzin against <i>Galactosamine</i> and lipopolysaccharideâ€Induced hepatic failure in mice. <i>Phytotherapy Research</i> , 2009, 23, 701-706.	2.8	24
222	Quantitative HPLC analysis of two key flavonoids and inhibitory activities against aldose reductase from different parts of the Korean thistle, <i>Cirsium maackii</i> . <i>Food and Chemical Toxicology</i> , 2009, 47, 2790-2797.	1.8	52
223	Oleanane-Type Triterpenoids from <i>Aceriphyllum rossii</i> and Their Cytotoxic Activity. <i>Journal of Natural Products</i> , 2009, 72, 1419-1423.	1.5	34
224	Isolation and Identification of Phlorotannins from <i>Ecklonia stolonifera</i> with Antioxidant and Anti-inflammatory Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3483-3489.	2.4	221
225	Anti-Alzheimer and Antioxidant Activities of <i>Coptidis Rhizoma</i> Alkaloids. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1433-1438.	0.6	266
226	Glucobtusifolin and Its Aglycon, Obtusifolin, Attenuate Scopolamine-Induced Memory Impairment. <i>Journal of Pharmacological Sciences</i> , 2009, 111, 110-116.	1.1	25
227	Antioxidant Effects of 2,3,6-tribromo-4,5-dihydroxybenzyl Methyl Ether (TDB) from the Red Alga, <i>Symphycladia latiuscula</i> . <i>Fisheries and Aquatic Sciences</i> , 2009, 12, 86-89.	0.3	1
228	Synergistic effect between dieckol from <i>Ecklonia stolonifera</i> and Î²-lactams against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2008, 13, 758-764.	1.4	62
229	Inhibitory activities of the alkaloids from <i>Coptidis Rhizoma</i> against aldose reductase. <i>Archives of Pharmacal Research</i> , 2008, 31, 1405-1412.	2.7	120
230	Anti-hyperlipidemic effect of an edible brown algae, <i>Ecklonia stolonifera</i> , and its constituents on poloxamer 407-induced hyperlipidemic and cholesterol-fed rats. <i>Archives of Pharmacal Research</i> , 2008, 31, 1564-1571.	2.7	80
231	Comparative antioxidant activity and HPLC profiles of some selected Korean thistles. <i>Archives of Pharmacal Research</i> , 2008, 31, 28-33.	2.7	61
232	Triterpenoids and a sterol from the stemâ€bark of <i>Styrax japonica</i> and their protein tyrosine phosphatase 1B inhibitory activities. <i>Phytotherapy Research</i> , 2008, 22, 1303-1306.	2.8	33
233	Inhibitory activities of extracts from several kinds of seaweeds and phlorotannins from the brown alga <i>Ecklonia stolonifera</i> on glucose-mediated protein damage and rat lens aldose reductase. <i>Fisheries Science</i> , 2008, 74, 1363-1365.	0.7	53
234	Inhibitory effects of <i>Nelumbo nucifera</i> leaves on rat lens aldose reductase, advanced glycation endproducts formation, and oxidative stress. <i>Food and Chemical Toxicology</i> , 2008, 46, 3818-3826.	1.8	111

#	ARTICLE	IF	CITATIONS
235	Inhibitory Effects of Kurarinol, Kuraridinol, and Trifolirhizin from <i>Sophora flavescens</i> on Tyrosinase and Melanin Synthesis. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 154-158.	0.6	90
236	Hypolipidemic Effects of <i>Sophora flavescens</i> and Its Constituents in Poloxamer 407-Induced Hyperlipidemic and Cholesterol-Fed Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 73-78.	0.6	43
237	Re-evaluation of the Antioxidant Prenylated Flavonoids from the Roots of <i>Sophora flavescens</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 908-915.	0.6	50
238	Magnoflorine from <i>Coptidis Rhizoma</i> Protects High Density Lipoprotein during Oxidant Stress. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 1157-1160.	0.6	46
239	The Seed Extract of <i>Cassia obtusifolia</i> Ameliorates Learning and Memory Impairments Induced by Scopolamine or Transient Cerebral Hypoperfusion in Mice. <i>Journal of Pharmacological Sciences</i> , 2007, 105, 82-93.	1.1	100
240	Antioxidant constituents and a new triterpenoid glycoside from <i>Flos Lonicerae</i> . <i>Archives of Pharmacal Research</i> , 2007, 30, 1-7.	2.7	105
241	2,3,6- Tribromo- 4,5- dihydroxybenzyl Methyl Ether Induces Growth inhibition and apoptosis in MCF-7 human breast cancer cells. <i>Archives of Pharmacal Research</i> , 2007, 30, 1132-1137.	2.7	23
242	Rat lens aldose reductase inhibitory constituents of <i>Nelumbo nuciferastamens</i> . <i>Phytotherapy Research</i> , 2006, 20, 825-830.	2.8	91
243	Angiotensin-converting enzyme I inhibitory activity of phlorotannins from <i>Ecklonia stolonifera</i> . <i>Fisheries Science</i> , 2006, 72, 1292-1299.	0.7	152
244	Two novel furan derivatives from <i>Phellinus linteus</i> with anti-complement activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3255-3257.	1.0	25
245	Isorhamnetin glycosides with free radical and ONOO [•] scavenging activities from the stamens of <i>Nelumbo nucifera</i> . <i>Archives of Pharmacal Research</i> , 2006, 29, 287-292.	2.7	44
246	In vitro peroxynitrite scavenging activity of 6-hydroxykynurenic acid and other flavonoids from <i>Ginkgo biloba</i> yellow leaves. <i>Archives of Pharmacal Research</i> , 2006, 29, 1074-1079.	2.7	39
247	Antiviral Activity of the Marine Alga <i>Symphyocladia latiuscula</i> against Herpes Simplex Virus (HSV-1) in Vitro and Its Therapeutic Efficacy against HSV-1 Infection in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 2258-2262.	0.6	61
248	Biflavone Glucosides from <i>Ginkgo biloba</i> Yellow Leaves. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1200-1201.	0.6	18
249	A new lavandulylated flavonoid with free radical and onoo-scavenging activities from <i>Sophora flavescens</i> . <i>Archives of Pharmacal Research</i> , 2005, 28, 1333-1336.	2.7	21
250	Activation of cyclooxygenases by H ₂ O ₂ and t-butylhydroperoxide in aged rat lung. <i>Biotechnology Letters</i> , 2005, 26, 1665-1669.	1.1	0
251	A phenolic glucoside isolated from <i>Prunus serrulata</i> var. <i>spontanea</i> and its peroxynitrite scavenging activity. <i>Archives of Pharmacal Research</i> , 2005, 28, 1127-1130.	2.7	8
252	A potent anti-complementary acylated sterol glucoside from <i>Orostachys japonicus</i> . <i>Archives of Pharmacal Research</i> , 2005, 28, 892-896.	2.7	27

#	ARTICLE	IF	CITATIONS
253	In Vitro Free Radical and ONOO- Scavengers from <i>Sophora flavescens</i> . Archives of Pharmacal Research, 2005, 28, 534-540.	2.7	43
254	Flavonoids differentially modulate nitric oxide production pathways in lipopolysaccharide-activated RAW264.7 cells. Archives of Pharmacal Research, 2005, 28, 297-304.	2.7	56
255	Hepatoprotective constituents of the edible brown alga <i>Ecklonia stolonifera</i> on tacrine-induced cytotoxicity in hep G2 cells. Archives of Pharmacal Research, 2005, 28, 1376-1380.	2.7	71
256	Alaternin and emodin with hydroxyl radical inhibitory and/or scavenging activities and hepatoprotective activity on tacrine-induced cytotoxicity in HepG2 cells. Archives of Pharmacal Research, 2004, 27, 947-953.	2.7	37
257	Tyrosinase inhibitors isolated from the edible brown alga <i>Ecklonia stolonifera</i> . Archives of Pharmacal Research, 2004, 27, 1226-1232.	2.7	149
258	Inhibitory phlorotannins from the edible brown alga <i>Ecklonia stolonifera</i> on total reactive oxygen species (ROS) generation. Archives of Pharmacal Research, 2004, 27, 194-198.	2.7	212
259	A sphingolipid and tyrosinase inhibitors from the fruiting body of <i>Phellinus linteus</i> . Archives of Pharmacal Research, 2004, 27, 742-750.	2.7	55
260	Isolation of flavonoids and a cerebroside from the stem bark of <i>Albizia julibrissin</i> . Archives of Pharmacal Research, 2004, 27, 593-9.	2.7	62
261	Active components from <i>Artemisia iwayomogi</i> displaying ONOO ⁻ scavenging activity. Phytotherapy Research, 2004, 18, 1-7.	2.8	67
262	Hesperetin: A Potent Antioxidant Against Peroxynitrite. Free Radical Research, 2004, 38, 761-769.	1.5	107
263	Phenolic Glycosides from the Stem Bark of <i>Albizia julibrissin</i> . Chemical and Pharmaceutical Bulletin, 2004, 52, 1501-1503.	0.6	38
264	A New Pentacyclic Triterpenoid Glucoside from <i>Prunus serrulata</i> var. <i>spontanea</i> . Chemical and Pharmaceutical Bulletin, 2004, 52, 157-159.	0.6	25
265	A new (E)-4-hydroxy-dodec-2-enedioic acid from the stem bark of <i>Albizia julibrissin</i> . Archives of Pharmacal Research, 2003, 26, 207-209.	2.7	9
266	Antioxidant activity from the stem bark of <i>Albizia julibrissin</i> . Archives of Pharmacal Research, 2003, 26, 458-462.	2.7	42
267	Antioxidant principles of <i>Nelumbo nucifera</i> stamens. Archives of Pharmacal Research, 2003, 26, 279-285.	2.7	102
268	Inhibitory activity of flavonoids from <i>Prunus davidiana</i> and other flavonoids on total ROS and hydroxyl radical generation. Archives of Pharmacal Research, 2003, 26, 809-815.	2.7	71
269	Further isolation of antioxidative (+)-1-hydroxypinoresinol-1-O-β-D-glucoside from the rhizome of <i>Salvia miltiorrhiza</i> that acts on peroxynitrite, total ROS and 1,1-diphenyl-2-picrylhydrazyl radical. Archives of Pharmacal Research, 2003, 26, 24-27.	2.7	16
270	In Vitro and in vivo antioxidant effects of mustard leaf (<i>Brassica juncea</i>). Phytotherapy Research, 2003, 17, 465-471.	2.8	43

#	ARTICLE	IF	CITATIONS
271	In vitro peroxynitrite scavenging activity of diarylheptanoids from <i>Curcuma longa</i> . <i>Phytotherapy Research</i> , 2003, 17, 481-484.	2.8	72
272	Antioxidant principles from the needles of red pine, <i>Pinus densiflora</i> . <i>Phytotherapy Research</i> , 2003, 17, 1064-1068.	2.8	39
273	A New Phlorotannin from the Brown Alga <i>Ecklonia stolonifera</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 1012-1014.	0.6	111
274	Antioxidant Effects of Isorhamnetin 3,7-Di-O- β -D-glucopyranoside Isolated from Mustard Leaf (<i>Brassica</i>) <i>Tj ETQqO 0.0 rgBT /Overlock 10</i> 2002, 50, 5490-5495.	2.4	82
275	Peroxynitrite Scavenging Activity of Sinapic Acid (3,5-Dimethoxy-4-hydroxycinnamic Acid) Isolated from <i>Brassica juncea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 5884-5890.	2.4	109
276	A new kaempferol 7-O-triglucoside from the leaves of <i>Brassica juncea</i> L. <i>Archives of Pharmacal Research</i> , 2002, 25, 621-624.	2.7	24
277	Further isolation of peroxynitrite and 1,1-diphenyl-2-picrylhydrazyl radical scavenging isorhamnetin 7-O-glucoside from the leaves of <i>Brassica juncea</i> L. <i>Archives of Pharmacal Research</i> , 2002, 25, 625-627.	2.7	14
278	In vitro antioxidant activity of some selected prunus species in Korea. <i>Archives of Pharmacal Research</i> , 2002, 25, 865-872.	2.7	71
279	The structure-activity relationship of flavonoids as scavengers of peroxynitrite. <i>Phytotherapy Research</i> , 2002, 16, 232-235.	2.8	105
280	Peroxynitrite scavenging activity of herb extracts. <i>Phytotherapy Research</i> , 2002, 16, 364-367.	2.8	95
281	The effect of lipopolysaccharide on enhanced inflammatory process with age: Modulation of NF- κ B. <i>Age</i> , 2001, 24, 163-171.	3.0	6
282	A new cyclic phenyllactamide from <i>Salvia miltiorrhiza</i> . <i>FÄ-toterapÄ-Äç</i> , 2001, 72, 30-34.	1.1	13
283	A new C-methylated flavonoid glycoside from <i>Pinus densiflora</i> . <i>FÄ-toterapÄ-Äç</i> , 2001, 72, 943-945.	1.1	14
284	Isolation of luteolin 7-O-rutinoside and esculetin with potential antioxidant activity from the aerial parts of <i>Artemisia montana</i> . <i>Archives of Pharmacal Research</i> , 2000, 23, 237-239.	2.7	55
285	A Cyclohexanonyl Bromophenol from the Red Alga <i>Symphyclocladia latiuscula</i> . <i>Journal of Natural Products</i> , 2000, 63, 1705-1706.	1.5	74
286	Comparative Evaluation of Antioxidant Potential of Alaternin (2-Hydroxyemodin) and Emodin. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 6347-6351.	2.4	52
287	Antioxidant flavonoids and chlorogenic acid from the leaves of <i>Eriobotrya japonica</i> . <i>Archives of Pharmacal Research</i> , 1999, 22, 213-218.	2.7	156
288	In vitro angiogenic activity of <i>Aloe vera</i> gel on calf pulmonary artery endothelial (CPAE) cells. <i>Archives of Pharmacal Research</i> , 1998, 21, 260-265.	2.7	35

#	ARTICLE	IF	CITATIONS
289	Alaternin glucoside isomer from cassia tora. <i>Phytochemistry</i> , 1998, 49, 1403-1404.	1.4	20
290	Structure-Related Inhibition of Human Hepatic Caffeine N3-Demethylation by Naturally Occurring Flavonoids. <i>Biochemical Pharmacology</i> , 1998, 55, 1369-1375.	2.0	77
291	Antioxidant effect of <i>Salvia miltiorrhiza</i> . <i>Archives of Pharmacal Research</i> , 1997, 20, 496-500.	2.7	43
292	A rubrofusarin gentiobioside isomer from roasted <i>Cassia tora</i> . <i>Archives of Pharmacal Research</i> , 1997, 20, 513-515.	2.7	8
293	Chlorogenic acid, an antioxidant principle from the aerial parts of <i>Artemisia iwayomogi</i> that acts on 1,1-diphenyl-2-picrylhydrazyl radical. <i>Archives of Pharmacal Research</i> , 1997, 20, 148-154.	2.7	35
294	The NMR assignments of anthraquinones from <i>Cassia tora</i> . <i>Archives of Pharmacal Research</i> , 1996, 19, 302-306.	2.7	23
295	The antioxidant activity of <i>Ecklonia stolonifera</i> . <i>Archives of Pharmacal Research</i> , 1996, 19, 223-227.	2.7	39
296	A flavone diglycoside from <i>Cirsium japonicum</i> var. <i>ussuriense</i> . <i>Phytochemistry</i> , 1995, 39, 261-262.	1.4	44
297	A naphthalene glycoside from <i>Cassia tora</i> . <i>Phytochemistry</i> , 1995, 40, 997-999.	1.4	26
298	Antimutagenic effect of plant flavonoids in the <i>Salmonella</i> assay system. <i>Archives of Pharmacal Research</i> , 1994, 17, 71-75.	2.7	80
299	Alaternin, cassiaside and rubrofusarin gentiobioside, radical scavenging principles from the seeds of <i>Cassia tora</i> on 1,1-diphenyl-2-picrylhydrazyl (DPPH) radical. <i>Archives of Pharmacal Research</i> , 1994, 17, 462-466.	2.7	58
300	Antihyperlipidemic Effect of Flavonoids from <i>Prunus davidiana</i> . <i>Journal of Natural Products</i> , 1991, 54, 218-224.	1.5	100
301	Phenolic compounds of the leaves of <i>Eucommia ulmoides</i> . <i>Archives of Pharmacal Research</i> , 1991, 14, 114-117.	2.7	14
302	Flavonoids from the whole plants of <i>Orostachys japonicus</i> . <i>Archives of Pharmacal Research</i> , 1991, 14, 167-171.	2.7	35
303	Hypolipemic and hypoglycemic activities of <i>Prunus davidiana</i> in high fat-fed rats. <i>Archives of Pharmacal Research</i> , 1991, 14, 44-47.	2.7	10
304	Hypoglycemic and hypolipemic effects of <i>Ilex dentata</i> in diabetic rats. <i>Archives of Pharmacal Research</i> , 1990, 13, 269-273.	2.7	25
305	Phytochemical study on <i>Prunus davidiana</i> . <i>Archives of Pharmacal Research</i> , 1990, 13, 374-378.	2.7	17
306	Nitrite scavenging effect by flavonoids and its structure-effect relationship. <i>Archives of Pharmacal Research</i> , 1989, 12, 26-33.	2.7	29

#	ARTICLE	IF	CITATIONS
307	Coumarins and triterpenoid glycosides from the roots of <i>Patrinia scabiosaefolia</i> . <i>Archives of Pharmacal Research</i> , 1984, 7, 121-126.	2.7	16
308	3,4,7-trihydroxyflavone in <i>Albizia julibrissin</i> . <i>Archives of Pharmacal Research</i> , 1981, 4, 129-131.	2.7	13