

# Paulo Bonifácio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1934141/publications.pdf>

Version: 2024-02-01

32

papers

411

citations

759233

12

h-index

839539

18

g-index

41

all docs

41

docs citations

41

times ranked

510

citing authors

#	ARTICLE	IF	CITATIONS
1	A local scale analysis of manganese nodules influence on the Clarion-Clipperton Fracture Zone macrobenthos. Deep-Sea Research Part I: Oceanographic Research Papers, 2021, 168, 103449.	1.4	11
2	Patterns of Macrofaunal Biodiversity Across the Clarion-Clipperton Zone: An Area Targeted for Seabed Mining. Frontiers in Marine Science, 2021, 8, .	2.5	33
3	Toward a reliable assessment of potential ecological impacts of deep-sea polymetallic nodule mining on abyssal infauna. Limnology and Oceanography: Methods, 2021, 19, 626-650.	2.0	16
4	Diversity of Deep-Sea Scale-Worms (Annelida, Polynoidae) in the Clarion-Clipperton Fracture Zone. Frontiers in Marine Science, 2021, 8, .	2.5	5
5	Alpha and beta diversity patterns of polychaete assemblages across the nodule province of the eastern Clarion-Clipperton Fracture Zone (equatorial Pacific). Biogeosciences, 2020, 17, 865-886.	3.3	38
6	High diversity and pan-oceanic distribution of deep-sea polychaetes: Prionospio and Aurospio (Annelida: Spionidae) in the Atlantic and Pacific Ocean. Organisms Diversity and Evolution, 2020, 20, 171-187.	1.6	16
7	&lt;p class="ZootaxaTitle"&gt;&lt;strong&gt;New insights in the biogeographical distributions of two Spionidae (Annelida) from the NE Atlantic and Mediterranean French coasts&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2020, 19, 173-184.	0.3	2
8	Climate-driven changes in macrobenthic communities in the Mediterranean Sea: A 10-year study in the Bay of Banyuls-sur-Mer. Ecology and Evolution, 2019, 9, 10483-10498.	1.9	4
9	New genera and species from the Equatorial Pacific provide phylogenetic insights into deep-sea Polynoidae (Annelida). Zoological Journal of the Linnean Society, 2019, 185, 555-635.	2.3	32
10	Molecular analysis and new records of the invasive polychaete Boccardia proboscidea (Annelida: Tj ETQq0 0 0 rgBT <sub>1.6</sub> /Overlock <sub>12</sub> )	1.0	3
11	A new species of Pista Malmgren, 1866 (Polychaeta, Terebellidae) from the north-western Mediterranean Sea. ZooKeys, 2019, 838, 71-84.	1.1	3
12	Molecular analysis and new records of the invasive polychaete Boccardia proboscidea (Annelida: Tj ETQq0 0 0 rgBT <sub>1.6</sub> /Overlock <sub>1</sub> )	1.0	3
13	Long-term (1998 vs. 2010) large-scale comparison of soft-bottom benthic macrofauna composition in the Gulf of Lions, NW Mediterranean Sea. Journal of Sea Research, 2018, 131, 32-45.	1.6	12
14	A new species and phylogenetic insights in Hesiospina (Annelida, Hesionidae). Zootaxa, 2018, 4441, 59-75.	0.5	4
15	<i>Chaetozone corona</i> (Polychaeta, Cirratulidae) in the Bay of Biscay: a new alien species for the North-east Atlantic waters?. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 433-445.	0.8	13
16	Regional and latitudinal patterns of soft-bottom macrobenthic invertebrates along French coasts: Results from the RESOMAR database. Journal of Sea Research, 2017, 130, 96-106.	1.6	11
17	<i>Loimia ramzega</i> sp. nov., a new giant species of Terebellidae (Polychaeta) from French waters (Brittany, English Channel). Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 935-942.	0.8	7
18	A new species of the Marphysa sanguinea complex from French waters (Bay of Biscay, NE Atlantic) (Annelida, Eunicidae). ZooKeys, 2017, 716, 1-17.	1.1	24

#	ARTICLE	IF	CITATIONS
19	The Community Structure of Deep-Sea Macrofauna Associated with Polymetallic Nodules in the Eastern Part of the Clarion-Clipperton Fracture Zone. <i>Frontiers in Marine Science</i> , 2017, 4, .	2.5	64
20	Infestation of <i>Crassostrea cf. brasiliiana</i> by boring-polychaete polydorids in estuaries from Northeastern Brazil. <i>Journal of Environmental Analysis and Progress</i> , 2017, 2, 16-22.	0.2	5
21	First report of the invasive species <i>Branchiomma bairdi</i> McIntosh, 1885 (Annelida: Sabellidae) along the Tunisian coast (Mediterranean Sea). <i>BioInvasions Records</i> , 2017, 6, 139-145.	1.1	12
22	Long-term (1998–2010) large-scale comparison of the ecological quality status of gulf of lions (NW) Tj ETQq0 0 0 rgBT /Overlock 10 T	5.0	6
23	<i>Anobothrus amourouxi</i> sp. nov., a new species of Ampharetidae (Polychaeta) from the Capbreton Canyon (Bay of Biscay, NE Atlantic Ocean) – ERRATUM. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 971-971.	0.8	0
24	< i>Malmgrenia louiseae</i> sp. nov., a new scale worm species (Polychaeta: Polynoidae) from southern Europe with a key to European < i>Malmgrenia</i> species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 947-952.	0.8	5
25	< i>Anobothrus amourouxi</i> sp. nov., a new species of Ampharetidae (Polychaeta) from the Capbreton Canyon (Bay of Biscay, NE Atlantic Ocean). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 961-969.	0.8	6
26	New records of <i>Spio symphyta</i> and <i>Spio martinensis</i> (Polychaeta: Canalipalpata: Spionidae) from Arcachon Bay (France), NE Atlantic. <i>Marine Biodiversity</i> , 2015, 45, 77-86.	1.0	3
27	Spatiotemporal changes in surface sediment characteristics and benthic macrofauna composition off the Rhône River in relation to its hydrological regime. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 151, 196-209.	2.1	24
28	Shallow-water polychaete assemblages in the northwestern Mediterranean Sea and its possible use in the evaluation of good environmental state. <i>Memoirs of Museum Victoria</i> , 2014, 71, 289-301.	0.6	2
29	First record of <i>Naineris setosa</i> (Verrill, 1900) (Annelida: Polychaeta: Orbiniidae) in the Western Mediterranean Sea. <i>BioInvasions Records</i> , 2014, 3, 83-88.	1.1	15
30	Recent discovery of <i>Paranthura japonica</i> Richardson, 1909 (Crustacea: Isopoda: Paranthuridae) in		