

Kazuhiko Yamamoto

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1934451/kazuhiko-yamamoto-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

7,661
citations

37
h-index

86
g-index

215
ext. papers

9,689
ext. citations

7.7
avg, IF

5.44
L-index

#	Paper	IF	Citations
153	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
152	Functional haplotypes of PADI4, encoding citrullinating enzyme peptidylarginine deiminase 4, are associated with rheumatoid arthritis. <i>Nature Genetics</i> , 2003 , 34, 395-402	36.3	966
151	Rheumatoid arthritis. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18001	51.1	750
150	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities. <i>Nature Genetics</i> , 2005 , 37, 478-85	36.3	310
149	Meta-analysis identifies nine new loci associated with rheumatoid arthritis in the Japanese population. <i>Nature Genetics</i> , 2012 , 44, 511-6	36.3	232
148	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility. <i>Nature Genetics</i> , 2010 , 42, 515-9	36.3	209
147	Ethnic differences in allele frequency of autoimmune-disease-associated SNPs. <i>Journal of Human Genetics</i> , 2005 , 50, 264-266	4.3	188
146	CD4+CD25-LAG3+ regulatory T cells controlled by the transcription factor Egr-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13974-9	11.5	166
145	High-density genotyping of immune-related loci identifies new SLE risk variants in individuals with Asian ancestry. <i>Nature Genetics</i> , 2016 , 48, 323-30	36.3	156
144	Sialylation converts arthritogenic IgG into inhibitors of collagen-induced arthritis. <i>Nature Communications</i> , 2016 , 7, 11205	17.4	106
143	APLAR rheumatoid arthritis treatment recommendations. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 685-713	2.3	93
142	A multicenter phase I/II trial of rituximab for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2007 , 17, 191-197	3.3	93
141	A genome-wide association study identified AFF1 as a susceptibility locus for systemic lupus erythematosus in Japanese. <i>PLoS Genetics</i> , 2012 , 8, e1002455	6	89
140	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020 , 52, 669-679	36.3	85
139	Polygenic burdens on cell-specific pathways underlie the risk of rheumatoid arthritis. <i>Nature Genetics</i> , 2017 , 49, 1120-1125	36.3	83
138	The multicenter study of a new assay for simultaneous detection of multiple anti-aminoacyl-tRNA synthetases in myositis and interstitial pneumonia. <i>PLoS ONE</i> , 2014 , 9, e85062	3.7	82
137	Benzene-extracted components are important for the major activity of diesel exhaust particles: effect on interleukin-8 gene expression in human bronchial epithelial cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001 , 24, 419-26	5.7	81

136	Genetics of rheumatoid arthritis: 2018 status. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 446-453	2.4	80
135	TGF- β -expressing CD4+CD25(-)LAG3+ regulatory T cells control humoral immune responses. <i>Nature Communications</i> , 2015 , 6, 6329	17.4	78
134	Macrophage extracellular trap formation promoted by platelet activation is a key mediator of rhabdomyolysis-induced acute kidney injury. <i>Nature Medicine</i> , 2018 , 24, 232-238	50.5	72
133	Longterm Safety of Tocilizumab: Results from 3 Years of Followup Postmarketing Surveillance of 5573 Patients with Rheumatoid Arthritis in Japan. <i>Journal of Rheumatology</i> , 2015 , 42, 1368-75	4.1	71
132	Analysis of single-nucleotide polymorphisms in Japanese rheumatoid arthritis patients shows additional susceptibility markers besides the classic shared epitope susceptibility sequences. <i>Arthritis and Rheumatism</i> , 2004 , 50, 63-71		70
131	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study). <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1917-1923	2.4	69
130	Pathogenesis of Sjögren's syndrome. <i>Autoimmunity Reviews</i> , 2003 , 2, 13-8	13.6	67
129	Interleukin-27 in T cell immunity. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 2851-63	6.3	65
128	Use of a multiethnic approach to identify rheumatoid- arthritis-susceptibility loci, 1p36 and 17q12. <i>American Journal of Human Genetics</i> , 2012 , 90, 524-32	11	60
127	Citrullination of RGG Motifs in FET Proteins by PAD4 Regulates Protein Aggregation and ALS Susceptibility. <i>Cell Reports</i> , 2018 , 22, 1473-1483	10.6	57
126	Intracellular localization and release of eotaxin from normal eosinophils. <i>FEBS Letters</i> , 1998 , 434, 226-30	3.8	56
125	Peptidylarginine deiminase type 4 deficiency reduced arthritis severity in a glucose-6-phosphate isomerase-induced arthritis model. <i>Scientific Reports</i> , 2015 , 5, 13041	4.9	53
124	Contribution of a Non-classical HLA Gene, HLA-DOA, to the Risk of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2016 , 99, 366-74	11	51
123	Platelet activation markers overexpressed specifically in patients with aspirin-exacerbated respiratory disease. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 400-11	11.5	46
122	Transforming Growth Factor- β and Interleukin-10 Synergistically Regulate Humoral Immunity Modulating Metabolic Signals. <i>Frontiers in Immunology</i> , 2018 , 9, 1364	8.4	44
121	PADI4 polymorphism predisposes male smokers to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 512-5	2.4	44
120	Effects of low-dosage simvastatin on rheumatoid arthritis through reduction of Th1/Th2 and CD4/CD8 ratios. <i>Modern Rheumatology</i> , 2007 , 17, 364-368	3.3	44
119	Concomitant iguratimod therapy in patients with active rheumatoid arthritis despite stable doses of methotrexate: a randomized, double-blind, placebo-controlled trial. <i>Modern Rheumatology</i> , 2013 , 23, 430-439	3.3	43

118	Decreased severity of experimental autoimmune arthritis in peptidylarginine deiminase type 4 knockout mice. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 205	2.8	37
117	Efficacy and safety of certolizumab pegol plus methotrexate in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: the J-RAPID randomized, placebo-controlled trial. <i>Modern Rheumatology</i> , 2014 , 24, 715-24	3.3	37
116	Genetic basis of rheumatoid arthritis: a current review. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 452, 254-62	3.4	35
115	Genetic studies of rheumatoid arthritis. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2015 , 91, 410-22	4	35
114	Genetics of rheumatoid arthritis in Asia--present and future. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 375-9	8.1	34
113	Regulatory polymorphisms in EGR2 are associated with susceptibility to systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2010 , 19, 2313-20	5.6	34
112	Interleukin-10-producing LAG3 regulatory T cells are associated with disease activity and abatacept treatment in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 97	5.7	33
111	Successful treatment with tocilizumab in a case of Cogan's syndrome complicated with aortitis. <i>Modern Rheumatology</i> , 2013 , 23, 577-581	3.3	33
110	Egr2 and Egr3 in regulatory T cells cooperatively control systemic autoimmunity through Ltbp3-mediated TGF- β production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E8131-E8140	11.5	33
109	Confirmation of five novel susceptibility loci for systemic lupus erythematosus (SLE) and integrated network analysis of 82 SLE susceptibility loci. <i>Human Molecular Genetics</i> , 2017 , 26, 1205-1216	5.6	32
108	Tocilizumab discontinuation after attaining remission in patients with rheumatoid arthritis who were treated with tocilizumab alone or in combination with methotrexate: results from a prospective randomised controlled study (the second year of the SURPRISE study). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1268-1275	2.4	32
107	Efficacy and safety of certolizumab pegol without methotrexate co-administration in Japanese patients with active rheumatoid arthritis: the HIKARI randomized, placebo-controlled trial. <i>Modern Rheumatology</i> , 2014 , 24, 552-60	3.3	31
106	Citrullination of DNMT3A by PADI4 regulates its stability and controls DNA methylation. <i>Nucleic Acids Research</i> , 2014 , 42, 8285-96	20.1	31
105	Meta-analysis of 208370 East Asians identifies 113 susceptibility loci for systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 632-640	2.4	31
104	B cell epitope on the U1 snRNP-C autoantigen contains a sequence similar to that of the herpes simplex virus protein. <i>European Journal of Immunology</i> , 1993 , 23, 1064-71	6.1	30
103	Immunophenotyping of rheumatoid arthritis reveals a linkage between HLA-DRB1 genotype, CXCR4 expression on memory CD4(+) T cells, and disease activity. <i>Scientific Reports</i> , 2016 , 6, 29338	4.9	30
102	Early interleukin 4-dependent response can induce airway hyperreactivity before development of airway inflammation in a mouse model of asthma. <i>Laboratory Investigation</i> , 2001 , 81, 1385-96	5.9	29
101	Efficacy and safety of rituximab in Japanese patients with systemic lupus erythematosus and lupus nephritis who are refractory to conventional therapy. <i>Modern Rheumatology</i> , 2016 , 26, 80-6	3.3	28

100	Quantitative and qualitative characterization of expanded CD4+ T cell clones in rheumatoid arthritis patients. <i>Scientific Reports</i> , 2015 , 5, 12937	4.9	28
99	Nationwide prospective and retrospective surveys for hepatitis B virus reactivation during immunosuppressive therapies. <i>Journal of Gastroenterology</i> , 2016 , 51, 999-1010	6.9	28
98	Dynamic landscape of immune cell-specific gene regulation in immune-mediated diseases. <i>Cell</i> , 2021 , 184, 3006-3021.e17	56.2	28
97	Efficacy of intensive immunosuppression in exacerbated rheumatoid arthritis-associated interstitial lung disease. <i>Modern Rheumatology</i> , 2017 , 27, 22-28	3.3	26
96	Integration of genetics and miRNA-target gene network identified disease biology implicated in tissue specificity. <i>Nucleic Acids Research</i> , 2018 , 46, 11898-11909	20.1	26
95	Role of TGF- β in the regulation of immune responses. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S63-9	2.2	26
94	Clinical benefit of 1-year certolizumab pegol (CZP) add-on therapy to methotrexate treatment in patients with early rheumatoid arthritis was observed following CZP discontinuation: 2-year results of the C-OPERA study, a phase III randomised trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1348-1356	2.4	25
93	HLA-DRB1*0901 lowers anti-cyclic citrullinated peptide antibody levels in Japanese patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1569-70	2.4	24
92	Neuromyelitis optica spectrum disorder complicated with Sjogren syndrome successfully treated with tocilizumab: A case report. <i>Modern Rheumatology</i> , 2016 , 26, 294-6	3.3	23
91	Increased serum concentrations of IL-1 beta, IL-21 and Th17 cells in overweight patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 111	5.7	23
90	PLD4 is a genetic determinant to systemic lupus erythematosus and involved in murine autoimmune phenotypes. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 509-518	2.4	21
89	Amino acid signatures of HLA Class-I and II molecules are strongly associated with SLE susceptibility and autoantibody production in Eastern Asians. <i>PLoS Genetics</i> , 2019 , 15, e1008092	6	21
88	Lnk/Sh2b3 controls the production and function of dendritic cells and regulates the induction of IFN- γ -producing T cells. <i>Journal of Immunology</i> , 2014 , 193, 1728-36	5.3	21
87	Tocilizumab-induced leucocytoclastic vasculitis in a patient with rheumatoid arthritis. <i>Rheumatology</i> , 2014 , 53, 1529-30	3.9	20
86	An alternatively spliced form of the human CD94 gene. <i>Immunogenetics</i> , 1998 , 48, 87-8	3.2	20
85	The RNA Binding Protein Mex-3B Is Required for IL-33 Induction in the Development of Allergic Airway Inflammation. <i>Cell Reports</i> , 2016 , 16, 2456-71	10.6	19
84	Anti-citrullinated peptide/protein antibody (ACPA)-negative RA shares a large proportion of susceptibility loci with ACPA-positive RA: a meta-analysis of genome-wide association study in a Japanese population. <i>Arthritis Research and Therapy</i> , 2015 , 17, 104	5.7	18
83	Early Growth Response Gene 2-Expressing CD4LAG3 Regulatory T Cells: The Therapeutic Potential for Treating Autoimmune Diseases. <i>Frontiers in Immunology</i> , 2018 , 9, 340	8.4	18

82	TGF- β Inhibits Antibody Production by Human B Cells. <i>PLoS ONE</i> , 2017 , 12, e0169646	3.7	18
81	Metabolism as a key regulator in the pathogenesis of systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 1142-1145	5.3	17
80	A gene module associated with dysregulated TCR signaling pathways in CD4 T cell subsets in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2018 , 89, 21-29	15.5	17
79	A case of refractory polyarteritis nodosa successfully treated with rituximab. <i>Modern Rheumatology</i> , 2017 , 27, 696-698	3.3	16
78	Sequencing of the MHC region defines as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 773-780	2.4	16
77	HLA-DRB1 Shared Epitope Alleles and Disease Activity Are Correlated with Reduced T Cell Receptor Repertoire Diversity in CD4+ T Cells in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2018 , 45, 905-914	4.1	15
76	Macrophage activation syndrome associated with tocilizumab treatment in adult-onset Still's disease. <i>Modern Rheumatology</i> , 2017 , 27, 556-557	3.3	15
75	Immune responses to Mycobacterial heat shock protein 70 accompany self-reactivity to human BiP in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 22486	4.9	15
74	Transcriptome analysis of peripheral blood from patients with rheumatoid arthritis: a systematic review. <i>Inflammation and Regeneration</i> , 2018 , 38, 21	10.9	15
73	Reevaluation of Pluripotent Cytokine TGF- β in Immunity. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	14
72	Genome-wide single nucleotide polymorphism analyses of rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2005 , 25 Suppl, 12-5	15.5	14
71	From genetics to functional insights into rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S40-3	2.2	14
70	Overview of LAG-3-Expressing, IL-10-Producing Regulatory T Cells. <i>Current Topics in Microbiology and Immunology</i> , 2017 , 410, 29-45	3.3	12
69	Intestinal microbiota link lymphopenia to murine autoimmunity via PD-1CXCR5 B-helper T cell induction. <i>Scientific Reports</i> , 2017 , 7, 46037	4.9	11
68	Clinical efficacy, radiographic progression, and safety through 156 weeks of therapy with subcutaneous golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis despite prior methotrexate therapy: final results of the randomized GO-FORTH trial. <i>Modern Rheumatology</i> , 2016 , 26, 481-90	3.3	11
67	Identification of U11snRNA as an endogenous agonist of TLR7-mediated immune pathogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 23653-23661	11.5	11
66	Identification of tonsillar CD4CD25LAG3 T cells as naturally occurring IL-10-producing regulatory T cells in human lymphoid tissue. <i>Journal of Autoimmunity</i> , 2017 , 76, 75-84	15.5	11
65	Possible mechanisms of autoantibody production and the connection of viral infections in human autoimmune diseases. <i>Tohoku Journal of Experimental Medicine</i> , 1994 , 173, 75-82	2.4	11

64	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018 , 28, 642-648	3.3	11
63	Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 317-20	2.4	10
62	CD4CD25LAG3 T Cells With a Feature of Th17 Cells Associated With Systemic Lupus Erythematosus Disease Activity. <i>Frontiers in Immunology</i> , 2019 , 10, 1619	8.4	10
61	First external validation of sensitivity and specificity of the European League Against Rheumatism (EULAR)/American College of Rheumatology (ACR) classification criteria for idiopathic inflammatory myopathies with a Japanese cohort. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 387-392	2.4	10
60	Perillyl alcohol suppresses antigen-induced immune responses in the lung. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 266-71	3.4	9
59	Prevalence of primary Sjögren's syndrome in patients undergoing evaluation for pulmonary arterial hypertension. <i>PLoS ONE</i> , 2018 , 13, e0197297	3.7	9
58	Polymorphic lymphoproliferative disorders in patients with rheumatoid arthritis are associated with a better clinical outcome. <i>Modern Rheumatology</i> , 2018 , 28, 621-625	3.3	8
57	Quantitative Measurement of GPCR Endocytosis via Pulse-Chase Covalent Labeling. <i>PLoS ONE</i> , 2015 , 10, e0129394	3.7	8
56	Identification of rare coding variants in protective for rheumatoid arthritis in the Japanese population and their effects on cytokine signalling. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1062-1069	2.4	7
55	Post-hoc analysis showing better clinical response with the loading dose of certolizumab pegol in Japanese patients with active rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016 , 26, 473-80	3.3	7
54	Membranous nephropathy with repeated flares in IgG4-related disease. <i>CKJ: Clinical Kidney Journal</i> , 2013 , 6, 204-207	4.5	7
53	Linking of genetic risk variants to disease-specific gene expression via multi-omics studies in rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, S49-S53	5.3	7
52	Integrated bulk and single-cell RNA-sequencing identified disease-relevant monocytes and a gene network module underlying systemic sclerosis. <i>Journal of Autoimmunity</i> , 2021 , 116, 102547	15.5	7
51	Parsing multiomics landscape of activated synovial fibroblasts highlights drug targets linked to genetic risk of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	7
50	Therapeutic potential of regulatory cytokines that target B cells. <i>International Immunology</i> , 2016 , 28, 189-95	4.9	6
49	Prevention of joint destruction in patients with high disease activity or high C-reactive protein levels: Post hoc analysis of the GO-FORTH study. <i>Modern Rheumatology</i> , 2016 , 26, 323-30	3.3	6
48	Functional genomics of autoimmune diseases. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	6
47	Egr2-independent, Klf1-mediated induction of PD-L1 in CD4 T cells. <i>Scientific Reports</i> , 2018 , 8, 7021	4.9	5

46	Antigen-specific immunotherapy for autoimmune diseases. <i>Expert Opinion on Biological Therapy</i> , 2007 , 7, 359-67	5.4	5
45	Analysis of basophil activation in patients with aspirin-exacerbated respiratory disease. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1162-1164.e8	11.5	4
44	Strategic Outlook toward 2030: Japan's research for allergy and immunology - Secondary publication. <i>Allergology International</i> , 2020 , 69, 561-570	4.4	4
43	Genetics of human autoimmunity: From genetic information to functional insights. <i>Clinical Immunology</i> , 2018 , 186, 9-13	9	4
42	Ethnically shared and heterogeneous impacts of molecular pathways suggested by the genome-wide meta-analysis of rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 186-9	3.9	4
41	A new T-cell activation mode for suboptimal doses of antigen under the full activation of T cells with different specificity. <i>European Journal of Immunology</i> , 2015 , 45, 1643-53	6.1	4
40	Characterization of T-cell receptor α chain mRNA expression in IFN- β -responsive chronic myelogenous leukaemia patients. <i>British Journal of Haematology</i> , 1999 , 105, 173-180	4.5	4
39	Minodronate combined with alfacalcidol versus alfacalcidol alone for glucocorticoid-induced osteoporosis: a multicenter, randomized, comparative study. <i>Journal of Bone and Mineral Metabolism</i> , 2020 , 38, 511-521	2.9	3
38	Tuberculous pleurisy diagnosed by medical thoracoscopy in an adalimumab-treated rheumatoid arthritis patient after treatment of latent tuberculosis infection. <i>Modern Rheumatology</i> , 2013 , 23, 1013-1017	3.3	3
37	Accumulation of identical T cell clones in the right and left lobes of the thyroid gland in patients with Graves' disease: analysis of T cell clonotype in vivo. <i>Endocrine Journal</i> , 2000 , 47, 127-36	2.9	3
36	Urinary phagocytic macrophages in hemophagocytic lymphohistiocytosis. <i>Kidney International</i> , 2016 , 90, 908	9.9	2
35	Two Cases of Gouty Sacroiliitis Evaluated by Dual-energy Computed Tomography. <i>Journal of Rheumatology</i> , 2016 , 43, 1146-7	4.1	2
34	Sinus bradycardia after intravenous pulse methylprednisolone therapy in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2019 , 29, 700-703	3.3	2
33	Predictive value of serum amyloid a levels for requirement of concomitant methotrexate in tocilizumab initiation: A analysis of the SURPRISE study. <i>Modern Rheumatology</i> , 2020 , 30, 442-449	3.3	2
32	Clinical efficacy, radiographic, and safety results of golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior therapy with disease-modifying antirheumatic drugs: Final results of the GO-MONO trial through week 120. <i>Modern Rheumatology</i> , 2018 , 28, 770-779	3.3	2
31	Reduction of CD83 Expression on B Cells and the Genetic Basis for Rheumatoid Arthritis: Comment on the Article by Thalayasingam et al. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1695-1696	9.5	2
30	CD4 ⁺ CD25 ⁺ LAG3 ⁺ regulatory T cells in humoral immunity. <i>Clinical and Experimental Neuroimmunology</i> , 2019 , 10, 4-11	0.4	1
29	Massive calcinosis cutis associated with primary Sjögren's syndrome. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	1

28	Factors associated with successful discontinuation of certolizumab pegol in early rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 316-324	2.3	1
27	Development of systemic lupus erythematosus in an elderly male hemodialysis patient with pleuritis. <i>CEN Case Reports</i> , 2013 , 2, 46-48	1	1
26	Iguratimod-induced acute interstitial pneumonia with hypogammaglobulinemia in a rheumatoid arthritis patient. <i>Modern Rheumatology Case Reports</i> , 2017 , 1, 54-59	0.4	1
25	JAK inhibition and modulation of T cell function. <i>Inflammation and Regeneration</i> , 2013 , 33, 143-149	10.9	1
24	Central Serous Chorioretinopathy during Treatment of Systemic Lupus Erythematosus with Protein-losing Gastroenteropathy. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2009 , 98, 1365-1368	0	1
23	Comparison of T-cell receptor Jbeta gene usage in spleen cells of different mouse strains. <i>Microbiology and Immunology</i> , 1999 , 43, 93-7	2.7	1
22	Two Cases of Acupuncture Treatment for Lumbar Spinal Canal Stenosis Due to Hemodialysis-related Spondyloarthropathy.. <i>Kampo Medicine</i> , 2003 , 54, 773-779	0.1	1
21	Identifying the most influential gene expression profile in distinguishing ANCA-associated vasculitis from healthy controls. <i>Journal of Autoimmunity</i> , 2021 , 119, 102617	15.5	1
20	The Asia-Pacific Initiative for Rheumatology Nurse Education: Current gaps, programme development and future outlook. <i>Musculoskeletal Care</i> , 2020 , 18, 397-403	1.6	1
19	Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 553-555	2.4	1
18	Decreased peripheral blood memory B cells are associated with the presence of interstitial lung disease in rheumatoid arthritis: a case-control study. <i>Modern Rheumatology</i> , 2021 , 31, 127-132	3.3	1
17	Enhanced gut homing receptor expression of unswitched memory B cells in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 354-355	2.2	1
16	Decoding the diversity of killer immunoglobulin-like receptors by deep sequencing and a high-resolution imputation method. <i>Cell Genomics</i> , 2022 , 2, 100101		1
15	Regulatory T cells in the control of T cell homeostasis. <i>Inflammation and Regeneration</i> , 2010 , 30, 502-506	10.9	0
14	Functional genetics for studying the human immune system. <i>International Immunology</i> , 2021 , 33, 647-654	1.9	0
13	Two cases of very elderly onset male lupus patient; the characteristics and sex differences of elderly onset systemic lupus erythematosus patients. <i>Modern Rheumatology Case Reports</i> , 2017 , 1, 84-88	0.4	
12	A1.29 In rheumatoid arthritis, smoking is not primarily associated with anti-citrullinaged protein antibodies, but with the presence of several autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A12.1-A12	2.4	
11	An elderly woman with peripheral spondyloarthritis with aortitis. <i>Modern Rheumatology</i> , 2012 , 1	3.3	

- 10 Enlargement of multiple cavernous hemangioma of the liver in patients with systemic lupus erythematosus: a report of four cases. *Japanese Journal of Rheumatology*, **1998**, 8, 445-452
- 9 The genetics of systemic lupus erythematosus: differences across ethnicities. *APLAR Journal of Rheumatology*, **2006**, 9, 353-358
- 8 Role of DC and chemokines for the induction of gut-homing CD4+CD25+ regulatory T cells in Peyer's patches. *Japanese Journal of Clinical Immunology*, **2003**, 26, 204-204
- 7 T cells in autoimmune disorders. *Ophthalmologica*, **2002**, 216 Suppl 1, 23-30; discussion 54-5 3-7
- 6 Is an autoimmune response exploding like the "Big Bang" of the universe?. *Current Rheumatology Reports*, **2000**, 2, 439-40 4-9
- 5 Enlargement of multiple cavernous hemangioma of the liver in patients with systemic lupus erythematosus: a report of four cases. *Japanese Journal of Rheumatology*, **1998**, 8, 445-452
- 4 Symposium on Medical Diseases and Molecular Biology. 4. Molecular Analyses of Autoimmune Diseases.. *Internal Medicine*, **1992**, 31, 1414-1416 1.1
- 3 Molecular cloning, expression and epitope mapping of autoantigens. *Japanese Journal of Medicine*, **1990**, 29, 656-8
- 2 Polymyositis associated with focal mesangial proliferative glomerulonephritis with depositions of immune complexes. *Clinical Rheumatology*, **2007**, 26, 792 3-9
- 1 Molecular analyses of autoepitopes on nuclear antigens.. *Seibutsu Butsuri Kagaku*, **1991**, 35, 439-440