

# Christine Barrowclough

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1934563/publications.pdf>

Version: 2024-02-01

23  
papers

1,498  
citations

687363

13  
h-index

713466

21  
g-index

25  
all docs

25  
docs citations

25  
times ranked

1971  
citing authors

#	ARTICLE	IF	CITATIONS
1	Attributions and expressed emotion: A review. <i>Clinical Psychology Review</i> , 2003, 23, 849-880.	11.4	261
2	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 341, c6325-c6325.	2.3	187
3	Attachment theory: A framework for understanding symptoms and interpersonal relationships in psychosis. <i>Behaviour Research and Therapy</i> , 2008, 46, 1275-1282.	3.1	162
4	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1070-1080.	4.3	160
5	Integrating mobile-phone based assessment for psychosis into people's everyday lives and clinical care: a qualitative study. <i>BMC Psychiatry</i> , 2013, 13, 34.	2.6	130
6	A Comparison of Two Delivery Modalities of a Mobile Phone-Based Assessment for Serious Mental Illness: Native Smartphone Application vs Text-Messaging Only Implementations. <i>Journal of Medical Internet Research</i> , 2013, 15, e60.	4.3	128
7	An investigation of the implementation of NICE-recommended CBT interventions for people with schizophrenia. <i>Journal of Mental Health</i> , 2014, 23, 162-165.	1.9	118
8	Assessing early signs of relapse in psychosis: Review and future directions. <i>Clinical Psychology Review</i> , 2013, 33, 637-653.	11.4	69
9	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. <i>JMIR Mental Health</i> , 2018, 5, e10091.	3.3	57
10	Development and Long-Term Acceptability of ExPRESS, a Mobile Phone App to Monitor Basic Symptoms and Early Signs of Psychosis Relapse. <i>JMIR MHealth and UHealth</i> , 2019, 7, e11568.	3.7	50
11	Feasibility of using a smartphone app to assess early signs, basic symptoms and psychotic symptoms over six months: A preliminary report. <i>Schizophrenia Research</i> , 2019, 208, 105-113.	2.0	42
12	Therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis. <i>Comprehensive Psychiatry</i> , 2016, 67, 73-80.	3.1	25
13	Development and validation of a scale for assessing reasons for substance use in schizophrenia: The ReSUS scale. <i>Addictive Behaviors</i> , 2009, 34, 830-837.	3.0	24
14	Comparing early signs and basic symptoms as methods for predicting psychotic relapse in clinical practice. <i>Schizophrenia Research</i> , 2018, 192, 124-130.	2.0	15
15	Families of People with Schizophrenia. , 2005, , 1-24.		14
16	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample.. <i>Psychology of Addictive Behaviors</i> , 2014, 28, 247-256.	2.1	13
17	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018, 27, 336-344.	1.9	13
18	Attachment and therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 440-445.	2.7	10

#	ARTICLE	IF	CITATIONS
19	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 526-530.	0.3	8
20	Feasibility and acceptability of integrated psychological therapy versus treatment as usual for people with bipolar disorder and co-morbid alcohol use: A single blind randomised controlled trial. <i>Journal of Affective Disorders</i> , 2019, 256, 86-95.	4.1	6
21	Integrated psychological therapy for people with bipolar disorder and co-morbid alcohol use: A feasibility and acceptability randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2018, 10, 193-198.	1.1	2
22	Overcoming challenges in delivering integrated motivational interviewing and cognitive behavioural therapy for bipolar disorder with co-morbid alcohol use: therapist perspectives. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 615-620.	1.2	2
23	The role of attachment, coping style and reasons for substance use in substance users with psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 725-732.	2.7	2