Sanghamitra Nayak

List of Publications by Year
in descending order

125 papers	2,014 citations	293460 24 h-index	371746 37 g-index
125 all docs	125 docs citations	125 times ranked	2029 citing authors

#	Article	IF	Citations
1	Drying methods affects physicochemical characteristics, essential oil yield and volatile composition of turmeric (Curcuma longa L.). Journal of Applied Research on Medicinal and Aromatic Plants, 2022, 26, 100357.	0.9	7
2	Derivatives of Cinnamic Acid Esters and Terpenic Diversity in Volatiles of Thirty-Six Sand Ginger (Kaempferia galanga L.) Accessions of Eastern India Revealing Quality Chemovars. Molecules, 2022, 27, 1116.	1.7	2
3	Anti-proliferative activity of in vitro Zingiberaceae essential oil against Human cervical cancer (HeLa) cell line. Research Journal of Pharmacy and Technology, 2022, , 325-328.	0.2	3
4	Artificial neural network (ANN) model for prediction and optimization of bacoside A content in Bacopa monnieri: a statistical approach and experimental validation. Plant Biosystems, 2022, 156, 1346-1357.	0.8	2
5	Application of a Multilayer Perceptron Artificial Neural Network for the Prediction and Optimization of the Andrographolide Content in Andrographis paniculata. Molecules, 2022, 27, 2765.	1.7	3
6	A comparative study of essential oil profile, antibacterial and antioxidant activities of thirty Piper betle landraces towards selection of industrially important chemotypes. Industrial Crops and Products, 2022, 187, 115289.	2.5	5
7	Quantitative and chemical fingerprint analysis for quality control of Zingiber zerumbet based on HPTLC combined with chemometric methods. Plant Biosystems, 2021, 155, 711-720.	0.8	0
8	Intraspecific Chemical Variability of Essential Oil of Curcuma caesia (Black Turmeric). Arabian Journal for Science and Engineering, 2021, 46, 191-198.	1.7	9
9	Thermal desorption modulation based detection of volatile constituents of Alpinia galanga by two dimensional gas chromatography and time of flight mass spectrometry. Natural Product Research, 2021, 35, 512-516.	1.0	7
10	EST-SSR marker-based genetic diversity and population structure analysis of Indian Curcuma species: significance for conservation. Revista Brasileira De Botanica, 2021, 44, 411-428.	0.5	6
11	Mining of trait specific gene candidates through mRNA sequencing emphasizing on expression study of terpenoid biosynthesis genes in betelvine cash crop. Industrial Crops and Products, 2021, 162, 113292.	2.5	3
12	Enhancement of Bioactivities of Rhizome Essential Oil of Alpinia galanga (Greater galangal) Through Nanoemulsification. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 648-657.	0.7	8
13	Chemical Composition and Biological Activities of Leaf Essential Oil of Syzygium myrtifolium from Eastern India. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 582-595.	0.7	7
14	Chemical Composition and Antioxidant Activities of Essential oil from Leaf and Stem of Elettaria cardamomum from Eastern India. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 538-546.	0.7	7
15	Chemical Composition, Antioxidant, Anti-inflammatory and Anticancer Activities of Bark Essential Oil of Cryptocarya amygdalina from India. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 617-631.	0.7	5
16	Influence of extraction methods and solvent system on the chemical composition and antioxidant activity of Centella asiatica L. leaves. Biocatalysis and Agricultural Biotechnology, 2021, 33, 101971.	1.5	17
17	Chemical Constituent Analysis and Antioxidant Activity of Leaf Essential Oil of Curcuma xanthorrhiza. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 736-744.	0.7	4
18	Phytochemical Composition of Flower Essential Oil of Plumeria alba Grown in India. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 671-676.	0.7	6

#	Article	IF	Citations
19	Environmental Factors Influencing Yield and Quality of Essential Oils in Curcuma longa cv. Lakadong. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2021, 91, 761-767.	0.4	2
20	Cultivation and Utilization of Pandanus odorifer for Industrial Application. Sustainable Development and Biodiversity, 2021, , 435-456.	1.4	2
21	Chemical Composition and Antioxidant Activity of the Leaf Essential Oil of Cryptocarya amygdalina. Chemistry of Natural Compounds, 2021, 57, 1150-1152.	0.2	2
22	Chemical Composition and Antioxidant Activity of the Leaf Essential Oil of Schefflera venulosa. Chemistry of Natural Compounds, 2021, 57, 1147-1149.	0.2	0
23	Quality Control and Discrimination of Andrographis paniculata (Burm. f.) Nees based on High Performance Liquid Chromatography Fingerprinting Combined with Chemometric Approaches. , 2021, 83, .		1
24	Chemical Composition of Carvacrol Rich Leaf Essential Oil of Thymus vulgaris from India: Assessment of Antimicrobial, Antioxidant and Cytotoxic Potential. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 1134-1145.	0.7	6
25	Rapid in vitro Leaf Biomass Production of Genetically Stable Curcuma aromatica- An Under Exploited Medicinal Plant. Journal of Biologically Active Products From Nature, 2021, 11, 497-504.	0.1	1
26	Chemical Composition, Antimicrobial and Cytotoxic Activity of the Essential Oil of Platostoma hispidum, an Unexplored Species of Lamiaceae. Journal of Essential Oil-bearing Plants: JEOP, 2021, 24, 1300-1310.	0.7	1
27	Population genetic structure and diversity analysis in economically important Pandanus odorifer (Forssk.) Kuntze accessions employing ISSR and SSR markers. Industrial Crops and Products, 2020, 143, 111894.	2.5	29
28	Rapid plant regeneration in industrially important Curcuma zedoaria revealing genetic and biochemical fidelity of the regenerants. 3 Biotech, 2020, 10, 17.	1.1	20
29	Electron Ionization Based Detection of Volatile Constituents of Aerial Parts of Eclipta prostrata (Linn.) by One Dimensional Gas Chromatography and Mass Spectrometry. Journal of Essential Oil-bearing Plants: JEOP, 2020, 23, 559-566.	0.7	7
30	Identification of Chemical Constituents of Zingiber zerumbet Rhizome Extract Using GC/MS. Journal of Biologically Active Products From Nature, 2020, 10, 411-417.	0.1	1
31	Deeper insight into the volatile profile of essential oil of two Curcuma species and their antioxidant and antimicrobial activities. Industrial Crops and Products, 2020, 155, 112830.	2.5	29
32	In silico mining of SSR markers from expressed sequence tags of Clematis chinensis. Gene Reports, 2020, 21, 100810.	0.4	1
33	Molecular and phytochemical stability of long term micropropagated greater galanga (Alpinia) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.5	19
34	Chemical Composition and Anti-proliferative Activity of Essential Oil from Rhizomes of Micropropagated Curcuma aromatica in Eastern India. Journal of Biologically Active Products From Nature, 2020, 10, 1-7.	0.1	3
35	Application of artificial neural network (ANN) model for prediction and optimization of coronarin D content in Hedychium coronarium. Industrial Crops and Products, 2020, 146, 112186.	2.5	30
36	Free radical scavenging potential of Alpinia calcarata Roscoe leaves. Research Journal of Pharmacy and Technology, 2020, 13, 3356.	0.2	2

#	Article	IF	Citations
37	Simultaneous quantification of vasicine and vasicinone in different parts of Justicia adhatoda using high-performance thin-layer chromatographyâ€'densitometry: comparison of different extraction techniques and solvent systems. Journal of Planar Chromatography - Modern TLC, 2020, 33, 599-607.	0.6	1
38	Hedychium coronarium extract arrests cell cycle progression, induces apoptosis, and impairs migration and invasion in HeLa cervical cancer cells. Cancer Management and Research, 2019, Volume 11, 483-500.	0.9	26
39	Development of a colloidal gold stripâ€based immunochromatographic assay for rapid detection ofFusarium oxysporumin ginger. Journal of the Science of Food and Agriculture, 2019, 99, 6155-6166.	1.7	6
40	De Novo transcriptome sequencing explored cultivar specific sequence variation and differential expression of pigment synthesis genes in turmeric (Curcuma longa L.). Industrial Crops and Products, 2019, 134, 388-402.	2.5	12
41	Qualitative and Quantitative Evaluation of Rhizome Essential Oil of Eight Different Cultivars ofCurcuma longaL. (Turmeric). Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 239-247.	0.7	15
42	A Combined Approach Using ISSR and Volatile Compound Analysis for Assessment of Genetic and Phytochemical Diversity in Zingiber zerumbet (L.) from Eastern India. Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 31-49.	0.7	8
43	Population genetic structure and diversity analysis in Hedychium coronarium populations using morphological, phytochemical and molecular markers. Industrial Crops and Products, 2019, 132, 118-133.	2.5	26
44	Effect of different extraction techniques on total phenolic and flavonoid contents, and antioxidant activity of betelvine and quantification of its phenolic constituents by validated HPTLC method. 3 Biotech, 2019, 9, 37.	1.1	24
45	Chemical composition and antioxidant activities of essential oil of Hedychium greenii and Hedychium gracile from India. Natural Product Research, 2019, 33, 1482-1485.	1.0	8
46	Chemical composition of Hedychium coronarium Koen. flowers from eastern India. Plant Science Today, 2019, 6, 259-263.	0.4	1
47	Curcuma angustifolia ameliorates carbon tetrachloride-induced hepatotoxicity in HepG2 cells and Swiss albino rats. Asian Pacific Journal of Tropical Medicine, 2019, 12, 416.	0.4	2
48	Chemical diversity, antioxidant and antimicrobial activities of the essential oils from Indian populations of Hedychium coronarium Koen. Industrial Crops and Products, 2018, 112, 353-362.	2.5	73
49	Phytochemical analysis of flower from Pandanus odorifer (Forssk.) Kuntze for industrial application. Natural Product Research, 2018, 32, 2494-2497.	1.0	13
50	Application of Artificial Neural Network modeling for optimization and prediction of essential oil yield in turmeric (Curcuma longa L.). Computers and Electronics in Agriculture, 2018, 148, 160-178.	3.7	62
51	In Vitro Plant Regeneration Potential of Genetically Stable Globba marantina L., Zingiberaceous Species and its Conservation. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2018, 88, 321-327.	0.4	5
52	Chemometric Profile of Curcuma longa L. Towards Standardization of Factors for High Essential Oil Yield and Quality. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2018, 88, 949-957.	0.4	1
53	Development and evaluation of polyclonal antibodies for detection of Pythium aphanidermatum and Fusarium oxysporum in ginger. Food and Agricultural Immunology, 2018, 29, 204-215.	0.7	5
54	Physicochemical characteristics of the Lasiococca comberi Haines seeds. Natural Product Research, 2018, 32, 2352-2355.	1.0	3

#	Article	IF	Citations
55	Biotechnological Approaches for Production of Anti-Cancerous Compounds Resveratrol, Podophyllotoxin and Zerumbone. Current Medicinal Chemistry, 2018, 25, 4693-4717.	1.2	30
56	Volatile metabolite profiling of ten Hedychium species by gas chromatography mass spectrometry coupled to chemometrics. Industrial Crops and Products, 2018, 126, 135-142.	2.5	24
57	Anticancerous and Immunomodulatory Activities of Alpinia nigra (Gaertn.) Burtt. Journal of Essential Oil-bearing Plants: JEOP, 2018, 21, 869-875.	0.7	5
58	High-frequency clonal propagation of Curcuma angustifolia ensuring genetic fidelity of micropropagated plants. Plant Cell, Tissue and Organ Culture, 2018, 135, 473-486.	1.2	30
59	Edible plant-derived essential oils synergistically enhance the Th1, Th2 and anti-inflammatory cytokines in neonatal cord blood monocytic cell line. Food and Agricultural Immunology, 2018, 29, 346-357.	0.7	3
60	Chemical composition and antioxidant activity of essential oil from leaves and rhizomes of Curcuma angustifolia Roxb. Natural Product Research, 2017, 31, 2188-2191.	1.0	59
61	EST-SSR marker revealed effective over biochemical and morphological scepticism towards identification of specific turmeric (Curcuma longa L.) cultivars. 3 Biotech, 2017, 7, 84.	1.1	11
62	Bioleaching of manganese by Aspergillus sp. isolated from mining deposits. Chemosphere, 2017, 172, 302-309.	4.2	75
63	Characterization of Kewda volatile components by comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. Natural Product Research, 2017, 31, 853-856.	1.0	12
64	Assessment of the terpenic composition of Hedychium coronarium oil from Eastern India. Industrial Crops and Products, 2017, 97, 49-55.	2.5	25
65	Development and validation of an HPTLC method for estimation of coronarin D in Hedychium coronarium rhizome. Acta Chromatographica, 2017, 29, 415-426.	0.7	9
66	Differential expression of CURS gene during various growth stages, climatic condition and soil nutrients in turmeric (Curcuma longa): Towards site specific cultivation for high curcumin yield. Plant Physiology and Biochemistry, 2017, 118, 348-355.	2.8	16
67	Fungal disease detection in plants: Traditional assays, novel diagnostic techniques and biosensors. Biosensors and Bioelectronics, 2017, 87, 708-723.	5.3	151
68	Phytoconstituents Analysis and Bioactivity Study of Alpinia nigra (Gaertn.) Burtt. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 1461-1471.	0.7	6
69	Transcriptome profiling of the floral buds and discovery of genes related to sex-differentiation in the dioecious cucurbit Coccinia grandis (L.) Voigt. Gene, 2017, 626, 395-406.	1.0	20
70	ZERUMBONE, A NATURAL PLANT DIETARY COMPOUND INDUCES EXPRESSION OF INTERLEUKIN-12P70 CYTOKINE IN HUMAN PERIPHERAL BLOOD MONONUCLEAR CELLS. Asian Journal of Pharmaceutical and Clinical Research, 2016, 9, 312.	0.3	3
71	Development of Prediction Model and Experimental Validation in Predicting the Curcumin Content of Turmeric (Curcuma longa L.). Frontiers in Plant Science, 2016, 7, 1507.	1.7	16
72	Molecular identification of indigenous manganese solubilising bacterial biodiversity from manganese mining deposits. Journal of Basic Microbiology, 2016, 56, 254-262.	1.8	35

#	Article	IF	Citations
73	Chemical Constituents of Leaf Essential Oil of Curcuma angustifolia Roxb. Growing in Eastern India. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 1527-1531.	0.7	11
74	Variation in Volatile Constituents and Eugenol Content of Five Important Betelvine (Piper) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 19, 1788-1793.	0.7	7
75	Genetic diversity analysis and redundant identification in 48 core collections of Zingiber officinale Rosc. (Zingiberaceae). Revista Brasileira De Botanica, 2016, 39, 869-883.	0.5	3
76	Chemical composition and antioxidant activity of some important betel vine landraces. Biologia (Poland), 2016, 71, 128-132.	0.8	14
77	De Novo transcriptome assembly of Zingiber officinale cv. Suruchi of Odisha. Genomics Data, 2016, 9, 87-88.	1.3	10
78	Transcriptome profiling of Curcuma longa L. cv. Suvarna. Genomics Data, 2016, 10, 33-34.	1.3	14
79	Biotechnological intervention in betelvine (Piper betle L.): A review on recent advances and future prospects. Asian Pacific Journal of Tropical Medicine, 2016, 9, 938-946.	0.4	51
80	Agroclimatic zone based metabolic profiling of turmeric (Curcuma Longa L.) for phytochemical yield optimization. Industrial Crops and Products, 2016, 85, 229-240.	2.5	29
81	A sequence tagged site (STS) marker encoding Copia-like retrotransposable element is associated with male specific sex expression in Momordica dioica Roxb.. Scientia Horticulturae, 2016, 201, 265-270.	1.7	4
82	Development and validation of ELISA technique for early detection of rhizome rot in golden spice turmeric from different agroclimatic zones. LWT - Food Science and Technology, 2016, 66, 546-552.	2.5	6
83	Evaluation of Cultivated and Wild Allium Accessions for Resistance to Fusarium oxysporum f. sp. cepae. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2016, 86, 643-649.	0.4	15
84	Molecular modeling and identification of novel glucokinase activators through stepwise virtual screening. Journal of Molecular Graphics and Modelling, 2015, 57, 122-130.	1.3	7
85	Chemical Composition of Essential Oil from Leaf and Rhizome of Micropropagated and Conventionally GrownHedychium coronariumKoen. from Eastern India. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 161-167.	0.7	15
86	Retention of drug yielding potential of micropropagated Hedychium coronarium. Biologia (Poland), 2015, 70, 34-38.	0.8	5
87	Evaluation of yield, quality and antioxidant activity of essential oil of in vitro propagated Kaempferia galanga Linn.. Journal of Acute Disease, 2014, 3, 124-130.	0.0	23
88	In vitro induction, screening and detection of high essential oil yielding somaclones in turmeric (Curcuma longa L.). Plant Growth Regulation, 2014, 72, 59-66.	1.8	8
89	Development and evaluation of STS diagnostic marker to track turmeric (Curcuma longa L.) resistance against rhizome rot caused by Pythium aphanidermatum. Australasian Plant Pathology, 2014, 43, 167-175.	0.5	7
90	In Vitro Conservation of Nine Medicinally and Economically Important Species of Zingiberaceae from Eastern India. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2014, 84, 799-803.	0.4	6

#	Article	IF	Citations
91	Genetic diversity and gene differentiation among ten species of Zingiberaceae from Eastern India. 3 Biotech, 2014, 4, 383-390.	1.1	18
92	Association of growth and yield parameters with bioactive phytoconstituents in selection of promising turmeric genotypes. Industrial Crops and Products, 2014, 62, 373-379.	2.5	8
93	An APETALA3 MADS-box linked SCAR marker associated with male specific sex expression in Coccinia grandis (L). Voigt. Scientia Horticulturae, 2014, 176, 85-90.	1.7	12
94	Molecular characterization of NBS encoding resistance genes and induction analysis of a putative candidate gene linked to Fusarium basal rot resistance in Allium sativum. Physiological and Molecular Plant Pathology, 2014, 85, 15-24.	1.3	26
95	Molecular characterization and functional analysis of CzR1, a coiled-coil-nucleotide-binding-site-leucine-rich repeat R-gene from Curcuma zedoaria Loeb. that confers resistance to Pythium aphanidermatum. Physiological and Molecular Plant Pathology, 2013, 83, 59-68.	1.3	16
96	Phytochemical investigation and In vitro antioxidant activity of an indigenous medicinal plant Alpinia nigra B.L. Burtt. Asian Pacific Journal of Tropical Biomedicine, 2013, 3, 871-876.	0.5	45
97	Identification of elite genotypes of turmeric through agroclimatic zone based evaluation of important drug yielding traits. Industrial Crops and Products, 2013, 43, 165-171.	2.5	23
98	Perspectives of genomic diversification and molecular recombination towards R-gene evolution in plants. Physiology and Molecular Biology of Plants, 2013, 19, 1-9.	1.4	49
99	Development of an ISSR based STS marker for sex identification in pointed gourd (Trichosanthes dioica) Tj ETQq1 1 0.784314 rgBT /Ov	1.7	23
100	In vitropropagation ofHedychium coronariumKoen. through axillary bud proliferation. Plant Biosystems, 2013, 147, 905-912.	0.8	17
101	Nuclear DNA, DNA finger printing and essential oil content variation in callus derived regenerants of Curcuma longa L.. Nucleus (India), 2012, 55, 101-106.	0.9	4
102	Assessment of Genetic Diversity in Zingiberaceae Through Nucleotide Binding Site-Based Motif-Directed Profiling. Biochemical Genetics, 2012, 50, 642-656.	0.8	11
103	Evaluation of genetic diversity in turmeric (Curcuma longa L.) using RAPD and ISSR markers. Industrial Crops and Products, 2012, 37, 284-291.	2.5	55
104	Molecular Cloning, Characterization, and Expression Analysis of Resistance Gene Candidates in Kaempferia galanga L.. Molecular Biotechnology, 2012, 50, 200-210.	1.3	10
105	Genetic Stability Assessment of Micropropagated Mango Ginger (Curcuma amada Roxb.) Through RAPD and ISSR Markers. Research Journal of Medicinal Plant, 2012, 6, 529-536.	0.3	8
106	Chemical Composition of Turmeric Oil (Curcuma longa L.cv. Roma) and its Antimicrobial Activity against Eye Infecting Pathogens. Journal of Essential Oil Research, 2011, 23, 11-18.	1.3	55
107	In vitro and ex vitro evaluation of long-term micropropagated turmeric as analyzed through cytophotometry, phytoconstituents, biochemical and molecular markers. Plant Growth Regulation, 2011, 64, 91-98.	1.8	21
108	Evaluation of phytomedicinal yield potential and molecular profiling of micropropagated and conventionally grown turmeric (Curcuma longa L.). Plant Cell, Tissue and Organ Culture, 2011, 104, 263-269.	1.2	24

#	Article	IF	Citations
109	Biochemical and molecular profiling of micropropagated and conventionally grown Kaempferia galanga. Plant Cell, Tissue and Organ Culture, 2011, 106, 39-46.	1.2	45
110	Rapid multiplication and in vitro production of leaf biomass in Kaempferia galanga through tissue culture. Electronic Journal of Biotechnology, 2010, 13, .	1.2	8
111	Mining and characterization of EST derived microsatellites in Curcuma longa L. Bioinformation, 2010, 5, 128-131.	0.2	14
112	Genetic Stability of Micropropagated Ginger Derived from Axillary Bud through Cytophotometric and RAPD Analysis. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2008, 63, 747-754.	0.6	22
113	Detection and Evaluation of Genetic Variation in 17 Promising Cultivars of Turmeric (Curcuma longa) Tj ETQq1 1 0.784314 rgBT /Ove	0.2	34
114	Title is missing!. ScienceAsia, 2006, 32, 031.	0.2	16
115	Assessment of Genetic Diversity among 16 Promising Cultivars of Ginger Using Cytological and Molecular Markers. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2005, 60, 485-492.	0.6	51
116	In vitro multiplication and microrhizome induction in Curcuma aromatica Salisb.. Plant Growth Regulation, 2000, 32, 41-47.	1.8	55
117	Regeneration ofAsparagus robustusHort.. Journal of Herbs, Spices and Medicinal Plants, 1998, 5, 43-50.	0.5	4
118	Plant Regeneration from Callus Culture ofCymbopogon(Jamrosa). Journal of Herbs, Spices and Medicinal Plants, 1996, 4, 39-46.	0.5	1
119	Rapid and stable propagation ofOrnithogalum umbellatum L. in long term culture. Plant Cell Reports, 1995, 15, 150-153.	2.8	14
120	Cytological and Cytophotometric Analysis of Direct Explant and Callus Derived Plants of Ornithogalum thyrsoides Jacq.. Cytologia, 1991, 56, 297-302.	0.2	11
121	Pharmacological activity and biochemical interaction of zingerone: a flavour additive in spice food. Plant Science Today, 0, , .	0.4	0
122	Intraspecific variability in yield and chemical composition of essential oil of the endemic species Hypericum gaitii from different natural habitats of Eastern India. Plant Biosystems, 0, , 1-10.	0.8	1
123	Identification of elite germplasm of medicinally important Andrographis paniculata (Burm. f.) Nees with high content of four active diterpenoids in aerial parts from wild populations of eastern India. Plant Genetic Resources: Characterisation and Utilisation, 0, , 1-4.	0.4	0
124	Chemical Composition and Biological Activity of Essential Oil of Phoebe wightii. Chemistry of Natural Compounds, 0, , .	0.2	0
125	Zingiber zerumbet Rhizome Essential Oil Induces Cytotoxicity, Apoptosis and Cell Cycle Arrest in Jurkat Cells. Journal of Essential Oil-bearing Plants: JEOP, 0, , 1-12.	0.7	0