

Garry Barton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1935674/publications.pdf>

Version: 2024-02-01

49
papers

1,045
citations

586496

16
h-index

511568

30
g-index

50
all docs

50
docs citations

50
times ranked

1877
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2022, 220, 154-162.	1.7	5
2	Can healthcare assistant training improve the relational care of older people? (CHAT) A development and feasibility study of a complex intervention. <i>British Journal of Healthcare Assistants</i> , 2022, 16, 301-307.	0.1	0
3	Lifestyle Intervention With or Without Lay Volunteers to Prevent Type 2 Diabetes in People With Impaired Fasting Glucose and/or Nondiabetic Hyperglycemia. <i>JAMA Internal Medicine</i> , 2021, 181, 168.	2.6	33
4	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021, 11, e048204.	0.8	6
5	An International Comparison of EQ-5D-5L and EQ-5D-3L for Use in Cost-Effectiveness Analysis. <i>Value in Health</i> , 2021, 24, 568-574.	0.1	11
6	Effects of the Norfolk diabetes prevention lifestyle intervention (NDPS) on glycaemic control in screen-detected type 2 diabetes: a randomised controlled trial. <i>BMC Medicine</i> , 2021, 19, 183.	2.3	4
7	Social recovery therapy for young people with emerging severe mental illness: the Prodigy RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-98.	1.3	1
8	The construct validity and responsiveness of the EQ-5D-5L, AQL-5D and a bespoke TTO in acute asthmatics. <i>Quality of Life Research</i> , 2020, 29, 619-627.	1.5	6
9	Randomised controlled trial of the effect, cost and acceptability of a bronchiectasis self-management intervention. <i>Chronic Respiratory Disease</i> , 2020, 17, 147997312094807.	1.0	3
10	Trial of Dexamethasone for Chronic Subdural Hematoma. <i>New England Journal of Medicine</i> , 2020, 383, 2616-2627.	13.9	139
11	Protocol for the process evaluation of a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care home: the CHIPPS study. <i>Trials</i> , 2020, 21, 439.	0.7	8
12	MEDREV (pharmacy-health psychology intervention in people living with dementia with behaviour that) Tj ETQq0 0 0 rgBT /Overlock 10 Services Research, 2020, 20, 157.	0.9	8
13	Protocol for a cluster randomised controlled trial to determine the effectiveness and cost-effectiveness of independent pharmacist prescribing in care homes: the CHIPPS study. <i>Trials</i> , 2020, 21, 103.	0.7	10
14	The effectiveness of a multidisciplinary intervention strategy for the treatment of symptomatic joint hypermobility in childhood: A randomised, single Centre parallel group trial (The Bendy Study). <i>Pediatric Rheumatology</i> , 2019, 17, 2.	0.9	10
15	Estimating loss in quality of life associated with asthma-related crisis events (ESQUARE): a cohort, observational study. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 58.	1.0	4
16	Dex-CSDH randomised, placebo-controlled trial of dexamethasone for chronic subdural haematoma: report of the internal pilot phase. <i>Scientific Reports</i> , 2019, 9, 5885.	1.6	10
17	Improving primary care Access in Context and Theory (I-ACT trial): a theory-informed randomised cluster feasibility trial using a realist perspective. <i>Trials</i> , 2019, 20, 193.	0.7	2
18	Sensitivity of EQ-5D-3L, HUI2, HUI3, and SF-6D to changes in speech reception and tinnitus associated with cochlear implantation. <i>Quality of Life Research</i> , 2019, 28, 1145-1154.	1.5	14

#	ARTICLE	IF	CITATIONS
19	The pharmacy care plan service: Evaluation and estimate of cost-effectiveness. <i>Research in Social and Administrative Pharmacy</i> , 2019, 15, 84-92.	1.5	22
20	A comparative prospective cohort health economic analysis comparing ankle fusion, isolated great toe fusion and hallux valgus surgery. <i>Foot and Ankle Surgery</i> , 2018, 24, 54-59.	0.8	8
21	Exploring factors that impact the decision to use assistive telecare: perspectives of family care-givers of older people in the United Kingdom. <i>Ageing and Society</i> , 2018, 38, 1912-1932.	1.2	22
22	EQ-5D-5L versus EQ-5D-3L: The Impact on Cost Effectiveness in the United Kingdom. <i>Value in Health</i> , 2018, 21, 49-56.	0.1	71
23	Optimal treatment for obsessive compulsive disorder. <i>International Clinical Psychopharmacology</i> , 2018, 33, 334-348.	0.9	25
24	The feasibility of finger prick autologous blood (FAB) as a novel treatment for severe dry eye disease (DED): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026770.	0.8	3
25	Dexamethasone for adult patients with a symptomatic chronic subdural haematoma (Dex-CSDH) trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 670.	0.7	37
26	At-risk registers integrated into primary care to stop asthma crises in the UK (ARRISA-UK): study protocol for a pragmatic, cluster randomised trial with nested health economic and process evaluations. <i>Trials</i> , 2018, 19, 466.	0.7	8
27	Medication review plus person-centred care: a feasibility study of a pharmacy-health psychology dual intervention to improve care for people living with dementia. <i>BMC Psychiatry</i> , 2018, 18, 340.	1.1	21
28	Functional strength training versus movement performance therapy for upper limb motor recovery early after stroke: a RCT. <i>Efficacy and Mechanism Evaluation</i> , 2018, 5, 1-112.	0.9	12
29	Study Protocol: The Norfolk Diabetes Prevention Study [NDPS]: a 46-month multi - centre, randomised, controlled parallel group trial of a lifestyle intervention [with or without additional support from lay lifestyle mentors with Type 2 diabetes] to prevent transition to Type 2 diabetes in high risk groups with non - diabetic hyperglycaemia, or impaired fasting glucose. <i>BMC Public Health</i> , 2017, 17, 31.	1.2	16
30	Pharmacist provided medicines reconciliation within 24 hours of admission and on discharge: a randomised controlled pilot study. <i>BMJ Open</i> , 2017, 7, e013647.	0.8	30
31	Feasibility study of a randomised controlled trial to investigate the effectiveness of using a humanoid robot to improve the social skills of children with autism spectrum disorder (Kaspar RCT): a study protocol. <i>BMJ Open</i> , 2017, 7, e017376.	0.8	33
32	Development of a core outcome set for effectiveness trials aimed at optimising prescribing in older adults in care homes. <i>Trials</i> , 2017, 18, 175.	0.7	45
33	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 315.	0.7	14
34	Functional Strength Training and Movement Performance Therapy for Upper Limb Recovery Early Poststroke – Efficacy, Neural Correlates, Predictive Markers, and Cost-Effectiveness: FAST-INDiCATE Trial. <i>Frontiers in Neurology</i> , 2017, 8, 733.	1.1	15
35	Can Health-care Assistant Training improve the relational care of older people? (CHAT) A development and feasibility study of a complex intervention. <i>Health Services and Delivery Research</i> , 2017, 5, 1-202.	1.4	6
36	Wordless intervention for people with epilepsy and learning disabilities (WIELD): a randomised controlled feasibility trial. <i>BMJ Open</i> , 2016, 6, e012993.	0.8	7

#	ARTICLE	IF	CITATIONS
37	Methodological issues in the design and evaluation of supported communication for aphasia training: a cluster-controlled feasibility study. <i>BMJ Open</i> , 2016, 6, e011207.	0.8	23
38	Improving the management of behaviour that challenges associated with dementia in care homes: protocol for pharmacy health psychology intervention feasibility study. <i>BMJ Open</i> , 2016, 6, e010279.	0.8	12
39	“Sometimes, it just stops me from doing anything”: A qualitative exploration of epilepsy management in people with intellectual disabilities and their carers. <i>Epilepsy and Behavior</i> , 2016, 64, 133-139.	0.9	10
40	Efficient Research Design. <i>Medical Decision Making</i> , 2016, 36, 335-348.	1.2	6
41	Exploring the factors that influence the decision to adopt and engage with an integrated assistive telehealth and telecare service in Cambridgeshire, UK: a nested qualitative study of patient “users” and “non-users”. <i>BMC Health Services Research</i> , 2016, 16, 137.	0.9	81
42	The feasibility of determining the effectiveness and cost-effectiveness of medication organisation devices compared with usual care for older people in a community setting: systematic review, stakeholder focus groups and feasibility randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-250.	1.3	15
43	An evaluation of a multi-site community pharmacy-based chronic obstructive pulmonary disease support service. <i>International Journal of Pharmacy Practice</i> , 2015, 23, 36-43.	0.3	43
44	Can Healthcare Assistant Training (CHAT) improve the relational care of older people? Study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2015, 16, 559.	0.7	2
45	Estimating the burden of minor ailment consultations in general practices and emergency departments through retrospective review of routine data in North East Scotland. <i>Family Practice</i> , 2015, 32, 165-172.	0.8	64
46	A cohort study of influences, health outcomes and costs of patients' health-seeking behaviour for minor ailments from primary and emergency care settings. <i>BMJ Open</i> , 2015, 5, e006261-e006261.	0.8	86
47	The outcome and cost-effectiveness of nurse-led care in the community for people with rheumatoid arthritis: a non-randomised pragmatic study. <i>BMJ Open</i> , 2015, 5, e007696.	0.8	21
48	Food for thought: pilot randomized controlled trial of lay health trainers supporting dietary change to reduce cardiovascular disease in deprived communities. <i>Journal of Public Health</i> , 2014, 36, 635-643.	1.0	7
49	FAST INdiCATE Trial Protocol. Clinical Efficacy of Functional Strength Training for Upper Limb Motor Recovery Early after Stroke: Neural Correlates and Prognostic Indicators. <i>International Journal of Stroke</i> , 2014, 9, 240-245.	2.9	5