

Gabriel Melo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1936793/gabriel-melo-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

1,072
citations

19
h-index

27
g-index

113
ext. papers

1,309
ext. citations

1.5
avg, IF

4.74
L-index

#	Paper	IF	Citations
96	The wasp genus <i>Holopsenella</i> in mid-Cretaceous Burmese amber (Hymenoptera: Holopsenellidae stat. nov.). <i>Cretaceous Research</i> , 2022 , 131, 105089	1.8	2
95	Evolution of andrenine bees reveals a long and complex history of faunal interchanges through the Americas during the Mesozoic and Cenozoic.. <i>Molecular Phylogenetics and Evolution</i> , 2022 , 107484	4.1	0
94	Mid-Cretaceous amber from Myanmar reveals a rich diversity of extinct scolebythid wasps (Hymenoptera: Chrysidoidea). <i>Cretaceous Research</i> , 2022 , 105232	1.8	0
93	The first crabronid wasps (Hymenoptera, Apoidea) from the Crato Formation (Northeastern Brazil) and implications for the evolution of apoid wasps and bees during the Early Cretaceous. <i>Cretaceous Research</i> , 2022 , 105248	1.8	
92	Synopsis of the wasp genus <i>Clystopsenella</i> Kieffer (Hymenoptera: Scolebythidae). <i>Zootaxa</i> , 2022 , 5134, 125-134	0.5	
91	Apoid wasps (Hymenoptera: Apoidea) from mid-Cretaceous amber of northern Myanmar. <i>Cretaceous Research</i> , 2021 , 122, 104770	1.8	3
90	The oldest confirmed fossil of Bocchinae (Hymenoptera, Dryinidae), with description of a new species of <i>Bocchus</i> Ashmead from Baltic amber. <i>Historical Biology</i> , 2021 , 33, 268-271	1.1	4
89	On the putative homonymy involving <i>Hemistephanus</i> Enderlein (Hymenoptera, Stephanidae). <i>Zootaxa</i> , 2021 , 5016, 299-300	0.5	
88	<i>Clystopsenella australiana</i> sp. nov. (Hymenoptera: Scolebythidae): first species of the genus found outside the Neotropical region. <i>Austral Entomology</i> , 2021 , 60, 455-460	1.1	1
87	New haidomyrmecine ants (Hymenoptera: Formicidae) from mid-Cretaceous amber of northern Myanmar. <i>Cretaceous Research</i> , 2020 , 114, 104502	1.8	3
86	Biogeography and early diversification of Tapinotaspidini oil-bees support presence of Paleocene savannas in South America. <i>Molecular Phylogenetics and Evolution</i> , 2020 , 143, 106692	4.1	7
85	Systematics of the Neotropical species of the crabronid wasp genus <i>Psenulus</i> Kohl, 1897 (Hymenoptera: Crabronidae), with a contribution to the worldwide phylogeny of the genus. <i>Austral Entomology</i> , 2020 , 59, 422-454	1.1	
84	Chrysobythidae, a new family of chrysidoid wasps from Cretaceous Burmese amber (Hymenoptera, Aculeata). <i>Historical Biology</i> , 2020 , 32, 1143-1155	1.1	4
83	The diversification of neopasiphaeine bees during the Cenozoic (Hymenoptera: Colletidae). <i>Zoologica Scripta</i> , 2019 , 48, 226-242	2.5	13
82	Homoplasy-Based Partitioning Outperforms Alternatives in Bayesian Analysis of Discrete Morphological Data. <i>Systematic Biology</i> , 2019 , 68, 657-671	8.4	10
81	Palaeocene origin of the Neotropical lineage of cleptoparasitic bees Ericrocidini-Rhathymini (Hymenoptera, Apidae). <i>Systematic Entomology</i> , 2018 , 43, 510-521	3.4	6
80	Chrysidid wasps (Hymenoptera: Chrysididae) from Cretaceous Burmese amber: Phylogenetic affinities and classification. <i>Cretaceous Research</i> , 2018 , 89, 279-291	1.8	8

79	Revision of the cleptoparasitic bee genus <i>Austrostelis</i> Michener and Griswold (Hymenoptera: Apidae: Megachilinae). <i>Journal of Natural History</i> , 2018 , 52, 53-71	0.5	
78	New genus of fossil apoid wasps (Hymenoptera, Apoidea) from the Cretaceous amber of Myanmar. <i>Revista Brasileira De Entomologia</i> , 2018 , 62, 319-323	0.9	3
77	Revision of the carpenter bee subgenus <i>Xylocopa</i> (<i>Dasyxylocopa</i>) (Hymenoptera: Apidae). <i>Journal of Natural History</i> , 2017 , 51, 379-390	0.5	
76	Hide and seek: is the solitary bee <i>Monoeca haemorrhoidalis</i> trying to escape from its cleptoparasite <i>Protosiris gigas</i> (Hymenoptera, Apidae: Tapinotaspidini; Osirini)? <i>Apidologie</i> , 2017 , 48, 262-270	2.3	2
75	Bees as hosts of mutillid wasps in the Neotropical region (Hymenoptera, Apidae, Mutillidae). <i>Revista Brasileira De Entomologia</i> , 2016 , 60, 302-307	0.9	10
74	Clearing and dissecting insects for internal skeletal morphological research with particular reference to bees. <i>Revista Brasileira De Entomologia</i> , 2016 , 60, 109-113	0.9	10
73	Bees, birds and yellow flowers: pollinator-dependent convergent evolution of UV patterns. <i>Plant Biology</i> , 2016 , 18, 46-55	3.7	61
72	The New World oil-collecting bees <i>Centris</i> and <i>Epicharis</i> (Hymenoptera, Apidae): molecular phylogeny and biogeographic history. <i>Zoologica Scripta</i> , 2016 , 45, 22-33	2.5	23
71	<i>Plectoplebeia</i> , a new Neotropical genus of stingless bees (Hymenoptera: Apidae). <i>Zoologia</i> , 2016 , 33,	2	3
70	From keel to inverted keel flowers: functional morphology of upside down papilionoid flowers and the behavior of their bee visitors. <i>Plant Systematics and Evolution</i> , 2015 , 301, 2161-2178	1.3	11
69	Changes in Orchid Bee Communities Across Forest-Agroecosystem Boundaries in Brazilian Atlantic Forest Landscapes. <i>Environmental Entomology</i> , 2015 , 44, 1465-71	2.1	12
68	Species conservation under future climate change: the case of <i>Bombus bellicosus</i> , a potentially threatened South American bumblebee species. <i>Journal of Insect Conservation</i> , 2015 , 19, 33-43	2.1	33
67	New species of the stingless bee genus <i>Schwarziana</i> (Hymenoptera, Apidae). <i>Revista Brasileira De Entomologia</i> , 2015 , 59, 290-293	0.9	2
66	Gain and loss of specialization in two oil-bee lineages, <i>Centris</i> and <i>Epicharis</i> (Apidae). <i>Evolution; International Journal of Organic Evolution</i> , 2015 , 69, 1835-44	3.8	13
65	A new species of the ant-hunter genus <i>Tracheliodes</i> Morawitz (Hymenoptera: Crabronidae: Crabronini) from Brazil. <i>Zootaxa</i> , 2015 , 3941, 421-8	0.5	0
64	Inferring sex and caste seasonality patterns in three species of bumblebees from southern Brazil using biological collections. <i>Neotropical Entomology</i> , 2015 , 44, 10-20	1.2	1
63	Seeking the flowers for the bees: Integrating biotic interactions into niche models to assess the distribution of the exotic bee species <i>Lithurgus huberi</i> in South America. <i>Ecological Modelling</i> , 2014 , 273, 200-209	3	57
62	The corbiculate bees arose from New World oil-collecting bees: implications for the origin of pollen baskets. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 80, 88-94	4.1	41

61	Deceiving colors: recognition of color morphs as separate species in orchid bees is not supported by molecular evidence. <i>Apidologie</i> , 2014 , 45, 641-652	2.3	4
60	A new combination for the bembicine genus Selman Parker, 1929 (Hymenoptera: Crabronidae). <i>Zootaxa</i> , 2014 , 3878, 291-7	0.5	
59	Notes on the systematics of the orchid-bee genus Eulaema (Hymenoptera, Apidae). <i>Revista Brasileira De Entomologia</i> , 2014 , 58, 235-240	0.9	3
58	The type species of the bee genus Epicharis Klug, 1807 (Hymenoptera: Apidae). <i>Journal of Natural History</i> , 2014 , 48, 2177-2181	0.5	2
57	The higher-level phylogenetic relationships of the Eumeninae (Insecta, Hymenoptera, Vespidae), with emphasis on Eumenes sensu lato. <i>Cladistics</i> , 2014 , 30, 453-484	3.5	24
56	Amazonian species within the Cerrado savanna: new records and potential distribution for <i>Aglae caerulea</i> (Apidae: Euglossini). <i>Apidologie</i> , 2013 , 44, 673-683	2.3	38
55	Changes in wild bee fauna of a grassland in Brazil reveal negative effects associated with growing urbanization during the last 40 years. <i>Zoologia</i> , 2013 , 30, 157-176	2	42
54	On the identity of <i>Melipona torrida</i> Friese (Hymenoptera, Apidae). <i>Revista Brasileira De Entomologia</i> , 2013 , 57, 248-252	0.9	
53	Taxonomic notes and description of the male of <i>Xenochlora nigrofemorata</i> (Smith, 1879) (Hymenoptera: Apidae: Halictinae). <i>Zootaxa</i> , 2013 , 3670, 371-7	0.5	3
52	Floral oil collection by male <i>Tetrapedia</i> bees (Hymenoptera: Apidae: Tetrapediini). <i>Apidologie</i> , 2012 , 43, 39-50	2.3	17
51	Species of <i>Euglossa</i> of the analis group in the Atlantic forest (Hymenoptera, Apidae). <i>Zoologia</i> , 2012 , 29, 349-374	2	10
50	First host record for the cleptoparasitic bee <i>Rhathymus friesei</i> Ducke (Hymenoptera, Apidae). <i>Revista Brasileira De Entomologia</i> , 2012 , 56, 519-521	0.9	3
49	<i>Lynchiatilla</i> Casal, 1963 (Hymenoptera: Mutillidae): a new species from Brazil associated with <i>Paroxystoglossa spiloptera</i> Moure (Hymenoptera: Apidae: Halictinae), and notes on other species. <i>Zootaxa</i> , 2012 , 3548, 55	0.5	6
48	Produção de néctar e visitas por abelhas em duas espécies cultivadas de <i>Passiflora</i> L. (Passifloraceae). <i>Acta Botanica Brasilica</i> , 2012 , 26, 251-255	1	3
47	Phylogeny and revision of the bee genus <i>Rhinocorynura</i> Schrottky (Hymenoptera, Apidae, Augochlorini), with comments on its female cephalic polymorphism. <i>Revista Brasileira De Entomologia</i> , 2012 , 56, 29-46	0.9	3
46	Flower color change accelerated by bee pollination in <i>Tibouchina</i> (Melastomataceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2011 , 206, 491-497	1.9	20
45	A new species of <i>Eufriesea</i> Cockerell (Hymenoptera, Apidae, Euglossina) from northeastern Brazil. <i>Revista Brasileira De Entomologia</i> , 2011 , 55, 35-39	0.9	6
44	New combinations, sex association, behavioural notes and potential host record for two Neotropical species of <i>Pseudomethoca</i> Ashmead, 1896 (Hymenoptera: Mutillidae). <i>Zootaxa</i> , 2011 , 3062, 55	0.5	7

43	Revision and phylogeny of the bee genus <i>Paratetrapedia</i> Moure, with description of a new genus from the Andean Cordillera (Hymenoptera, Apidae, Tapinotaspidini). <i>Zoological Journal of the Linnean Society</i> , 2011 , 162, 351-442	2.4	7
42	Nesting biology and behavioural ecology of the solitary bee <i>Monoeca haemorrhoidalis</i> (Smith) and its cleptoparasite <i>Protosiris gigas</i> Melo (Hymenoptera: Apidae: Tapinotaspidini; Osirini). <i>Journal of Natural History</i> , 2011 , 45, 2815-2840	0.5	6
41	<i>Euglossa obrima</i> , a new species of orchid bee from Mesoamerica, with notes on the subgenus <i>Dasystilbe</i> Dressler (Hymenoptera, Apidae). <i>ZooKeys</i> , 2011 , 11-29	1.2	16
40	Orchid bees (Hymenoptera: Apidae) in the coastal forests of southern Brazil: diversity, efficiency of sampling methods and comparison with other Atlantic forest surveys. <i>Papeis Avulsos De Zoologia</i> , 2011 , 51, 505-515	0.3	22
39	Phylogeny of the bee subtribe <i>Caenohalictina</i> Michener (Hymenoptera, Apidae s.l., Halictinae s.l.). <i>Zoologica Scripta</i> , 2010 , 39, 187-197	2.5	4
38	Male description and host record for <i>Lophomutilla corupa</i> Casal, 1968 (Hymenoptera: Mutillidae), with behavioural notes on mating behaviour and host nest attacks. <i>Journal of Natural History</i> , 2010 , 44, 2597-2607	0.5	7
37	Has the bumblebee <i>Bombus bellicosus</i> gone extinct in the northern portion of its distribution range in Brazil?. <i>Journal of Insect Conservation</i> , 2010 , 14, 207-210	2.1	35
36	Taxonomic revision and phylogenetic relationships of the bee genus <i>Parapsaenythia</i> Friese (Hymenoptera, Apidae, Protandrenini), with biogeographic inferences for the South American Chacoan Subregion. <i>Systematic Entomology</i> , 2010 , 35, 449-474	3.4	10
35	BIOLOGIA DE NIDIFICAÇÃO DE XYLOCOPA (NEOXYLOCOPA) FRONTALIS (OLIVIER) (HYMENOPTERA, APIDAE, XYLOCOPINI). <i>Oecologia Australis</i> , 2010 , 14, 210-231	1.6	13
34	Geographic distribution and spatial differentiation in the color pattern of abdominal stripes of the Neotropical stingless bee <i>Melipona quadrifasciata</i> (Hymenoptera: Apidae). <i>Zoologia</i> , 2009 , 26, 213-219	2	14
33	A assemblagem de abelhas (Hymenoptera, Apidae) de uma área restrita de campos naturais do Parque Estadual de Vila Velha, Paraná e comparação com áreas de campos e cerrado. <i>Papeis Avulsos De Zoologia</i> , 2009 , 49, 163-181	0.3	13
32	Taxonomy and geographic distribution of the species of <i>Centris</i> of the hyptidid group (Hymenoptera: Apidae: Centridini), with description of a new species from central Brazil. <i>Zootaxa</i> , 2009 , 2075, 33-44	0.5	12
31	A new cluster-brood building species of <i>Plebeia</i> (Hymenoptera, Apidae) from eastern Brazil. <i>Revista Brasileira De Entomologia</i> , 2009 , 53, 77-81	0.9	3
30	Notes on oil sources for the bee genus <i>Caenonomada</i> (Hymenoptera, Apidae, Tapinotaspidini). <i>Revista Brasileira De Entomologia</i> , 2009 , 53, 154-156	0.9	10
29	New host records of <i>Aglaomelissa duckei</i> and a compilation of host associations of <i>Ericrocidini</i> bees (Hymenoptera: Apidae). <i>Zoologia</i> , 2009 , 26, 299-304	2	7
28	Revision and cladistic analysis of the eumenine wasp genus <i>Pseudodynerus</i> de Saussure (Hymenoptera, Vespidae, Eumeninae). <i>Systematic Entomology</i> , 2008 , 33, 361-394	3.4	7
27	New species of the bee genus <i>Augochlorodes</i> Moure (Hymenoptera, Apidae s. l., Halictinae). <i>Journal of Natural History</i> , 2008 , 42, 1385-1403	0.5	4
26	New species of <i>Tapinotaspoides</i> (Hymenoptera, Apidae, Tapinotaspidini). <i>Zootaxa</i> , 2008 , 1749, 53	0.5	4

25	Small orchid bees are not safe: parasitism of two species of Euglossa (Hymenoptera: Apidae: Euglossina) by conopid flies (Diptera: Conopidae). <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 573-575		15
24	Species of Euglossa (Glossura) in the Brazilian Atlantic forest, with taxonomic notes on Euglossa stellfeldi Moure (Hymenoptera, Apidae, Euglossina). <i>Revista Brasileira De Entomologia</i> , 2007 , 51, 275-284	0.9	20
23	Taxonomic revision, phylogenetic analysis, and biogeography of the bee genus Tropidopedia (Hymenoptera, Apidae, Tapinotaspidini). <i>Zoological Journal of the Linnean Society</i> , 2007 , 151, 511-554	2.4	12
22	Nesting Biologies and Immature Stages of the Tapinotaspidine Bee Genera Monoeca and Lanthanomelissa and of Their Osirine Cleptoparasites Protosiris and Parepeolus (Hymenoptera: Apidae: Apinae). <i>American Museum Novitates</i> , 2006 , 3501, 1	1.1	29
21	Sexual associations for two species of mutillid wasps (Hymenoptera, Mutillidae), with the description of a new species of Anomophotopsis. <i>Revista Brasileira De Entomologia</i> , 2006 , 50, 379-384	0.9	5
20	Two new species of Trimeria de Saussure from Brazil, with biological notes and a key to the Brazilian taxa (Hymenoptera, Vespidae, Masarinae). <i>Zootaxa</i> , 2006 , 1155, 61	0.5	6
19	A new species of Protandrena Cockerell from Brazil (Hymenoptera, Apidae, Andreninae)*. <i>Zootaxa</i> , 2006 , 1330, 43	0.5	4
18	Revision of the bee genus Thectochlora Moure (Hymenoptera, Apidae, Halictinae). <i>Zootaxa</i> , 2006 , 1331, 1	0.5	6
17	Revisão taxonômica das espécies brasileiras de abelhas do gênero Lestrimelitta Friese (Hymenoptera, Apidae, Meliponina). <i>Revista Brasileira De Entomologia</i> , 2006 , 50, 6-30	0.9	10
16	Notes on the type species of the subgenera Paratetrapedia (Lophopedia) and P. (Amphipedia) (Hymenoptera, Apidae, Tapinotaspidini). <i>Zootaxa</i> , 2005 , 1084, 31	0.5	7
15	A comunidade de abelhas (Hymenoptera, Apidae s. l.) em uma área restrita de campo natural no Parque Estadual de Vila Velha, Paraná: diversidade, fenologia e fontes florais de alimento. <i>Revista Brasileira De Entomologia</i> , 2005 , 49, 557-571	0.9	25
14	Females of Tapinotaspoides, a genus in the oil-collecting bee tribe Tapinotaspidini, collect secretions from non-floral trichomes (Hymenoptera, Apidae). <i>Revista Brasileira De Entomologia</i> , 2005 , 49, 167-168	0.9	9
13	Higher-level bee classifications (Hymenoptera, Apoidea, Apidae sensu lato). <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 153-159		43
12	A new stingless bee species of the genus Scaura (Hymenoptera, Apidae) from the Brazilian Atlantic forest, with notes on S. latitarsis (Friese). <i>Zootaxa</i> , 2004 , 544, 1	0.5	6
11	The species of the parasitic bee genus Osirinus (Hymenoptera, Apidae). <i>Journal of Natural History</i> , 2003 , 37, 2919-2929	0.5	1
10	Molecular phylogeny of the stingless bees (Apidae, Apinae, Meliponini) inferred from mitochondrial 16S rDNA sequences. <i>Apidologie</i> , 2003 , 34, 73-84	2.3	37
9	Biology and Immature Stages of the Bee Tribe Tetrapediini (Hymenoptera: Apidae). <i>American Museum Novitates</i> , 2002 , 3377, 1-45	1.1	37
8	Ovarian activation in Melipona quadrifasciata queens triggered by mating plug stimulation (Hymenoptera, Apidae). <i>Apidologie</i> , 2001 , 32, 355-361	2.3	20

7	Phylogenetic relationships and classification of the major lineages of Apoidea (Hymenoptera) : with emphasis on the crabronid wasps / by Gabriel A.R. Melo. 1999 ,		21
6	Six new species of Microstigmus wasps (Hymenoptera: Sphecidae), with notes on their biology. <i>Journal of Natural History</i> , 1997 , 31, 421-437	0.5	7
5	Pollination biology of <i>Ternstroemia laevigata</i> and <i>T. dentata</i> (Theaceae). <i>Plant Systematics and Evolution</i> , 1993 , 185, 1-6	1.3	11
4	Trophallaxis in a primitively social sphecid wasp. <i>Insectes Sociaux</i> , 1993 , 40, 107-109	1.5	9
3	Nests of bees of the anthidiine genus <i>Ananthidium</i> Urban (Hymenoptera, Apidae, Megachilinae). <i>Journal of Hymenoptera Research</i> , 47 , 115-122	0	1
2	Revision of the fossil species of <i>Thaumatodryinus</i> Perkins from Dominican amber, with a new combination and description of a new species (Hymenoptera, Dryinidae). <i>Journal of Hymenoptera Research</i> , 79 , 77-88	0	1
1	Discovery of <i>Mourecotelles</i> (Hymenoptera, Apidae, Colletinae) in Brazil: nesting biology and pollen preferences of a remarkable new species of the genus. <i>Journal of Hymenoptera Research</i> , 89 , 211-231	0	0