
Valerie Fessard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1938928/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Long-Term Functional Stability of Human HepaRG Hepatocytes and Use for Chronic Toxicity and Genotoxicity Studies. Drug Metabolism and Disposition, 2008, 36, 1111-1118. | 3.3 | 152 |
| 2 | Nanomaterials: certain aspects of application, risk assessment and risk communication. Archives of Toxicology, 2018, 92, 121-141. | 4.2 | 109 |
| 3 | High throughput toxicity screening and intracellular detection of nanomaterials. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2017, 9, e1413. | 6.1 | 101 |
| 4 | Genotoxicity of a freshwater cyanotoxin, cylindrospermopsin, in two human cell lines: Cacoâ€2 and HepaRG. Environmental and Molecular Mutagenesis, 2010, 51, 251-259. | 2.2 | 92 |
| 5 | Toxicity, genotoxicity and proinflammatory effects of amorphous nanosilica in the human intestinal Caco-2 cell line. Toxicology in Vitro, 2015, 29, 398-407. | 2.4 | 77 |
| 6 | Genotoxicity of the marine toxin okadaic acid, in human Caco-2 cells and in mice gut cells. Environmental Toxicology, 2006, 21, 55-64. | 4.0 | 71 |
| 7 | In vivo DNA damage induced by the cyanotoxin microcystin-LR: Comparison of intra-peritoneal and oral administrations by use of the comet assay. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2008, 652, 65-71. | 1.7 | 67 |
| 8 | DNA Adduct Formation of 4-Aminobiphenyl and Heterocyclic Aromatic Amines in Human Hepatocytes. Chemical Research in Toxicology, 2011, 24, 913-925. | 3.3 | 66 |
| 9 | Genotoxicity of pesticide mixtures present in the diet of the French population. Environmental and Molecular Mutagenesis, 2012, 53, 173-184. | 2.2 | 66 |
| 10 | Assessment of the genotoxic potential of indirect chemical mutagens in HepaRG cells by the comet and the cytokinesis-block micronucleus assays. Mutagenesis, 2010, 25, 555-560. | 2.6 | 63 |
| 11 | Review and analysis of occurrence, exposure and toxicity of cyanobacteria toxins in food. EFSA Supporting Publications, 2016, 13, . | 0.7 | 60 |
| 12 | Maitotoxin-4, a Novel MTX Analog Produced by Gambierdiscus excentricus. Marine Drugs, 2017, 15, 220. | 4.6 | 54 |
| 13 | Three-dimensional HepaRG spheroids as a liver model to study human genotoxicity in vitro with the single cell gel electrophoresis assay. Scientific Reports, 2019, 9, 10548. | 3.3 | 54 |
| 14 | Cell alterations but no DNA strand breaks inducedin vitro by cylindrospermopsin in CHO K1 cells. Environmental Toxicology, 2003, 18, 353-359. | 4.0 | 53 |
| 15 | Assessment of the <i>in vitro</i> genotoxicity of TiO ₂ nanoparticles in a regulatory context. Nanotoxicology, 2018, 12, 357-374. | 3.0 | 52 |
| 16 | Performance of Comet and Micronucleus Assays in Metabolic Competent HepaRG Cells to Predict In Vivo Genotoxicity. Toxicological Sciences, 2014, 138, 300-309. | 3.1 | 50 |
| 17 | Comparative Analysis of the Cytotoxic Effects of Okadaic Acid-Group Toxins on Human Intestinal Cell Lines. Marine Drugs, 2014, 12, 4616-4634. | 4.6 | 49 |
| 18 | Genotoxicity of synthetic amorphous silica nanoparticles in rats following shortâ€ŧerm exposure, part 2: Intratracheal instillation and intravenous injection. Environmental and Molecular Mutagenesis, 2015, 56, 228-244. | 2.2 | 48 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Okadaic acid treatment induces DNA adduct formation in BHK21 C13 fibroblasts and HESV keratinocytes. Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology, 1996, 361, 133-141. | 0.4 | 47 |
| 20 | Characterization of cylindrospermopsin chlorination. Science of the Total Environment, 2010, 408, 3433-3442. | 8.0 | 47 |
| 21 | Impact of an Artificial Digestion Procedure on Aluminum-Containing Nanomaterials. Langmuir, 2017, 33, 10726-10735. | 3.5 | 45 |
| 22 | Cytotoxic and genotoxic effects of cylindrospermopsin in mice treated by gavage or intraperitoneal injection. Environmental Toxicology, 2012, 27, 277-284. | 4.0 | 43 |
| 23 | Genotoxicity of synthetic amorphous silica nanoparticles in rats following shortâ€ŧerm exposure. Part 1: Oral route. Environmental and Molecular Mutagenesis, 2015, 56, 218-227. | 2.2 | 43 |
| 24 | Aneugenic potential of okadaic acid revealed by the micronucleus assay combined with the FISH technique in CHO-K1 cells. Mutagenesis, 2003, 18, 293-298. | 2.6 | 40 |
| 25 | Comparative in vitro and in vivo assessment of genotoxic effects of etoposide and chlorothalonil by the comet assay. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1999, 444, 103-116. | 1.7 | 38 |
| 26 | Genotoxicity of Aluminum and Aluminum Oxide Nanomaterials in Rats Following Oral Exposure. Nanomaterials, 2020, 10, 305. | 4.1 | 34 |
| 27 | Collaborative study for the detection of toxic compounds in shellfish extracts using cell-based assays. Part I: screening strategy and pre-validation study with lipophilic marine toxins. Analytical and Bioanalytical Chemistry, 2012, 403, 1983-1993. | 3.7 | 33 |
| 28 | Aluminum and aluminum oxide nanomaterials uptake after oral exposure - a comparative study. Scientific Reports, 2020, 10, 2698. | 3.3 | 31 |
| 29 | A roadmap for hazard monitoring and risk assessment of marine biotoxins on the basis of chemical and biological test systems. ALTEX: Alternatives To Animal Experimentation, 2013, 30, 487-545. | 1.5 | 31 |
| 30 | Health risk assessment related to pinnatoxins in French shellfish. Toxicon, 2020, 180, 1-10. | 1.6 | 30 |
| 31 | Marine toxin okadaic acid induces aneuploidy in CHO-K1 cells in presence of rat liver postmitochondrial fraction, revealed by cytokinesis-block micronucleus assay coupled to FISH. Environmental Toxicology, 2004, 19, 123-128. | 4.0 | 28 |
| 32 | Risk Governance of Emerging Technologies Demonstrated in Terms of its Applicability to Nanomaterials. Small, 2020, 16, e2003303. | 10.0 | 28 |
| 33 | Collaborative study for the detection of toxic compounds in shellfish extracts using cell-based assays. Part II: application to shellfish extracts spiked with lipophilic marine toxins. Analytical and Bioanalytical Chemistry, 2012, 403, 1995-2007. | 3.7 | 26 |
| 34 | DNA Adducts of the Tobacco Carcinogens 2-Amino-9 <i>H</i> -pyrido[2,3- <i>b</i>]indole and 4-Aminobiphenyl Are Formed at Environmental Exposure Levels and Persist in Human Hepatocytes. Chemical Research in Toxicology, 2013, 26, 1367-1377. | 3.3 | 24 |
| 35 | Comparative Cytotoxicity, Oxidative Stress, and Cytokine Secretion Induced by Two Cyanotoxin Variants, Microcystin LR and RR, in Human Intestinal Cacoâ€⊋ Cells. Journal of Biochemical and Molecular Toxicology, 2013, 27, 253-258. | 3.0 | 24 |
| 36 | Uptake and molecular impact of aluminum-containing nanomaterials on human intestinal caco-2 cells. Nanotoxicology, 2018, 12, 992-1013. | 3.0 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Integrated approach to the in vivo genotoxic effects of a titanium dioxide nanomaterial using <i>LacZ</i> plasmidâ€based transgenic mice. Environmental and Molecular Mutagenesis, 2014, 55, 500-509. | 2.2 | 22 |
| 38 | Absence of in vitro genotoxicity potential of the mycotoxin deoxynivalenol in bacteria and in human TK6 and HepaRG cell lines. Food and Chemical Toxicology, 2014, 66, 113-121. | 3.6 | 22 |
| 39 | InÂvitro metabolism of the cyanotoxin cylindrospermopsin in HepaRG cells and liver tissue fractions. Toxicon, 2016, 110, 47-50. | 1.6 | 22 |
| 40 | Investigation of the in vitro genotoxicity of two rutile TiO2 nanomaterials in human intestinal and hepatic cells and evaluation of their interference with toxicity assays. NanoImpact, 2018, 11, 69-81. | 4.5 | 22 |
| 41 | Mixtures of Lipophilic Phycotoxins: Exposure Data and Toxicological Assessment. Marine Drugs, 2018, 16, 46. | 4.6 | 22 |
| 42 | In vitro combined cytotoxic effects of pesticide cocktails simultaneously found in the French diet. Food and Chemical Toxicology, 2013, 52, 153-162. | 3.6 | 21 |
| 43 | CYP3A4 activity reduces the cytotoxic effects of okadaic acid in HepaRG cells. Archives of Toxicology, 2014, 88, 1519-1526. | 4.2 | 21 |
| 44 | Combined Effects of Lipophilic Phycotoxins (Okadaic Acid, Azapsiracid-1 and Yessotoxin) on Human Intestinal Cells Models. Toxins, 2016, 8, 50. | 3.4 | 21 |
| 45 | Hazard identification of pyrogenic synthetic amorphous silica (NM-203) after sub-chronic oral exposure in rat: A multitarget approach. Food and Chemical Toxicology, 2020, 137, 111168. | 3.6 | 18 |
| 46 | <i>In vivo</i> genotoxic potential of microcystin‣R: A cyanobacterial toxin, investigated both by the unscheduled DNA synthesis (UDS) and the comet assays after intravenous administration. Environmental Toxicology, 2009, 24, 200-209. | 4.0 | 17 |
| 47 | Simultaneous Detection of 14 Microcystin Congeners from Tissue Samples Using UPLC- ESI-MS/MS and Two Different Deuterated Synthetic Microcystins as Internal Standards. Toxins, 2019, 11, 388. | 3.4 | 17 |
| 48 | Lack of DNA damage induction by okadaic acid, a marine toxin, in the CHO-Hprt and the in vitro UDS assays. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2004, 564, 139-147. | 1.7 | 16 |
| 49 | Okadaic acid: Chromosomal non-disjunction analysis in human lymphocytes and study of aneugenic pathway in CHO-K1 cells. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2005, 578, 53-63. | 1.0 | 16 |
| 50 | Transcriptomic comparison of cyanotoxin variants in a human intestinal model revealed major differences in oxidative stress response: Effects of MC-RR and MC-LR on Caco-2 cells. Ecotoxicology and Environmental Safety, 2012, 82, 13-21. | 6.0 | 16 |
| 51 | A strategy to study genotoxicity: application to aquatic toxins, limits and solutions. Analytical and Bioanalytical Chemistry, 2010, 397, 1715-1722. | 3.7 | 14 |
| 52 | Aluminum in liver cells $\hat{a} \in $ the element species matters. Nanotoxicology, 2019, 13, 909-922. | 3.0 | 14 |
| 53 | Modulation of Chromatin Remodelling Induced by the Freshwater Cyanotoxin Cylindrospermopsin in Human Intestinal Caco-2 Cells. PLoS ONE, 2014, 9, e99121. | 2.5 | 13 |
| 54 | Co-culture model of Caco-2/HT29-MTX cells: A promising tool for investigation of phycotoxins toxicity on the intestinal barrier. Chemosphere, 2021, 273, 128497. | 8.2 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Cytotoxicity, Fractionation and Dereplication of Extracts of the Dinoflagellate Vulcanodinium rugosum, a Producer of Pinnatoxin G. Marine Drugs, 2013, 11, 3350-3371. | 4.6 | 12 |
| 56 | Pinnatoxins' Deleterious Effects on Cholinergic Networks: From Experimental Models to Human Health. Marine Drugs, 2019, 17, 425. | 4.6 | 12 |
| 57 | Combined effects of okadaic acid and pectenotoxin-2, 13-desmethylspirolide C or yessotoxin in human intestinal Caco-2â€⁻cells. Chemosphere, 2019, 228, 139-148. | 8.2 | 12 |
| 58 | Low inÂvitro permeability of the cyanotoxin microcystin-LR across a Caco-2 monolayer: With identification of the limiting factors using modelling. Toxicon, 2014, 91, 5-14. | 1.6 | 11 |
| 59 | Identification of key pathways involved in the toxic response of the cyanobacterial toxin cylindrospermopsin in human hepatic HepaRG cells. Toxicology in Vitro, 2019, 58, 69-77. | 2.4 | 11 |
| 60 | A co-culture system of human intestinal Caco-2 cells and lymphoblastoid TK6 cells for investigating the genotoxicity of oral compounds. Mutagenesis, 2012, 27, 631-636. | 2.6 | 10 |
| 61 | Novel Insights on the Toxicity of Phycotoxins on the Gut through the Targeting of Enteric Glial Cells. Marine Drugs, 2019, 17, 429. | 4.6 | 9 |
| 62 | A strategy towards the generation of testable adverse outcome pathways for nanomaterials. ALTEX: Alternatives To Animal Experimentation, 2021, 38, 580-594. | 1.5 | 9 |
| 63 | Metabolism of the Marine Phycotoxin PTX-2 and Its Effects on Hepatic Xenobiotic Metabolism: Activation of Nuclear Receptors and Modulation of the Phase I Cytochrome P450. Toxins, 2017, 9, 212. | 3.4 | 8 |
| 64 | Simultaneous Quantification and Visualization of Titanium Dioxide Nanomaterial Uptake at the Single Cell Level in an In Vitro Model of the Human Small Intestine. Small Methods, 2019, 3, 1800540. | 8.6 | 8 |
| 65 | Simultaneous screening of the stability and dosimetry of nanoparticles dispersions for in vitro toxicological studies with static multiple light scattering technique. Toxicology in Vitro, 2020, 69, 104972. | 2.4 | 7 |
| 66 | Cellular Effects of <i>In Vitro</i> -Digested Aluminum Nanomaterials on Human Intestinal Cells. ACS Applied Nano Materials, 2020, 3, 2246-2256. | 5.0 | 7 |
| 67 | Differences in Toxic Response Induced by Three Variants of the Diarrheic Shellfish Poisoning Phycotoxins in Human Intestinal Epithelial Caco-2 Cells. Toxins, 2020, 12, 783. | 3.4 | 6 |
| 68 | Permeability of the Cyanotoxin Microcystin-RR across a Caco-2 Cells Monolayer. Toxins, 2021, 13, 178. | 3.4 | 6 |
| 69 | Genotoxic impact of aluminum-containing nanomaterials in human intestinal and hepatic cells. Toxicology in Vitro, 2022, 78, 105257. | 2.4 | 6 |
| 70 | Benchmark dose analyses of γH2AX and pH3 endpoints for quantitative comparison of in vitro genotoxicity potential of lipophilic phycotoxins. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2020, 852, 503169. | 1.7 | 5 |
| 71 | Chronic effects of two rutile TiO2 nanomaterials in human intestinal and hepatic cell lines. Particle and Fibre Toxicology, 2022, 19, 37. | 6.2 | 5 |
| 72 | Permeability of dihydro- and cysteine-brevetoxin metabolites across a Caco-2 cell monolayer. Harmful Algae, 2014, 32, 22-26. | 4.8 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Cytotoxicity Assays. Comprehensive Analytical Chemistry, 2017, 78, 231-275. | 1.3 | 3 |
| 74 | Genotoxic effects of food contact recycled paperboard extracts on two human hepatic cell lines. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 159-170. | 2.3 | 3 |
| 75 | Synergic toxic effects of food contaminant mixtures in human cells. Mutagenesis, 2020, 35, 415-424. | 2.6 | 3 |
| 76 | Role of enteric glial cells in the toxicity of phycotoxins: Investigation with a tri-culture intestinal cell model. Toxicology Letters, 2021, 351, 89-98. | 0.8 | 2 |
| 77 | From Basic Research to New Tools and Challenges for the Genotoxicity Testing of Nanomaterials. Nanomaterials, 2020, 10, 2073. | 4.1 | 1 |
| 78 | In vitro investigation of the genotoxicity of portimine, a cyclic imine toxin produced by the dinoflagellate Vulcanodinium rugosum, on human hepatic HepaRG cells. Toxicology in Vitro, 2021, 73, 105125. | 2.4 | 1 |
| 79 | Pyrogenic synthetic amorphous silica (NM-203): Genotoxicity in rats following sub-chronic oral exposure. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2022, 876-877, 503458. | 1.7 | 1 |
| 80 | Response to Letter to the Editor regarding "Collaborative study for the detection of toxic compounds in shellfish extracts using cell-based assays. Part I: screening strategy and pre-validation study with lipophilic marine toxins†and "Part II: application to shellfish extracts spiked with lipophilic marine toxins†and âIoanalytical Chemistry, 2012, 404, 1613-1614. | 3.7 | 0 |
| 81 | Metabolism of the lipophilic phycotoxin 13-Desmethylspirolide C using human and rat in vitro liver models. Toxicology Letters, 2019, 307, 17-25. | 0.8 | Ο |
| 82 | Toxicity of Okadaic Acid/Dinophysistoxins and Microcystins on Biological Systems. , 2014, , 253-282. | | 0 |