Denis Prud'homme

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1939010/publications.pdf

Version: 2024-02-01

126907 102487 4,552 89 33 citations h-index g-index papers

91 91 91 7112 citing authors docs citations times ranked all docs

66

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Obesity among postmenopausal women: what is the best anthropometric index to assess adiposity and success of weight-loss intervention?. Menopause, 2021, 28, 678-685. | 2.0 | 4 |
| 2 | Physical activity energy expenditure and fat-free mass: relationship with metabolic syndrome in overweight or obese postmenopausal women. Applied Physiology, Nutrition and Metabolism, 2021, 46, 389-396. | 1.9 | 1 |
| 3 | Quality and Safety in Long-Term Care in Ontario: The Impact of Language Discordance. Journal of the American Medical Directors Association, 2021, 22, 2147-2153.e3. | 2.5 | 2 |
| 4 | Interindividual variability and individual responses to exercise training in adolescents with obesity. Applied Physiology, Nutrition and Metabolism, 2020, 45, 45-54. | 1.9 | 24 |
| 5 | Measurement of bioactive osteocalcin in humans using a novel immunoassay reveals association with glucose metabolism and \hat{l}^2 -cell function. American Journal of Physiology - Endocrinology and Metabolism, 2020, 318, E381-E391. | 3.5 | 25 |
| 6 | Pragmatic Strategy Empowering Paramedics to Assess Low-Risk Trauma Patients With the Canadian C-Spine Rule and Selectively Transport Them Without Immobilization: Protocol for a Stepped-Wedge Cluster Randomized Trial. JMIR Research Protocols, 2020, 9, e16966. | 1.0 | 5 |
| 7 | Intervention Strategies for Prevention of Comorbid Depression Among Individuals With Type 2 Diabetes: A Scoping Review. Frontiers in Public Health, 2019, 7, 35. | 2.7 | 5 |
| 8 | The Health Impact of Living in a Nursing Home With a Predominantly Different Spoken Language. Journal of the American Medical Directors Association, 2019, 20, 1649-1651. | 2.5 | 6 |
| 9 | Physical activity and perceptions of stress during the menopause transition: A longitudinal study. Journal of Health Psychology, 2019, 24, 799-811. | 2.3 | 7 |
| 10 | Access to Resources in the Community Through Navigation: Protocol for a Mixed-Methods Feasibility Study. JMIR Research Protocols, 2019, 8, e11022. | 1.0 | 5 |
| 11 | Effects of aerobic training, resistance training, or both on brain-derived neurotrophic factor in adolescents with obesity: The hearty randomized controlled trial. Physiology and Behavior, 2018, 191, 138-145. | 2.1 | 26 |
| 12 | The Need to Objectively Measure Physical Activity During Pregnancy: Considerations for Clinical Research and Public Health Impact. Maternal and Child Health Journal, 2018, 22, 637-641. | 1.5 | 15 |
| 13 | ACSL5 genotype influence on fatty acid metabolism: a cellular, tissue, and whole-body study. Metabolism: Clinical and Experimental, 2018, 83, 271-279. | 3.4 | 20 |
| 14 | A one-year resistance training program following weight loss has no significant impact on body composition and energy expenditure in postmenopausal women living with overweight and obesity. Physiology and Behavior, 2018, 189, 99-106. | 2.1 | 18 |
| 15 | Body composition, cardiometabolic risk factors, physical activity, and inflammatory markers in premenopausal women after a 10-year follow-up: a MONET study. Menopause, 2018, 25, 89-97. | 2.0 | 41 |
| 16 | Changes in the Brain-Derived Neurotrophic Factor Are Associated with Improvements in Diabetes Risk Factors after Exercise Training in Adolescents with Obesity: The HEARTY Randomized Controlled Trial. Neural Plasticity, 2018, 2018, 1-8. | 2.2 | 20 |
| 17 | Watching television or listening to music while exercising failed to affect post-exercise food intake or energy expenditure in male adolescents. Appetite, 2018, 127, 266-273. | 3.7 | 1 |
| 18 | Effects of a 6-month caloric restriction induced-weight loss program in obese postmenopausal women with and without the metabolic syndrome: a MONET study. Menopause, 2017, 24, 908-915. | 2.0 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cardiometabolic risk factors in type 2 diabetes with high fat and low muscle mass: At baseline and in response to exercise. Obesity, 2017, 25, 881-891. | 3.0 | 11 |
| 20 | Does exercise training affect resting metabolic rate in adolescents with obesity?. Applied Physiology, Nutrition and Metabolism, 2017, 42, 15-22. | 1.9 | 11 |
| 21 | Relative contribution of muscle and liver insulin resistance to dysglycemia in postmenopausal overweight and obese women: A MONET group study. Annales D'Endocrinologie, 2017, 78, 1-8. | 1.4 | 2 |
| 22 | Investigating predictors of eating: is resting metabolic rate really the strongest proxy of energy intake?. American Journal of Clinical Nutrition, 2017, 106, 1206-1212. | 4.7 | 41 |
| 23 | Energy Density is Not a Consistent Correlate of Adiposity in Women During the Menopausal Transition. Canadian Journal of Dietetic Practice and Research, 2017, 78, 20-25. | 0.6 | 2 |
| 24 | Nutritional modulation of endogenous glucagon-like peptide-1 secretion: a review. Nutrition and Metabolism, 2016, 13, 92. | 3.0 | 76 |
| 25 | Influence of cardiorespiratory fitness and physical activity levels on cardiometabolic risk factors during menopause transition: A MONET study. Preventive Medicine Reports, 2016, 4, 277-282. | 1.8 | 7 |
| 26 | Acyl-CoA synthetase long-chain 5 genotype is associated with body composition changes in response to lifestyle interventions in postmenopausal women with overweight and obesity: a genetic association study on cohorts Montréal-Ottawa New Emerging Team, and Complications Associated with Obesity. BMC Medical Genetics, 2016, 17, 56. | 2.1 | 8 |
| 27 | Effect of the menopausal transition and physical activity energy expenditure on inflammatory markers: a MONET group study. Menopause, 2016, 23, 1330-1338. | 2.0 | 11 |
| 28 | Body composition and energy intake â€" skeletal muscle mass is the strongest predictor of food intake in obese adolescents: The HEARTY trial. Applied Physiology, Nutrition and Metabolism, 2016, 41, 611-617. | 1.9 | 59 |
| 29 | Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. Applied Physiology, Nutrition and Metabolism, 2016, 41, 255-265. | 1.9 | 46 |
| 30 | Effects of aerobic training, resistance training, or both on psychological health in adolescents with obesity: The HEARTY randomized controlled trial Journal of Consulting and Clinical Psychology, 2015, 83, 1123-1135. | 2.0 | 53 |
| 31 | Middle-aged women's decisions about body weight management. Menopause, 2015, 22, 414-422. | 2.0 | 4 |
| 32 | Changes in glucose disposal after a caloric restriction–induced weight loss program in obese postmenopausal women. Menopause, 2015, 22, 96-103. | 2.0 | 7 |
| 33 | Lifestyle Interventions Targeting Body Weight Changes during the Menopause Transition: A Systematic Review. Journal of Obesity, 2014, 2014, 1-16. | 2.7 | 30 |
| 34 | Effects of Aerobic Training, Resistance Training, or Both on Percentage Body Fat and Cardiometabolic Risk Markers in Obese Adolescents. JAMA Pediatrics, 2014, 168, 1006. | 6.2 | 150 |
| 35 | Changes in total and central fat mass after a hypocaloric diet associate with changes of apoC-l in postmenopausal obese women. Journal of Clinical Lipidology, 2014, 8, 510-519. | 1.5 | 3 |
| 36 | Relation between energy intake and glycemic control in physically active young adults with type 1 diabetes. Journal of Science and Medicine in Sport, 2014, 17, 47-50. | 1.3 | 7 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Metabolically Healthy But Obese Phenotype Is Associated With Lower Plasma Levels of Persistent Organic Pollutants as Compared to the Metabolically Abnormal Obese Phenotype. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E1061-E1066. | 3.6 | 46 |
| 38 | The Visceral Adiposity Index: Relationship with cardiometabolic risk factors in obese and overweight postmenopausal women – A MONET group study. Applied Physiology, Nutrition and Metabolism, 2013, 38, 892-899. | 1.9 | 34 |
| 39 | Top 10 practical lessons learned from physical activity interventions in overweight and obese children and adolescents. Applied Physiology, Nutrition and Metabolism, 2013, 38, 249-258. | 1.9 | 28 |
| 40 | Effects of Exercise Training on Molecular Markers of Lipogenesis and Lipid Partitioning in Fructose-Induced Liver Fat Accumulation. Journal of Nutrition and Metabolism, 2012, 2012, 1-10. | 1.8 | 12 |
| 41 | The effect of the menopausal transition on body composition and cardiometabolic risk factors. Menopause, 2012, 19, 760-767. | 2.0 | 164 |
| 42 | Relationships Between Neighborhoods, Physical Activity, and Obesity: A Multilevel Analysis of a Large Canadian City. Obesity, 2012, 20, 2093-2100. | 3.0 | 58 |
| 43 | Improvement in insulin sensitivity by weight loss does not affect hyperinsulinemia-mediated reduction in total and high molecular weight adiponectin: a MONET study. Applied Physiology, Nutrition and Metabolism, 2011, 36, 191-200. | 1.9 | 10 |
| 44 | Testâ€"retest reliability of a portable monitor to assess energy expenditure. Applied Physiology, Nutrition and Metabolism, 2011, 36, 339-343. | 1.9 | 33 |
| 45 | A Multilevel Analysis of Neighbourhood Built and Social Environments and Adult Self-Reported Physical Activity and Body Mass Index in Ottawa, Canada. International Journal of Environmental Research and Public Health, 2011, 8, 3953-3978. | 2.6 | 82 |
| 46 | Video Game Playing Is Independently Associated with Blood Pressure and Lipids in Overweight and Obese Adolescents. PLoS ONE, 2011, 6, e26643. | 2.5 | 62 |
| 47 | Parental overweight/obesity, social factors, and child overweight/obesity at 7 years of age. Pediatrics International, 2011, 53, 826-831. | 0.5 | 7 |
| 48 | Ottawa Panel Evidence-Based Clinical Practice Guidelines for the Management of Osteoarthritis in Adults Who Are Obese or Overweight. Physical Therapy, 2011, 91, 843-861. | 2.4 | 79 |
| 49 | Effect of Exercise Training on Physical Fitness in Type II Diabetes Mellitus. Medicine and Science in Sports and Exercise, 2010, 42, 1439-1447. | 0.4 | 60 |
| 50 | Exercise training decreases hepatic SCD-1 gene expression and protein content in rats. Molecular and Cellular Biochemistry, 2010, 335, 291-299. | 3.1 | 29 |
| 51 | Reference range thyroid-stimulating hormone is associated with physical activity energy expenditure in overweight and obese postmenopausal women: a Montreal-Ottawa New Emerging Team Study. Metabolism: Clinical and Experimental, 2010, 59, 1597-1602. | 3.4 | 5 |
| 52 | Knowledge translation to fitness trainers: A systematic review. Implementation Science, 2010, 5, 28. | 6.9 | 22 |
| 53 | Identifying Metabolically Healthy but Obese Individuals in Sedentary Postmenopausal Women. Obesity, 2010, 18, 911-917. | 3.0 | 114 |
| 54 | Anthropometric, metabolic, psychosocial and dietary factors associated with dropout in overweight and obese postmenopausal women engaged in a 6-month weight loss programme: a MONET study. British Journal of Nutrition, 2010, 103, 1230-1235. | 2.3 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-------------|----------------|
| 55 | Reduction in serum apoB is associated with reduced inflammation and insulin resistance in post-menopausal women: A MONET study. Atherosclerosis, 2010, 211, 682-688. | 0.8 | 27 |
| 56 | Effects of the addition of a resistance training programme to a caloric restriction weight loss intervention on psychosocial factors in overweight and obese post-menopausal women: A Montreal Ottawa New Emerging Team study. Journal of Sports Sciences, 2010, 28, 83-92. | 2.0 | 26 |
| 57 | Resistance Training Does Not Contribute to Improving the Metabolic Profile after a 6-Month Weight Loss Program in Overweight and Obese Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3226-3233. | 3.6 | 116 |
| 58 | Anthropometric, Metabolic, Psychosocial, and Dietary Characteristics of Overweight/Obese Postmenopausal Women with a History of Weight Cycling: A MONET (Montreal Ottawa New Emerging) Tj ETQc | 10 0101 rgB | Г/Оълеrlock 10 |
| 59 | Exercise training decreases plasma leptin levels and the expression of hepatic leptin receptor-a, -b, and, -e in rats. Molecular and Cellular Biochemistry, 2009, 324, 13-20. | 3.1 | 27 |
| 60 | Resistance training attenuates fat mass regain after weight loss in ovariectomized rats. Maturitas, 2009, 64, 52-57. | 2.4 | 17 |
| 61 | Exercise Intensity Prescription in Obese Individuals. Obesity, 2008, 16, 2088-2095. | 3.0 | 28 |
| 62 | Total peptide YY is a correlate of postprandial energy expenditure but not of appetite or energy intake in healthy women. Metabolism: Clinical and Experimental, 2008, 57, 1458-1464. | 3.4 | 52 |
| 63 | Resistance training prevents liver fat accumulation in ovariectomized rats. Maturitas, 2008, 59, 259-267. | 2.4 | 28 |
| 64 | Relationship between the metabolic syndrome and physical activity energy expenditure: a MONET study. Applied Physiology, Nutrition and Metabolism, 2008, 33, 309-314. | 1.9 | 15 |
| 65 | Body Composition Indices in Women With Well-Controlled Type 1 Diabetes. Diabetes Care, 2008, 31, e48-e48. | 8.6 | 2 |
| 66 | Gender Differences in Response to a Physical Activity Intervention in Overweight and Obese Children. Journal of Physical Activity and Health, 2008, 5, 592-606. | 2.0 | 18 |
| 67 | Physical activity is a confounding factor of the relation between eating frequency and body composition. American Journal of Clinical Nutrition, 2008, 88, 1200-5. | 4.7 | 56 |
| 68 | Effects of Modifying Physical Activity and Sedentary Behavior on Psychosocial Adjustment in Overweight/Obese Children. Journal of Pediatric Psychology, 2007, 32, 783-793. | 2.1 | 68 |
| 69 | Muscle and Liver Insulin Resistance Indexes Derived From the Oral Glucose Tolerance Test: Response to Abdul-Ghani et al Diabetes Care, 2007, 30, e83-e83. | 8.6 | 13 |
| 70 | Effects of Aerobic Training, Resistance Training, or Both on Glycemic Control in Type 2 Diabetes. Annals of Internal Medicine, 2007, 147, 357. | 3.9 | 958 |
| 71 | Effect of the detraining status on high-fat diet induced fat accumulation in the adipose tissue and liver in female rats. Physiology and Behavior, 2007, 91, 281-289. | 2.1 | 13 |
| 72 | Time course of liver lipid infiltration in ovariectomized rats: Impact of a high-fat diet. Maturitas, 2007, 58, 182-190. | 2.4 | 72 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The effect of topiramate on energy balance in obese men: a 6-month double-blind randomized placebo-controlled study with a 6-month open-label extension. European Journal of Clinical Pharmacology, 2007, 63, 123-134. | 1.9 | 52 |
| 74 | Specific adaptations of estrogen receptor \hat{l}_{\pm} and \hat{l}^{2} transcripts in liver and heart after endurance training in rats. Molecular and Cellular Biochemistry, 2007, 306, 179-187. | 3.1 | 19 |
| 75 | The determinants of prevalence of health complaints among young competitive swimmers. International Archives of Occupational and Environmental Health, 2006, 80, 32-39. | 2.3 | 65 |
| 76 | Effects of Open-Loop Feedback on Physical Activity and Television Viewing in Overweight and Obese Children: A Randomized, Controlled Trial. Pediatrics, 2006, 118, e157-e166. | 2.1 | 98 |
| 77 | Exercise and Newer Insulins: How Much Glucose Supplement to Avoid Hypoglycemia?. Medicine and Science in Sports and Exercise, 2005, 37, 1276-1282. | 0.4 | 33 |
| 78 | The Metabolically Healthy but Obese Individual Presents a Favorable Inflammation Profile. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 4145-4150. | 3.6 | 518 |
| 79 | Contribution of age and declining androgen levels to features of the metabolic syndrome in men. Metabolism: Clinical and Experimental, 2005, 54, 1034-1040. | 3.4 | 124 |
| 80 | Effect of the factor VII R353Q missense mutation on plasma apolipoproteinÂB levels: impact of visceral obesity. Journal of Human Genetics, 2003, 48, 367-373. | 2.3 | 3 |
| 81 | The interleukin 6 â^'174G/C Polymorphism is associated with indices of obesity in men. Journal of Human Genetics, 2003, 48, 0014-0019. | 2.3 | 84 |
| 82 | Relationship between sex hormone-binding globulin levels and features of the metabolic syndrome. Metabolism: Clinical and Experimental, 2003, 52, 724-730. | 3.4 | 76 |
| 83 | Gemfibrozil Reduces Plasma C-Reactive Protein Levels in Abdominally Obese Men With the Atherogenic Dyslipidemia of the Metabolic Syndrome. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 702-703. | 2.4 | 58 |
| 84 | Effect of apoC-III gene polymorphisms on the lipoprotein-lipid profile of viscerally obese men. Journal of Lipid Research, 2003, 44, 986-993. | 4.2 | 15 |
| 85 | Influences of the PPARα-L162V polymorphism on plasma HDL2-cholesterol response of abdominally obese men treated with gemfibrozil. Genetics in Medicine, 2002, 4, 311-315. | 2.4 | 36 |
| 86 | HDL particle size: a marker of the gender difference in the metabolic risk profile. Atherosclerosis, 2002, 160, 399-406. | 0.8 | 54 |
| 87 | Visceral obesity and hyperinsulinemia modulate the impact of the microsomal triglyceride transfer protein â^493G/T polymorphism on plasma lipoprotein levels in men. Atherosclerosis, 2002, 160, 317-324. | 0.8 | 35 |
| 88 | Plasma Leptin Response to an Epinephrine Infusion in Lean and Obese Women. Obesity, 2002, 10, 6-13. | 4.0 | 30 |
| 89 | Effects of the <i>FABP2</i> A54T Mutation on Triglyceride Metabolism of Viscerally Obese Men. Obesity, 2001, 9, 668-675. | 4.0 | 23 |