

Didier Lereclus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1939411/publications.pdf>

Version: 2024-02-01

78
papers

6,210
citations

61857

43
h-index

71532

76
g-index

82
all docs

82
docs citations

82
times ranked

3022
citing authors

#	ARTICLE	IF	CITATIONS
1	The Transcription Factor CpcR Determines Cell Fate by Modulating the Initiation of Sporulation in <i>Bacillus thuringiensis</i> . <i>Applied and Environmental Microbiology</i> , 2022, 88, aem0237421.	1.4	3
2	Expression of the <i>Bacillus thuringiensis</i> <i>vip3A</i> Insecticidal Toxin Gene Is Activated at the Onset of Stationary Phase by VipR, an Autoregulated Transcription Factor. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	0
3	Massive Integration of Planktonic Cells within a Developing Biofilm. <i>Microorganisms</i> , 2021, 9, 298.	1.6	2
4	The Fate of Bacteria of the <i>Bacillus cereus</i> Group in the Amoeba Environment. <i>Microbial Ecology</i> , 2021, 1.	1.4	2
5	Immune Inhibitor A Metalloproteases Contribute to Virulence in <i>Bacillus</i> Endophthalmitis. <i>Infection and Immunity</i> , 2021, 89, e0020121.	1.0	7
6	The stationary phase regulator CpcR activates <i>cry</i> gene expression in non-sporulating cells of <i>Bacillus thuringiensis</i> . <i>Molecular Microbiology</i> , 2020, 113, 740-754.	1.2	10
7	Rap-Phr Systems from Plasmids pAW63 and pHT8-1 Act Together To Regulate Sporulation in the <i>Bacillus thuringiensis</i> Serovar <i>kurstaki</i> HD73 Strain. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	1.4	9
8	The Alternative Sigma Factor SigB Is Required for the Pathogenicity of <i>Bacillus thuringiensis</i> . <i>Journal of Bacteriology</i> , 2020, 202, .	1.0	2
9	The signaling peptide PapR is required for the activity of the quorum-sensor PlcRa in <i>Bacillus thuringiensis</i> . <i>Microbiology (United Kingdom)</i> , 2020, 166, 398-410.	0.7	6
10	The oligopeptide ABC-importers are essential communication channels in Gram-positive bacteria. <i>Research in Microbiology</i> , 2019, 170, 338-344.	1.0	26
11	Elucidating the Hot Spot Residues of Quorum Sensing Peptidic Autoinducer PapR by Multiple Amino Acid Replacements. <i>Frontiers in Microbiology</i> , 2019, 10, 1246.	1.5	15
12	The <i>Bacillus cereus</i> Group: <i>Bacillus</i> Species with Pathogenic Potential. <i>Microbiology Spectrum</i> , 2019, 7, .	1.2	317
13	Diversity of the Rap-Phr quorum-sensing systems in the <i>Bacillus cereus</i> group. <i>Current Genetics</i> , 2019, 65, 1367-1381.	0.8	21
14	The signaling peptide NprX controlling sporulation and necrotrophism is imported into <i>Bacillus thuringiensis</i> by two oligopeptide permease systems. <i>Molecular Microbiology</i> , 2019, 112, 219-232.	1.2	7
15	CalY is a major virulence factor and a biofilm matrix protein. <i>Molecular Microbiology</i> , 2019, 111, 1416-1429.	1.2	29
16	A plasmid-borne Rap-Phr system regulates sporulation of <i>Bacillus thuringiensis</i> in insect larvae. <i>Environmental Microbiology</i> , 2018, 20, 145-155.	1.8	15
17	InhA1-Mediated Cleavage of the Metalloprotease NprA Allows <i>Bacillus cereus</i> to Escape From Macrophages. <i>Frontiers in Microbiology</i> , 2018, 9, 1063.	1.5	19
18	Turning off <i>Bacillus cereus</i> quorum sensing system with peptidic analogs. <i>Chemical Communications</i> , 2018, 54, 9777-9780.	2.2	19

#	ARTICLE	IF	CITATIONS
19	Genetic and functional analyses of <i>krs</i> , a locus encoding kurstakin, a lipopeptide produced by <i>Bacillus thuringiensis</i> . <i>Research in Microbiology</i> , 2017, 168, 356-368.	1.0	33
20	Two distinct pathways lead <i>Bacillus thuringiensis</i> to commit to sporulation in biofilm. <i>Research in Microbiology</i> , 2017, 168, 388-393.	1.0	19
21	Beneficial and detrimental spore-formers: a world of diversity. <i>Research in Microbiology</i> , 2017, 168, 307-308.	1.0	6
22	Comparative genomics of extrachromosomal elements in <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> . <i>Research in Microbiology</i> , 2017, 168, 331-344.	1.0	28
23	Analysis of <i>abrB</i> Expression during the Infectious Cycle of <i>Bacillus thuringiensis</i> Reveals Population Heterogeneity. <i>Frontiers in Microbiology</i> , 2017, 8, 2471.	1.5	9
24	How Quorum Sensing Connects Sporulation to Necrotrophism in <i>Bacillus thuringiensis</i> . <i>PLoS Pathogens</i> , 2016, 12, e1005779.	2.1	46
25	<i>NprR</i> , a moonlighting quorum sensor shifting from a phosphatase activity to a transcriptional activator. <i>Microbial Cell</i> , 2016, 3, 573-575.	1.4	10
26	Cell Differentiation in a <i>Bacillus thuringiensis</i> Population during Planktonic Growth, Biofilm Formation, and Host Infection. <i>MBio</i> , 2015, 6, e00138-15.	1.8	47
27	Division of labour and terminal differentiation in a novel <i>Bacillus thuringiensis</i> strain. <i>ISME Journal</i> , 2015, 9, 286-296.	4.4	26
28	<i>CodY</i> Regulates the Activity of the Virulence Quorum Sensor <i>PlcR</i> by Controlling the Import of the Signaling Peptide <i>PapR</i> in <i>Bacillus thuringiensis</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 1501.	1.5	50
29	<i>SinR</i> Controls Enterotoxin Expression in <i>Bacillus thuringiensis</i> Biofilms. <i>PLoS ONE</i> , 2014, 9, e87532.	1.1	83
30	Draft Genome Sequence of <i>Bacillus thuringiensis</i> Strain LM1212, Isolated from the Cadaver of an <i>Oryctes gigas</i> Larva in Madagascar. <i>Genome Announcements</i> , 2014, 2, .	0.8	3
31	Quorum Sensing in <i>Bacillus thuringiensis</i> Is Required for Completion of a Full Infectious Cycle in the Insect. <i>Toxins</i> , 2014, 6, 2239-2255.	1.5	103
32	Regulation of <i>cry</i> Gene Expression in <i>Bacillus thuringiensis</i> . <i>Toxins</i> , 2014, 6, 2194-2209.	1.5	77
33	The Social Biology of Quorum Sensing in a Naturalistic Host Pathogen System. <i>Current Biology</i> , 2014, 24, 2417-2422.	1.8	54
34	Activity of the <i>Bacillus thuringiensis</i> <i>NprR</i> <i>NprX</i> cell-cell communication system is coordinated to the physiological stage through a complex transcriptional regulation. <i>Molecular Microbiology</i> , 2013, 88, 48-63.	1.2	29
35	Peptide-binding dependent conformational changes regulate the transcriptional activity of the quorum-sensor <i>NprR</i> . <i>Nucleic Acids Research</i> , 2013, 41, 7920-7933.	6.5	57
36	Structural basis for the activation mechanism of the <i>PlcR</i> virulence regulator by the quorum-sensing signal peptide <i>PapR</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1047-1052.	3.3	90

#	ARTICLE	IF	CITATIONS
37	Complete Genome Sequence of <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> Strain HD73. <i>Genome Announcements</i> , 2013, 1, e0008013.	0.8	47
38	Glucose 6P Binds and Activates HlyIIIR to Repress <i>Bacillus cereus</i> Haemolysin hlyII Gene Expression. <i>PLoS ONE</i> , 2013, 8, e55085.	1.1	21
39	Necrotrophism Is a Quorum-Sensing-Regulated Lifestyle in <i>Bacillus thuringiensis</i> . <i>PLoS Pathogens</i> , 2012, 8, e1002629.	2.1	94
40	Identification of the Promoter in the Intergenic Region between <i>orf1</i> and <i>cry8Ea1</i> Controlled by Sigma H Factor. <i>Applied and Environmental Microbiology</i> , 2012, 78, 4164-4168.	1.4	29
41	Weak Transcription of the <i>cry1Ac</i> Gene in Nonsporulating <i>Bacillus thuringiensis</i> Cells. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6466-6474.	1.4	38
42	How the insect pathogen bacteria <i>Bacillus thuringiensis</i> and <i>Xenorhabdus/Photorhabdus</i> occupy their hosts. <i>Current Opinion in Microbiology</i> , 2012, 15, 220-231.	2.3	144
43	PlcRa, a New Quorum-Sensing Regulator from <i>Bacillus cereus</i> , Plays a Role in Oxidative Stress Responses and Cysteine Metabolism in Stationary Phase. <i>PLoS ONE</i> , 2012, 7, e51047.	1.1	29
44	Haemolysin II is a <i>Bacillus cereus</i> virulence factor that induces apoptosis of macrophages. <i>Cellular Microbiology</i> , 2011, 13, 92-108.	1.1	81
45	A cell-cell communication system regulates protease production during sporulation in bacteria of the <i>Bacillus cereus</i> group. <i>Molecular Microbiology</i> , 2011, 82, 619-633.	1.2	111
46	The InhA Metalloproteases of <i>Bacillus cereus</i> Contribute Concomitantly to Virulence. <i>Journal of Bacteriology</i> , 2010, 192, 286-294.	1.0	99
47	CwpFM (EntFM) Is a <i>Bacillus cereus</i> Potential Cell Wall Peptidase Implicated in Adhesion, Biofilm Formation, and Virulence. <i>Journal of Bacteriology</i> , 2010, 192, 2638-2642.	1.0	109
48	InhA1, NprA, and HlyII as Candidates for Markers To Differentiate Pathogenic from Nonpathogenic <i>Bacillus cereus</i> Strains. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1358-1365.	1.8	79
49	<i>Bacillus thuringiensis</i> : an impotent pathogen?. <i>Trends in Microbiology</i> , 2010, 18, 189-194.	3.5	297
50	Extending the <i>Bacillus cereus</i> group genomics to putative food-borne pathogens of different toxicity. <i>Chemo-Biological Interactions</i> , 2008, 171, 236-249.	1.7	140
51	The PlcR Virulence Regulon of <i>Bacillus cereus</i> . <i>PLoS ONE</i> , 2008, 3, e2793.	1.1	262
52	Structure of PlcR: Insights into virulence regulation and evolution of quorum sensing in Gram-positive bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18490-18495.	3.3	132
53	Adhesion and cytotoxicity of <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> to epithelial cells are FlhA and PlcR dependent, respectively. <i>Microbes and Infection</i> , 2006, 8, 1483-1491.	1.0	94
54	The InhA1 metalloprotease allows spores of the <i>B. cereus</i> group to escape macrophages. <i>Cellular Microbiology</i> , 2005, 7, 1357-1364.	1.1	89

#	ARTICLE	IF	CITATIONS
55	A comparative study of <i>Bacillus cereus</i> , <i>Bacillus thuringiensis</i> and <i>Bacillus anthracis</i> extracellular proteomes. <i>Proteomics</i> , 2005, 5, 3696-3711.	1.3	110
56	<i>Bacillus Endophthalmitis</i> : Roles of Bacterial Toxins and Motility during Infection. , 2005, 46, 3233.		67
57	FlhA Influences <i>Bacillus thuringiensis</i> PlcR-Regulated Gene Transcription, Protein Production, and Virulence. <i>Applied and Environmental Microbiology</i> , 2005, 71, 8903-8910.	1.4	87
58	Specificity and Polymorphism of the PlcR-PapR Quorum-Sensing System in the <i>Bacillus cereus</i> Group. <i>Journal of Bacteriology</i> , 2005, 187, 1182-1187.	1.0	93
59	Distinct Mutations in PlcR Explain Why Some Strains of the <i>Bacillus cereus</i> Group Are Nonhemolytic. <i>Journal of Bacteriology</i> , 2004, 186, 3531-3538.	1.0	87
60	The <i>Bacillus thuringiensis</i> PlcR-Regulated Gene <i>inhA2</i> Is Necessary, but Not Sufficient, for Virulence. <i>Journal of Bacteriology</i> , 2003, 185, 2820-2825.	1.0	54
61	Relationship of <i>plcR</i> -Regulated Factors to <i>Bacillus Endophthalmitis</i> Virulence. <i>Infection and Immunity</i> , 2003, 71, 3116-3124.	1.0	85
62	Genetic Differentiation between Sympatric Populations of <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> . <i>Applied and Environmental Microbiology</i> , 2002, 68, 1414-1424.	1.4	101
63	The <i>InhA2</i> Metalloprotease of <i>Bacillus thuringiensis</i> Strain 407 Is Required for Pathogenicity in Insects Infected via the Oral Route. <i>Journal of Bacteriology</i> , 2002, 184, 3296-3304.	1.0	106
64	Contribution of Membrane-Damaging Toxins to <i>Bacillus Endophthalmitis</i> Pathogenesis. <i>Infection and Immunity</i> , 2002, 70, 5381-5389.	1.0	59
65	Two-dimensional electrophoresis analysis of the extracellular proteome of <i>Bacillus cereus</i> reveals the importance of the PlcR regulon. <i>Proteomics</i> , 2002, 2, 784-791.	1.3	175
66	A cell-cell signaling peptide activates the PlcR virulence regulon in bacteria of the <i>Bacillus cereus</i> group. <i>EMBO Journal</i> , 2002, 21, 4550-4559.	3.5	241
67	Oligopeptide permease is required for expression of the <i>Bacillus thuringiensis plcR</i> regulon and for virulence. <i>Molecular Microbiology</i> , 2001, 40, 963-975.	1.2	171
68	Identification of genes involved in the activation of the <i>Bacillus thuringiensis inhA</i> metalloprotease gene at the onset of sporulation The GenBank/EMBL/DDJB accession number for the sequence reported in this paper is AF287346.. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1805-1813.	0.7	60
69	Survival and conjugation of <i>Bacillus thuringiensis</i> in a soil microcosm. <i>FEMS Microbiology Ecology</i> , 2000, 31, 255-259.	1.3	37
70	The <i>plcR</i> regulon is involved in the opportunistic properties of <i>Bacillus thuringiensis</i> and <i>Bacillus cereus</i> in mice and insects. <i>Microbiology (United Kingdom)</i> , 2000, 146, 2825-2832.	0.7	202
71	PlcR is a pleiotropic regulator of extracellular virulence factor gene expression in <i>Bacillus thuringiensis</i> . <i>Molecular Microbiology</i> , 1999, 32, 1043-1053.	1.2	320
72	Characterization of plasmid pAW63, a second self-transmissible plasmid in <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> HD73. <i>Microbiology (United Kingdom)</i> , 1998, 144, 1263-1270.	0.7	100

#	ARTICLE	IF	CITATIONS
73	Overproduction of Encapsulated Insecticidal Crystal Proteins in a <i>Bacillus thuringiensis</i> spoOA Mutant. <i>Nature Biotechnology</i> , 1995, 13, 67-71.	9.4	104
74	Structural and functional analysis of the promoter region involved in full expression of the cryIIIA toxin gene of <i>Bacillus thuringiensis</i> . <i>Molecular Microbiology</i> , 1994, 13, 97-107.	1.2	150
75	Expansion of Insecticidal Host Range of <i>Bacillus Thuringiensis</i> by in vivo Genetic Recombination. <i>Bio/technology</i> , 1992, 10, 418-421.	1.9	87
76	Construction of cloning vectors for <i>Bacillus thuringiensis</i> . <i>Gene</i> , 1991, 108, 115-119.	1.0	412
77	Molecular relationships among plasmids of <i>Bacillus thuringiensis</i> : Conserved sequences through 11 crystalliferous strains. <i>Molecular Genetics and Genomics</i> , 1982, 186, 391-398.	2.4	98
78	The <i>Bacillus cereus</i> Group: <i>Bacillus</i> Species with Pathogenic Potential. , 0, , 875-902.		16