

Peter John Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1939826/publications.pdf>

Version: 2024-02-01

135
papers

3,128
citations

159585

30
h-index

233421

45
g-index

140
all docs

140
docs citations

140
times ranked

3013
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Potential drivers of samango monkey (<i>Cercopithecus albogularis</i>) population subdivision in a highly fragmented mountain landscape in northern South Africa. <i>Primates</i> , 2022, , 1. | 1.1 | 1 |
| 2 | Anthropogenic Light, Noise, and Vegetation Cover Differentially Impact Different Foraging Guilds of Bat on an Opencast Mine in South Africa. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, . | 2.2 | 0 |
| 3 | Rapid peripatric speciation linked with drainage evolution in a rare African rodent, <i>Mastomys shortridgei</i> (Rodentia: Muridae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 522-542. | 1.4 | 4 |
| 4 | Urban Animal Diversity in the Global South. <i>Cities and Nature</i> , 2021, , 169-202. | 1.0 | 8 |
| 5 | Modeling the multi-€ functionality of African savanna landscapes under global change. <i>Land Degradation and Development</i> , 2021, 32, 2077-2081. | 3.9 | 10 |
| 6 | Low-€ intensity environmental education can enhance perceptions of culturally taboo wildlife. <i>Ecosphere</i> , 2021, 12, e03482. | 2.2 | 3 |
| 7 | Non-invasive sampling of bats reflects their potential as ecological indicators of elemental exposure in a diamond mining area, northern Limpopo Province, South Africa. <i>Environmental Science and Pollution Research</i> , 2021, , 1. | 5.3 | 0 |
| 8 | Bat guilds respond differently to habitat loss and fragmentation at different scales in macadamia orchards in South Africa. <i>Agriculture, Ecosystems and Environment</i> , 2021, 320, 107588. | 5.3 | 9 |
| 9 | Biomes, geology and past climate drive speciation of laminate-toothed rats on South African mountains (Murinae: Otomys). <i>Zoological Journal of the Linnean Society</i> , 2020, 189, 1046-1066. | 2.3 | 9 |
| 10 | Expected spatial patterns of alien woody plants in South Africa's protected areas under current scenario of climate change. <i>Scientific Reports</i> , 2020, 10, 7038. | 3.3 | 7 |
| 11 | Genetic origins and diversity of bushpigs from Madagascar (<i>Potamochoerus larvatus</i> , family Suidae). <i>Scientific Reports</i> , 2020, 10, 20629. | 3.3 | 5 |
| 12 | Adding another piece to the southern African <i>Cercopithecus</i> monkey phylogeography puzzle. <i>African Zoology</i> , 2020, 55, 351-362. | 0.4 | 2 |
| 13 | Comparative assessment on rodent impacts and cultural perceptions of ecologically based rodent management in 3 Afro-€ Malagasy farming regions. <i>Integrative Zoology</i> , 2020, 15, 578-594. | 2.6 | 10 |
| 14 | Restoring the forest revives our culture: Ecosystem services and values for ecological restoration across the rural-urban nexus in South Africa. <i>Forest Policy and Economics</i> , 2020, 118, 102222. | 3.4 | 38 |
| 15 | Bat Species Richness and Community Composition along a Mega-transect in the Okavango River Basin. <i>Diversity</i> , 2020, 12, 188. | 1.7 | 3 |
| 16 | Citizen Science Confirms the Rarity of Fruit Bat Pollination of Baobab (<i>Adansonia digitata</i>) Flowers in Southern Africa. <i>Diversity</i> , 2020, 12, 106. | 1.7 | 7 |
| 17 | Bridging the gap: How to design canopy bridges for arboreal guenons to mitigate road collisions. <i>Biological Conservation</i> , 2020, 246, 108560. | 4.1 | 20 |
| 18 | The Limpopo River Exerts a Powerful but Spatially Limited Effect on Bat Communities in a Semi-Arid Region of South Africa. <i>Acta Chiropterologica</i> , 2020, 22, 75. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Life history and habitat do not mediate temporal changes in body size due to climate warming in rodents. <i>PeerJ</i> , 2020, 8, e9792. | 2.0 | 5 |
| 20 | Ecosystem services and disservices by birds, bats and monkeys change with macadamia landscape heterogeneity. <i>Journal of Applied Ecology</i> , 2019, 56, 2069-2078. | 4.0 | 25 |
| 21 | Insect pest consumption by bats in macadamia orchards established by molecular diet analyses. <i>Global Ecology and Conservation</i> , 2019, 18, e00626. | 2.1 | 21 |
| 22 | The Mammals of Angola. , 2019, , 357-443. | | 7 |
| 23 | Associated tympanic bullar and cochlear hypertrophy define adaptations to true deserts in African gerbils and laminate-toothed rats (Muridae: Gerbillinae and Murinae). <i>Journal of Anatomy</i> , 2019, 234, 179-192. | 1.5 | 5 |
| 24 | Taxonomic anarchy or an inconvenient truth for conservation? Accelerated species discovery reveals evolutionary patterns and heightened extinction threat in Afro-Malagasy small mammals. <i>Mammalia</i> , 2019, 83, 313-329. | 0.7 | 15 |
| 25 | The use of bat houses as day roosts in macadamia orchards, South Africa. <i>PeerJ</i> , 2019, 7, e6954. | 2.0 | 5 |
| 26 | Predation by small mammalian carnivores in rural agro-ecosystems: An undervalued ecosystem service?. <i>Ecosystem Services</i> , 2018, 30, 362-371. | 5.4 | 50 |
| 27 | Pollination limitation despite managed honeybees in South African macadamia orchards. <i>Agriculture, Ecosystems and Environment</i> , 2018, 260, 11-18. | 5.3 | 31 |
| 28 | Camera trap and questionnaire dataset on ecosystem services provided by small carnivores in agro-ecosystems in South Africa. <i>Data in Brief</i> , 2018, 18, 753-759. | 1.0 | 2 |
| 29 | Distributed health literacy among people living with type 2 diabetes in Portugal: Defining levels of awareness and support. <i>Health and Social Care in the Community</i> , 2018, 26, 90-101. | 1.6 | 60 |
| 30 | Economic value of bat predation services – A review and new estimates from macadamia orchards. <i>Ecosystem Services</i> , 2018, 30, 372-381. | 5.4 | 59 |
| 31 | Morphology and stable isotope analysis demonstrate different structuring of bat communities in rainforest and savannah habitats. <i>Royal Society Open Science</i> , 2018, 5, 180849. | 2.4 | 6 |
| 32 | Animal taxa contrast in their scale-dependent responses to land use change in rural Africa. <i>PLoS ONE</i> , 2018, 13, e0194336. | 2.5 | 14 |
| 33 | Integrative taxonomy resolves three new cryptic species of small southern African horseshoe bats (<i>Rhinolophus</i>). <i>Zoological Journal of the Linnean Society</i> , 2018, 184, 1249-1276. | 2.3 | 18 |
| 34 | Natural vegetation and bug abundance promote insectivorous bat activity in macadamia orchards, South Africa. <i>Biological Conservation</i> , 2018, 226, 16-23. | 4.1 | 24 |
| 35 | Diversity of haemoprotzoan parasites infecting the wildlife of South Africa. <i>Folia Parasitologica</i> , 2018, 65, . | 1.3 | 8 |
| 36 | Tapping into technology and the biodiversity informatics revolution: updated terrestrial mammal list of Angola, with new records from the Okavango Basin. <i>ZooKeys</i> , 2018, 779, 51-88. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Changes of bat species composition over altitudinal gradients on northern and southern aspects of the Soutpansberg mountain range, South Africa. <i>Mammalia</i> , 2017, 81, . | 0.7 | 13 |
| 38 | Species definitions and conservation: a review and case studies from African mammals. <i>Conservation Genetics</i> , 2017, 18, 1247-1256. | 1.5 | 58 |
| 39 | Taxonomy: refine rather than stabilize. <i>Nature</i> , 2017, 547, 162-162. | 27.8 | 14 |
| 40 | South African mouse shrews (<i>Myosorex</i>) feel the heat: using species distribution models (SDMs) and IUCN Red List criteria to flag extinction risks due to climate change. <i>Mammal Research</i> , 2017, 62, 149-162. | 1.3 | 10 |
| 41 | Diet Determined by Next Generation Sequencing Reveals Pest Consumption and Opportunistic Foraging by Bats in Macadamia Orchards in South Africa. <i>Acta Chiropterologica</i> , 2017, 19, 239-254. | 0.6 | 24 |
| 42 | A systematic review of rodent pest research in Afro-Malagasy small-holder farming systems: Are we asking the right questions?. <i>PLoS ONE</i> , 2017, 12, e0174554. | 2.5 | 47 |
| 43 | Are avian predators effective biological control agents for rodent pest management in agricultural systems?. <i>Biological Control</i> , 2016, 101, 94-102. | 3.0 | 61 |
| 44 | Past, present, and future distribution of Afromontane rodents (Muridae: <i>Otomys</i>) reflect climate-change predicted biome changes. <i>Mammalia</i> , 2016, 80, . | 0.7 | 9 |
| 45 | Karyotypic Evolution in Malagasy Flying Foxes (Pteropodidae, Chiroptera) and Their Hipposiderid Relatives as Determined by Comparative Chromosome Painting. <i>Cytogenetic and Genome Research</i> , 2016, 148, 185-198. | 1.1 | 4 |
| 46 | Bird and bat predation services in tropical forests and agroforestry landscapes. <i>Biological Reviews</i> , 2016, 91, 1081-1101. | 10.4 | 182 |
| 47 | Discordance between mitochondrial and nuclear genetic structure in the bat <i>Chaerephon pumilus</i> (Chiroptera: Molossidae) from southern Africa. <i>Mammalian Biology</i> , 2016, 81, 115-122. | 1.5 | 8 |
| 48 | Partial support for the classical ring species hypothesis in the <i>Chaerephon pumilus</i> species complex (Chiroptera: Molossidae) from southeastern Africa and western Indian Ocean islands. <i>Mammalia</i> , 2016, 80, . | 0.7 | 1 |
| 49 | Bats in the Anthropogenic Matrix: Challenges and Opportunities for the Conservation of Chiroptera and Their Ecosystem Services in Agricultural Landscapes. , 2016, , 151-186. | | 48 |
| 50 | Afromontane small mammals do not follow the hump-shaped rule: altitudinal variation in the Soutpansberg Mountains, South Africa. <i>Journal of Tropical Ecology</i> , 2015, 31, 37-48. | 1.1 | 15 |
| 51 | Temporal changes in cranial size in South African vlei rats (<i>Otomys</i>): evidence for the 'third universal response to warming'™. <i>African Zoology</i> , 2015, 50, 233-239. | 0.4 | 25 |
| 52 | New Insights into Samango Monkey Speciation in South Africa. <i>PLoS ONE</i> , 2015, 10, e0117003. | 2.5 | 62 |
| 53 | Revision of Afro-Malagasy <i>Otomops</i> (Chiroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 species. <i>Zootaxa</i> , 2015, 4057, 1. | 0.5 | 13 |
| 54 | An integrative approach to characterize Malagasy bats of the subfamily Vespertilioninae Gray, 1821, with the description of a new species of <i>Hypsugo</i> . <i>Zoological Journal of the Linnean Society</i> , 2015, 173, 988-1018. | 2.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cryptic Speciation and Chromosomal Repatterning in the South African Climbing Mice <i>Dendromus</i> (Rodentia, Nesomyidae). <i>PLoS ONE</i> , 2014, 9, e88799. | 2.5 | 7 |
| 56 | Ecological correlates of small mammal assemblage structure at different spatial scales in the savannah biome of South Africa. <i>Mammalia</i> , 2014, . | 0.7 | 1 |
| 57 | Molecular and morphological evidence for a Pleistocene radiation of laminate-toothed rats (<i>Otomys</i> : Rodentia) across a volcanic archipelago in equatorial Africa. <i>Biological Journal of the Linnean Society</i> , 2014, 113, 320-344. | 1.6 | 23 |
| 58 | Linking changes in small mammal communities to ecosystem functions in an agricultural landscape. <i>Mammalian Biology</i> , 2014, 79, 17-23. | 1.5 | 25 |
| 59 | Climate change effects on animal and plant phylogenetic diversity in southern Africa. <i>Global Change Biology</i> , 2014, 20, 1538-1549. | 9.5 | 56 |
| 60 | Why One Century of Phenetics is Enough: Response to "Are There Really Twice As Many Bovid Species As We Thought?". <i>Systematic Biology</i> , 2014, 63, 819-832. | 5.6 | 50 |
| 61 | The discovery, biodiversity and conservation of Mabu forest—the largest medium-altitude rainforest in southern Africa. <i>Oryx</i> , 2014, 48, 177-185. | 1.0 | 26 |
| 62 | Increased geographic sampling reveals considerable new genetic diversity in the morphologically conservative African Pygmy Mice (Genus <i>Mus</i> ; Subgenus <i>Nannomys</i>). <i>Mammalian Biology</i> , 2014, 79, 24-35. | 1.5 | 9 |
| 63 | Changes of Bat Activity, Species Richness, Diversity and Community Composition Over an Altitudinal Gradient in the Soutpansberg Range, South Africa. <i>Acta Chiropterologica</i> , 2014, 16, 27-40. | 0.6 | 22 |
| 64 | Seasonal patterns of habitat use by insectivorous bats in a subtropical African agroecosystem dominated by macadamia orchards. <i>African Journal of Ecology</i> , 2013, 51, 552-561. | 0.9 | 42 |
| 65 | Stable Pleistocene-Era Populations of <i>Chaerephon pumilus</i> (Chiroptera: Molossidae) in Southeastern Africa do not use Different Echolocation Calls. <i>African Zoology</i> , 2013, 48, 125-142. | 0.4 | 1 |
| 66 | Diversity of Hipposideridae in the Mount Nimba massif, West Africa, and the Taxonomic Status of <i>Hipposideros lamottei</i> . <i>Acta Chiropterologica</i> , 2013, 15, 341-352. | 0.6 | 26 |
| 67 | High diversity of pipistrelloid bats (Vespertilionidae: <i>Hypsugo</i> , <i>Neoromicia</i> , <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>) <i>Journal of the Linnean Society</i> , 2013, 167, 191-207. | 2.3 | 39 |
| 68 | Diversity of Bats in the Soutpansberg and Blouberg Mountains of Northern South Africa: Complementarity of Acoustic and Non-Acoustic Survey Methods. <i>South African Journal of Wildlife Research</i> , 2013, 43, 12-26. | 1.4 | 32 |
| 69 | Stable Pleistocene-era populations of <i>Chaerephon pumilus</i> (Chiroptera: Molossidae) in southeastern Africa do not use different echolocation calls. <i>African Zoology</i> , 2013, 48, 125-142. | 0.4 | 3 |
| 70 | Cryptic diversity in forest shrews of the genus <i>Myosorex</i> from southern Africa, with the description of a new species and comments on <i>Myosorex tenuis</i> . <i>Zoological Journal of the Linnean Society</i> , 2013, 169, 881-902. | 2.3 | 16 |
| 71 | Cryptic diversity in forest shrews of the genus <i>Myosorex</i> from southern Africa, with the description of a new species and comments on <i>Myosorex tenuis</i> . <i>Zoological Journal of the Linnean Society</i> , 2013, , . | 2.3 | 0 |
| 72 | Using potential distributions to explore environmental correlates of bat species richness in southern Africa: Effects of model selection and taxonomy. <i>Environmental Epigenetics</i> , 2013, 59, 279-293. | 1.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Genetic differentiation in <i>Horus</i> Chamberlin (Arachnida: Pseudoscorpiones: Olpiidae) as indicated by mitochondrial DNA analysis. <i>African Zoology</i> , 2013, 48, 351-358. | 0.4 | 2 |
| 74 | Dynamic Edge Effects in Small Mammal Communities across a Conservation-Agricultural Interface in Swaziland. <i>PLoS ONE</i> , 2013, 8, e74520. | 2.5 | 36 |
| 75 | Book Reviews Goodman, S. M. 2011. <i>Les chauves-souris de Madagascar. Guide de leur distribution, biologie et identification.</i> Association Vahatra, Antananarivo, Madagascar, 129 pp. ISBN 978-2-95-38923-0-7, â,28 or US\$40.. <i>Acta Chiropterologica</i> , 2012, 14, 241-241. | 0.6 | 0 |
| 76 | Experimental treatment-control studies of ecologically based rodent management in Africa: balancing conservation and pest management. <i>Wildlife Research</i> , 2012, 39, 51. | 1.4 | 31 |
| 77 | Wing Loading Correlates Negatively with Genetic Structuring of Eight Afro-Malagasy Bat Species (Molossidae). <i>Acta Chiropterologica</i> , 2012, 14, 53-62. | 0.6 | 7 |
| 78 | The genus <i>Neoromicia</i> (Family Vespertilionidae) in Madagascar, with the description of a new species. <i>Zootaxa</i> , 2012, 3250, 1. | 0.5 | 23 |
| 79 | Genetically and geographically isolated lineages of a tropical bat (Chiroptera: Molossidae) show demographic stability over the late Pleistocene. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 18-40. | 1.6 | 9 |
| 80 | Cranial size and shape variation in Afrotropical <i>Otomops</i> (Mammalia: Chiroptera: Molossidae): testing species limits using a morphometric approach. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 910-925. | 1.6 | 8 |
| 81 | Four New Bat Species (<i>Rhinolophus hildebrandtii</i> Complex) Reflect Plio-Pleistocene Divergence of Dwarfs and Giants across an Afromontane Archipelago. <i>PLoS ONE</i> , 2012, 7, e41744. | 2.5 | 72 |
| 82 | Origin and Putative Colonization Routes for Invasive Rodent Taxa in the Democratic Republic of Congo. <i>African Zoology</i> , 2011, 46, 133-145. | 0.4 | 6 |
| 83 | Toward a Molecular Phylogeny for the Molossidae (Chiroptera) of the Afro-Malagasy Region. <i>Acta Chiropterologica</i> , 2011, 13, 1-16. | 0.6 | 29 |
| 84 | Chromosomal Polymorphisms in African Vlei Rats, <i>Otomys irroratus</i> (Muridae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 and Diploid Number Variation. <i>Cytogenetic and Genome Research</i> , 2011, 133, 8-15. | 1.1 | 18 |
| 85 | Spatial and Temporal Population Dynamics of Rodents in Three Geographically Different Regions in Africa: Implication for Ecologically-Based Rodent Management. <i>African Zoology</i> , 2011, 46, 393-405. | 0.4 | 14 |
| 86 | Impact of crop cycle on movement patterns of pest rodent species between fields and houses in Africa. <i>Wildlife Research</i> , 2011, 38, 603. | 1.4 | 33 |
| 87 | Spatial and temporal population dynamics of rodents in three geographically different regions in Africa: Implication for ecologically-based rodent management. <i>African Zoology</i> , 2011, 46, 393-405. | 0.4 | 20 |
| 88 | First karyotypic descriptions of Malagasy rodents (Nesomyinae, Muridae) reveal variation at multiple taxonomic levels. <i>Journal of Zoology</i> , 2011, 285, 110-118. | 1.7 | 4 |
| 89 | Cryptic speciation in the southern African vlei rat <i>Otomys irroratus</i> complex: evidence derived from mitochondrial cytb and niche modelling. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 192-206. | 1.6 | 27 |
| 90 | Genetic monitoring detects an overlooked cryptic species and reveals the diversity and distribution of three invasive <i>Rattus</i> congeners in south Africa. <i>BMC Genetics</i> , 2011, 12, 26. | 2.7 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Specific limits and emerging diversity patterns in East African populations of laminate-toothed rats, genus <i>Otomys</i> (Muridae: Murinae: Otomyini): Revision of the <i>Otomys typus</i> complex. <i>Zootaxa</i> , 2011, 3024, 1. | 0.5 | 38 |
| 92 | Cross-species chromosome painting in bats from Madagascar: the contribution of Myzopodidae to revealing ancestral syntenies in Chiroptera. <i>Chromosome Research</i> , 2010, 18, 635-653. | 2.2 | 11 |
| 93 | Patterns of morphological and genetic variation in western Indian Ocean members of the <i>Chaerephon pumilus</i> complex (Chiroptera: Molossidae), with the description of a new species from Madagascar. <i>Zootaxa</i> , 2010, 2551, . | 0.5 | 21 |
| 94 | A Recent Inventory of the Bats of Mozambique with Documentation of Seven New Species for the Country. <i>Acta Chiropterologica</i> , 2010, 12, 371-391. | 0.6 | 29 |
| 95 | Morphological and genetic variation in <i>Mormopterus jugularis</i> (Chiroptera: Molossidae) in different bioclimatic regions of Madagascar with natural history notes. <i>Mammalia</i> , 2009, 73, . | 0.7 | 10 |
| 96 | Cryptic lineages of little free-tailed bats, <i>Chaerephon pumilus</i> (Chiroptera: Molossidae) from southern Africa and the western Indian Ocean islands. <i>African Zoology</i> , 2009, 44, 55-70. | 0.4 | 10 |
| 97 | Placentation in the Egyptian Slit-faced Bat <i>Nycteris thebaica</i> (Chiroptera: Nycteridae). <i>Placenta</i> , 2009, 30, 792-799. | 1.5 | 5 |
| 98 | When is a species not a species? Uncoupled phenotypic, karyotypic and genotypic divergence in two species of South African laminate-toothed rats (Murinae: Otomyini). <i>Journal of Zoology</i> , 2009, 277, 317-332. | 1.7 | 33 |
| 99 | Geographic and Phylogeographic Variation in <i>Chaerephon leucogaster</i> (Chiroptera: Molossidae) of Madagascar and the Western Indian Ocean Islands of Mayotte and Pemba. <i>Acta Chiropterologica</i> , 2009, 11, 25-52. | 0.6 | 23 |
| 100 | Geometric craniometric analysis of sexual dimorphism and ontogenetic variation: A case study based on two geographically disparate species, <i>Aethomys ineptus</i> from southern Africa and <i>Arvicanthis niloticus</i> from Sudan (Rodentia: Muridae). <i>Mammalian Biology</i> , 2009, 74, 361-373. | 1.5 | 13 |
| 101 | Cryptic Lineages of Little Free-Tailed Bats, <i>Chaerephon pumilus</i> (Chiroptera: Molossidae) from Southern Africa and the Western Indian Ocean Islands. <i>African Zoology</i> , 2009, 44, 55-70. | 0.4 | 12 |
| 102 | Trends in Zoological Research in South Africa between 1980 and 2009. <i>African Zoology</i> , 2009, 44, 232-240. | 0.4 | 2 |
| 103 | Standing on the Shoulders of Colourful Giants: 50 Years of Zoological Research in Southern Africa. <i>African Zoology</i> , 2009, 44, 217-231. | 0.4 | 1 |
| 104 | Standing on the shoulders of colourful giants: 50 years of zoological research in southern Africa. <i>African Zoology</i> , 2009, 44, 217-231. | 0.4 | 3 |
| 105 | Understanding and managing sanitary risks due to rodent zoonoses in an African city: beyond the Boston Model. <i>Integrative Zoology</i> , 2008, 3, 38-50. | 2.6 | 70 |
| 106 | Phylogeography and predicted distribution of African-Arabian and Malagasy populations of giant mastiff bats, <i>Otomops</i> spp. (Chiroptera: Molossidae). <i>Acta Chiropterologica</i> , 2008, 10, 21-40. | 0.6 | 34 |
| 107 | Maxillary shape as a diagnostic tool for identifying fruit bats, <i>Epomophorus crypturus</i> and <i>E. wahlbergi</i> from museum specimens and in the field. <i>South African Journal of Wildlife Research</i> , 2008, 38, 22-27. | 1.4 | 5 |
| 108 | Evolutionary systematics in African gerbilline rodents of the genus <i>Gerbilliscus</i> : Inference from mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 797-806. | 2.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Lagos Bat Virus, South Africa. <i>Emerging Infectious Diseases</i> , 2006, 12, 504-506. | 4.3 | 44 |
| 110 | Patterns of cryptic hybridization revealed using an integrative approach: a case study on genets (<i>Carnivora, Viverridae, Genetta</i> spp.) from the southern African subregion. <i>Biological Journal of the Linnean Society</i> , 2005, 86, 11-33. | 1.6 | 47 |
| 111 | Species with fuzzy borders: the taxonomic status and species limits of Saunders' vlei rat, <i>Otomys saundersiae</i> Roberts, 1929 (<i>Rodentia, Muridae, Otomyini</i>). <i>Mammalia</i> , 2005, 69, 297-322. | 0.7 | 11 |
| 112 | Integrative Taxonomy and Phylogenetic Systematics of the Genets (<i>Carnivora, Viverridae, Genetta</i>): A New Classification of the Most Speciose Carnivoran Genus in Africa. , 2005, , 371-383. | | 17 |
| 113 | Genetic Similarity Amongst Phenotypically Diverse Little Free-Tailed Bats, <i>Chaerephon pumilus</i> . <i>Acta Chiropterologica</i> , 2004, 6, 13-21. | 0.6 | 14 |
| 114 | Phylogeny of the African murid tribe Otomyini (<i>Rodentia</i>), based on morphological and allozyme evidence. <i>Zoologica Scripta</i> , 2004, 33, 389-402. | 1.7 | 34 |
| 115 | Individual signatures in the frequency-modulated sweep calls of African large-eared, free-tailed bats <i>Otomops martiensseni</i> (<i>Chiroptera: Molossidae</i>). <i>Journal of Zoology</i> , 2004, 262, 11-19. | 1.7 | 61 |
| 116 | Molecular systematics and origin of sociality in mongooses (<i>Herpestidae, Carnivora</i>). <i>Molecular Phylogenetics and Evolution</i> , 2004, 30, 582-598. | 2.7 | 72 |
| 117 | Skull size and shape of <i>Dasymys</i> (<i>Rodentia, Muridae</i>) from sub-Saharan Africa. <i>Mammalia</i> , 2004, 68, 185-220. | 0.7 | 15 |
| 118 | CRANIAL VARIATION AND GEOGRAPHIC PATTERNS WITHIN THE <i>DASYMYS RUFULLUS</i> COMPLEX (<i>RODENTIA</i>): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (thebaica <i> | 1.3 | 4 |
| 119 | Nomenclatural comments on the Rusty-spotted Genet (<i>Carnivora, Viverridae</i>) and designation of a neotype. <i>Zootaxa</i> , 2003, 160, . | 0.5 | 15 |
| 120 | Genetic and morphometric variation in populations of South African <i>Dasymys incomtus</i> (<i>Rodentia, Murinae</i>). <i>Mammalia</i> , 2002, 66, . | 0.7 | 2 |
| 121 | Systematic Implications of Chromosome Gtg-Band and Bacula Morphology for Southern African <i>Eptesicus</i> and <i>Pipistrellus</i> and Several Other Species of <i>Vespertilioninae</i> (<i>Chiroptera</i>): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 Td (thebaica <i> | 1.3 | 4 |
| 122 | The effects of parallax on geometric morphometric data. <i>Computers in Biology and Medicine</i> , 2002, 32, 455-464. | 7.0 | 58 |
| 123 | Researching little-known species: the African bat <i>Otomops martiensseni</i> (<i>Chiroptera: Molossidae</i>). <i>Biodiversity and Conservation</i> , 2002, 11, 1583-1606. | 2.6 | 23 |
| 124 | Facilitating effective change and continuous improvement: The Mortgage Express way. <i>Journal of Change Management</i> , 2001, 2, 67-71. | 3.7 | 7 |
| 125 | Estimation and management of genetic diversity in small populations of plains zebra (<i>Equus quagga</i>) in KwaZulu-Natal, South Africa. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 563-583. | 1.3 | 67 |
| 126 | Resource use by two morphologically similar insectivorous bats (<i>Nycteris</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (thebaica <i> | 0.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Fluctuating asymmetry and allozyme variability in an isolated springbok <i>Antidorcas marsupialis</i> population from the Chelmsford Nature Reserve. <i>Acta Theriologica</i> , 1999, 44, 183-193. | 1.1 | 8 |
| 128 | Mandible shape and size in three species of small musk shrews (<i>Crocidura</i> Wagler, 1832) from southern Africa. <i>Mammalia</i> , 1996, 60, . | 0.7 | 3 |
| 129 | Climatic correlates of chromosomal Variation in the African vlei rat, <i>Otomys irroratus</i> . <i>Mammalia</i> , 1994, 58, . | 0.7 | 8 |
| 130 | Comparative renal morphology of some southern African otomyine rodents. <i>Acta Theriologica</i> , 1994, 39, 37-48. | 1.1 | 9 |
| 131 | Is the annual cycle in body weight of pouched mice (<i>Saccostomus campestris</i>) the result of seasonal changes in audit size or population structure?. <i>Journal of Zoology</i> , 1993, 229, 545-551. | 1.7 | 13 |
| 132 | Genetic variation in the African rodent subfamily Otomyinae (Muridae). <i>Cytogenetic and Genome Research</i> , 1992, 60, 45-47. | 1.1 | 4 |
| 133 | Genetic variation in the African rodent subfamily Otomyinae (Muridae). <i>Cytogenetic and Genome Research</i> , 1992, 59, 293-299. | 1.1 | 12 |
| 134 | Speciation mirrors geomorphology and palaeoclimatic history in African laminate-toothed rats (Muridae: Otomyini) of the <i>Otomys denti</i> and <i>Otomys lacustris</i> species-complexes in the "Montane Circle"™ of East Africa. <i>Biological Journal of the Linnean Society</i> , 0, 96, 913-941. | 1.6 | 45 |
| 135 | Tapping into technology and the biodiversity informatics revolution: updated terrestrial mammal list of Angola, with new records from the Okavango Basin. <i>ZooKeys</i> , 0, 779, 51-88. | 1.1 | 14 |