Hong Il Ha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1940812/publications.pdf

Version: 2024-02-01

933447 839539 29 337 10 18 h-index citations g-index papers 30 30 30 655 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Locally advanced rectal cancer: diffusion-weighted MR tumour volumetry and the apparent diffusion coefficient for evaluating complete remission after preoperative chemoradiation therapy. European Radiology, 2013, 23, 3345-3353.	4.5	73
2	Measurement of Kidney Volume with Multi-Detector Computed Tomography Scanning in Young Korean. Yonsei Medical Journal, 2009, 50, 262.	2.2	36
3	Comparison of the diagnostic performance of CT Hounsfield unit histogram analysis and dual-energy X-ray absorptiometry in predicting osteoporosis of the femur. European Radiology, 2019, 29, 1831-1840.	4.5	26
4	Prediction of femoral osteoporosis using machine-learning analysis with radiomics features and abdomen-pelvic CT: A retrospective single center preliminary study. PLoS ONE, 2021, 16, e0247330.	2.5	23
5	Multicenter Phase II Study of Oxaliplatin, Irinotecan, and S-1 as First-line Treatment for Patients with Recurrent or Metastatic Biliary Tract Cancer. Cancer Research and Treatment, 2018, 50, 1324-1330.	3.0	21
6	Multidetector CT Findings of Bowel Transection in Blunt Abdominal Trauma. Korean Journal of Radiology, 2013, 14, 607.	3.4	20
7	The Usefulness of Gadoxetic Acid-Enhanced Dynamic Magnetic Resonance Imaging in Hepatocellular Carcinoma: Toward Improved Staging. Annals of Surgical Oncology, 2015, 22, 819-825.	1.5	19
8	Invasion Depth Measured in Millimeters is a Predictor of Survival in Patients with Distal Bile Duct Cancer: Decision Tree Approach. World Journal of Surgery, 2017, 41, 232-240.	1.6	19
9	Measurement of Pancreatic Fat Fraction by CT Histogram Analysis to Predict Pancreatic Fistula after Pancreaticoduodenectomy. Korean Journal of Radiology, 2019, 20, 599.	3.4	16
10	High-pitch, $120kVp/30mAs$, low-dose dual-source chest CT with iterative reconstruction: Prospective evaluation of radiation dose reduction and image quality compared with those of standard-pitch low-dose chest CT in healthy adult volunteers. PLoS ONE, 2019, 14, e0211097.	2.5	13
11	Comparison of point and 2-dimensional shear wave elastography for the evaluation of liver fibrosis. Ultrasonography, 2020, 39, 288-297.	2.3	11
12	Replaced common hepatic artery from the superior mesenteric artery: multidetector computed tomography (MDCT) classification focused on pancreatic penetration and the course of travel. Surgical and Radiologic Anatomy, 2016, 38, 655-662.	1.2	9
13	Impact of respiratory motion on liver stiffness measurements according to different shear wave elastography techniques and region of interest methods: a phantom study. Ultrasonography, 2021, 40, 103-114.	2.3	8
14	100 kVp Low-Tube Voltage Abdominal CT in Adults: Radiation Dose Reduction and Image Quality Comparison of 120 kVp Abdominal CT. Journal of the Korean Society of Radiology, 2016, 75, 285.	0.2	7
15	Is it beneficial to perform surgical resection in elderly patients more than 80 years old with advanced gastric cancer?. Scandinavian Journal of Gastroenterology, 2017, 52, 1057-1064.	1.5	7
16	Laparoscopic treatment for post-cholecystectomy Mirizzi syndrome. Korean Journal of Hepato-biliary-pancreatic Surgery, 2013, 17, 79.	1.0	6
17	Compression of the Main Pancreatic Duct by the Intrapancreatic-Replaced Common Hepatic Artery. Korean Journal of Radiology, 2013, 14, 412.	3.4	5
18	Ultrasound features of secondary appendicitis in pediatric patients. Ultrasonography, 2018, 37, 233-243.	2.3	5

#	Article	IF	CITATIONS
19	Intramural esophageal dissection diagnosed on transabdominal ultrasonography. Japanese Journal of Radiology, 2015, 33, 764-768.	2.4	3
20	A Case of Spontaneous Isolated Dissection of Left Gastric Artery. Journal of Korean Medical Science, 2016, 31, 1349.	2.5	3
21	Computed Tomography Findings Associated with Treatment Failure after Antibiotic Therapy for Acute Appendicitis. Korean Journal of Radiology, 2021, 22, 63.	3.4	3
22	Reliability of 3D image analysis and influence of contrast medium administration on measurement of Hounsfield unit values of the proximal femur. PLoS ONE, 2020, 15, e0241012.	2.5	2
23	Diagnostic Performance of 2-D Shear Wave Elastography on the Evaluation of Hepatic Fibrosis with Emphasis on Impact of the Different Region-of-Interest Methods. Ultrasound in Medicine and Biology, 2022, 48, 198-208.	1.5	1
24	Comparison of diagnostic accuracy of 2D and 3D measurements to determine opportunistic screening of osteoporosis using the proximal femur on abdomen-pelvic CT. PLoS ONE, 2022, 17, e0262025.	2.5	1
25	Granulocyte Colony-Stimulating Factor (G-CSF) Induced Aortitis: A Case Report with Literature Review. Korean Journal of Abdominal Radiology, 2021, 5, 57-62.	0.0	0
26	Comparison of HU histogram analysis and BMD for proximal femoral fragility fracture assessment: a retrospective single-center case–control study. European Radiology, 2021, , 1.	4.5	0
27	Mesenteric Fibromatosis Representing as a Colo-Colic Intussusception Mimicking the Ascending Colon Malignant Tumor with CT and 18F-Fluorodeoxyglucose Positron Emission Tomography/CT Findings: A Case Report. Journal of the Korean Society of Radiology, 2016, 74, 254.	0.2	0
28	Intrahepatic Cholangiocarcinoma Initially Presented as a Distant Metastatic Lymph Node without Demonstrable Hepatic Mass: A Case Report. Journal of the Korean Society of Radiology, 2017, 77, 217.	0.2	0
29	Arterio-Biliary Fistula as a Rare Life-Threatening Complication of Transjugular Intrahepatic Portosystemic Shunt: A Case Report. Journal of the Korean Society of Radiology, 0, 83, .	0.2	0