Quan-Bin Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1941003/publications.pdf

Version: 2024-02-01

187 papers 6,986 citations

44 h-index

57752

71 g-index

211 all docs

211 docs citations

211 times ranked

6739 citing authors

#	Article	IF	CITATIONS
1	Qualitative and quantitative analysis of agar in edible bird's nest and related products based on a daughter oligosaccharide-marker approach using LC-QTOF-MS. Food Control, 2022, 132, 108514.	5.5	2
2	Development of an immunochromatographic test strip for the rapid detection of aristolochic acid A in herbal medicinal materials. Phytochemical Analysis, 2022, 33, 441-451.	2.4	2
3	Qualitative and Quantitative Analysis of Edible Bird's Nest Based on Peptide Markers by LC-QTOF-MS/MS. Molecules, 2022, 27, 2945.	3.8	2
4	Identification of a cytisine-based EED-EZH2 protein-protein interaction inhibitor preventing metastasis in triple-negative breast cancer cells., 2022, 1 , .		10
5	A lymphatic route for a hyperbranched heteroglycan from Radix Astragali to trigger immune responses after oral dosing. Carbohydrate Polymers, 2022, 292, 119653.	10.2	5
6	Rubinoboletus ballouii polysaccharides exhibited immunostimulatory activities through tollâ€like receptorâ€4 via NFâ€lºB pathway. Phytotherapy Research, 2021, 35, 2108-2118.	5.8	6
7	Ginseng ameliorates exercise-induced fatigue potentially by regulating the gut microbiota. Food and Function, 2021, 12, 3954-3964.	4.6	30
8	Ubiquitination Regulators Discovered by Virtual Screening for the Treatment of Cancer. Frontiers in Cell and Developmental Biology, 2021, 9, 665646.	3.7	6
9	Radix Astragali polysaccharide RAP directly protects hematopoietic stem cells from chemotherapy-induced myelosuppression by increasing FOS expression. International Journal of Biological Macromolecules, 2021, 183, 1715-1722.	7.5	13
10	An optimized BRD4 inhibitor effectively eliminates NF-κB-driven triple-negative breast cancer cells. Bioorganic Chemistry, 2021, 114, 105158.	4.1	21
11	Rapid screening of 70 colorants in dyeable foods by using ultra-high-performance liquid chromatography–hybrid quadrupole–Orbitrap mass spectrometry with customized accurate-mass database and mass spectral library. Food Chemistry, 2021, 356, 129643.	8.2	10
12	A specific and bioactive polysaccharide marker for Cordyceps. Carbohydrate Polymers, 2021, 269, 118343.	10.2	10
13	Study on the preparation of molecular imprinted polymer for analysis of N-phenylglycine in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1182, 122918.	2.3	2
14	Cordyceps polysaccharide marker CCP modulates immune responses via highly selective TLR4/MyD88/p38 axis. Carbohydrate Polymers, 2021, 271, 118443.	10.2	12
15	Oneâ€step deep eutectic solvent strategy for efficient analysis of aflatoxins in edible oils. Journal of the Science of Food and Agriculture, 2020, 100, 4840-4848.	3.5	5
16	An oligosaccharide-marker approach to quantify specific polysaccharides in herbal formula by LC-qTOF-MS: Danggui Buxue Tang, a case study. Journal of Pharmaceutical and Biomedical Analysis, 2020, 185, 113235.	2.8	15
17	Berberine improves intestinal epithelial tight junctions by upregulating A20 expression in IBS-D mice. Biomedicine and Pharmacotherapy, 2019, 118, 109206.	5.6	32
18	Oligosaccharide-marker approach for qualitative and quantitative analysis of specific polysaccharide in herb formula by ultra-high-performance liquid chromatography-quadrupole-time-of-flight mass spectrometry: Dendrobium officinale, a case study. Journal of Chromatography A, 2019, 1607, 460388.	3.7	21

#	Article	lF	Citations
19	GSP-2, a polysaccharide extracted from Ganoderma sinense, is a novel toll-like receptor 4 agonist. PLoS ONE, 2019, 14, e0221636.	2.5	11
20	Signal transducer and activator of transcription-3 drives the high-fat diet-associated prostate cancer growth. Cell Death and Disease, 2019, 10, 637.	6.3	20
21	Emerging Screening Approaches in the Development of Nrf2–Keap1 Protein–Protein Interaction Inhibitors. International Journal of Molecular Sciences, 2019, 20, 4445.	4.1	39
22	Development of Natural Product-Conjugated Metal Complexes as Cancer Therapies. International Journal of Molecular Sciences, 2019, 20, 341.	4.1	28
23	Astragalus Polysaccharide RAP Induces Macrophage Phenotype Polarization to M1 via the Notch Signaling Pathway. Molecules, 2019, 24, 2016.	3.8	44
24	Destiny of <i>Dendrobium officinale</i> Polysaccharide after Oral Administration: Indigestible and Nonabsorbing, Ends in Modulating Gut Microbiota. Journal of Agricultural and Food Chemistry, 2019, 67, 5968-5977.	5.2	99
25	Iridium(III)-based chemosensors for the detection of metal ions. Methods, 2019, 168, 3-17.	3.8	27
26	Difficulties in research of Chinese medicine polysaccharides. Chinese Journal of Natural Medicines, 2019, 17, 883-886.	1.3	2
27	Tong-Xie-Yao-Fang improves intestinal permeability in diarrhoea-predominant irritable bowel syndrome rats by inhibiting the NF-κB and notch signalling pathways. BMC Complementary and Alternative Medicine, 2019, 19, 337.	3.7	26
28	Comprehensive comparison of polysaccharides from Ganoderma lucidum and G. sinense: chemical, antitumor, immunomodulating and gut-microbiota modulatory properties. Scientific Reports, 2018, 8, 6172.	3.3	62
29	Critical Problems Stalling Progress in Natural Bioactive Polysaccharide Research and Development. Journal of Agricultural and Food Chemistry, 2018, 66, 4581-4583.	5.2	29
30	A dual-functional luminescent probe for imaging H2S in living zebrafish and discrimination hypoxic cells from normoxic cells. Sensors and Actuators B: Chemical, 2018, 255, 1953-1959.	7.8	32
31	Panax ginseng Polysaccharide Protected H9c2 Cardiomyocyte From Hypoxia/Reoxygenation Injury Through Regulating Mitochondrial Metabolism and RISK Pathway. Frontiers in Physiology, 2018, 9, 699.	2.8	33
32	Interference of Quercetin on Astragalus Polysaccharide-Induced Macrophage Activation. Molecules, 2018, 23, 1563.	3.8	11
33	Chemoselective detection of alkyl halides via an iridium(III) luminescent probe. Dyes and Pigments, 2018, 159, 479-482.	3.7	12
34	Clarifying the origin of Houzao. Chinese Medicine, 2018, 13, 25.	4.0	1
35	Astragalus Polysaccharide RAP Selectively Attenuates Paclitaxel-Induced Cytotoxicity Toward RAW 264.7 Cells by Reversing Cell Cycle Arrest and Apoptosis. Frontiers in Pharmacology, 2018, 9, 1580.	3.5	23
36	Utilization of Gâ€Quadruplexâ€Forming Aptamers for the Construction of Luminescence Sensing Platforms. ChemPlusChem, 2017, 82, 8-17.	2.8	35

#	Article	IF	CITATIONS
37	Luminescent detection of nicking endonuclease Nb.Bsml activity by using a G-quadruplex-selective iridium(III) complex in aqueous solution. Sensors and Actuators B: Chemical, 2017, 246, 826-832.	7.8	11
38	Akt downstream of NFκB, MAPKs and IRF3 pathway involved in macrophage activation induced by Astragalus polysaccharide RAP. Journal of Functional Foods, 2017, 39, 152-159.	3.4	13
39	A modified formulation of Huanglian-Jie-Du-Tang reduces memory impairments and β-amyloid plaques in a triple transgenic mouse model of Alzheimer's disease. Scientific Reports, 2017, 7, 6238.	3.3	35
40	Real-time detection of oxalyl chloride based on a long-lived iridium(<scp>iii</scp>) probe. Dalton Transactions, 2017, 46, 17074-17079.	3.3	11
41	Luteolin exerted less inhibitory effect on macrophage activation induced by Astragalus polysaccharide than by lipopolysaccharide. Journal of Functional Foods, 2017, 37, 618-623.	3.4	4
42	Comprehensive Quantitative Analysis of 32 Chemical Ingredients of a Chinese Patented Drug Sanhuang Tablet. Molecules, 2017, 22, 111.	3.8	10
43	Anti-Fatigue Effects of the Unique Polysaccharide Marker of Dendrobium officinale on BALB/c Mice. Molecules, 2017, 22, 155.	3.8	47
44	A natural product-like JAK2/STAT3 inhibitor induces apoptosis of malignant melanoma cells. PLoS ONE, 2017, 12, e0177123.	2.5	31
45	Chemical Structure and Immunomodulating Activities of an α-Glucan Purified from Lobelia chinensis Lour. Molecules, 2016, 21, 779.	3.8	26
46	Comprehensive Quantitative Analysis of SQ Injection Using Multiple Chromatographic Technologies. Molecules, 2016, 21, 1092.	3.8	8
47	Full component analysis of Tianma-Gouteng-Yin. Chinese Medicine, 2016, 11, 44.	4.0	8
48	Gambogenic acid inhibits LPS-simulated inflammatory response by suppressing NF-κB and MAPK in macrophages. Acta Biochimica Et Biophysica Sinica, 2016, 48, 454-461.	2.0	14
49	Comprehensive quantitative analysis of Chinese patent drug YinHuang drop pill by ultra high-performance liquid chromatography quadrupole time of flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2016, 125, 415-426.	2.8	10
50	An Ir(III) complex chemosensor for the detection of thiols. Science and Technology of Advanced Materials, 2016, 17, 109-114.	6.1	24
51	A novel coumarin, (+)-3′-angeloxyloxy-4′-keto-3′,4′-dihydroseselin, isolated from Bupleurum malconens (Chaihu) inhibited NF-κB activity. Chinese Medicine, 2016, 11, 5.	se 4.0	5
52	A tutorial review for employing enzymes for the construction of G-quadruplex-based sensing platforms. Analytica Chimica Acta, 2016, 913, 41-54.	5.4	21
53	<i>Astragalus membranaceus</i> : A Review of its Protection Against Inflammation and Gastrointestinal Cancers. The American Journal of Chinese Medicine, 2016, 44, 1-22.	3.8	259
54	A luminescent G-quadruplex-selective iridium(<scp>iii</scp>) complex for the label-free detection of lysozyme. Journal of Materials Chemistry B, 2016, 4, 2407-2411.	5.8	29

#	Article	IF	CITATIONS
55	Structure Characterization and Immunomodulating Effects of Polysaccharides Isolated from <i>Dendrobium officinale</i> . Journal of Agricultural and Food Chemistry, 2016, 64, 881-889.	5.2	127
56	TLR-4 may mediate signaling pathways of Astragalus polysaccharide RAP induced cytokine expression of RAW264.7 cells. Journal of Ethnopharmacology, 2016, 179, 243-252.	4.1	126
57	Tianma Gouteng Yin, a Traditional Chinese Medicine decoction, exerts neuroprotective effects in animal and cellular models of Parkinson's disease. Scientific Reports, 2015, 5, 16862.	3.3	53
58	Qing-dai powder promotes recovery of colitis by inhibiting inflammatory responses of colonic macrophages in dextran sulfate sodium-treated mice. Chinese Medicine, 2015, 10, 29.	4.0	43
59	Identification and disposition of novel monoâ€hydroxyl mefenamic acid and their potentially toxic 1â€Oâ€acylâ€glucuronides <i>in vivo</i> . Biopharmaceutics and Drug Disposition, 2015, 36, 529-551.	1.9	2
60	A delivery system specifically approaching bone resorption surfaces to facilitate therapeutic modulation of microRNAs in osteoclasts. Biomaterials, 2015, 52, 148-160.	11.4	84
61	Unconjugated Bilirubin Mediates Heme Oxygenase-1–Induced Vascular Benefits in Diabetic Mice. Diabetes, 2015, 64, 1564-1575.	0.6	53
62	Ganoderma lucidum çµèŠ•(Lingzhi, Ganoderma). , 2015, , 759-766.		6
63	Simultaneous determination of ten compounds in rat plasma by UPLC-MS/MS: Application in the pharmacokinetic study of Ma-Zi-Ren-Wan. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1000, 136-146.	2.3	34
64	Angelica sinensis (Oliv.) Diels 当归 (Danggui, Dongkuai). , 2015, , 75-82.		0
65	Discovery of deoxyvasicinone derivatives as inhibitors of NEDD8-activating enzyme. Methods, 2015, 71, 71-76.	3.8	17
66	Novel algorithm for simultaneous component detection and pseudo-molecular ion characterization in liquid chromatography–mass spectrometry. Analytica Chimica Acta, 2015, 853, 402-414.	5.4	0
67	Comprehensive quantitative analysis of Shuang-Huang-Lian oral liquid using UHPLC–Q-TOF-MS and HPLC-ELSD. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 1-8.	2.8	22
68	Recent Development of G-Quadruplex Probes for Cellular Imaging. Current Topics in Medicinal Chemistry, 2015, 15, 1957-1963.	2.1	33
69	Catechins and Procyanidins of Ginkgo biloba Show Potent Activities towards the Inhibition of β-Amyloid Peptide Aggregation and Destabilization of Preformed Fibrils. Molecules, 2014, 19, 5119-5134.	3.8	39
70	Quantitative Analysis of the Flavonoid Glycosides and Terpene Trilactones in the Extract of Ginkgo biloba and Evaluation of Their Inhibitory Activity towards Fibril Formation of \hat{l}^2 -Amyloid Peptide. Molecules, 2014, 19, 4466-4478.	3.8	39
71	Folding fan mode counter-current chromatography offers fast blind screening for drug discovery. Case study: Finding anti-enterovirus 71 agents from Anemarrhena asphodeloides. Journal of Chromatography A, 2014, 1368, 116-124.	3.7	13
72	A novel and rapid HPGPC-based strategy for quality control of saccharide-dominant herbal materials: Dendrobium officinale, a case study. Analytical and Bioanalytical Chemistry, 2014, 406, 6409-6417.	3.7	52

#	Article	IF	Citations
73	Using two-phase solvent systems for sample pretreatment increases yield of counter-current chromatography: Anemarrhena asphodeloides saponins, a case study. Separation and Purification Technology, 2014, 138, 138-143.	7.9	6
74	Structural diversity requires individual optimization of ethanol concentration in polysaccharide precipitation. International Journal of Biological Macromolecules, 2014, 67, 205-209.	7.5	105
75	Effects of Huanglian-Jie-Du-Tang and Its Modified Formula on the Modulation of Amyloid-Î ² Precursor Protein Processing in Alzheimer's Disease Models. PLoS ONE, 2014, 9, e92954.	2.5	32
76	Structure Elucidation and Immunomodulatory Activity of A Beta Glucan from the Fruiting Bodies of Ganoderma sinense. PLoS ONE, 2014, 9, e100380.	2.5	27
77	Chemistry, bioactivity and quality control of Dendrobium, a commonly used tonic herb in traditional Chinese medicine. Phytochemistry Reviews, 2013, 12, 341-367.	6.5	154
78	Characterization and simultaneous determination of immunosuppressive decalins in red yeast rice by ultra-high-performance liquid chromatography hyphenated with mass spectrometry. Journal of Chromatography A, 2013, 1303, 54-61.	3.7	16
79	A bioactivity-guided study on the anti-diarrheal activity of Polygonum chinense Linn. Journal of Ethnopharmacology, 2013, 149, 499-505.	4.1	28
80	Two immunosuppressive compounds from the mushroom Rubinoboletus ballouii using human peripheral blood mononuclear cells by bioactivity-guided fractionation. Phytomedicine, 2013, 20, 1196-1202.	5.3	6
81	Quality evaluation of commercial Huang-Lian-Jie-Du-Tang based on simultaneous determination of fourteen major chemical constituents using high performance liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2013, 85, 239-244.	2.8	16
82	Why are Angelicae Sinensis radix and Chuanxiong Rhizoma different? An explanation from a chemical perspective. Food Research International, 2013, 54, 439-447.	6.2	15
83	An interesting twoâ€phase solvent system and its use in preparative isolation of aconitines from aconite roots by counterâ€current chromatography. Journal of Separation Science, 2013, 36, 1304-1310.	2.5	3
84	In VivoStudy on the Pharmacological Interactions between a Chinese Herbal Formula ELP and Antiresorptive Drugs to Counteract Osteoporosis. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-11.	1.2	6
85	Isolation, Structure Characterization, and Immunomodulating Activity of a Hyperbranched Polysaccharide from the Fruiting Bodies of Ganoderma sinense. Journal of Agricultural and Food Chemistry, 2012, 60, 4276-4281.	5.2	59
86	Cytotoxic Dehydromonacolins from Red Yeast Rice. Journal of Agricultural and Food Chemistry, 2012, 60, 934-939.	5.2	36
87	Quick identification of kuraridin, a noncytotoxic anti-MRSA (methicillin-resistant Staphylococcus) Tj ETQq1 1 of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 880, 157-162.	0.784314 rgB 2.3	BT /Overlock 22
88	Gambogenic acid induces G1 arrest via GSK3 \hat{l}^2 -dependent cyclin D1 degradation and triggers autophagy in lung cancer cells. Cancer Letters, 2012, 322, 185-194.	7.2	73
89	Structural characterization and immuno-modulating activities of a polysaccharide from Ganoderma sinense. International Journal of Biological Macromolecules, 2012, 51, 597-603.	7.5	39
90	A new application of an aqueous diphase solvent system in one-step preparation of polysaccharide from the crude water extract of Radix Astragali by high-speed counter-current chromatography. Journal of Chromatography A, 2012, 1262, 92-97.	3.7	15

#	Article	IF	Citations
91	Immunosuppressive Decalin Derivatives from Red Yeast Rice. Journal of Natural Products, 2012, 75, 567-571.	3.0	20
92	Separation, structure characterization, conformation and immunomodulating effect of a hyperbranched heteroglycan from Radix Astragali. Carbohydrate Polymers, 2012, 87, 667-675.	10.2	70
93	Identification and evaluation of apoptotic compounds from Garcinia oligantha. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2350-2353.	2.2	42
94	Eriocalyxin B induces apoptosis and cell cycle arrest in pancreatic adenocarcinoma cells through caspase- and p53-dependent pathways. Toxicology and Applied Pharmacology, 2012, 262, 80-90.	2.8	45
95	Isolation and Identification of Compounds Responsible for Antioxidant Capacity of Euryale ferox Seeds. Journal of Agricultural and Food Chemistry, 2011, 59, 1199-1204.	5.2	54
96	Development and validation of a rapid capillary zone electrophoresis method for the determination of aconite alkaloids in aconite roots. Phytochemical Analysis, 2010, 21, 137-143.	2.4	19
97	Quality Assessment of Granule of Danshen Extract by High Performance Liquid Chromatography. Chinese Journal of Natural Medicines, 2010, 7, 368-375.	1.3	6
98	Cytotoxic Acylphloroglucinol Derivatives from the Twigs of <i>Garcinia cowa</i> . Journal of Natural Products, 2010, 73, 104-108.	3.0	86
99	Quick identification of apoptosis inducer from Isodon eriocalyx by a drug discovery platform composed of analytical high-speed counter-current chromatography and the fluorescence-based caspase-3 biosensor detection. Talanta, 2010, 82, 1521-1527.	5.5	24
100	Analgesic effects of JCM-16021 on neonatal maternal separation-induced visceral pain in rats. World Journal of Gastroenterology, 2010, 16, 837-45.	3.3	21
101	Cytotoxic <i>ent</i> -Kaurane Diterpenoids from <i>Isodon henryi</i> -Planta Medica, 2009, 75, 65-69.	1.3	11
102	Caged Garcinia Xanthones: Development Since 1937. Current Medicinal Chemistry, 2009, 16, 3775-3796.	2.4	102
103	<i>ent</i> â€Abietanoids and <i>ent</i> â€Isopimaranoid Glycosides from <i>lsodon nervosus</i> . Helvetica Chimica Acta, 2009, 92, 362-369.	1.6	8
104	Preparative isolation of pseudolaric acids A and B, and their glucosides from the root bark of <i>Pseudolarix kaempferi </i> using highâ€speed counterâ€current chromatography. Journal of Separation Science, 2009, 32, 309-313.	2.5	10
105	Screening of polycyclic polyprenylated acylphloroglucinols from Garcinia species using precursor ion discovery (PID) scan and ultra performance liquid chromatography electrospray ionization Q-TOF tandem mass spectrometry. Journal of the American Society for Mass Spectrometry, 2009, 20, 1846-1850.	2.8	14
106	Proteomic identification of molecular targets of gambogic acid: Role of stathmin in hepatocellular carcinoma. Proteomics, 2009, 9, 242-253.	2.2	81
107	Bioassay guided discovery of apoptosis inducers from gamboge by high-speed counter-current chromatography and high-pressure liquid chromatography/electrospray ionization quadrupole time-of-flight mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 401-407.	2.3	36
108	Chemical profiling of Radix Paeoniae evaluated by ultra-performance liquid chromatography/photo-diode-array/quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 253-266.	2.8	156

#	Article	IF	CITATIONS
109	Quality assessment of Radix Codonopsis by quantitative nuclear magnetic resonance. Journal of Chromatography A, 2009, 1216, 2124-2129.	3.7	50
110	Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858.	3.7	64
111	Bioassay-Guided Isolation of Xanthones and Polycyclic Prenylated Acylphloroglucinols from <i>Garcinia oblongifolia</i> . Journal of Natural Products, 2009, 72, 130-135.	3.0	61
112	<i>ent</i> -Kaurane Diterpenoids from <i>Isodon scoparius</i> . Journal of Natural Products, 2009, 72, 125-129.	3.0	16
113	Chemical comparison and classification of Radix Astragali by determination of isoflavonoids and astragalosides. Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 399-406.	2.8	78
114	Chemical markers for the quality control of herbal medicines: an overview. Chinese Medicine, 2008, 3, 7.	4.0	172
115	A simple method to optimize the HSCCC twoâ€phase solvent system by predicting the partition coefficient for target compound. Journal of Separation Science, 2008, 31, 1189-1194.	2.5	55
116	Purity determination of yunaconitine reference standard using HPLC with experimental design and response surface optimization. Journal of Separation Science, 2008, 31, 3809-3816.	2.5	9
117	Improved highâ€performance liquid chromatographic method for simultaneous determination of 12 cytotoxic caged xanthones in gamboges, a potential anticancer resin from <i>Garcinia hanburyi</i> Biomedical Chromatography, 2008, 22, 637-644.	1.7	27
118	Polyprenylated Xanthones from <i>Garcinia lancilimba</i> Showing Apoptotic Effects against HeLa 3 Cells. Chemistry and Biodiversity, 2008, 5, 2710-2717.	2.1	26
119	Xanthones with growth inhibition against HeLa cells from Garcinia xipshuanbannaensis. Phytochemistry, 2008, 69, 2187-2192.	2.9	82
120	Analysis of caged xanthones from the resin of Garcinia hanburyi using ultra-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2008, 629, 104-118.	5.4	45
121	Characterization of polyprenylated xanthones in Garcinia xipshuanbannaensis using liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2008, 1206, 131-139.	3.7	42
122	Isolation and characterization of miscellaneous terpenoids of Schisandra chinensis. Tetrahedron, 2008, 64, 4260-4267.	1.9	61
123	Isolation, structural elucidation, and chemical transformation of interconvertible 8,12-hemiketal germacranolide sesquiterpenoids from Salvia castanea Diels f. tomentosa Stib Tetrahedron, 2008, 64, 9490-9494.	1.9	14
124	Symmetric and asymmetric ent-kaurane dimers isolated from Isodon japonicus. Tetrahedron Letters, 2008, 49, 3574-3577.	1.4	16
125	<i>ent</i> -Kaurane Diterpenoids from <i>Isodon nervosus</i> . Journal of Natural Products, 2008, 71, 684-688.	3.0	18
126	Bioassay and Ultraperformance Liquid Chromatography/Mass Spectrometry Guided Isolation of Apoptosis-Inducing Benzophenones and Xanthone from the Pericarp of Garcinia yunnanensis Hu. Journal of Agricultural and Food Chemistry, 2008, 56, 11144-11150.	5.2	61

#	Article	IF	Citations
127	A Simple Method to Identify the Unprocessed <i>Strychnos</i> Seeds used in Herbal Medicinal Products. Planta Medica, 2008, 74, 458-463.	1.3	15
128	Three New Flavonoid Glycosides Isolated from Elsholtzia bodinieri. Chemical and Pharmaceutical Bulletin, 2008, 56, 592-594.	1.3	17
129	Two New Xanthones Isolated from the Stem Bark of Garcinia lancilimba. Chemical and Pharmaceutical Bulletin, 2007, 55, 950-952.	1.3	33
130	Rapid analysis of pseudolaric acids in Cortex Pseudolaricis and related medicinal products by high performance liquid chromatography. Talanta, 2007, 73, 757-763.	5.5	10
131	Cytotoxicent-Kauranoids from the Medicinal PlantIsodon xerophilus. Journal of Natural Products, 2007, 70, 1295-1301.	3.0	29
132	Alboatisins Aâ^'C,ent-Atisene Diterpenoids fromIsodon albopilosus. Journal of Natural Products, 2007, 70, 1053-1055.	3.0	17
133	Isolation of Two Bioactiveent-Kauranoids from the Leaves oflsodon xerophilus. Journal of Agricultural and Food Chemistry, 2007, 55, 6039-6043.	5. 2	10
134	Cytotoxic Prenylated Phenolic Compounds from the Twig Bark of Garcinia xanthochymus. Chemistry and Biodiversity, 2007, 4, 940-946.	2.1	50
135	<i>ent</i> â€Kaurane Diterpenoids from <i>lsodon japonicus</i> . Helvetica Chimica Acta, 2007, 90, 2375-2379.	1.6	12
136	Rapid determination of polyprenylated xanthones in gamboge resin of Garcinia hanburyi by HPLC. Journal of Separation Science, 2007, 30, 304-309.	2.5	35
137	Chemical fingerprint and quantitative analysis of Fructus Psoraleae by high-performance liquid chromatography. Journal of Separation Science, 2007, 30, 813-818.	2.5	84
138	Development of microwave assisted extraction for the simultaneous determination of isoflavonoids and saponins in Radix Astragali by high performance liquid chromatography. Journal of Separation Science, 2007, 30, 819-824.	2.5	61
139	Sculponins A–C, three new 6,7-seco-ent-kauranoids from Isodon sculponeatus. Tetrahedron Letters, 2007, 48, 9100-9103.	1.4	24
140	ent-Abietane diterpenoids from Isodon rubescens var. rubescens. Phytochemistry, 2007, 68, 616-622.	2.9	26
141	Simultaneous determination of multiple marker constituents in concentrated Gegen Tang granule by high performance liquid chromatography. Chinese Medicine, 2007, 2, 7.	4.0	14
142	Three New ent-Kauranoids from Isodon phyllostachys. Heterocycles, 2007, 71, 2441.	0.7	12
143	Micrandilactone A:  A Novel Triterpene fromSchisandra micrantha. Organic Letters, 2006, 8, 801-801.	4.6	9
144	Diterpenoids from Isodon species and their biological activities. Natural Product Reports, 2006, 23, 673.	10.3	493

#	Article	IF	CITATIONS
145	Maoecrystal Z, a Cytotoxic Diterpene fromIsodoneriocalyxwith a Unique Skeleton. Organic Letters, 2006, 8, 4727-4730.	4.6	52
146	Ent-Abietane and ent-Labdane Diterpenoids from Isodon parvifolius. Chemical and Pharmaceutical Bulletin, 2006, 54, 1050-1052.	1.3	7
147	Cytotoxic Polyprenylated Xanthones from the Resin of Garcinia hanburyi. Chemical and Pharmaceutical Bulletin, 2006, 54, 265-267.	1.3	70
148	Psoralenoside and Isopsoralenoside, Two New Benzofuran Glycosides from Psoralea corylifolia. Chemical and Pharmaceutical Bulletin, 2006, 54, 714-716.	1.3	41
149	Quality Assessment of Fructus Psoraleae. Chemical and Pharmaceutical Bulletin, 2006, 54, 887-890.	1.3	16
150	Preparative separation of gambogic acid and its C-2 epimer using recycling high-speed counter-current chromatography. Journal of Chromatography A, 2006, 1127, 298-301.	3.7	77
151	Cytotoxic ent-kauranoid derivatives from Isodon rubescens. Tetrahedron, 2006, 62, 4941-4947.	1.9	30
152	A new rearranged and a new seco-ent-kaurane diterpenoids from Isodon parvifolius. Tetrahedron Letters, 2006, 47, 5187-5190.	1.4	9
153	A Pair of Novel Cytotoxic Polyprenylated Xanthone Epimers from Gamboges. Chemistry and Biodiversity, 2006, 3, 101-105.	2.1	30
154	Cytotoxicent-Kauranoids fromIsodon parvifolius. Chemistry and Biodiversity, 2006, 3, 1031-1038.	2.1	9
155	Structure Elucidation of Two New Diterpenoids fromIsodon phyllostachys: Phyllostacins A and B. Helvetica Chimica Acta, 2006, 89, 1181-1186.	1.6	9
156	Preparative isolation of hydrolysable tannins chebulagic acid and chebulinic acid fromTerminalia chebula by high-speed counter-current chromatography. Journal of Separation Science, 2006, 29, 1653-1657.	2.5	56
157	Gambogic Acid and Epigambogic Acid, C-2 Epimers with Novel Anticancer Effects fromGarcinia hanburyi. Planta Medica, 2006, 72, 281-284.	1.3	52
158	Stability and Cytotoxicity of Gambogic Acid and Its Derivative, Gambogoic Acid. Biological and Pharmaceutical Bulletin, 2005, 28, 2335-2337.	1.4	59
159	Complete NMR Assignments of the Antibacterial Biflavonoid GB1 from Garcinia kola. Chemical and Pharmaceutical Bulletin, 2005, 53, 1034-1036.	1.3	35
160	An asymmetric ent-kauranoid dimer from Isodon rubescens var. lushanensis. Tetrahedron Letters, 2005, 46, 5373-5375.	1.4	28
161	New triterpenoid saponins from the roots of Platycodon grandiflorum. Tetrahedron, 2005, 61, 2211-2215.	1.9	39
162	Two New E-Secoursane Glycosides: Bodiniosides A and B, Isolated fromElsholtzia bodinieri. Helvetica Chimica Acta, 2005, 88, 252-258.	1.6	24

#	Article	IF	CITATIONS
163	A Novel Asymmetricent-Kaurane Dimer fromIsodon rubescens var.rubescens. Helvetica Chimica Acta, 2005, 88, 817-821.	1.6	7
164	Novel Mechanism of Inhibition of Nuclear Factor-κB DNA-Binding Activity by Diterpenoids Isolated from Isodon rubescens. Molecular Pharmacology, 2005, 68, 286-297.	2.3	121
165	Ent-kauranoids from Isodon rubescens var. taihangensis. Journal of Asian Natural Products Research, 2005, 7, 31-36.	1.4	18
166	Authentication and Quantitative Analysis on the Chemical Profile of Cassia Bark (Cortex Cinnamomi) by High-Pressure Liquid Chromatography. Journal of Agricultural and Food Chemistry, 2005, 53, 2424-2428.	5.2	137
167	Structure and anti-HIV activity of micrandilactones B and C, new nortriterpenoids possessing a unique skeleton from Schisandra micrantha. Chemical Communications, 2005, , 2936.	4.1	74
168	A Novel Cytotoxic Oxetaneent-Kauranoid fromIsodon japonicus. Planta Medica, 2004, 70, 581-584.	1.3	27
169	Cytotoxicent-Kaurane Diterpenoids fromIsodon rubescensvar.rubescens. Planta Medica, 2004, 70, 269-272.	1.3	16
170	Two novel tricyclic diterpenoids from Isodon rubescens var. taihangensis. Tetrahedron, 2004, 60, 2373-2377.	1.9	18
171	Newent-Abietanoids fromIsodon rubescens. Helvetica Chimica Acta, 2004, 87, 1007-1015.	1.6	23
172	Rubescensins S and T: Seco-ent-Kaurane Diterpenoids fromIsodon rubescens var.taihangensis. Helvetica Chimica Acta, 2004, 87, 1119-1124.	1.6	31
173	Novel ent-kaurane dimers from Isodon rubescens var. rubescens. Tetrahedron Letters, 2004, 45, 2833-2837.	1.4	31
174	Diterpenoids fromIsodonmelissoides. Journal of Natural Products, 2004, 67, 1441-1444.	3.0	10
175	Coriatone and Corianlactone, Two Novel Sesquiterpenes from Coriarian epalensis. Organic Letters, 2004, 6, 1593-1595.	4.6	28
176	Ent-Kaurane Diterpenoids from Isodon rubescens var. rubescens. Chemical and Pharmaceutical Bulletin, 2004, 52, 767-769.	1.3	16
177	Diterpenoids from Isodon japonica. Fìtoterapìâ, 2003, 74, 435-438.	2.2	59
178	Two Novel ent-Kaurene Diterpenoids from Isodon rubescens. Helvetica Chimica Acta, 2003, 86, 773-777.	1.6	31
179	Cytotoxic Constituents oflsodonrubescensvar.lushiensis. Journal of Natural Products, 2003, 66, 1391-1394.	3.0	35
180	Micrandilactone A:  A Novel Triterpene fromSchisandramicrantha. Organic Letters, 2003, 5, 1023-1026.	4.6	93

#	Article	IF	CITATIONS
181	Ent-kaurane Diterpenoids from Isodon rubescens var. lushanensis. Chemical and Pharmaceutical Bulletin, 2003, 51, 790-793.	1.3	70
182	Micranoic Acids A and B: Two New Octanortriterpenoids from Schisandra micrantha. Chemical and Pharmaceutical Bulletin, 2003, 51, 1174-1176.	1.3	39
183	Four New Diterpenoids from Isodon melissoides. Chemical and Pharmaceutical Bulletin, 2003, 51, 845-847.	1.3	8
184	Ent-Kaurane Diterpenoids from Isodon rubescens var. lushiensis. Heterocycles, 2003, 60, 933.	0.7	16
185	Cytotoxicent-Kaurane Diterpenoids fromIsodon sculponeata. Planta Medica, 2002, 68, 921-925.	1.3	33
186	Diterpenoids fromIsodonadenantha. Journal of Natural Products, 2002, 65, 1111-1116.	3.0	26
187	Constituents from the roots of Semiaquilegia adoxoides. Fìtoterapìâ, 2001, 72, 86-88.	2.2	17