

Munetaka Ushio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1941233/publications.pdf>

Version: 2024-02-01

67
papers

1,691
citations

304743

22
h-index

302126

39
g-index

67
all docs

67
docs citations

67
times ranked

1405
citing authors

#	ARTICLE	IF	CITATIONS
1	Vestibular-evoked extraocular potentials by air-conducted sound: Another clinical test for vestibular function. <i>Clinical Neurophysiology</i> , 2007, 118, 2745-2751.	1.5	189
2	The ocular vestibular-evoked myogenic potential to air-conducted sound; probable superior vestibular nerve origin. <i>Clinical Neurophysiology</i> , 2011, 122, 611-616.	1.5	131
3	Assessment of diagnostic accuracy of foam posturography for peripheral vestibular disorders: Analysis of parameters related to visual and somatosensory dependence. <i>Clinical Neurophysiology</i> , 2009, 120, 1408-1414.	1.5	126
4	Effect of Vestibular Dysfunction on the Development of Gross Motor Function in Children with Profound Hearing Loss. <i>Audiology and Neuro-Otology</i> , 2013, 18, 143-151.	1.3	91
5	Age-related changes in cell dynamics of the postnatal mouse olfactory neuroepithelium: Cell proliferation, neuronal differentiation, and cell death. <i>Journal of Comparative Neurology</i> , 2010, 518, 1962-1975.	1.6	78
6	Expression of IL-33 and its receptor ST2 in chronic rhinosinusitis with nasal polyps. <i>Laryngoscope</i> , 2014, 124, E115-22.	2.0	59
7	Age-related changes of the regeneration mode in the mouse peripheral olfactory system following olfactotoxic drug methimazole-induced damage. <i>Journal of Comparative Neurology</i> , 2011, 519, 2154-2174.	1.6	56
8	Ocular vestibular-evoked myogenic potentials (oVEMPs) require extraocular muscles but not facial or cochlear nerve activity. <i>Clinical Neurophysiology</i> , 2009, 120, 581-587.	1.5	54
9	Frequency tuning properties of ocular vestibular evoked myogenic potentials. <i>NeuroReport</i> , 2009, 20, 1491-1495.	1.2	53
10	Recovery of vestibular evoked myogenic potentials after a vertigo attack due to vestibular neuritis. <i>Acta Oto-Laryngologica</i> , 2006, 126, 364-367.	0.9	46
11	Clinical characteristics of inferior vestibular neuritis. <i>Acta Oto-Laryngologica</i> , 2012, 132, 1288-1294.	0.9	43
12	Recovery of Facial Movement and Facial Synkinesis in Bell's Palsy Patients. <i>Otology and Neurotology</i> , 2009, 30, 640-644.	1.3	38
13	The diagnostic value of vestibular-evoked myogenic potential in patients with vestibular schwannoma. <i>Clinical Neurophysiology</i> , 2009, 120, 1149-1153.	1.5	37
14	Prediction of the Prognosis of Bell's Palsy Using Multivariate Analyses. <i>Otology and Neurotology</i> , 2008, 29, 69-72.	1.3	35
15	Ocular Vestibular Evoked Myogenic Potentials to Bone-Conducted Vibration in Vestibular Schwannomas. <i>Otology and Neurotology</i> , 2010, 31, 147-152.	1.3	34
16	Is the nerve origin of the vestibular schwannoma correlated with vestibular evoked myogenic potential, caloric test, and auditory brainstem response?. <i>Acta Oto-Laryngologica</i> , 2009, 129, 1095-1100.	0.9	33
17	Migraine-associated vertigo: clinical characteristics of Japanese patients and effect of lomerizine, a calcium channel antagonist. <i>Acta Oto-Laryngologica</i> , 2007, 127, 45-49.	0.9	30
18	Effects of unilateral dysfunction of the inferior vestibular nerve system on postural stability. <i>Clinical Neurophysiology</i> , 2010, 121, 1279-1284.	1.5	30

#	ARTICLE	IF	CITATIONS
19	The lesion site of vestibular dysfunction in Ramsay Hunt syndrome: A study by click and galvanic VEMP. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2007, 16, 217-222.	2.0	29
20	The diagnostic value of vestibular evoked myogenic potentials in patients with Meniere's disease. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2013, 23, 249-257.	2.0	28
21	Wall-Eyed Bilateral Internuclear Ophthalmoplegia in a Patient with Progressive Supranuclear Palsy. <i>Journal of Neuro-Ophthalmology</i> , 2008, 28, 93-96.	0.8	27
22	Unidirectional rotations produce asymmetric changes in horizontal VOR gain before and after unilateral labyrinthectomy in macaques. <i>Experimental Brain Research</i> , 2011, 210, 651-660.	1.5	24
23	Diagnostic Usefulness of Multifrequency Tympanometry for Ménière's Disease. <i>Audiology and Neuro-Otology</i> , 2013, 18, 152-160.	1.3	23
24	Tone burst galvanic ratio of vestibular evoked myogenic potential amplitudes: A new parameter of vestibular evoked myogenic potential?. <i>Clinical Neurophysiology</i> , 2007, 118, 1685-1690.	1.5	22
25	The mitochondrial A3243G mutation involves the peripheral vestibule as well as the cochlea. <i>Laryngoscope</i> , 2011, 121, 1821-1824.	2.0	22
26	Developmental changes in the responsiveness of rat spiral ganglion neurons to neurotrophic factors in dissociated culture: differential responses for survival, neuritogenesis and neuronal morphology. <i>Cell and Tissue Research</i> , 2013, 351, 15-27.	2.9	22
27	Ocular Vestibular Evoked Myogenic Potentials in Response to Air-Conducted Sound and Bone-Conducted Vibration in Vestibular Schwannoma. <i>Otology and Neurotology</i> , 2013, 34, 1342-1348.	1.3	22
28	Superficial siderosis causing retrolabyrinthine involvement in both cochlear and vestibular branches of the eighth cranial nerve. <i>Acta Oto-Laryngologica</i> , 2006, 126, 997-1000.	0.9	17
29	Periodic alternating nystagmus in Meniere's disease: the peripheral type?. <i>Acta Oto-Laryngologica</i> , 2008, 128, 824-827.	0.9	17
30	Indication of the Side of Delayed Endolymphatic Hydrops by Vestibular Evoked Myogenic Potential and Caloric Test. <i>Orl</i> , 2010, 72, 242-246.	1.1	17
31	Effect of severity of vestibular dysfunction on postural instability in idiopathic bilateral vestibulopathy. <i>Acta Oto-Laryngologica</i> , 2013, 133, 454-461.	0.9	17
32	Subjective visual horizontal in patients with posterior canal benign paroxysmal positional vertigo. <i>Acta Oto-Laryngologica</i> , 2007, 127, 836-838.	0.9	16
33	Effects of nasal septum perforation repair surgery on three-dimensional airflow: an evaluation using computational fluid dynamics. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3327-3333.	1.6	16
34	Inflammatory pseudotumour of the paranasal sinuses: A case report. <i>Auris Nasus Larynx</i> , 2007, 34, 533-536.	1.2	15
35	Evaluation of the Internal Structure of Normal and Pathological Guinea Pig Cochleae Using Optical Coherence Tomography. <i>Audiology and Neuro-Otology</i> , 2013, 18, 335-343.	1.3	15
36	Time course of apoptotic cell death in guinea pig cochlea following intratympanic gentamicin application. <i>Acta Oto-Laryngologica</i> , 2008, 128, 724-731.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Effects of nasal septum perforation repair on nasal airflow: An analysis using computational fluid dynamics on preoperative and postoperative three-dimensional models. <i>Auris Nasus Larynx</i> , 2018, 45, 1020-1026.	1.2	14
38	Recovery of subjective visual horizontal after unilateral vestibular deafferentation by intratympanic instillation of gentamicin. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2006, 16, 69-73.	2.0	14
39	Bell's Palsy in Children. <i>Otology and Neurotology</i> , 2011, 32, 1554-1558.	1.3	13
40	Analyses of risk factors for postoperative airway compromise following arytenoid adduction. <i>Acta Oto-Laryngologica</i> , 2008, 128, 1342-1347.	0.9	12
41	Subglottic leiomyosarcoma of the larynx; a case report. <i>Auris Nasus Larynx</i> , 2004, 31, 165-169.	1.2	11
42	Atypical motor neuron disease with supranuclear vertical gaze palsy and slow saccades. <i>Auris Nasus Larynx</i> , 2009, 36, 85-87.	1.2	10
43	Effect of the canalith repositioning procedure on subjective visual horizontal in patients with posterior canal benign paroxysmal positional vertigo. <i>Acta Oto-Laryngologica</i> , 2011, 131, 41-45.	0.9	10
44	Vestibulo-ocular reflex (VOR) preserved in bilateral severe vestibular malformations with internal auditory canal stenosis. <i>Acta Oto-Laryngologica</i> , 2007, 127, 1226-1230.	0.9	8
45	Cephalic tetanus presenting as acute vertigo with bilateral vestibulopathy. <i>Acta Oto-Laryngologica</i> , 2011, 131, 334-336.	0.9	8
46	Changes in the Tullio Phenomenon and the Fistula Sign in the Course of Endolymphatic Hydrops. <i>Orl</i> , 2003, 65, 125-128.	1.1	7
47	Does acute dysfunction of the saccular afferents affect the subjective visual horizontal in patients with vestibular neurolabyrinthitis?. <i>Acta Oto-Laryngologica</i> , 2007, 127, 61-64.	0.9	7
48	Evaluation of Recovery from Transient Facial Palsy following Canalplasty and Tympanoplasty for the Treatment of Congenital Aural Atresia. <i>Annals of Otology, Rhinology and Laryngology</i> , 2006, 115, 749-753.	1.1	6
49	Testing of vibratory thresholds as a clinical examination for patients with unsteadiness due to somatosensory disorders. <i>Gait and Posture</i> , 2008, 28, 552-558.	1.4	6
50	Fusiform aneurysm of the basilar artery presenting as a cerebellopontine angle mass. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009, 266, 151-152.	1.6	6
51	Abnormal Deviation of Subjective Visual Horizontal in Patients with Vestibular Schwannoma. <i>Annals of Otology, Rhinology and Laryngology</i> , 2008, 117, 641-644.	1.1	5
52	Recovery of subjective visual horizontal after unilateral vestibular deafferentation by intratympanic instillation of gentamicin. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2006, 16, 69-73.	2.0	4
53	The lesion site of vestibular dysfunction in Ramsay Hunt syndrome: a study by click and galvanic VEMP. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2006, 16, 217-22.	2.0	4
54	Auditory brainstem response and temporal bone pathology findings in a brain-dead infant. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001, 58, 249-253.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Factors associated with the presence of drug-resistant bacteria and recurrent acute otitis media in children – a study in a private clinic. <i>Acta Oto-Laryngologica</i> , 2007, 127, 5-8.	0.9	3
56	Long-Lasting Deviation of the Subjective Visual Horizontal After Complete Unilateral Vestibular Deafferentation by Subtotal Resection of the Temporal Bone. <i>Otology and Neurotology</i> , 2007, 28, 369-371.	1.3	3
57	Probability and the weight of evidence. Reply to Xie: –Comment on the ocular vestibular-evoked myogenic potential to air-conducted sound; probable superior vestibular nerve origin–. <i>Clinical Neurophysiology</i> , 2011, 122, 1269-1270.	1.5	3
58	The effectiveness of wedge shoes in patients with insufficient vestibular compensation. <i>Auris Nasus Larynx</i> , 2007, 34, 155-158.	1.2	2
59	Modified Nasal Specula and Flexible Holder for Endoscopic Nasal Surgery. <i>Laryngoscope</i> , 2008, 118, 1293-1294.	2.0	2
60	Caloric Responses of the Unaffected Ear of Patients with Vestibular Neuritis. <i>Equilibrium Research</i> , 2006, 65, 460-465.	0.1	2
61	Notice: Duplicate Publication. <i>Journal of Neuro-Ophthalmology</i> , 2008, 28, 244.	0.8	1
62	Conjunctivoductiva–Dacryocystorhinostomy: A Novel Surgery for Intractable Canalicular Obstruction. <i>Laryngoscope</i> , 2022, 132, 728-731.	2.0	1
63	Facial Nerve Palsy. <i>Advances in Oto-Rhino-Laryngology</i> , 2013, 75, 106-109.	1.6	0
64	Intratympanic steroid injection for the treatment of intractable vertigo in Meniere's disease.. <i>Equilibrium Research</i> , 2015, 74, 290-298.	0.1	0
65	Effects of nasal septum perforation repair on nasal airflow : an analysis using computational fluid dynamics on preoperative and postoperative three-dimensional models. <i>Journal of Otolaryngology of Japan</i> , 2019, 122, 1370-1371.	0.1	0
66	Nose blowing-induced biphasic nystagmus of unknown origin. <i>Acta Oto-Laryngologica Case Reports</i> , 2021, 6, 110-115.	0.2	0
67	Nasal floor augmentation for empty nose syndrome. <i>Acta Oto-Laryngologica Case Reports</i> , 2022, 7, 1-7.	0.2	0