

# Roberto Mayor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1942356/publications.pdf>

Version: 2024-02-01

132  
papers

13,562  
citations

22153

59  
h-index

24258

110  
g-index

149  
all docs

149  
docs citations

149  
times ranked

11270  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines and definitions for research on epithelial-to-mesenchymal transition. <i>Nature Reviews Molecular Cell Biology</i> , 2020, 21, 341-352.	37.0	1,195
2	The front and rear of collective cell migration. <i>Nature Reviews Molecular Cell Biology</i> , 2016, 17, 97-109.	37.0	649
3	Contact inhibition of locomotion in vivo controls neural crest directional migration. <i>Nature</i> , 2008, 456, 957-961.	27.8	518
4	Collective Chemotaxis Requires Contact-Dependent Cell Polarity. <i>Developmental Cell</i> , 2010, 19, 39-53.	7.0	465
5	Neural crest delamination and migration: From epithelium-to-mesenchyme transition to collective cell migration. <i>Developmental Biology</i> , 2012, 366, 34-54.	2.0	439
6	Tissue stiffening coordinates morphogenesis by triggering collective cell migration in vivo. <i>Nature</i> , 2018, 554, 523-527.	27.8	404
7	Collective cell migration in development. <i>Journal of Cell Biology</i> , 2016, 212, 143-155.	5.2	356
8	Regulation of Msx genes by a Bmp gradient is essential for neural crest specification. <i>Development (Cambridge)</i> , 2003, 130, 6441-6452.	2.5	277
9	Complement Fragment C3a Controls Mutual Cell Attraction during Collective Cell Migration. <i>Developmental Cell</i> , 2011, 21, 1026-1037.	7.0	271
10	Tuning Collective Cell Migration by Cell-Cell Junction Regulation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017, 9, a029199.	5.5	268
11	The neural crest. <i>Development (Cambridge)</i> , 2013, 140, 2247-2251.	2.5	264
12	Chase-and-run between adjacent cell populations promotes directional collective migration. <i>Nature Cell Biology</i> , 2013, 15, 763-772.	10.3	260
13	Essential role of non-canonical Wnt signalling in neural crest migration. <i>Development (Cambridge)</i> , 2005, 132, 2587-2597.	2.5	259
14	Keeping in touch with contact inhibition of locomotion. <i>Trends in Cell Biology</i> , 2010, 20, 319-328.	7.9	259
15	Directional migration of neural crest cells in vivo is regulated by Syndecan-4/Rac1 and non-canonical Wnt signaling/RhoA. <i>Development (Cambridge)</i> , 2008, 135, 1771-1780.	2.5	253
16	Cadherin Switch during EMT in Neural Crest Cells Leads to Contact Inhibition of Locomotion via Repolarization of Forces. <i>Developmental Cell</i> , 2015, 34, 421-434.	7.0	236
17	Posteriorization by FGF, Wnt, and Retinoic Acid Is Required for Neural Crest Induction. <i>Developmental Biology</i> , 2002, 241, 289-301.	2.0	220
18	Sox10 is required for the early development of the prospective neural crest in <i>Xenopus</i> embryos. <i>Developmental Biology</i> , 2003, 260, 79-96.	2.0	212

#	ARTICLE	IF	CITATIONS
19	Neural Crest Formation in <i>Xenopus laevis</i> : Mechanisms of Xslug Induction. <i>Developmental Biology</i> , 1996, 177, 580-589.	2.0	195
20	<i>Snail</i> precedes <i>Slug</i> in the genetic cascade required for the specification and migration of the <i>Xenopus</i> neural crest. <i>Development (Cambridge)</i> , 2003, 130, 483-494.	2.5	194
21	Inhibition of neural crest migration underlies craniofacial dysmorphology and Hirschsprung's disease in Bardet-Biedl syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6714-6719.	7.1	178
22	Role of FGF and Noggin in Neural Crest Induction. <i>Developmental Biology</i> , 1997, 189, 1-12.	2.0	171
23	Molecular analysis of neural crest migration. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008, 363, 1349-1362.	4.0	155
24	Cadherins in collective cell migration of mesenchymal cells. <i>Current Opinion in Cell Biology</i> , 2012, 24, 677-684.	5.4	153
25	Early induction of neural crest cells: lessons learned from frog, fish and chick. <i>Current Opinion in Genetics and Development</i> , 2002, 12, 452-458.	3.3	152
26	Differential requirements of BMP and Wnt signalling during gastrulation and neurulation define two steps in neural crest induction. <i>Development (Cambridge)</i> , 2009, 136, 771-779.	2.5	144
27	Mechanisms and in vivo functions of contact inhibition of locomotion. <i>Nature Reviews Molecular Cell Biology</i> , 2017, 18, 43-55.	37.0	141
28	Mechanisms of Neural Crest Migration. <i>Annual Review of Genetics</i> , 2018, 52, 43-63.	7.6	135
29	Xiro, a <i>Xenopus</i> homolog of the <i>Drosophila</i> Iroquois complex genes, controls development at the neural plate. <i>EMBO Journal</i> , 1998, 17, 181-190.	7.8	133
30	Genetic network during neural crest induction: From cell specification to cell survival. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 647-654.	5.0	133
31	The posteriorizing gene <i>Gbx2</i> is a direct target of Wnt signalling and the earliest factor in neural crest induction. <i>Development (Cambridge)</i> , 2009, 136, 3267-3278.	2.5	132
32	Collective cell migration of epithelial and mesenchymal cells. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 3481-3492.	5.4	132
33	In vivo collective cell migration requires an LPAR2-dependent increase in tissue fluidity. <i>Journal of Cell Biology</i> , 2014, 206, 113-127.	5.2	125
34	Expression of <i>Xenopus</i> snail in mesoderm and prospective neural fold ectoderm. <i>Developmental Dynamics</i> , 1993, 198, 108-122.	1.8	124
35	Supracellular contraction at the rear of neural crest cell groups drives collective chemotaxis. <i>Science</i> , 2018, 362, 339-343.	12.6	123
36	The hypoxia factor Hif-1 $\alpha$ controls neural crest chemotaxis and epithelial to mesenchymal transition. <i>Journal of Cell Biology</i> , 2013, 201, 759-776.	5.2	119

#	ARTICLE	IF	CITATIONS
37	Cadherin-11 regulates protrusive activity in <i>Xenopus</i> cranial neural crest cells upstream of Trio and the small GTPases. <i>Genes and Development</i> , 2009, 23, 1393-1398.	5.9	118
38	In vivo confinement promotes collective migration of neural crest cells. <i>Journal of Cell Biology</i> , 2016, 213, 543-555.	5.2	117
39	Gap junction protein Connexin-43 is a direct transcriptional regulator of N-cadherin in vivo. <i>Nature Communications</i> , 2018, 9, 3846.	12.8	115
40	Neural crest and placode interaction during the development of the cranial sensory system. <i>Developmental Biology</i> , 2014, 389, 28-38.	2.0	113
41	Collective durotaxis along a self-generated stiffness gradient in vivo. <i>Nature</i> , 2021, 600, 690-694.	27.8	110
42	Lamellipodin and the Scar/WAVE complex cooperate to promote cell migration in vivo. <i>Journal of Cell Biology</i> , 2013, 203, 673-689.	5.2	107
43	All Roads Lead to Directional Cell Migration. <i>Trends in Cell Biology</i> , 2020, 30, 852-868.	7.9	101
44	Interplay between Notch signaling and the homeoprotein Xiro1 is required for neural crest induction in <i>Xenopus</i> embryos. <i>Development (Cambridge)</i> , 2004, 131, 347-359.	2.5	97
45	Role of BMP signaling and the homeoprotein iroquois in the specification of the cranial placodal field. <i>Developmental Biology</i> , 2004, 272, 89-103.	2.0	93
46	Neural crest migration: interplay between chemorepellents, chemoattractants, contact inhibition, epithelial-mesenchymal transition, and collective cell migration. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2012, 1, 435-445.	5.9	92
47	Ca <sup>2+</sup> /H <sup>+</sup> exchange by acidic organelles regulates cell migration in vivo. <i>Journal of Cell Biology</i> , 2016, 212, 803-813.	5.2	91
48	Relationship between Gene Expression Domains of Xsnail, Xslug, and Xtwist and Cell Movement in the Prospective Neural Crest of <i>Xenopus</i> . <i>Developmental Biology</i> , 2000, 224, 215-225.	2.0	89
49	Molecular basis of contact inhibition of locomotion. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 1119-1130.	5.4	89
50	Adjustable viscoelasticity allows for efficient collective cell migration. <i>Seminars in Cell and Developmental Biology</i> , 2019, 93, 55-68.	5.0	87
51	A balance between the anti-apoptotic activity of Slug and the apoptotic activity of msx1 is required for the proper development of the neural crest. <i>Developmental Biology</i> , 2004, 275, 325-342.	2.0	83
52	The role of the non-canonical Wnt-planar cell polarity pathway in neural crest migration. <i>Biochemical Journal</i> , 2014, 457, 19-26.	3.7	83
53	Induction and development of neural crest in <i>Xenopus laevis</i> . <i>Cell and Tissue Research</i> , 2001, 305, 203-209.	2.9	75
54	Kremen is required for neural crest induction in <i>Xenopus</i> and promotes LRP6-mediated Wnt signaling. <i>Development (Cambridge)</i> , 2007, 134, 4255-4263.	2.5	75

#	ARTICLE	IF	CITATIONS
55	Collective cell migration of the cephalic neural crest: The art of integrating information. <i>Genesis</i> , 2011, 49, 164-176.	1.6	74
56	Par3 controls neural crest migration by promoting microtubule catastrophe during contact inhibition of locomotion. <i>Development (Cambridge)</i> , 2013, 140, 4763-4775.	2.5	72
57	Supracellular migration “beyond collective cell migration. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	70
58	Snail1a and Snail1b cooperate in the anterior migration of the axial mesendoderm in the zebrafish embryo. <i>Development (Cambridge)</i> , 2007, 134, 4073-4081.	2.5	68
59	Directional Collective Cell Migration Emerges as a Property of Cell Interactions. <i>PLoS ONE</i> , 2014, 9, e104969.	2.5	68
60	Mutual repression between Gbx2 and Otx2 in sensory placodes reveals a general mechanism for ectodermal patterning. <i>Developmental Biology</i> , 2012, 367, 55-65.	2.0	66
61	Animal models for studying neural crest development: is the mouse different?. <i>Development (Cambridge)</i> , 2015, 142, 1555-1560.	2.5	63
62	Durotaxis: The Hard Path from In Vitro to In Vivo. <i>Developmental Cell</i> , 2021, 56, 227-239.	7.0	63
63	A new role for the Endothelin-1/Endothelin-A receptor signaling during early neural crest specification. <i>Developmental Biology</i> , 2008, 323, 114-129.	2.0	61
64	The homeoprotein Xiro1 is required for midbrain-hindbrain boundary formation. <i>Development (Cambridge)</i> , 2002, 129, 1609-1621.	2.5	60
65	Cadherin-11 Mediates Contact Inhibition of Locomotion during Xenopus Neural Crest Cell Migration. <i>PLoS ONE</i> , 2013, 8, e85717.	2.5	60
66	3 Development of Neural Crest in Xenopus. <i>Current Topics in Developmental Biology</i> , 1998, 43, 85-113.	2.2	59
67	Can mesenchymal cells undergo collective cell migration? The case of the neural crest. <i>Cell Adhesion and Migration</i> , 2011, 5, 490-498.	2.7	58
68	PDGF controls contact inhibition of locomotion by regulating N-cadherin during neural crest migration. <i>Development (Cambridge)</i> , 2017, 144, 2456-2468.	2.5	58
69	Chemotaxis during neural crest migration. <i>Seminars in Cell and Developmental Biology</i> , 2016, 55, 111-118.	5.0	56
70	Neural crests are actively precluded from the anterior neural fold by a novel inhibitory mechanism dependent on Dickkopf1 secreted by the prechordal mesoderm. <i>Developmental Biology</i> , 2007, 309, 208-221.	2.0	54
71	Directional cell migration in vivo. <i>Cell Adhesion and Migration</i> , 2008, 2, 240-242.	2.7	53
72	Integrating chemotaxis and contact-inhibition during collective cell migration. <i>Small GTPases</i> , 2010, 1, 113-117.	1.6	51

#	ARTICLE	IF	CITATIONS
73	A novel method to study contact inhibition of locomotion using micropatterned substrates. <i>Biology Open</i> , 2013, 2, 901-906.	1.2	51
74	Integrating chemical and mechanical signals in neural crest cell migration. <i>Current Opinion in Genetics and Development</i> , 2019, 57, 16-24.	3.3	51
75	Connexins in migration during development and cancer. <i>Developmental Biology</i> , 2015, 401, 143-151.	2.0	50
76	A novel function for the Xslug gene: control of dorsal mesendoderm development by repressing BMP-4. <i>Mechanisms of Development</i> , 2000, 97, 47-56.	1.7	48
77	Identification of neural crest competence territory: Role of Wnt signaling. <i>Developmental Dynamics</i> , 2004, 229, 109-117.	1.8	48
78	SPIN90 associates with mDia1 and the Arp2/3 complex to regulate cortical actin organization. <i>Nature Cell Biology</i> , 2020, 22, 803-814.	10.3	48
79	A role for Syndecan-4 in neural induction involving ERK- and PKC-dependent pathways. <i>Development (Cambridge)</i> , 2009, 136, 575-584.	2.5	41
80	Cell communication with the neural plate is required for induction of neural markers by BMP inhibition: evidence for homeogenetic induction and implications for <i>Xenopus</i> animal cap and chick explant assays. <i>Developmental Biology</i> , 2009, 327, 478-486.	2.0	40
81	<i>Wnt11</i> is required for cranial neural crest migration. <i>Developmental Dynamics</i> , 2008, 237, 3404-3409.	1.8	39
82	Early neural crest induction requires an initial inhibition of Wnt signals. <i>Developmental Biology</i> , 2012, 365, 196-207.	2.0	39
83	Delamination of neural crest cells requires transient and reversible Wnt inhibition mediated by DACT1/2. <i>Development (Cambridge)</i> , 2016, 143, 2194-205.	2.5	39
84	<i>Xenopus</i> brain factor-2 controls mesoderm, forebrain and neural crest development. <i>Mechanisms of Development</i> , 1999, 80, 15-27.	1.7	38
85	The Molecular Basis of Radial Intercalation during Tissue Spreading in Early Development. <i>Developmental Cell</i> , 2016, 37, 213-225.	7.0	38
86	Modelling collective cell migration of neural crest. <i>Current Opinion in Cell Biology</i> , 2016, 42, 22-28.	5.4	36
87	Rules of collective migration: from the wildebeest to the neural crest. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190387.	4.0	36
88	Redistribution of Adhesive Forces through Src/FAK Drives Contact Inhibition of Locomotion in Neural Crest. <i>Developmental Cell</i> , 2018, 45, 565-579.e3.	7.0	33
89	Calcium mediates dorsoventral patterning of mesoderm in <i>Xenopus</i> . <i>Current Biology</i> , 2001, 11, 1606-1610.	3.9	32
90	Xiro-1 controls mesoderm patterning by repressing <i>bmp-4</i> expression in the spemann organizer. <i>Developmental Dynamics</i> , 2001, 222, 368-376.	1.8	31

#	ARTICLE	IF	CITATIONS
91	Regulation of <i>XSnail2</i> expression by Rho GTPases. <i>Developmental Dynamics</i> , 2007, 236, 2555-2566.	1.8	31
92	An optochemical tool for light-induced dissociation of adherens junctions to control mechanical coupling between cells. <i>Nature Communications</i> , 2020, 11, 472.	12.8	31
93	In vivo topology converts competition for cell-matrix adhesion into directional migration. <i>Nature Communications</i> , 2019, 10, 1518.	12.8	30
94	Embryonic Cellâ€“Cell Adhesion. <i>Current Topics in Developmental Biology</i> , 2015, 112, 301-323.	2.2	29
95	Neural crest streaming as an emergent property of tissue interactions during morphogenesis. <i>PLoS Computational Biology</i> , 2019, 15, e1007002.	3.2	28
96	Mechanosensitive ion channels in cell migration. <i>Cells and Development</i> , 2021, 166, 203683.	1.5	28
97	Control of the collective migration of enteric neural crest cells by the Complement anaphylatoxin C3a and N-cadherin. <i>Developmental Biology</i> , 2016, 414, 85-99.	2.0	22
98	Extracellular signals, cell interactions and transcription factors involved in the induction of the neural crest cells. <i>Biological Research</i> , 2002, 35, 267-75.	3.4	22
99	The homeoprotein Xiro1 is required for midbrain-hindbrain boundary formation. <i>Development (Cambridge)</i> , 2002, 129, 1609-21.	2.5	21
100	Complement in animal development: Unexpected roles of a highly conserved pathway. <i>Seminars in Immunology</i> , 2013, 25, 39-46.	5.6	20
101	Forcing contact inhibition of locomotion. <i>Trends in Cell Biology</i> , 2015, 25, 373-375.	7.9	20
102	Rediscovering contact inhibition in the embryo. <i>Journal of Microscopy</i> , 2013, 251, 206-211.	1.8	19
103	Michael Abercrombie: contact inhibition of locomotion and more. <i>International Journal of Developmental Biology</i> , 2018, 62, 5-13.	0.6	19
104	Cell traction in collective cell migration and morphogenesis: The chase and run mechanism. <i>Cell Adhesion and Migration</i> , 2015, 9, 380-383.	2.7	18
105	The mechanosensitive channel Piezo1 cooperates with semaphorins to control neural crest migration. <i>Development (Cambridge)</i> , 2021, 148, .	2.5	17
106	Beads on the Run: Beads as Alternative Tools for Chemotaxis Assays. <i>Methods in Molecular Biology</i> , 2011, 769, 449-460.	0.9	16
107	Ric-8A, a guanine nucleotide exchange factor for heterotrimeric G proteins, is critical for cranial neural crest cell migration. <i>Developmental Biology</i> , 2013, 378, 74-82.	2.0	15
108	Characterization of Pax3 and Sox10 transgenic <i>Xenopus laevis</i> embryos as tools to study neural crest development. <i>Developmental Biology</i> , 2018, 444, S202-S208.	2.0	14

#	ARTICLE	IF	CITATIONS
109	Directional cell movements downstream of Gbx2 and Otx2 control the assembly of sensory placodes. <i>Biology Open</i> , 2016, 5, 1620-1624.	1.2	13
110	The Ric-8A/Grb13/FAK signaling cascade controls focal adhesion formation during neural crest cell migration. <i>Development (Cambridge)</i> , 2018, 145, .	2.5	13
111	In Vivo and In Vitro Quantitative Analysis of Neural Crest Cell Migration. <i>Methods in Molecular Biology</i> , 2019, 1976, 135-152.	0.9	12
112	Control of neural crest induction by MarvelD3-mediated attenuation of JNK signalling. <i>Scientific Reports</i> , 2018, 8, 1204.	3.3	10
113	Cell fate decisions during development. <i>Science</i> , 2019, 364, 937-938.	12.6	8
114	Xenopus paraxishomologue shows novel domains of expression. <i>Developmental Dynamics</i> , 2004, 231, 609-613.	1.8	7
115	Grb1q negatively regulates the Wnt/PCatenin pathway and dorsal embryonic <i>Xenopus laevis</i> development. <i>Journal of Cellular Physiology</i> , 2008, 214, 483-490.	4.1	7
116	Neural Crest Cell Migration. , 2014, , 73-88.		7
117	MarvelD3 regulates the c-Jun N-terminal kinase pathway during eye development in Xenopus. <i>Biology Open</i> , 2016, 5, 1631-1641.	1.2	7
118	Development of cytoskeletal connections between cells of preimplantation mouse embryos. <i>Roux's Archives of Developmental Biology</i> , 1989, 198, 233-241.	1.2	5
119	Editorial overview: Cell dynamics in development, tissue remodelling, and cancer. <i>Current Opinion in Cell Biology</i> , 2016, 42, iv-vi.	5.4	4
120	Morulae at compaction and the pattern of protein synthesis in mouse embryos. <i>Differentiation</i> , 1994, 55, 175-184.	1.9	2
121	Collective Cell Migration: Wisdom of the Crowds Transforms a Negative Cue into a Positive One. <i>Current Biology</i> , 2019, 29, R205-R207.	3.9	2
122	Self-organized collective cell behaviors as design principles for synthetic developmental biology. <i>Seminars in Cell and Developmental Biology</i> , 2023, 141, 63-73.	5.0	2
123	Moving forward. <i>Cells and Development</i> , 2021, 165, 203654.	1.5	1
124	Reprint of: Mechanosensitive ion channels in cell migration. <i>Cells and Development</i> , 2021, , 203730.	1.5	1
125	PDGF controls contact inhibition of locomotion by regulating N-cadherin during neural crest migration. <i>Journal of Cell Science</i> , 2017, 130, e1.2-e1.2.	2.0	1
126	Collective cell migration in development. <i>Journal of Experimental Medicine</i> , 2016, 213, 2132OIA3.	8.5	1



#	ARTICLE	IF	CITATIONS
127	MoD Special issue on "Developmental Biology in Latin America", Mechanisms of Development, 2018, 154, 1.	1.7	0
128	Editorial "MOD", Mechanisms of Development, 2020, 161, 103576.	1.7	0
129	20 years of the "Practical Course in Developmental Biology" in Latin America: from Santiago to Quintay, via Juquehy, Buenos Aires and Montevideo. International Journal of Developmental Biology, 2021, 65, 83-91.	0.6	0
130	Neural Crest Determination and Migration. , 2015, , 315-330.		0
131	Ca <sup>2+</sup> /H <sup>+</sup> exchange by acidic organelles regulates cell migration in vivo. Journal of Experimental Medicine, 2016, 213, 2134OIA28.	8.5	0
132	Special rebranding issue: "Quantitative cell and developmental biology". Cells and Development, 2021, , 203758.	1.5	0