

Vd Calhoun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1944345/publications.pdf>

Version: 2024-02-01

1,005
papers

71,864
citations

764

119
h-index

1489

219
g-index

1105
all docs

1105
docs citations

1105
times ranked

38809
citing authors

#	ARTICLE	IF	CITATIONS
1	A method for making group inferences from functional MRI data using independent component analysis. <i>Human Brain Mapping</i> , 2001, 14, 140-151.	1.9	2,663
2	Tracking Whole-Brain Connectivity Dynamics in the Resting State. <i>Cerebral Cortex</i> , 2014, 24, 663-676.	1.6	2,426
3	Dynamic functional connectivity: Promise, issues, and interpretations. <i>NeuroImage</i> , 2013, 80, 360-378.	2.1	2,358
4	A Baseline for the Multivariate Comparison of Resting-State Networks. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 2.	1.2	1,159
5	The Chronnectome: Time-Varying Connectivity Networks as the Next Frontier in fMRI Data Discovery. <i>Neuron</i> , 2014, 84, 262-274.	3.8	1,143
6	The brain imaging data structure, a format for organizing and describing outputs of neuroimaging experiments. <i>Scientific Data</i> , 2016, 3, 160044.	2.4	1,038
7	Aberrant "Default Mode" Functional Connectivity in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 450-457.	4.0	1,004
8	Selective changes of resting-state networks in individuals at risk for Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18760-18765.	3.3	957
9	Dynamic functional connectivity analysis reveals transient states of dysconnectivity in schizophrenia. <i>NeuroImage: Clinical</i> , 2014, 5, 298-308.	1.4	925
10	A review of group ICA for fMRI data and ICA for joint inference of imaging, genetic, and ERP data. <i>NeuroImage</i> , 2009, 45, S163-S172.	2.1	924
11	A method for functional network connectivity among spatially independent resting-state components in schizophrenia. <i>NeuroImage</i> , 2008, 39, 1666-1681.	2.1	861
12	Estimating the number of independent components for functional magnetic resonance imaging data. <i>Human Brain Mapping</i> , 2007, 28, 1251-1266.	1.9	795
13	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	13.7	772
14	Spatial and temporal independent component analysis of functional MRI data containing a pair of task-related waveforms. <i>Human Brain Mapping</i> , 2001, 13, 43-53.	1.9	700
15	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
16	Single subject prediction of brain disorders in neuroimaging: Promises and pitfalls. <i>NeuroImage</i> , 2017, 145, 137-165.	2.1	688
17	Comparison of multi-subject ICA methods for analysis of fMRI data. <i>Human Brain Mapping</i> , 2011, 32, 2075-2095.	1.9	632
18	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	0.7	627

#	ARTICLE	IF	CITATIONS
19	Alterations in Memory Networks in Mild Cognitive Impairment and Alzheimer's Disease: An Independent Component Analysis. <i>Journal of Neuroscience</i> , 2006, 26, 10222-10231.	1.7	626
20	Abnormal functional connectivity of default mode sub-networks in autism spectrum disorder patients. <i>NeuroImage</i> , 2010, 53, 247-256.	2.1	590
21	Multisubject Independent Component Analysis of fMRI: A Decade of Intrinsic Networks, Default Mode, and Neurodiagnostic Discovery. <i>IEEE Reviews in Biomedical Engineering</i> , 2012, 5, 60-73.	13.1	586
22	A method for evaluating dynamic functional network connectivity and task-modulation: application to schizophrenia. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2010, 23, 351-366.	1.1	544
23	Modulation of temporally coherent brain networks estimated using ICA at rest and during cognitive tasks. <i>Human Brain Mapping</i> , 2008, 29, 828-838.	1.9	532
24	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018, 23, 1261-1269.	4.1	522
25	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	6.0	450
26	Deep learning for neuroimaging: a validation study. <i>Frontiers in Neuroscience</i> , 2014, 8, 229.	1.4	441
27	Brain Connectivity Is Not Only Lower but Different in Schizophrenia: A Combined Anatomical and Functional Approach. <i>Biological Psychiatry</i> , 2010, 68, 61-69.	0.7	424
28	Prediction of human errors by maladaptive changes in event-related brain networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6173-6178.	3.3	415
29	Measuring brain connectivity: Diffusion tensor imaging validates resting state temporal correlations. <i>NeuroImage</i> , 2008, 43, 554-561.	2.1	409
30	Dynamic connectivity states estimated from resting fMRI Identify differences among Schizophrenia, bipolar disorder, and healthy control subjects. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 897.	1.0	384
31	Questions and controversies in the study of time-varying functional connectivity in resting fMRI. <i>Network Neuroscience</i> , 2020, 4, 30-69.	1.4	364
32	A review of multivariate methods for multimodal fusion of brain imaging data. <i>Journal of Neuroscience Methods</i> , 2012, 204, 68-81.	1.3	352
33	An open science resource for establishing reliability and reproducibility in functional connectomics. <i>Scientific Data</i> , 2014, 1, 140049.	2.4	349
34	Joint Blind Source Separation by Multiset Canonical Correlation Analysis. <i>IEEE Transactions on Signal Processing</i> , 2009, 57, 3918-3929.	3.2	340
35	Temporal lobe and "default" hemodynamic brain modes discriminate between schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2008, 29, 1265-1275.	1.9	314
36	Source-based morphometry: The use of independent component analysis to identify gray matter differences with application to schizophrenia. <i>Human Brain Mapping</i> , 2009, 30, 711-724.	1.9	311

#	ARTICLE	IF	CITATIONS
37	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5154-E5163.	3.3	299
38	Deep neural network with weight sparsity control and pre-training extracts hierarchical features and enhances classification performance: Evidence from whole-brain resting-state functional connectivity patterns of schizophrenia. NeuroImage, 2016, 124, 127-146.	2.1	295
39	Classification of schizophrenia and bipolar patients using static and dynamic resting-state fMRI brain connectivity. NeuroImage, 2016, 134, 645-657.	2.1	294
40	fMRI Activation in a Visual-Perception Task: Network of Areas Detected Using the General Linear Model and Independent Components Analysis. NeuroImage, 2001, 14, 1080-1088.	2.1	275
41	fMRI evidence that the neural basis of response inhibition is task-dependent. Cognitive Brain Research, 2003, 17, 419-430.	3.3	269
42	Unmixing fMRI with independent component analysis. IEEE Engineering in Medicine and Biology Magazine, 2006, 25, 79-90.	1.1	260
43	Multimodal Fusion of Brain Imaging Data: A Key to Finding the Missing Link(s) in Complex Mental Illness. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2016, 1, 230-244.	1.1	255
44	Novel genetic loci associated with hippocampal volume. Nature Communications, 2017, 8, 13624.	5.8	250
45	Differences in Resting-State Functional Magnetic Resonance Imaging Functional Network Connectivity Between Schizophrenia and Psychotic Bipolar Probands and Their Unaffected First-Degree Relatives. Biological Psychiatry, 2012, 71, 881-889.	0.7	246
46	Combining fMRI and SNP data to investigate connections between brain function and genetics using parallel ICA. Human Brain Mapping, 2009, 30, 241-255.	1.9	237
47	Different activation dynamics in multiple neural systems during simulated driving. Human Brain Mapping, 2002, 16, 158-167.	1.9	235
48	Voxel-based morphometry versus region of interest: a comparison of two methods for analyzing gray matter differences in schizophrenia. Schizophrenia Research, 2005, 74, 135-147.	1.1	235
49	Neuronal chronometry of target detection: Fusion of hemodynamic and event-related potential data. NeuroImage, 2006, 30, 544-553.	2.1	235
50	Functional brain networks in schizophrenia: a review. Frontiers in Human Neuroscience, 2009, 3, 17.	1.0	234
51	Method for multimodal analysis of independent source differences in schizophrenia: Combining gray matter structural and auditory oddball functional data. Human Brain Mapping, 2006, 27, 47-62.	1.9	230
52	Changes in the interaction of resting-state neural networks from adolescence to adulthood. Human Brain Mapping, 2009, 30, 2356-2366.	1.9	230
53	An adaptive reflexive processing model of neurocognitive function: supporting evidence from a large scale (n = 100) fMRI study of an auditory oddball task. NeuroImage, 2005, 25, 899-915.	2.1	229
54	Correspondence of DNA Methylation Between Blood and Brain Tissue and Its Application to Schizophrenia Research. Schizophrenia Bulletin, 2016, 42, 406-414.	2.3	227

#	ARTICLE	IF	CITATIONS
55	Classification and Prediction of Brain Disorders Using Functional Connectivity: Promising but Challenging. <i>Frontiers in Neuroscience</i> , 2018, 12, 525.	1.4	220
56	Neuroprediction of future rearrest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6223-6228.	3.3	219
57	Discriminating schizophrenia and bipolar disorder by fusing fMRI and DTI in a multimodal CCA+ joint ICA model. <i>NeuroImage</i> , 2011, 57, 839-855.	2.1	218
58	Canonical Correlation Analysis for Data Fusion and Group Inferences. <i>IEEE Signal Processing Magazine</i> , 2010, 27, 39-50.	4.6	217
59	A Study of the Influence of Sex on Genome Wide Methylation. <i>PLoS ONE</i> , 2010, 5, e10028.	1.1	217
60	Dysregulation of working memory and default mode networks in schizophrenia using independent component analysis, an fBIRN and MCIC study. <i>Human Brain Mapping</i> , 2009, 30, 3795-3811.	1.9	216
61	Advancing functional connectivity research from association to causation. <i>Nature Neuroscience</i> , 2019, 22, 1751-1760.	7.1	215
62	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	7.1	213
63	Predicting Cognitive Decline in Subjects at Risk for Alzheimer Disease by Using Combined Cerebrospinal Fluid, MR Imaging, and PET Biomarkers. <i>Radiology</i> , 2013, 266, 583-591.	3.6	212
64	Functional neural networks underlying response inhibition in adolescents and adults. <i>Behavioural Brain Research</i> , 2007, 181, 12-22.	1.2	210
65	TDCS guided using fMRI significantly accelerates learning to identify concealed objects. <i>NeuroImage</i> , 2012, 59, 117-128.	2.1	209
66	Multivariate analysis reveals genetic associations of the resting default mode network in psychotic bipolar disorder and schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2066-75.	3.3	207
67	Capturing inter-subject variability with group independent component analysis of fMRI data: A simulation study. <i>NeuroImage</i> , 2012, 59, 4141-4159.	2.1	204
68	Is Aberrant Functional Connectivity A Psychosis Endophenotype? A Resting State Functional Magnetic Resonance Imaging Study. <i>Biological Psychiatry</i> , 2013, 74, 458-466.	0.7	202
69	Function biomedical informatics research network recommendations for prospective multicenter functional MRI studies. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 39-54.	1.9	201
70	Machine learning in major depression: From classification to treatment outcome prediction. <i>CNS Neuroscience and Therapeutics</i> , 2018, 24, 1037-1052.	1.9	199
71	NeuroMark: An automated and adaptive ICA based pipeline to identify reproducible fMRI markers of brain disorders. <i>NeuroImage: Clinical</i> , 2020, 28, 102375.	1.4	198
72	Interaction among subsystems within default mode network diminished in schizophrenia patients: A dynamic connectivity approach. <i>Schizophrenia Research</i> , 2016, 170, 55-65.	1.1	197

#	ARTICLE	IF	CITATIONS
73	Long-term effects of marijuana use on the brain. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 16913-16918.	3.3	196
74	Assessing dynamic brain graphs of time-varying connectivity in fMRI data: Application to healthy controls and patients with schizophrenia. NeuroImage, 2015, 107, 345-355.	2.1	194
75	Genetic architecture of subcortical brain structures in 38,851 individuals. Nature Genetics, 2019, 51, 1624-1636.	9.4	192
76	Mind over chatter: Plastic up-regulation of the fMRI salience network directly after EEG neurofeedback. NeuroImage, 2013, 65, 324-335.	2.1	191
77	Feature-Based Fusion of Medical Imaging Data. IEEE Transactions on Information Technology in Biomedicine, 2009, 13, 711-720.	3.6	187
78	Patterns of Gray Matter Abnormalities in Schizophrenia Based on an International Mega-analysis. Schizophrenia Bulletin, 2015, 41, 1133-1142.	2.3	183
79	Dynamic functional connectivity of neurocognitive networks in children. Human Brain Mapping, 2017, 38, 97-108.	1.9	183
80	SimTB, a simulation toolbox for fMRI data under a model of spatiotemporal separability. NeuroImage, 2012, 59, 4160-4167.	2.1	182
81	Exploring the Psychosis Functional Connectome: Aberrant Intrinsic Networks in Schizophrenia and Bipolar Disorder. Frontiers in Psychiatry, 2011, 2, 75.	1.3	181
82	Aberrant paralimbic gray matter in criminal psychopathy.. Journal of Abnormal Psychology, 2012, 121, 649-658.	2.0	180
83	Neuroimaging-based Individualized Prediction of Cognition and Behavior for Mental Disorders and Health: Methods and Promises. Biological Psychiatry, 2020, 88, 818-828.	0.7	180
84	The impact of T1 versus EPI spatial normalization templates for fMRI data analyses. Human Brain Mapping, 2017, 38, 5331-5342.	1.9	179
85	Characterizing dynamic amplitude of low-frequency fluctuation and its relationship with dynamic functional connectivity: An application to schizophrenia. NeuroImage, 2018, 180, 619-631.	2.1	178
86	fMRI analysis with the general linear model: removal of latency-induced amplitude bias by incorporation of hemodynamic derivative terms. NeuroImage, 2004, 22, 252-257.	2.1	177
87	Dynamic changes of spatial functional network connectivity in healthy individuals and schizophrenia patients using independent vector analysis. NeuroImage, 2014, 90, 196-206.	2.1	175
88	ICA and IVA for Data Fusion: An Overview and a New Approach Based on Disjoint Subspaces. , 2019, 3, 1-4.		174
89	Dynamic modeling of neuronal responses in fMRI using cubature Kalman filtering. NeuroImage, 2011, 56, 2109-2128.	2.1	170
90	Alcohol Intoxication Effects on Simulated Driving: Exploring Alcohol-Dose Effects on Brain Activation Using Functional MRI. Neuropsychopharmacology, 2004, 29, 2097-2107.	2.8	169

#	ARTICLE	IF	CITATIONS
91	The MCIC Collection: A Shared Repository of Multi-Modal, Multi-Site Brain Image Data from a Clinical Investigation of Schizophrenia. <i>Neuroinformatics</i> , 2013, 11, 367-388.	1.5	168
92	A Hybrid Machine Learning Method for Fusing fMRI and Genetic Data: Combining both Improves Classification of Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2010, 4, 192.	1.0	167
93	Replicability of time-varying connectivity patterns in large resting state fMRI samples. <i>NeuroImage</i> , 2017, 163, 160-176.	2.1	163
94	COINS: An Innovative Informatics and Neuroimaging Tool Suite Built for Large Heterogeneous Datasets. <i>Frontiers in Neuroinformatics</i> , 2011, 5, 33.	1.3	162
95	Performance of blind source separation algorithms for fMRI analysis using a group ICA method. <i>Magnetic Resonance Imaging</i> , 2007, 25, 684-694.	1.0	160
96	Save the Global: Global Signal Connectivity as a Tool for Studying Clinical Populations with Functional Magnetic Resonance Imaging. <i>Brain Connectivity</i> , 2014, 4, 395-403.	0.8	160
97	In Search of Multimodal Neuroimaging Biomarkers of Cognitive Deficits in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 794-804.	0.7	158
98	A method for comparing group fMRI data using independent component analysis: application to visual, motor and visuomotor tasks. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1181-1191.	1.0	156
99	Multi-set canonical correlation analysis for the fusion of concurrent single trial ERP and functional MRI. <i>NeuroImage</i> , 2010, 50, 1438-1445.	2.1	156
100	Three-way (N-way) fusion of brain imaging data based on mCCA+jICA and its application to discriminating schizophrenia. <i>NeuroImage</i> , 2013, 66, 119-132.	2.1	154
101	Correspondence between structure and function in the human brain at rest. <i>Frontiers in Neuroinformatics</i> , 2012, 6, 10.	1.3	153
102	Classification of schizophrenia patients based on resting-state functional network connectivity. <i>Frontiers in Neuroscience</i> , 2013, 7, 133.	1.4	153
103	Associations of Cortical Thickness and Cognition in Patients With Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2012, 38, 1050-1062.	2.3	152
104	Thalamus and posterior temporal lobe show greater inter-network connectivity at rest and across sensory paradigms in schizophrenia. <i>NeuroImage</i> , 2014, 97, 117-126.	2.1	151
105	A method for multitask fMRI data fusion applied to schizophrenia. <i>Human Brain Mapping</i> , 2006, 27, 598-610.	1.9	149
106	Higher Dimensional Meta-State Analysis Reveals Reduced Resting fMRI Connectivity Dynamism in Schizophrenia Patients. <i>PLoS ONE</i> , 2016, 11, e0149849.	1.1	148
107	Semiblind spatial ICA of fMRI using spatial constraints. <i>Human Brain Mapping</i> , 2010, 31, 1076-1088.	1.9	146
108	Dynamic functional network connectivity reveals unique and overlapping profiles of insula subdivisions. <i>Human Brain Mapping</i> , 2016, 37, 1770-1787.	1.9	146

#	ARTICLE	IF	CITATIONS
109	A multi-site resting state fMRI study on the amplitude of low frequency fluctuations in schizophrenia. <i>Frontiers in Neuroscience</i> , 2013, 7, 137.	1.4	144
110	Imaging Genetics and Genomics in Psychiatry: A Critical Review of Progress and Potential. <i>Biological Psychiatry</i> , 2017, 82, 165-175.	0.7	144
111	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. <i>Brain Imaging and Behavior</i> , 2017, 11, 1497-1514.	1.1	144
112	Dynamic coherence analysis of resting fMRI data to jointly capture state-based phase, frequency, and time-domain information. <i>NeuroImage</i> , 2015, 120, 133-142.	2.1	141
113	Semi-blind ICA of fMRI: A method for utilizing hypothesis-derived time courses in a spatial ICA analysis. <i>NeuroImage</i> , 2005, 25, 527-538.	2.1	139
114	Altered Topological Properties of Functional Network Connectivity in Schizophrenia during Resting State: A Small-World Brain Network Study. <i>PLoS ONE</i> , 2011, 6, e25423.	1.1	139
115	Age-related changes in processing speed: unique contributions of cerebellar and prefrontal cortex. <i>Frontiers in Human Neuroscience</i> , 2010, 4, 10.	1.0	138
116	Functional structure associations of the brain: Evidence from multimodal connectivity and covariance studies. <i>NeuroImage</i> , 2014, 102, 11-23.	2.1	136
117	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	6.0	136
118	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	2.1	135
119	Functional neural circuits for mental timekeeping. <i>Human Brain Mapping</i> , 2007, 28, 394-408.	1.9	133
120	Resting state connectivity differences in eyes open versus eyes closed conditions. <i>Human Brain Mapping</i> , 2019, 40, 2488-2498.	1.9	133
121	Auditory Oddball Deficits in Schizophrenia: An Independent Component Analysis of the fMRI Multisite Function BIRN Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 67-81.	2.3	132
122	Information flow between interacting human brains: Identification, validation, and relationship to social expertise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 5207-5212.	3.3	131
123	Multimodal Neuroimaging in Schizophrenia: Description and Dissemination. <i>Neuroinformatics</i> , 2017, 15, 343-364.	1.5	131
124	Resting state and task-induced deactivation: A methodological comparison in patients with schizophrenia and healthy controls. <i>Human Brain Mapping</i> , 2010, 31, 424-437.	1.9	130
125	A group ICA based framework for evaluating resting fMRI markers when disease categories are unclear: application to schizophrenia, bipolar, and schizoaffective disorders. <i>NeuroImage</i> , 2015, 122, 272-280.	2.1	130
126	Electroconvulsive Therapy Response in Major Depressive Disorder: A Pilot Functional Network Connectivity Resting State fMRI Investigation. <i>Frontiers in Psychiatry</i> , 2013, 4, 10.	1.3	129

#	ARTICLE	IF	CITATIONS
127	Independent component analysis of fMRI data in the complex domain. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 180-192.	1.9	127
128	Restricted Boltzmann machines for neuroimaging: An application in identifying intrinsic networks. <i>NeuroImage</i> , 2014, 96, 245-260.	2.1	127
129	Multimodal neuromarkers in schizophrenia via cognition-guided MRI fusion. <i>Nature Communications</i> , 2018, 9, 3028.	5.8	127
130	Artifact removal in the context of group $\langle \text{scp} \rangle \text{ICA} \langle / \text{scp} \rangle$: A comparison of single-subject and group approaches. <i>Human Brain Mapping</i> , 2016, 37, 1005-1025.	1.9	126
131	Aberrant Dynamic Functional Network Connectivity and Graph Properties in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 339.	1.3	126
132	Brain Connectivity Networks in Schizophrenia Underlying Resting State Functional Magnetic Resonance Imaging. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 2415-2425.	1.0	125
133	Dynamic functional connectivity impairments in early schizophrenia and clinical high-risk for psychosis. <i>NeuroImage</i> , 2018, 180, 632-645.	2.1	125
134	Correspondence between fMRI and SNP data by group sparse canonical correlation analysis. <i>Medical Image Analysis</i> , 2014, 18, 891-902.	7.0	123
135	Investigation of relationships between fMRI brain networks in the spectral domain using ICA and Granger causality reveals distinct differences between schizophrenia patients and healthy controls. <i>NeuroImage</i> , 2009, 46, 419-431.	2.1	122
136	Canonical Correlation Analysis for Feature-Based Fusion of Biomedical Imaging Modalities and Its Application to Detection of Associative Networks in Schizophrenia. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2008, 2, 998-1007.	7.3	120
137	A Functional Magnetic Resonance Imaging Study of Working Memory Abnormalities in Schizophrenia. <i>Biological Psychiatry</i> , 2006, 60, 11-21.	0.7	119
138	Diffusion tensor imaging in schizophrenia: Relationship to symptoms. <i>Schizophrenia Research</i> , 2008, 98, 157-162.	1.1	118
139	Abnormal thalamocortical network dynamics in migraine. <i>Neurology</i> , 2019, 92, e2706-e2716.	1.5	118
140	Joint independent component analysis for simultaneous EEG-fMRI: Principle and simulation. <i>International Journal of Psychophysiology</i> , 2008, 67, 212-221.	0.5	117
141	Voxel-based Morphometric Multisite Collaborative Study on Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 82-95.	2.3	117
142	Methylation Patterns in Whole Blood Correlate With Symptoms in Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2014, 40, 769-776.	2.3	115
143	Automatic Identification of Functional Clusters in fMRI Data Using Spatial Dependence. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 3406-3417.	2.5	114
144	Premotor functional connectivity predicts impulsivity in juvenile offenders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 11241-11245.	3.3	114

#	ARTICLE	IF	CITATIONS
145	The Function Biomedical Informatics Research Network Data Repository. <i>NeuroImage</i> , 2016, 124, 1074-1079.	2.1	114
146	Deep learning encodes robust discriminative neuroimaging representations to outperform standard machine learning. <i>Nature Communications</i> , 2021, 12, 353.	5.8	114
147	Interrater and intermethod reliability of default mode network selection. <i>Human Brain Mapping</i> , 2009, 30, 2293-2303.	1.9	113
148	Reactivity of hemodynamic responses and functional connectivity to different states of alpha synchrony: A concurrent EEG-fMRI study. <i>NeuroImage</i> , 2010, 52, 1252-1260.	2.1	113
149	Global White Matter Abnormalities in Schizophrenia: A Multisite Diffusion Tensor Imaging Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 222-232.	2.3	113
150	Exploration of scanning effects in multi-site structural MRI studies. <i>Journal of Neuroscience Methods</i> , 2014, 230, 37-50.	1.3	112
151	A large scale multivariate parallel ICA method reveals novel imaging genetic relationships for Alzheimer's disease in the ADNI cohort. <i>NeuroImage</i> , 2012, 60, 1608-1621.	2.1	111
152	Identifying dynamic functional connectivity biomarkers using GIG-ICA: Application to schizophrenia, schizoaffective disorder, and psychotic bipolar disorder. <i>Human Brain Mapping</i> , 2017, 38, 2683-2708.	1.9	111
153	A large scale (N=400) investigation of gray matter differences in schizophrenia using optimized voxel-based morphometry. <i>Schizophrenia Research</i> , 2008, 101, 95-105.	1.1	110
154	Data Visualization in the Neurosciences: Overcoming the Curse of Dimensionality. <i>Neuron</i> , 2012, 74, 603-608.	3.8	110
155	Discriminating schizophrenia using recurrent neural network applied on time courses of multi-site fMRI data. <i>EBioMedicine</i> , 2019, 47, 543-552.	2.7	109
156	Baseline effects of transcranial direct current stimulation on glutamatergic neurotransmission and large-scale network connectivity. <i>Brain Research</i> , 2015, 1594, 92-107.	1.1	108
157	Detection of Mild Traumatic Brain Injury by Machine Learning Classification Using Resting State Functional Network Connectivity and Fractional Anisotropy. <i>Journal of Neurotrauma</i> , 2017, 34, 1045-1053.	1.7	108
158	Evidence for Anomalous Network Connectivity during Working Memory Encoding in Schizophrenia: An ICA Based Analysis. <i>PLoS ONE</i> , 2009, 4, e7911.	1.1	108
159	Chronnectomic patterns and neural flexibility underlie executive function. <i>NeuroImage</i> , 2017, 147, 861-871.	2.1	107
160	Altered static and dynamic functional network connectivity in Alzheimer's disease and subcortical ischemic vascular disease: shared and specific brain connectivity abnormalities. <i>Human Brain Mapping</i> , 2019, 40, 3203-3221.	1.9	107
161	An ICA-based method for the identification of optimal fMRI features and components using combined group-discriminative techniques. <i>NeuroImage</i> , 2009, 46, 73-86.	2.1	105
162	Potential Impact of miR-137 and Its Targets in Schizophrenia. <i>Frontiers in Genetics</i> , 2013, 4, 58.	1.1	104

#	ARTICLE	IF	CITATIONS
163	Resting-state functional network connectivity in prefrontal regions differs between unmedicated patients with bipolar and major depressive disorders. <i>Journal of Affective Disorders</i> , 2016, 190, 483-493.	2.0	102
164	Brain network dynamics during error commission. <i>Human Brain Mapping</i> , 2009, 30, 24-37.	1.9	101
165	Unmixing concurrent EEG-fMRI with parallel independent component analysis. <i>International Journal of Psychophysiology</i> , 2008, 67, 222-234.	0.5	100
166	High Classification Accuracy for Schizophrenia with Rest and Task fMRI Data. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 145.	1.0	100
167	Task-specific feature extraction and classification of fMRI volumes using a deep neural network initialized with a deep belief network: Evaluation using sensorimotor tasks. <i>NeuroImage</i> , 2017, 145, 314-328.	2.1	100
168	Transient increased thalamic-sensory connectivity and decreased whole-brain dynamism in autism. <i>NeuroImage</i> , 2019, 190, 191-204.	2.1	100
169	A selective review of simulated driving studies: Combining naturalistic and hybrid paradigms, analysis approaches, and future directions. <i>NeuroImage</i> , 2012, 59, 25-35.	2.1	99
170	Functional network connectivity during rest and task conditions: A comparative study. <i>Human Brain Mapping</i> , 2013, 34, 2959-2971.	1.9	99
171	Resting State Electroencephalogram Oscillatory Abnormalities in Schizophrenia and Psychotic Bipolar Patients and Their Relatives from the Bipolar and Schizophrenia Network on Intermediate Phenotypes Study. <i>Biological Psychiatry</i> , 2014, 76, 456-465.	0.7	99
172	Presurgical brain mapping of the language network in patients with brain tumors using resting-state fMRI: Comparison with task fMRI. <i>Human Brain Mapping</i> , 2016, 37, 913-923.	1.9	99
173	Disruption to control network function correlates with altered dynamic connectivity in the wider autism spectrum. <i>NeuroImage: Clinical</i> , 2017, 15, 513-524.	1.4	99
174	Aberrant Paralimbic Gray Matter in Incarcerated Male Adolescents With Psychopathic Traits. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 94-103.e3.	0.3	98
175	A review of multivariate analyses in imaging genetics. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 29.	1.3	98
176	Capturing subject variability in fMRI data: A graph-theoretical analysis of GICA vs. IVA. <i>Journal of Neuroscience Methods</i> , 2015, 247, 32-40.	1.3	98
177	Ten Key Observations on the Analysis of Resting-state Functional MR Imaging Data Using Independent Component Analysis. <i>Neuroimaging Clinics of North America</i> , 2017, 27, 561-579.	0.5	98
178	Hemispheric differences in hemodynamics elicited by auditory oddball stimuli. <i>NeuroImage</i> , 2005, 26, 782-792.	2.1	95
179	Impact of autocorrelation on functional connectivity. <i>NeuroImage</i> , 2014, 102, 294-308.	2.1	95
180	Predicting individualized clinical measures by a generalized prediction framework and multimodal fusion of MRI data. <i>NeuroImage</i> , 2017, 145, 218-229.	2.1	95

#	ARTICLE	IF	CITATIONS
181	Machine learning of brain gray matter differentiates sex in a large forensic sample. <i>Human Brain Mapping</i> , 2019, 40, 1496-1506.	1.9	95
182	Dynamic Granger causality based on Kalman filter for evaluation of functional network connectivity in fMRI data. <i>NeuroImage</i> , 2010, 53, 65-77.	2.1	94
183	Connectivity dynamics in typical development and its relationship to autistic traits and autism spectrum disorder. <i>Human Brain Mapping</i> , 2018, 39, 3127-3142.	1.9	94
184	A large scale (N=102) functional neuroimaging study of response inhibition in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2013, 256, 529-536.	1.2	92
185	SchizConnect: Mediating neuroimaging databases on schizophrenia and related disorders for large-scale integration. <i>NeuroImage</i> , 2016, 124, 1155-1167.	2.1	92
186	Gender Differences in Connectome-based Predictions of Individualized Intelligence Quotient and Sub-domain Scores. <i>Cerebral Cortex</i> , 2020, 30, 888-900.	1.6	92
187	Towards a brain-based predictome of mental illness. <i>Human Brain Mapping</i> , 2020, 41, 3468-3535.	1.9	92
188	Group sparse canonical correlation analysis for genomic data integration. <i>BMC Bioinformatics</i> , 2013, 14, 245.	1.2	91
189	Combination of Resting State fMRI, DTI, and sMRI Data to Discriminate Schizophrenia by N-way MCCA+ICA. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 235.	1.0	90
190	Reduced Left Executive Control Network Functional Connectivity Is Associated with Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2445-2453.	1.4	90
191	Alterations of resting state functional network connectivity in the brain of nicotine and alcohol users. <i>NeuroImage</i> , 2017, 151, 45-54.	2.1	90
192	Aberrant localization of synchronous hemodynamic activity in auditory cortex reliably characterizes schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 842-849.	0.7	89
193	A Review of Challenges in the Use of fMRI for Disease Classification / Characterization and A Projection Pursuit Application from A Multi-site fMRI Schizophrenia Study. <i>Brain Imaging and Behavior</i> , 2008, 2, 207-226.	1.1	89
194	Dynamic functional connectivity in schizophrenia and autism spectrum disorder: Convergence, divergence and classification. <i>NeuroImage: Clinical</i> , 2019, 24, 101966.	1.4	88
195	Task-induced brain connectivity promotes the detection of individual differences in brain-behavior relationships. <i>NeuroImage</i> , 2020, 207, 116370.	2.1	88
196	A projection pursuit algorithm to classify individuals using fMRI data: Application to schizophrenia. <i>NeuroImage</i> , 2008, 39, 1774-1782.	2.1	87
197	MTHFR 677C > T genotype disrupts prefrontal function in schizophrenia through an interaction with COMT 158Val > Met. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17573-17578.	3.3	86
198	A CCA+ICA based model for multi-task brain imaging data fusion and its application to schizophrenia. <i>NeuroImage</i> , 2010, 51, 123-134.	2.1	86

#	ARTICLE	IF	CITATIONS
199	Components of Cross-Frequency Modulation in Health and Disease. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 59.	1.2	85
200	Spatial ICA reveals functional activity hidden from traditional fMRI GLM-based analyses. <i>Frontiers in Neuroscience</i> , 2013, 7, 154.	1.4	85
201	Mining EEG-fMRI using independent component analysis. <i>International Journal of Psychophysiology</i> , 2009, 73, 53-61.	0.5	84
202	Changes in intrinsic functional brain networks following blast-induced mild traumatic brain injury. <i>Brain Injury</i> , 2013, 27, 1304-1310.	0.6	84
203	Discriminating Bipolar Disorder From Major Depression Based on SVM-FoBa: Efficient Feature Selection With Multimodal Brain Imaging Data. <i>IEEE Transactions on Autonomous Mental Development</i> , 2015, 7, 320-331.	2.3	84
204	Time-Resolved Resting-State Functional Magnetic Resonance Imaging Analysis: Current Status, Challenges, and New Directions. <i>Brain Connectivity</i> , 2017, 7, 465-481.	0.8	84
205	Deep residual learning for neuroimaging: An application to predict progression to Alzheimer's disease. <i>Journal of Neuroscience Methods</i> , 2020, 339, 108701.	1.3	83
206	Modular Organization of Functional Network Connectivity in Healthy Controls and Patients with Schizophrenia during the Resting State. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 103.	1.2	82
207	Multimodal Data Fusion Using Source Separation: Application to Medical Imaging. <i>Proceedings of the IEEE</i> , 2015, 103, 1494-1506.	16.4	82
208	Dynamic functional network connectivity discriminates mild traumatic brain injury through machine learning. <i>NeuroImage: Clinical</i> , 2018, 19, 30-37.	1.4	82
209	EEGIFT: Group Independent Component Analysis for Event-Related EEG Data. <i>Computational Intelligence and Neuroscience</i> , 2011, 2011, 1-9.	1.1	81
210	Reduced executive and default network functional connectivity in cigarette smokers. <i>Human Brain Mapping</i> , 2015, 36, 872-882.	1.9	81
211	Group-level component analyses of EEG: validation and evaluation. <i>Frontiers in Neuroscience</i> , 2015, 9, 254.	1.4	81
212	Automatic Bayesian Classification of Healthy Controls, Bipolar Disorder, and Schizophrenia Using Intrinsic Connectivity Maps From fMRI Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 2850-2860.	2.5	80
213	Functional connectivity in the developing brain: A longitudinal study from 4 to 9 months of age. <i>NeuroImage</i> , 2014, 84, 169-180.	2.1	80
214	Multimodal Data Fusion Using Source Separation: Two Effective Models Based on ICA and IVA and Their Properties. <i>Proceedings of the IEEE</i> , 2015, 103, 1478-1493.	16.4	80
215	Aberrant Functional Whole-Brain Network Architecture in Patients With Schizophrenia: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, S13-S21.	2.3	80
216	Changing brain connectivity dynamics: From early childhood to adulthood. <i>Human Brain Mapping</i> , 2018, 39, 1108-1117.	1.9	80

#	ARTICLE	IF	CITATIONS
217	Alterations in Default Mode Network Connectivity During Pain Processing in Borderline Personality Disorder. <i>Archives of General Psychiatry</i> , 2012, 69, 993-1002.	13.8	79
218	An introductory review of parallel independent component analysis (p-ICA) and a guide to applying p-ICA to genetic data and imaging phenotypes to identify disease-associated biological pathways and systems in common complex disorders. <i>Frontiers in Genetics</i> , 2015, 6, 276.	1.1	79
219	Group ICA for identifying biomarkers in schizophrenia: "Adaptive"™ networks via spatially constrained ICA show more sensitivity to group differences than spatio-temporal regression. <i>NeuroImage: Clinical</i> , 2019, 22, 101747.	1.4	79
220	Latency (in)sensitive ICA. <i>NeuroImage</i> , 2003, 20, 1661-1669.	2.1	78
221	Classifying Schizophrenia Using Multimodal Multivariate Pattern Recognition Analysis: Evaluating the Impact of Individual Clinical Profiles on the Neurodiagnostic Performance. <i>Schizophrenia Bulletin</i> , 2016, 42, S110-S117.	2.3	78
222	Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1060-1069.	2.3	78
223	Functional brain networks associated with cognitive control, cocaine dependence, and treatment outcome.. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 477-488.	1.4	78
224	Aberrant processing of deviant stimuli in schizophrenia revealed by fusion of fMRI and EEG data. <i>Acta Neuropsychiatrica</i> , 2010, 22, 127-138.	1.0	77
225	Co-altered functional networks and brain structure in unmedicated patients with bipolar and major depressive disorders. <i>Brain Structure and Function</i> , 2017, 222, 4051-4064.	1.2	77
226	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	1.9	76
227	Resting-state functional connectivity differences in premature children. <i>Frontiers in Systems Neuroscience</i> , 2010, 4, .	1.2	75
228	Regional cerebellar volume and cognitive function from adolescence to late middle age. <i>Human Brain Mapping</i> , 2015, 36, 1102-1120.	1.9	75
229	The lifespan trajectory of neural oscillatory activity in the motor system. <i>Developmental Cognitive Neuroscience</i> , 2018, 30, 159-168.	1.9	74
230	Characterization of groups using composite kernels and multi-source fMRI analysis data: Application to schizophrenia. <i>NeuroImage</i> , 2011, 58, 526-536.	2.1	73
231	COINSTAC: A Privacy Enabled Model and Prototype for Leveraging and Processing Decentralized Brain Imaging Data. <i>Frontiers in Neuroscience</i> , 2016, 10, 365.	1.4	73
232	Connectome-based individualized prediction of temperament trait scores. <i>NeuroImage</i> , 2018, 183, 366-374.	2.1	73
233	Functional Imaging of Cognitive Control During Acute Alcohol Intoxication. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 156-165.	1.4	72
234	MicroRNA132 associated multimodal neuroimaging patterns in unmedicated major depressive disorder. <i>Brain</i> , 2018, 141, 916-926.	3.7	72

#	ARTICLE	IF	CITATIONS
235	Alcohol dose effects on brain circuits during simulated driving: An fMRI study. <i>Human Brain Mapping</i> , 2009, 30, 1257-1270.	1.9	71
236	Resting-State Networks as Simultaneously Measured with Functional MRI and PET. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1314-1317.	2.8	71
237	Saliency-Default Mode Functional Network Connectivity Linked to Positive and Negative Symptoms of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 892-901.	2.3	71
238	Acute ischaemic stroke alters the brain's preference for distinct dynamic connectivity states. <i>Brain</i> , 2020, 143, 1525-1540.	3.7	71
239	A fast algorithm for one-unit ICA-R. <i>Information Sciences</i> , 2007, 177, 1265-1275.	4.0	70
240	Joint source based morphometry identifies linked gray and white matter group differences. <i>NeuroImage</i> , 2009, 44, 777-789.	2.1	70
241	The COMT Val108/158Met polymorphism and medial temporal lobe volumetry in patients with schizophrenia and healthy adults. <i>NeuroImage</i> , 2010, 53, 992-1000.	2.1	70
242	Disrupted correlation between low frequency power and connectivity strength of resting state brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 165-171.	1.1	70
243	Mutually temporally independent connectivity patterns: A new framework to study the dynamics of brain connectivity at rest with application to explain group difference based on gender. <i>NeuroImage</i> , 2015, 107, 85-94.	2.1	70
244	Data sharing and privacy issues in neuroimaging research: Opportunities, obstacles, challenges, and monsters under the bed. <i>Human Brain Mapping</i> , 2022, 43, 278-291.	1.9	70
245	Application of principal component analysis to distinguish patients with schizophrenia from healthy controls based on fractional anisotropy measurements. <i>NeuroImage</i> , 2008, 42, 675-682.	2.1	69
246	Task-related concurrent but opposite modulations of overlapping functional networks as revealed by spatial ICA. <i>NeuroImage</i> , 2013, 79, 62-71.	2.1	69
247	Bipolar and borderline patients display differential patterns of functional connectivity among resting state networks. <i>NeuroImage</i> , 2014, 98, 73-81.	2.1	69
248	The connectivity domain: Analyzing resting state fMRI data using feature-based data-driven and model-based methods. <i>NeuroImage</i> , 2016, 134, 494-507.	2.1	69
249	Joint ICA of ERP and fMRI during error-monitoring. <i>NeuroImage</i> , 2012, 59, 1896-1903.	2.1	68
250	Relating Intrinsic Low-Frequency BOLD Cortical Oscillations to Cognition in Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 2705-2714.	2.8	68
251	Multimodal Classification of Schizophrenia Patients with MEG and fMRI Data Using Static and Dynamic Connectivity Measures. <i>Frontiers in Neuroscience</i> , 2016, 10, 466.	1.4	68
252	Mindfulness and dynamic functional neural connectivity in children and adolescents. <i>Behavioural Brain Research</i> , 2018, 336, 211-218.	1.2	68

#	ARTICLE	IF	CITATIONS
253	Altered Small-World Brain Networks in Schizophrenia Patients during Working Memory Performance. PLoS ONE, 2012, 7, e38195.	1.1	67
254	Time-Varying Brain Connectivity in fMRI Data: Whole-brain data-driven approaches for capturing and characterizing dynamic states. IEEE Signal Processing Magazine, 2016, 33, 52-66.	4.6	67
255	The spatial chronnectome reveals a dynamic interplay between functional segregation and integration. Human Brain Mapping, 2019, 40, 3058-3077.	1.9	67
256	Alcohol intoxication effects on visual perception: An fMRI study. Human Brain Mapping, 2004, 21, 15-26.	1.9	66
257	Anomalous neural circuit function in schizophrenia during a virtual Morris water task. NeuroImage, 2010, 49, 3373-3384.	2.1	65
258	MB-COMT promoter DNA methylation is associated with working-memory processing in schizophrenia patients and healthy controls. Epigenetics, 2014, 9, 1101-1107.	1.3	65
259	Schizophrenia miR-137 Locus Risk Genotype Is Associated with Dorsolateral Prefrontal Cortex Hyperactivation. Biological Psychiatry, 2014, 75, 398-405.	0.7	65
260	Multimodal Fusion With Reference: Searching for Joint Neuromarkers of Working Memory Deficits in Schizophrenia. IEEE Transactions on Medical Imaging, 2018, 37, 93-105.	5.4	65
261	Abnormal Object Recall and Anterior Cingulate Overactivation Correlate with Formal Thought Disorder in Schizophrenia. Biological Psychiatry, 2006, 59, 452-459.	0.7	64
262	Age-related cognitive gains are mediated by the effects of white matter development on brain network integration. NeuroImage, 2009, 48, 738-746.	2.1	64
263	Brain structure and function correlates of cognitive subtypes in schizophrenia. Psychiatry Research - Neuroimaging, 2015, 234, 74-83.	0.9	64
264	Altered Small-World Brain Networks in Temporal Lobe in Patients with Schizophrenia Performing an Auditory Oddball Task. Frontiers in Systems Neuroscience, 2011, 5, 7.	1.2	63
265	Reliability of the amplitude of low-frequency fluctuations in resting state fMRI in chronic schizophrenia. Psychiatry Research - Neuroimaging, 2012, 201, 253-255.	0.9	63
266	Working memory circuitry in schizophrenia shows widespread cortical inefficiency and compensation. Schizophrenia Research, 2010, 117, 42-51.	1.1	62
267	Lateral differences in the default mode network in healthy controls and patients with schizophrenia. Human Brain Mapping, 2011, 32, 654-664.	1.9	62
268	Independent Component Analysis for Brain fMRI Does Indeed Select for Maximal Independence. PLoS ONE, 2013, 8, e73309.	1.1	62
269	Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. Frontiers in Psychiatry, 2013, 4, 92.	1.3	62
270	Neuroimaging measures of error-processing: Extracting reliable signals from event-related potentials and functional magnetic resonance imaging. NeuroImage, 2016, 132, 247-260.	2.1	61

#	ARTICLE	IF	CITATIONS
271	Moving Beyond ERP Components: A Selective Review of Approaches to Integrate EEG and Behavior. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 106.	1.0	61
272	Modulations of functional connectivity in the healthy and schizophrenia groups during task and rest. <i>NeuroImage</i> , 2012, 62, 1694-1704.	2.1	60
273	A multiple kernel learning approach to perform classification of groups from complex-valued fMRI data analysis: Application to schizophrenia. <i>NeuroImage</i> , 2014, 87, 1-17.	2.1	59
274	Joint sparse canonical correlation analysis for detecting differential imaging genetics modules. <i>Bioinformatics</i> , 2016, 32, 3480-3488.	1.8	59
275	A Selective Review of Multimodal Fusion Methods in Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 27.	1.0	58
276	Preserving subject variability in group fMRI analysis: performance evaluation of GICA vs. IVA. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 106.	1.2	58
277	Effect of Spatial Smoothing on Task fMRI ICA and Functional Connectivity. <i>Frontiers in Neuroscience</i> , 2018, 12, 15.	1.4	58
278	Multimodal Magnetic Resonance Imaging Data Fusion Reveals Distinct Patterns of Abnormal Brain Structure and Function in Catatonia. <i>Schizophrenia Bulletin</i> , 2020, 46, 202-210.	2.3	58
279	Paralimbic Gray Matter Reductions in Incarcerated Adolescent Females with Psychopathic Traits. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 659-668.	3.5	57
280	Genetic determinants of target and novelty-related event-related potentials in the auditory oddball response. <i>NeuroImage</i> , 2009, 46, 809-816.	2.1	56
281	COINS Data Exchange: An open platform for compiling, curating, and disseminating neuroimaging data. <i>NeuroImage</i> , 2016, 124, 1084-1088.	2.1	56
282	Whole-brain connectivity dynamics reflect both task-specific and individual-specific modulation: A multitask study. <i>NeuroImage</i> , 2018, 180, 495-504.	2.1	56
283	Tools of the trade: estimating time-varying connectivity patterns from fMRI data. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 849-874.	1.5	56
284	Independent Component Analysis Applied to fMRI Data: A Generative Model for Validating Results. <i>Journal of Signal Processing Systems</i> , 2004, 37, 281-291.	1.0	55
285	Cumulative Genetic Risk and Prefrontal Activity in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 703-711.	2.3	55
286	Brain Potentials Measured During a Go/NoGo Task Predict Completion of Substance Abuse Treatment. <i>Biological Psychiatry</i> , 2014, 76, 75-83.	0.7	55
287	The spatio-spectral characterization of brain networks: Fusing concurrent EEG spectra and fMRI maps. <i>NeuroImage</i> , 2013, 69, 101-111.	2.1	54
288	Specific default mode subnetworks support mentalizing as revealed through opposing network recruitment by social and semantic fMRI tasks. <i>Human Brain Mapping</i> , 2015, 36, 3047-3063.	1.9	54

#	ARTICLE	IF	CITATIONS
289	The Impact of Combinations of Alcohol, Nicotine, and Cannabis on Dynamic Brain Connectivity. <i>Neuropsychopharmacology</i> , 2018, 43, 877-890.	2.8	54
290	Association of Copy Number Variation of the 15q11.2 BP1-BP2 Region With Cortical and Subcortical Morphology and Cognition. <i>JAMA Psychiatry</i> , 2020, 77, 420.	6.0	54
291	An fMRI study of working memory in first-degree unaffected relatives of schizophrenia patients. <i>Schizophrenia Research</i> , 2008, 104, 85-95.	1.1	53
292	Source-Based Morphometry Analysis of Group Differences in Fractional Anisotropy in Schizophrenia. <i>Brain Connectivity</i> , 2011, 1, 133-145.	0.8	53
293	Heritability of Multivariate Gray Matter Measures in Schizophrenia. <i>Twin Research and Human Genetics</i> , 2012, 15, 324-335.	0.3	53
294	Multimodal analyses identify linked functional and white matter abnormalities within the working memory network in schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 136-142.	1.1	53
295	Intrinsic limbic and paralimbic networks are associated with criminal psychopathy. <i>Human Brain Mapping</i> , 2013, 34, 1921-1930.	1.9	53
296	Application of Graph Theory to Assess Static and Dynamic Brain Connectivity: Approaches for Building Brain Graphs. <i>Proceedings of the IEEE</i> , 2018, 106, 886-906.	16.4	53
297	Reduced fMRI activity predicts relapse in patients recovering from stimulant dependence. <i>Human Brain Mapping</i> , 2014, 35, 414-428.	1.9	52
298	Spatial dynamics within and between brain functional domains: A hierarchical approach to study time-varying brain function. <i>Human Brain Mapping</i> , 2019, 40, 1969-1986.	1.9	52
299	Dynamic state with covarying brain activity-connectivity: On the pathophysiology of schizophrenia. <i>NeuroImage</i> , 2021, 224, 117385.	2.1	52
300	Polymorphism of DCDC2 Reveals Differences in Cortical Morphology of Healthy Individuals: A Preliminary Voxel Based Morphometry Study. <i>Brain Imaging and Behavior</i> , 2008, 2, 21-26.	1.1	51
301	On Network Derivation, Classification, and Visualization: A Response to Habeck and Moeller. <i>Brain Connectivity</i> , 2011, 1, 105-110.	0.8	51
302	Examining the effect of psychopathic traits on gray matter volume in a community substance abuse sample. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 91-100.	0.9	51
303	Sharing privacy-sensitive access to neuroimaging and genetics data: a review and preliminary validation. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 35.	1.3	51
304	Aberrant functional network connectivity in psychopathy from a large ($N=985$) forensic sample. <i>Human Brain Mapping</i> , 2018, 39, 2624-2634.	1.9	51
305	Characterization of cross-tissue genetic-epigenetic effects and their patterns in schizophrenia. <i>Genome Medicine</i> , 2018, 10, 13.	3.6	51
306	A weighted least-squares algorithm for estimation and visualization of relative latencies in event-related functional MRI. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 947-954.	1.9	50

#	ARTICLE	IF	CITATIONS
307	Comparison of Blind Source Separation Algorithms for fMRI Using a New Matlab Toolbox: GIFT. , 0, , .		50
308	A pilot multivariate parallel ICA study to investigate differential linkage between neural networks and genetic profiles in schizophrenia. <i>NeuroImage</i> , 2010, 53, 1007-1015.	2.1	50
309	Large-scale functional network overlap is a general property of brain functional organization: Reconciling inconsistent fMRI findings from general-linear-model-based analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 83-100.	2.9	50
310	The developmental trajectory of sensorimotor cortical oscillations. <i>NeuroImage</i> , 2019, 184, 455-461.	2.1	50
311	Effects of Alcohol on Performance on a Distraction Task During Simulated Driving. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 617-625.	1.4	49
312	Genetic Associations of Brain Structural Networks in Schizophrenia: A Preliminary Study. <i>Biological Psychiatry</i> , 2010, 68, 657-666.	0.7	49
313	Graph Metrics of Structural Brain Networks in Individuals with Schizophrenia and Healthy Controls: Group Differences, Relationships with Intelligence, and Genetics. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 240-249.	1.2	49
314	The effect of preprocessing pipelines in subject classification and detection of abnormal resting state functional network connectivity using group ICA. <i>NeuroImage</i> , 2017, 145, 365-376.	2.1	49
315	SMRI Biomarkers Predict Electroconvulsive Treatment Outcomes: Accuracy with Independent Data Sets. <i>Neuropsychopharmacology</i> , 2018, 43, 1078-1087.	2.8	49
316	A resting state fMRI analysis pipeline for pooling inference across diverse cohorts: an ENIGMA rs-fMRI protocol. <i>Brain Imaging and Behavior</i> , 2019, 13, 1453-1467.	1.1	49
317	Default mode dysfunction underpins suicidal activity in mood disorders. <i>Psychological Medicine</i> , 2020, 50, 1214-1223.	2.7	49
318	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020, 177, 537-547.	4.0	49
319	Space: A Missing Piece of the Dynamic Puzzle. <i>Trends in Cognitive Sciences</i> , 2020, 24, 135-149.	4.0	49
320	Complex ICA of Brain Imaging Data [Life Sciences]. <i>IEEE Signal Processing Magazine</i> , 2007, 24, 136-139.	4.6	48
321	A Parallel Independent Component Analysis Approach to Investigate Genomic Influence on Brain Function. <i>IEEE Signal Processing Letters</i> , 2008, 15, 413-416.	2.1	48
322	Test-retest reliability and reproducibility of short-time spectroscopic imaging of human brain at 3T. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 324-332.	1.9	48
323	Guided exploration of genomic risk for gray matter abnormalities in schizophrenia using parallel independent component analysis with reference. <i>NeuroImage</i> , 2013, 83, 384-396.	2.1	48
324	A statistically motivated framework for simulation of stochastic data fusion models applied to multimodal neuroimaging. <i>NeuroImage</i> , 2014, 102, 92-117.	2.1	48

#	ARTICLE	IF	CITATIONS
325	Source-based morphometry: a decade of covarying structural brain patterns. <i>Brain Structure and Function</i> , 2019, 224, 3031-3044.	1.2	48
326	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. <i>NeuroImage</i> , 2020, 220, 117127.	2.1	48
327	Alterations of frontal-temporal gray matter volume associate with clinical measures of older adults with COVID-19. <i>Neurobiology of Stress</i> , 2021, 14, 100326.	1.9	48
328	A method for accurate group difference detection by constraining the mixing coefficients in an ICA framework. <i>Human Brain Mapping</i> , 2009, 30, 2953-2970.	1.9	47
329	Identification of Imaging Biomarkers in Schizophrenia: A Coefficient-constrained Independent Component Analysis of the Mind Multi-site Schizophrenia Study. <i>Neuroinformatics</i> , 2010, 8, 213-229.	1.5	47
330	Using joint ICA to link function and structure using MEG and DTI in schizophrenia. <i>NeuroImage</i> , 2013, 83, 418-430.	2.1	47
331	Impact of Analysis Methods on the Reproducibility and Reliability of Resting-State Networks. <i>Brain Connectivity</i> , 2013, 3, 363-374.	0.8	47
332	A three-way parallel ICA approach to analyze links among genetics, brain structure and brain function. <i>NeuroImage</i> , 2014, 98, 386-394.	2.1	47
333	Comparing brain graphs in which nodes are regions of interest or independent components: A simulation study. <i>Journal of Neuroscience Methods</i> , 2017, 291, 61-68.	1.3	47
334	An ensemble learning system for a 4-way classification of Alzheimer's disease and mild cognitive impairment. <i>Journal of Neuroscience Methods</i> , 2018, 302, 75-81.	1.3	47
335	Mining the mind research network: a novel framework for exploring large scale, heterogeneous translational neuroscience research data sources. <i>Frontiers in Neuroinformatics</i> , 2010, 3, 36.	1.3	47
336	Antipsychotic dose and diminished neural modulation: A multi-site fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 473-482.	2.5	46
337	A novel method for quantifying scanner instability in fMRI. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1053-1061.	1.9	46
338	Dynamic functional network connectivity in Huntington's disease and its associations with motor and cognitive measures. <i>Human Brain Mapping</i> , 2019, 40, 1955-1968.	1.9	46
339	Age-related structural and functional variations in 5,967 individuals across the adult lifespan. <i>Human Brain Mapping</i> , 2020, 41, 1725-1737.	1.9	46
340	Sparse models for correlative and integrative analysis of imaging and genetic data. <i>Journal of Neuroscience Methods</i> , 2014, 237, 69-78.	1.3	45
341	Neuropsychological profile in adult schizophrenia measured with the CMINDS. <i>Psychiatry Research</i> , 2015, 230, 826-834.	1.7	45
342	Reading the (functional) writing on the (structural) wall: Multimodal fusion of brain structure and function via a deep neural network based translation approach reveals novel impairments in schizophrenia. <i>NeuroImage</i> , 2018, 181, 734-747.	2.1	45

#	ARTICLE	IF	CITATIONS
343	Functional network connectivity impairments and core cognitive deficits in schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 4593-4605.	1.9	45
344	Multimodal data revealed different neurobiological correlates of intelligence between males and females. <i>Brain Imaging and Behavior</i> , 2020, 14, 1979-1993.	1.1	45
345	A feature-based approach to combine functional MRI, structural MRI and EEG brain imaging data. , 2006, 2006, 3672-5.		44
346	Hybrid ICAâ€“Bayesian network approach reveals distinct effective connectivity differences in schizophrenia. <i>NeuroImage</i> , 2008, 42, 1560-1568.	2.1	44
347	Does function follow form?: Methods to fuse structural and functional brain images show decreased linkage in schizophrenia. <i>NeuroImage</i> , 2010, 49, 2626-2637.	2.1	44
348	Sparse representation based biomarker selection for schizophrenia with integrated analysis of fMRI and SNPs. <i>NeuroImage</i> , 2014, 102, 220-228.	2.1	44
349	Multifaceted genomic risk for brain function in schizophrenia. <i>NeuroImage</i> , 2012, 61, 866-875.	2.1	42
350	Magnetoencephalographic and functional MRI connectomics in schizophrenia via intra- and inter-network connectivity. <i>NeuroImage</i> , 2017, 145, 96-106.	2.1	42
351	Schizophrenia Shows Disrupted Links between Brain Volume and Dynamic Functional Connectivity. <i>Frontiers in Neuroscience</i> , 2017, 11, 624.	1.4	42
352	A windowâ€“less approach for capturing timeâ€“varying connectivity in fMRI data reveals the presence of states with variable rates of change. <i>Human Brain Mapping</i> , 2018, 39, 1626-1636.	1.9	42
353	Complexity in mood disorder diagnosis: fMRI connectivity networks predicted medicationâ€“class of response in complex patients. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 472-482.	2.2	42
354	Aberrant Dynamic Functional Connectivity of Default Mode Network in Schizophrenia and Links to Symptom Severity. <i>Frontiers in Neural Circuits</i> , 2021, 15, 649417.	1.4	42
355	Rare Copy Number Deletions Predict Individual Variation in Intelligence. <i>PLoS ONE</i> , 2011, 6, e16339.	1.1	41
356	Differentiating emotional processing and attention in psychopathy with functional neuroimaging. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 491-515.	1.0	41
357	An approach to directly link ICA and seed-based functional connectivity: Application to schizophrenia. <i>NeuroImage</i> , 2018, 179, 448-470.	2.1	41
358	Application of Independent Component Analysis With Adaptive Density Model to Complex-Valued fMRI Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 2794-2803.	2.5	40
359	Neuropsychological Testing and Structural Magnetic Resonance Imaging as Diagnostic Biomarkers Early in the Course of Schizophrenia and Related Psychoses. <i>Neuroinformatics</i> , 2011, 9, 321-333.	1.5	40
360	Prognostic classification of mild cognitive impairment and Alzheimer's disease: MRI independent component analysis. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 81-88.	0.9	40

#	ARTICLE	IF	CITATIONS
361	Risperidone Effects on Brain Dynamic Connectivityâ€”A Prospective Resting-State fMRI Study in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 14.	1.3	40
362	Abnormal dynamic functional connectivity is linked to recovery after acute ischemic stroke. <i>Human Brain Mapping</i> , 2021, 42, 2278-2291.	1.9	40
363	Rapid method for correction of CSF partial volume in quantitative proton MR spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 555-558.	1.9	39
364	Multimodal and Multi-Tissue Measures of Connectivity Revealed by Joint Independent Component Analysis. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2008, 2, 986-997.	7.3	39
365	Harnessing modern web application technology to create intuitive and efficient data visualization and sharing tools. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 71.	1.3	39
366	A multi-scanner study of subcortical brain volume abnormalities in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 10-16.	0.9	39
367	Neural Correlates of Schizophrenia Negative Symptoms: Distinct Subtypes Impact Dissociable Brain Circuits. <i>Molecular Neuropsychiatry</i> , 2015, 1, 191-200.	3.0	39
368	A joint time-frequency analysis of resting-state functional connectivity reveals novel patterns of connectivity shared between or unique to schizophrenia patients and healthy controls. <i>NeuroImage: Clinical</i> , 2017, 15, 761-768.	1.4	39
369	Whole-Brain Connectivity in a Large Study of Huntington's Disease Gene Mutation Carriers and Healthy Controls. <i>Brain Connectivity</i> , 2018, 8, 166-178.	0.8	39
370	A Bayesian Approach for Estimating Dynamic Functional Network Connectivity in fMRI Data. <i>Journal of the American Statistical Association</i> , 2018, 113, 134-151.	1.8	39
371	Determining the number of states in dynamic functional connectivity using cluster validity indexes. <i>Journal of Neuroscience Methods</i> , 2020, 337, 108651.	1.3	39
372	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2022, 43, 352-372.	1.9	39
373	Alzheimer's Disease Projection From Normal to Mild Dementia Reflected in Functional Network Connectivity: A Longitudinal Study. <i>Frontiers in Neural Circuits</i> , 2020, 14, 593263.	1.4	39
374	Independent component analysis by complex nonlinearities. , 0, , .		38
375	fMRI in an oddball task: Effects of target-to-target interval. <i>Psychophysiology</i> , 2005, 42, 636-642.	1.2	38
376	Extracting Intrinsic Functional Networks with Feature-Based Group Independent Component Analysis. <i>Psychometrika</i> , 2013, 78, 243-259.	1.2	38
377	An average sliding window correlation method for dynamic functional connectivity. <i>Human Brain Mapping</i> , 2019, 40, 2089-2103.	1.9	38
378	Linked 4-Way Multimodal Brain Differences in Schizophrenia in a Large Chinese Han Population. <i>Schizophrenia Bulletin</i> , 2019, 45, 436-449.	2.3	38

#	ARTICLE	IF	CITATIONS
379	State-related functional integration and functional segregation brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 450-458.	1.1	37
380	The chronnectome: Evaluating replicability of dynamic connectivity patterns in 7500 resting fMRI datasets. , 2016, 2016, 5571-5574.		37
381	Modality-Dependent Impact of Hallucinations on Low-Frequency Fluctuations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw093.	2.3	37
382	Altered regional cortical thickness and subcortical volume in women with primary dysmenorrhoea. <i>European Journal of Pain</i> , 2016, 20, 512-520.	1.4	37
383	The real-time fMRI neurofeedback based stratification of Default Network Regulation Neuroimaging data repository. <i>NeuroImage</i> , 2017, 146, 157-170.	2.1	37
384	Dynamic connectivity and the effects of maturation in youth with attention deficit hyperactivity disorder. <i>Network Neuroscience</i> , 2019, 3, 195-216.	1.4	37
385	Neural dynamics of verbal working memory processing in children and adolescents. <i>NeuroImage</i> , 2019, 185, 191-197.	2.1	37
386	Using normative modelling to detect disease progression in mild cognitive impairment and Alzheimer's disease in a cross-sectional multi-cohort study. <i>Scientific Reports</i> , 2021, 11, 15746.	1.6	37
387	Effective connectivity analysis of fMRI and MEG data collected under identical paradigms. <i>Computers in Biology and Medicine</i> , 2011, 41, 1156-1165.	3.9	36
388	Disrupted Functional Brain Connectivity during Verbal Working Memory in Children and Adolescents with Schizophrenia. <i>Cerebral Cortex</i> , 2011, 21, 510-518.	1.6	36
389	Spatial Characteristics of White Matter Abnormalities in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 1077-1086.	2.3	36
390	Independent component analysis of functional networks for response inhibition: Inter-subject variation in stop signal reaction time. <i>Human Brain Mapping</i> , 2015, 36, 3289-3302.	1.9	36
391	Independent Vector Analysis for Gradient Artifact Removal in Concurrent EEG-fMRI Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1750-1758.	2.5	36
392	Multi-Hypergraph Learning-Based Brain Functional Connectivity Analysis in fMRI Data. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 1746-1758.	5.4	36
393	Interparticipant correlations: A model free FMRI analysis technique. <i>Human Brain Mapping</i> , 2007, 28, 860-867.	1.9	35
394	Wavelet-based fMRI analysis: 3-D denoising, signal separation, and validation metrics. <i>NeuroImage</i> , 2011, 54, 2867-2884.	2.1	35
395	De-noising, phase ambiguity correction and visualization techniques for complex-valued ICA of group fMRI data. <i>Pattern Recognition</i> , 2012, 45, 2050-2063.	5.1	35
396	Building an EEG-fMRI Multi-Modal Brain Graph: A Concurrent EEG-fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 476.	1.0	35

#	ARTICLE	IF	CITATIONS
397	Identifying functional network changing patterns in individuals at clinical high-risk for psychosis and patients with early illness schizophrenia: A group ICA study. <i>NeuroImage: Clinical</i> , 2018, 17, 335-346.	1.4	35
398	Decomposing the brain: components and modes, networks and nodes. <i>Trends in Cognitive Sciences</i> , 2012, 16, 255-256.	4.0	34
399	Diminished auditory sensory gating during active auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2017, 188, 125-131.	1.1	34
400	Multimodal neural correlates of cognitive control in the Human Connectome Project. <i>NeuroImage</i> , 2017, 163, 41-54.	2.1	34
401	Alterations in resting-state functional connectivity in substance use disorders and treatment implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 79-93.	2.5	34
402	Deep Collaborative Learning With Application to the Study of Multimodal Brain Development. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 3346-3359.	2.5	34
403	Epigenome-wide meta-analysis of blood DNA methylation and its association with subcortical volumes: findings from the ENIGMA Epigenetics Working Group. <i>Molecular Psychiatry</i> , 2021, 26, 3884-3895.	4.1	34
404	Application of deep canonically correlated sparse autoencoder for the classification of schizophrenia. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 183, 105073.	2.6	34
405	The Developmental Chronnecto-Genomics (Dev-CoG) study: A multimodal study on the developing brain. <i>NeuroImage</i> , 2021, 225, 117438.	2.1	34
406	Simulated Driving and Brain Imaging: Combining Behavior, Brain Activity, and Virtual Reality. <i>CNS Spectrums</i> , 2006, 11, 52-62.	0.7	33
407	Connectivity-based whole brain dual parcellation by group ICA reveals tract structures and decreased connectivity in schizophrenia. <i>Human Brain Mapping</i> , 2015, 36, 4681-4701.	1.9	33
408	Meta gene set enrichment analyses link miR-137-regulated pathways with schizophrenia risk. <i>Frontiers in Genetics</i> , 2015, 6, 147.	1.1	33
409	Estimation of Dynamic Sparse Connectivity Patterns From Resting State fMRI. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 1224-1234.	5.4	33
410	Editorial on special issue: Machine learning on MCI. <i>Journal of Neuroscience Methods</i> , 2018, 302, 1-2.	1.3	33
411	Resting-state fMRI dynamic functional network connectivity and associations with psychopathy traits. <i>NeuroImage: Clinical</i> , 2019, 24, 101970.	1.4	33
412	The inner fluctuations of the brain in presymptomatic Frontotemporal Dementia: The chronnectome fingerprint. <i>NeuroImage</i> , 2019, 189, 645-654.	2.1	33
413	Estimating Dynamic Functional Brain Connectivity With a Sparse Hidden Markov Model. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 488-498.	5.4	33
414	Convergent approaches for defining functional imaging endophenotypes in schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2009, 3, 37.	1.0	32

#	ARTICLE	IF	CITATIONS
415	Mentalizing in male schizophrenia patients is compromised by virtue of dysfunctional connectivity between task-positive and task-negative networks. <i>Schizophrenia Research</i> , 2012, 140, 51-58.	1.1	32
416	An Integrative Bayesian Modeling Approach to Imaging Genetics. <i>Journal of the American Statistical Association</i> , 2013, 108, 876-891.	1.8	32
417	Multimodal imaging measures predict rearrest. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 425.	1.0	32
418	ICA of full complex-valued fMRI data using phase information of spatial maps. <i>Journal of Neuroscience Methods</i> , 2015, 249, 75-91.	1.3	32
419	Regional and source-based patterns of [¹¹ C]-(+)-PHNO binding potential reveal concurrent alterations in dopamine D ₂ and D ₃ receptor availability in cocaine-use disorder. <i>NeuroImage</i> , 2017, 148, 343-351.	2.1	32
420	Age of gray matters: Neuroprediction of recidivism. <i>NeuroImage: Clinical</i> , 2018, 19, 813-823.	1.4	32
421	Capturing Dynamic Connectivity From Resting State fMRI Using Time-Varying Graphical Lasso. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1852-1862.	2.5	32
422	Partially restored resting-state functional connectivity in women recovered from anorexia nervosa. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 377-385.	1.4	32
423	Group Study of Simulated Driving fMRI Data by Multiset Canonical Correlation Analysis. <i>Journal of Signal Processing Systems</i> , 2012, 68, 31-48.	1.4	31
424	Brain connectivity during verbal working memory in children and adolescents. <i>Human Brain Mapping</i> , 2014, 35, 698-711.	1.9	31
425	A novel approach for assessing reliability of ICA for FMRI analysis. , 2014, , .		31
426	Memory Efficient PCA Methods for Large Group ICA. <i>Frontiers in Neuroscience</i> , 2016, 10, 17.	1.4	31
427	A Schizophrenia-Related Genetic-Brain-Cognition Pathway Revealed in a Large Chinese Population. <i>EBioMedicine</i> , 2018, 37, 471-482.	2.7	31
428	Shared Genetic Risk of Schizophrenia and Gray Matter Reduction in 6p22.1. <i>Schizophrenia Bulletin</i> , 2019, 45, 222-232.	2.3	31
429	Functional network connectivity (FNC)-based generative adversarial network (GAN) and its applications in classification of mental disorders. <i>Journal of Neuroscience Methods</i> , 2020, 341, 108756.	1.3	31
430	Disruptions in Functional Network Connectivity During Alcohol Intoxicated Driving. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 479-487.	1.4	30
431	Time of Acquisition and Network Stability in Pediatric Resting-State Functional Magnetic Resonance Imaging. <i>Brain Connectivity</i> , 2014, 4, 417-427.	0.8	30
432	Associations of White Matter Integrity and Cortical Thickness in Patients With Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2014, 40, 665-674.	2.3	30

#	ARTICLE	IF	CITATIONS
433	Machine learning of structural magnetic resonance imaging predicts psychopathic traits in adolescent offenders. <i>NeuroImage</i> , 2017, 145, 265-273.	2.1	30
434	The effect of preprocessing in dynamic functional network connectivity used to classify mild traumatic brain injury. <i>Brain and Behavior</i> , 2017, 7, e00809.	1.0	30
435	Adaptive sparse multiple canonical correlation analysis with application to imaging (epi)genomics study of schizophrenia. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 65, 1-1.	2.5	30
436	Resting-State fMRI Dynamics and Null Models: Perspectives, Sampling Variability, and Simulations. <i>Frontiers in Neuroscience</i> , 2018, 12, 551.	1.4	30
437	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2022, 43, 300-328.	1.9	30
438	Interpretable Multimodal Fusion Networks Reveal Mechanisms of Brain Cognition. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 1474-1483.	5.4	30
439	Temporal sequence of hemispheric network activation during semantic processing: A functional network connectivity analysis. <i>Brain and Cognition</i> , 2009, 70, 238-246.	0.8	29
440	Constrained Source-Based Morphometry Identifies Structural Networks Associated with Default Mode Network. <i>Brain Connectivity</i> , 2012, 2, 33-43.	0.8	29
441	Associations between DNA methylation and schizophrenia-related intermediate phenotypes – A gene set enrichment analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 59, 31-39.	2.5	29
442	The association of DNA methylation and brain volume in healthy individuals and schizophrenia patients. <i>Schizophrenia Research</i> , 2015, 169, 447-452.	1.1	29
443	Quantifying the Interaction and Contribution of Multiple Datasets in Fusion: Application to the Detection of Schizophrenia. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 1385-1395.	5.4	29
444	Functional overestimation due to spatial smoothing of fMRI data. <i>Journal of Neuroscience Methods</i> , 2017, 291, 1-12.	1.3	29
445	Neural correlates of cognitive function and symptoms in attention-deficit/hyperactivity disorder in adults. <i>NeuroImage: Clinical</i> , 2018, 19, 374-383.	1.4	29
446	Disrupted network cross talk, hippocampal dysfunction and hallucinations in schizophrenia. <i>Schizophrenia Research</i> , 2018, 199, 226-234.	1.1	29
447	Cross-Tissue Exploration of Genetic and Epigenetic Effects on Brain Gray Matter in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 443-452.	2.3	29
448	Dynamic Functional Network Connectivity in Schizophrenia with Magnetoencephalography and Functional Magnetic Resonance Imaging: Do Different Timescales Tell a Different Story?. <i>Brain Connectivity</i> , 2019, 9, 251-262.	0.8	29
449	Multi-spatial-scale dynamic interactions between functional sources reveal sex-specific changes in schizophrenia. <i>Network Neuroscience</i> , 2022, 6, 357-381.	1.4	29
450	ICA-fNORM: Spatial Normalization of fMRI Data Using Intrinsic Group-ICA Networks. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 93.	1.2	28

#	ARTICLE	IF	CITATIONS
451	A quality control method for detecting and suppressing uncorrected residual motion in fMRI studies. <i>Magnetic Resonance Imaging</i> , 2013, 31, 707-717.	1.0	28
452	Moderate Prenatal Alcohol Exposure Alters Functional Connectivity in the Adult Rat Brain. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2134-2146.	1.4	28
453	Longitudinal epigenetic predictors of amygdala:hippocampus volume ratio. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 1341-1350.	3.1	28
454	Spatiospectral Decomposition of Multi-subject EEG: Evaluating Blind Source Separation Algorithms on Real and Realistic Simulated Data. <i>Brain Topography</i> , 2018, 31, 47-61.	0.8	28
455	Model order effects on ICA of resting-state complex-valued fMRI data: Application to schizophrenia. <i>Journal of Neuroscience Methods</i> , 2018, 304, 24-38.	1.3	28
456	Patterns of co-altered brain structure and function underlying neurological soft signs in schizophrenia spectrum disorders. <i>Human Brain Mapping</i> , 2019, 40, 5029-5041.	1.9	28
457	Spatial Dynamic Functional Connectivity Analysis Identifies Distinctive Biomarkers in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2019, 13, 1006.	1.4	28
458	Resting-state neural network disturbances that underpin the emergence of emotional symptoms in adolescent girls: resting-state fMRI study. <i>British Journal of Psychiatry</i> , 2019, 215, 545-551.	1.7	28
459	Structural Brain Architectures Match Intrinsic Functional Networks and Vary across Domains: A Study from 15,000+ Individuals. <i>Cerebral Cortex</i> , 2020, 30, 5460-5470.	1.6	28
460	Shared and distinct resting functional connectivity in children and adults with attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020, 10, 65.	2.4	28
461	On network derivation, classification, and visualization: a response to Habeck and Moeller. <i>Brain Connectivity</i> , 2011, 1, 1-19.	0.8	28
462	PARALLEL INDEPENDENT COMPONENT ANALYSIS FOR MULTIMODAL ANALYSIS: APPLICATION TO FMRI AND EEG DATA. , 2007, , .		27
463	An ICA with reference approach in identification of genetic variation and associated brain networks. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 21.	1.0	27
464	Cigarette smoking and white matter microstructure in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 152-158.	0.9	27
465	Psychopathic traits modulate brain responses to drug cues in incarcerated offenders. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 87.	1.0	27
466	Large scale collaboration with autonomy: Decentralized data ICA. , 2015, , .		27
467	Myelination-related genes are associated with decreased white matter integrity in schizophrenia. <i>European Journal of Human Genetics</i> , 2016, 24, 381-386.	1.4	27
468	The role of diversity in complex ICA algorithms for fMRI analysis. <i>Journal of Neuroscience Methods</i> , 2016, 264, 129-135.	1.3	27

#	ARTICLE	IF	CITATIONS
469	Sex-related differences in intrinsic brain dynamism and their neurocognitive correlates. <i>NeuroImage</i> , 2019, 202, 116116.	2.1	27
470	Unraveling Diagnostic Biomarkers of Schizophrenia Through Structure-Revealing Fusion of Multi-Modal Neuroimaging Data. <i>Frontiers in Neuroscience</i> , 2019, 13, 416.	1.4	27
471	Efficacy of different dynamic functional connectivity methods to capture cognitively relevant information. <i>NeuroImage</i> , 2019, 188, 502-514.	2.1	27
472	Should I Stay or Should I Go? fMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 158-168.	2.3	27
473	A Manifold Regularized Multi-Task Learning Model for IQ Prediction From Two fMRI Paradigms. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 796-806.	2.5	27
474	Dynamic functional network reconfiguration underlying the pathophysiology of schizophrenia and autism spectrum disorder. <i>Human Brain Mapping</i> , 2021, 42, 80-94.	1.9	27
475	Brain imaging-based machine learning in autism spectrum disorder: methods and applications. <i>Journal of Neuroscience Methods</i> , 2021, 361, 109271.	1.3	27
476	Combination of fMRI-SMRI-EEG data improves discrimination of schizophrenia patients by ensemble feature selection. , 2014, 2014, 3889-92.		26
477	Higher dimensional analysis shows reduced dynamism of time-varying network connectivity in schizophrenia patients. , 2014, 2014, 3837-40.		26
478	CREB-BDNF pathway influences alcohol cue-elicited activation in drinkers. <i>Human Brain Mapping</i> , 2015, 36, 3007-3019.	1.9	26
479	Patterns of Co-Occurring Gray Matter Concentration Loss across the Huntington Disease Prodrome. <i>Frontiers in Neurology</i> , 2016, 7, 147.	1.1	26
480	Sample-poor estimation of order and common signal subspace with application to fusion of medical imaging data. <i>NeuroImage</i> , 2016, 134, 486-493.	2.1	26
481	Discriminating schizophrenia from normal controls using resting state functional network connectivity: A deep neural network and layer-wise relevance propagation method. , 2017, , .		26
482	Machine Learning of Functional Magnetic Resonance Imaging Network Connectivity Predicts Substance Abuse Treatment Completion. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 141-149.	1.1	26
483	Structure/function interrelationships in patients with schizophrenia who have persistent auditory verbal hallucinations: A multimodal MRI study using parallel ICA. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 93, 114-121.	2.5	26
484	Functional outcome is tied to dynamic brain states after mild to moderate traumatic brain injury. <i>Human Brain Mapping</i> , 2020, 41, 617-631.	1.9	26
485	Preliminary prediction of individual response to electroconvulsive therapy using whole-brain functional magnetic resonance imaging data. <i>NeuroImage: Clinical</i> , 2020, 26, 102080.	1.4	26
486	Common and unique multimodal covarying patterns in autism spectrum disorder subtypes. <i>Molecular Autism</i> , 2020, 11, 90.	2.6	26

#	ARTICLE	IF	CITATIONS
487	Identifying commonality and specificity across psychosis sub-groups via classification based on features from dynamic connectivity analysis. <i>NeuroImage: Clinical</i> , 2020, 27, 102284.	1.4	26
488	Connectivity dynamics from wakefulness to sleep. <i>NeuroImage</i> , 2020, 220, 117047.	2.1	26
489	Disambiguating the role of blood flow and global signal with partial information decomposition. <i>NeuroImage</i> , 2020, 213, 116699.	2.1	26
490	COINSTAC: Decentralizing the future of brain imaging analysis. <i>F1000Research</i> , 2017, 6, 1512.	0.8	26
491	Predictive accuracy in the neuroprediction of rearrest. <i>Social Neuroscience</i> , 2014, 9, 332-336.	0.7	25
492	The tenth annual MLSP competition: Schizophrenia classification challenge. , 2014, , .		25
493	Association of GRM3 polymorphism with white matter integrity in schizophrenia. <i>Schizophrenia Research</i> , 2014, 155, 8-14.	1.1	25
494	A large scale (N=102) functional neuroimaging study of error processing in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2014, 268, 127-138.	1.2	25
495	Large-Scale Fusion of Gray Matter and Resting-State Functional MRI Reveals Common and Distinct Biological Markers across the Psychosis Spectrum in the B-SNIP Cohort. <i>Frontiers in Psychiatry</i> , 2015, 6, 174.	1.3	25
496	An fMRI study of multimodal selective attention in schizophrenia. <i>British Journal of Psychiatry</i> , 2015, 207, 420-428.	1.7	25
497	Tensor-based fusion of EEG and FMRI to understand neurological changes in schizophrenia. , 2017, , .		25
498	Biclustered Independent Component Analysis for Complex Biomarker and Subtype Identification from Structural Magnetic Resonance Images in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 179.	1.3	25
499	Functional Neuroimaging Evidence for Distinct Neurobiological Pathways in Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 675-685.	1.1	25
500	Association between the oral microbiome and brain resting state connectivity in smokers. <i>NeuroImage</i> , 2019, 200, 121-131.	2.1	25
501	Alternating Diffusion Map Based Fusion of Multimodal Brain Connectivity Networks for IQ Prediction. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 2140-2151.	2.5	25
502	Biotyping in psychosis: using multiple computational approaches with one data set. <i>Neuropsychopharmacology</i> , 2021, 46, 143-155.	2.8	25
503	Multiple overlapping dynamic patterns of the visual sensory network in schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 103-111.	1.1	25
504	Mapping relationships among schizophrenia, bipolar and schizoaffective disorders: A deep classification and clustering framework using fMRI time series. <i>Schizophrenia Research</i> , 2022, 245, 141-150.	1.1	25

#	ARTICLE	IF	CITATIONS
505	Reward Processing in Novelty Seekers: A Transdiagnostic Psychiatric Imaging Biomarker. <i>Biological Psychiatry</i> , 2021, 90, 529-539.	0.7	25
506	Error-related processing in adult males with elevated psychopathic traits.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016, 7, 80-90.	1.0	25
507	Deep Learning in Neuroimaging: Promises and challenges. <i>IEEE Signal Processing Magazine</i> , 2022, 39, 87-98.	4.6	25
508	Integrating fMRI and SNP data for biomarker identification for schizophrenia with a sparse representation based variable selection method. <i>BMC Medical Genomics</i> , 2013, 6, S2.	0.7	24
509	BOLD Frequency Power Indexes Working Memory Performance. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 207.	1.0	24
510	Opposite Modulation of Brain Functional Networks Implicated at Low vs. High Demand of Attention and Working Memory. <i>PLoS ONE</i> , 2014, 9, e87078.	1.1	24
511	A Robust Classifier to Distinguish Noise from fMRI Independent Components. <i>PLoS ONE</i> , 2014, 9, e95493.	1.1	24
512	Spatial Variance in Resting fMRI Networks of Schizophrenia Patients: An Independent Vector Analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv085.	2.3	24
513	Modern Methods for Interrogating the Human Connectome. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 105-119.	1.2	24
514	Deep Independence Network Analysis of Structural Brain Imaging: Application to Schizophrenia. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 1729-1740.	5.4	24
515	Four-way multimodal fusion of T1, T2, T2* and DTI imaging data using an mCCA+jICA model in first-episode schizophrenia. <i>Human Brain Mapping</i> , 2018, 39, 1475-1488.	1.9	24
516	Enforcing Co-Expression Within a Brain-Imaging Genomics Regression Framework. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 2561-2571.	5.4	24
517	Fused Estimation of Sparse Connectivity Patterns From Rest fMRI—Application to Comparison of Children and Adult Brains. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 2165-2175.	5.4	24
518	A framework for linking resting-state connectome/genome features in schizophrenia: A pilot study. <i>NeuroImage</i> , 2019, 184, 843-854.	2.1	24
519	Abnormal Dynamic Functional Network Connectivity Estimated from Default Mode Network Predicts Symptom Severity in Major Depressive Disorder. <i>Brain Connectivity</i> , 2021, 11, 838-849.	0.8	24
520	1q21.1 distal copy number variants are associated with cerebral and cognitive alterations in humans. <i>Translational Psychiatry</i> , 2021, 11, 182.	2.4	24
521	Disrupted Dynamic Functional Network Connectivity Among Cognitive Control Networks in the Progression of Alzheimer's Disease. <i>Brain Connectivity</i> , 2023, 13, 334-343.	0.8	24
522	See without looking: joint visualization of sensitive multi-site datasets. , 2017, , .		24

#	ARTICLE	IF	CITATIONS
523	Global urbanicity is associated with brain and behaviour in young people. <i>Nature Human Behaviour</i> , 2022, 6, 279-293.	6.2	24
524	Genetic Sources of Subcomponents of Event-Related Potential in the Dimension of Psychosis Analyzed From the B-SNIP Study. <i>American Journal of Psychiatry</i> , 2015, 172, 466-478.	4.0	23
525	Prediction of Individual Differences from Neuroimaging Data. <i>NeuroImage</i> , 2017, 145, 135-136.	2.1	23
526	Functional brain connectivity in resting-state fMRI using phase and magnitude data. <i>Journal of Neuroscience Methods</i> , 2018, 293, 299-309.	1.3	23
527	Transient Patterns of Functional Dysconnectivity in Clinical High Risk and Early Illness Schizophrenia Individuals Compared with Healthy Controls. <i>Brain Connectivity</i> , 2019, 9, 60-76.	0.8	23
528	Multimodal Data Fusion of Deep Learning and Dynamic Functional Connectivity Features to Predict Alzheimer's Disease Progression. , 2019, 2019, 4409-4413.		23
529	Extraction of Time-Varying Spatiotemporal Networks Using Parameter-Tuned Constrained IVA. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 1715-1725.	5.4	23
530	Parallel group ICA+ICA: Joint estimation of linked functional network variability and structural covariation with application to schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 3795-3809.	1.9	23
531	Default mode network modulation by mentalizing in young adults with autism spectrum disorder or schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 27, 102343.	1.4	23
532	Integrity of Neurocognitive Networks in Dementing Disorders as Measured with Simultaneous PET/Functional MRI. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1341-1347.	2.8	23
533	Neural oscillatory dynamics serving abstract reasoning reveal robust sex differences in typically-developing children and adolescents. <i>Developmental Cognitive Neuroscience</i> , 2020, 42, 100770.	1.9	23
534	Functional connectome fingerprinting: Identifying individuals and predicting cognitive functions via autoencoder. <i>Human Brain Mapping</i> , 2021, 42, 2691-2705.	1.9	23
535	A Data-Driven Investigation of Gray Matter's Function Correlations in Schizophrenia during a Working Memory Task. <i>Frontiers in Human Neuroscience</i> , 2011, 5, 71.	1.0	22
536	Functional network connectivity during rest and task: Comparison of healthy controls and schizophrenic patients. , 2011, 2011, 4418-21.		22
537	High-order interactions observed in multi-task intrinsic networks are dominant indicators of aberrant brain function in schizophrenia. <i>NeuroImage</i> , 2014, 102, 35-48.	2.1	22
538	Comparison of IVA and GIG-ICA in Brain Functional Network Estimation Using fMRI Data. <i>Frontiers in Neuroscience</i> , 2017, 11, 267.	1.4	22
539	Multilevel Mapping of Sexual Dimorphism in Intrinsic Functional Brain Networks. <i>Frontiers in Neuroscience</i> , 2019, 13, 332.	1.4	22
540	N-BiC: A Method for Multi-Component and Symptom Biclustering of Structural MRI Data: Application to Schizophrenia. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 110-121.	2.5	22

#	ARTICLE	IF	CITATIONS
541	Dynamic Resting-State Connectivity Differences in Eyes Open Versus Eyes Closed Conditions. <i>Brain Connectivity</i> , 2020, 10, 504-519.	0.8	22
542	Weighted average of shared trajectory: A new estimator for dynamic functional connectivity efficiently estimates both rapid and slow changes over time. <i>Journal of Neuroscience Methods</i> , 2020, 334, 108600.	1.3	22
543	Brain-Performance Correlates of Working Memory Retrieval in Schizophrenia: A Cognitive Modeling Approach. <i>Schizophrenia Bulletin</i> , 2009, 35, 32-46.	2.3	21
544	MEG and fMRI Fusion for Non-Linear Estimation of Neural and BOLD Signal Changes. <i>Frontiers in Neuroinformatics</i> , 2010, 4, 114.	1.3	21
545	Parallel ICA identifies sub-components of resting state networks that covary with behavioral indices. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 281.	1.0	21
546	Genetic influences of resting state fMRI activity in language-related brain regions in healthy controls and schizophrenia patients: a pilot study. <i>Brain Imaging and Behavior</i> , 2013, 7, 15-27.	1.1	21
547	Exploring difference and overlap between schizophrenia, schizoaffective and bipolar disorders using resting-state brain functional networks. , 2014, 2014, 1517-20.		21
548	SchizConnect: Virtual Data Integration in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2015, 9162, 37-51.	1.0	21
549	A Tool for Interactive Data Visualization: Application to Over 10,000 Brain Imaging and Phantom MRI Data Sets. <i>Frontiers in Neuroinformatics</i> , 2016, 10, 9.	1.3	21
550	Brain Mechanisms of Change in Addiction Treatment: Models, Methods, and Emerging Findings. <i>Current Addiction Reports</i> , 2016, 3, 332-342.	1.6	21
551	Genes influence the amplitude and timing of brain hemodynamic responses. <i>NeuroImage</i> , 2016, 124, 663-671.	2.1	21
552	ACMTF for fusion of multi-modal neuroimaging data and identification of biomarkers. , 2017, , .		21
553	Associations between Functional Connectivity Dynamics and BOLD Dynamics Are Heterogeneous Across Brain Networks. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 593.	1.0	21
554	A unified approach for characterizing static/dynamic connectivity frequency profiles using filter banks. <i>Network Neuroscience</i> , 2021, 5, 56-82.	1.4	21
555	Time-varying spectral power of resting-state fMRI networks reveal cross-frequency dependence in dynamic connectivity. <i>PLoS ONE</i> , 2017, 12, e0171647.	1.1	21
556	Accurate classification of schizophrenia patients based on novel resting-state fMRI features. , 2014, 2014, 6691-4.		20
557	A Method for Intertemporal Functional-Domain Connectivity Analysis: Application to Schizophrenia Reveals Distorted Directional Information Flow. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 2525-2539.	2.5	20
558	Blind Source Separation for Unimodal and Multimodal Brain Networks: A Unifying Framework for Subspace Modeling. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2016, 10, 1134-1149.	7.3	20

#	ARTICLE	IF	CITATIONS
559	Cognitive Control, Learning, and Clinical Motor Ratings Are Most Highly Associated with Basal Ganglia Brain Volumes in the Premanifest Huntingtonâ€™s Disease Phenotype. Journal of the International Neuropsychological Society, 2017, 23, 159-170.	1.2	20
560	An information theory framework for dynamic functional domain connectivity. Journal of Neuroscience Methods, 2017, 284, 103-111.	1.3	20
561	Novel in silico multivariate mapping of intrinsic and anticorrelated connectivity to neurocognitive functional maps supports the maturational hypothesis of ADHD. Human Brain Mapping, 2018, 39, 3449-3467.	1.9	20
562	Reduced higher-dimensional resting state fMRI dynamism in clinical high-risk individuals for schizophrenia identified by meta-state analysis. Schizophrenia Research, 2018, 201, 217-223.	1.1	20
563	Dentate gyrus volume deficit in schizophrenia. Psychological Medicine, 2020, 50, 1267-1277.	2.7	20
564	Shift-Invariant Canonical Polyadic Decomposition of Complex-Valued Multi-Subject fMRI Data With a Phase Sparsity Constraint. IEEE Transactions on Medical Imaging, 2020, 39, 844-853.	5.4	20
565	Independent vector analysis for common subspace analysis: Application to multi-subject fMRI data yields meaningful subgroups of schizophrenia. NeuroImage, 2020, 216, 116872.	2.1	20
566	A Neural Signature of Parkinsonism in Patients With Schizophrenia Spectrum Disorders: A Multimodal MRI Study Using Parallel ICA. Schizophrenia Bulletin, 2020, 46, 999-1008.	2.3	20
567	Electroconvulsive therapy treatment responsive multimodal brain networks. Human Brain Mapping, 2020, 41, 1775-1785.	1.9	20
568	Ensemble Manifold Regularized Multi-Modal Graph Convolutional Network for Cognitive Ability Prediction. IEEE Transactions on Biomedical Engineering, 2021, 68, 3564-3573.	2.5	20
569	SSPNet: An interpretable 3D-CNN for classification of schizophrenia using phase maps of resting-state complex-valued fMRI data. Medical Image Analysis, 2022, 79, 102430.	7.0	20
570	IVA for multi-subject FMRI analysis: A comparative study using a new simulation toolbox. , 2011, , .		19
571	ICA order selection based on consistency: Application to genotype data. , 2012, 2012, 360-3.		19
572	Functional Network Overlap as Revealed by fMRI Using sICA and Its Potential Relationships with Functional Heterogeneity, Balanced Excitation and Inhibition, and Sparseness of Neuron Activity. PLoS ONE, 2015, 10, e0117029.	1.1	19
573	Complexin2 modulates working memory-related neural activity in patients with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 137-145.	1.8	19
574	Functional MRI Evaluation of Multiple Neural Networks Underlying Auditory Verbal Hallucinations in Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2016, 7, 39.	1.3	19
575	Presurgical Brain Mapping of the Ventral Somatomotor Network in Patients with Brain Tumors Using Resting-State fMRI. American Journal of Neuroradiology, 2017, 38, 1006-1012.	1.2	19
576	FDR-Corrected Sparse Canonical Correlation Analysis With Applications to Imaging Genomics. IEEE Transactions on Medical Imaging, 2018, 37, 1761-1774.	5.4	19

#	ARTICLE	IF	CITATIONS
577	Relationship between MEG global dynamic functional network connectivity measures and symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2019, 209, 129-134.	1.1	19
578	Spatial source phase: A new feature for identifying spatial differences based on complex-valued resting-state fMRI data. <i>Human Brain Mapping</i> , 2019, 40, 2662-2676.	1.9	19
579	Brain Development Includes Linear and Multiple Nonlinear Trajectories: A Cross-Sectional Resting-State Functional Magnetic Resonance Imaging Study. <i>Brain Connectivity</i> , 2019, 9, 777-788.	0.8	19
580	Evidence of shared and distinct functional and structural brain signatures in schizophrenia and autism spectrum disorder. <i>Communications Biology</i> , 2021, 4, 1073.	2.0	19
581	Substance use patterns in 9-10 year olds: Baseline findings from the adolescent brain cognitive development (ABCD) study. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108946.	1.6	19
582	Spontaneous cortical MEG activity undergoes unique age- and sex-related changes during the transition to adolescence. <i>NeuroImage</i> , 2021, 244, 118552.	2.1	19
583	A Neuroimaging Signature of Cognitive Aging from Whole-Brain Functional Connectivity. <i>Advanced Science</i> , 2022, 9, .	5.6	19
584	Physiogenomic Analysis of Localized fMRI Brain Activity in Schizophrenia. <i>Annals of Biomedical Engineering</i> , 2008, 36, 877-888.	1.3	18
585	ICA of fMRI data: Performance of three ICA algorithms and the importance of taking correlation information into account. , 2011, , .		18
586	MIR137HG risk variant rs1625579 genotype is related to corpus callosum volume in schizophrenia. <i>Neuroscience Letters</i> , 2015, 602, 44-49.	1.0	18
587	Multi-subject fMRI analysis via combined independent component analysis and shift-invariant canonical polyadic decomposition. <i>Journal of Neuroscience Methods</i> , 2015, 256, 127-140.	1.3	18
588	Multivariate Imaging Genetics Study of MRI Gray Matter Volume and SNPs Reveals Biological Pathways Correlated with Brain Structural Differences in Attention Deficit Hyperactivity Disorder. <i>Frontiers in Psychiatry</i> , 2016, 7, 128.	1.3	18
589	Functional network connectivity predicts treatment outcome during treatment of nicotine use disorder. <i>Psychiatry Research - Neuroimaging</i> , 2017, 265, 45-53.	0.9	18
590	Prediction and classification of sleep quality based on phase synchronization related whole-brain dynamic connectivity using resting state fMRI. <i>NeuroImage</i> , 2020, 221, 117190.	2.1	18
591	Pubertal Testosterone Tracks the Developmental Trajectory of Neural Oscillatory Activity Serving Visuospatial Processing. <i>Cerebral Cortex</i> , 2020, 30, 5960-5971.	1.6	18
592	Dynamic functional network connectivity associated with post-traumatic stress symptoms in COVID-19 survivors. <i>Neurobiology of Stress</i> , 2021, 15, 100377.	1.9	18
593	Source density-driven independent component analysis approach for fMRI data. <i>Human Brain Mapping</i> , 2005, 25, 297-307.	1.9	17
594	Comparison of PCA approaches for very large group ICA. <i>NeuroImage</i> , 2015, 118, 662-666.	2.1	17

#	ARTICLE	IF	CITATIONS
595	Synthetic structural magnetic resonance image generator improves deep learning prediction of schizophrenia. , 2015, , .		17
596	Distinct neuronal patterns of positive and negative moral processing in psychopathy. Cognitive, Affective and Behavioral Neuroscience, 2016, 16, 1074-1085.	1.0	17
597	Saliency network dynamics underlying successful resistance of temptation. Social Cognitive and Affective Neuroscience, 2017, 12, 1928-1939.	1.5	17
598	Fast and Accurate Detection of Complex Imaging Genetics Associations Based on Greedy Projected Distance Correlation. IEEE Transactions on Medical Imaging, 2018, 37, 860-870.	5.4	17
599	Variability in Resting State Network and Functional Network Connectivity Associated With Schizophrenia Genetic Risk: A Pilot Study. Frontiers in Neuroscience, 2018, 12, 114.	1.4	17
600	Characterizing Whole Brain Temporal Variation of Functional Connectivity via Zero and First Order Derivatives of Sliding Window Correlations. Frontiers in Neuroscience, 2019, 13, 634.	1.4	17
601	Aberrant Functional Network Connectivity Transition Probability in Major Depressive Disorder. , 2020, 2020, 1493-1496.		17
602	A Classification-Based Approach to Estimate the Number of Resting Functional Magnetic Resonance Imaging Dynamic Functional Connectivity States. Brain Connectivity, 2021, 11, 132-145.	0.8	17
603	Sparse deep neural networks on imaging genetics for schizophrenia caseâ€“control classification. Human Brain Mapping, 2021, 42, 2556-2568.	1.9	17
604	Whole-Brain Functional Network Connectivity Abnormalities in Affective and Non-Affective Early Phase Psychosis. Frontiers in Neuroscience, 2021, 15, 682110.	1.4	17
605	Dynamic connectivity predicts acute motor impairment and recovery post-stroke. Brain Communications, 2021, 3, fcab227.	1.5	17
606	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. Schizophrenia Research, 2018, 195, 306-317.	1.1	17
607	Moving beyond the â€“CAPâ€™ of the Iceberg: Intrinsic connectivity networks in fMRI are continuously engaging and overlapping. NeuroImage, 2022, 251, 119013.	2.1	17
608	A Systematic Approach for Explaining Time and Frequency Features Extracted by Convolutional Neural Networks From Raw Electroencephalography Data. Frontiers in Neuroinformatics, 0, 16, .	1.3	17
609	Obesity and brain structure in schizophrenia â€“ ENIGMA study in 3021 individuals. Molecular Psychiatry, 2022, 27, 3731-3737.	4.1	17
610	Integrated Analysis of Gene Expression and Copy Number Data on Gene Shaving Using Independent Component Analysis. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2011, 8, 1568-1579.	1.9	16
611	Identification of patterns of gray matter abnormalities in schizophrenia using source-based morphometry and bagging. , 2014, 2014, 1513-6.		16
612	Three dysconnectivity patterns in treatment-resistant schizophrenia patients and their unaffected siblings. NeuroImage: Clinical, 2015, 8, 95-103.	1.4	16

#	ARTICLE	IF	CITATIONS
613	Dysfunctional error-related processing in incarcerated youth with elevated psychopathic traits. <i>Developmental Cognitive Neuroscience</i> , 2016, 19, 70-77.	1.9	16
614	Regular cannabis and alcohol use is associated with resting-state time course power spectra in incarcerated adolescents. <i>Drug and Alcohol Dependence</i> , 2017, 178, 492-500.	1.6	16
615	Decentralized Analysis of Brain Imaging Data: Voxel-Based Morphometry and Dynamic Functional Network Connectivity. <i>Frontiers in Neuroinformatics</i> , 2018, 12, 55.	1.3	16
616	A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia. <i>Journal of Neuroscience Methods</i> , 2018, 309, 161-174.	1.3	16
617	Development and sex modulate visuospatial oscillatory dynamics in typically-developing children and adolescents. <i>NeuroImage</i> , 2020, 221, 117192.	2.1	16
618	The relevance of transdiagnostic shared networks to the severity of symptoms and cognitive deficits in schizophrenia: a multimodal brain imaging fusion study. <i>Translational Psychiatry</i> , 2020, 10, 149.	2.4	16
619	Neural oscillations underlying selective attention follow sexually divergent developmental trajectories during adolescence. <i>Developmental Cognitive Neuroscience</i> , 2021, 49, 100961.	1.9	16
620	Decreased Default Mode Neural Modulation With Age in Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 897-907.	0.6	15
621	Câ€protein genomic association with normal variation in gray matter density. <i>Human Brain Mapping</i> , 2015, 36, 4272-4286.	1.9	15
622	Cooperative learning: Decentralized data neural network. , 2017, , .		15
623	Sparsity and Independence: Balancing Two Objectives in Optimization for Source Separation with Application to fMRI Analysis. <i>Journal of the Franklin Institute</i> , 2018, 355, 1873-1887.	1.9	15
624	Classification of Schizophrenia Patients and Healthy Controls Using ICA of Complex-Valued fMRI Data and Convolutional Neural Networks. <i>Lecture Notes in Computer Science</i> , 2019, , 540-547.	1.0	15
625	Positive and general psychopathology associated with specific gray matter reductions in inferior temporal regions in patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 242-249.	1.1	15
626	The role of diversity in dataâ€driven analysis of multiâ€subject fMRI data: Comparison of approaches based on independence and sparsity using global performance metrics. <i>Human Brain Mapping</i> , 2019, 40, 489-504.	1.9	15
627	Time-varying whole-brain functional network connectivity coupled to task engagement. <i>Network Neuroscience</i> , 2019, 3, 49-66.	1.4	15
628	Parietal Oscillatory Dynamics Mediate Developmental Improvement in Motor Performance. <i>Cerebral Cortex</i> , 2020, 30, 6405-6414.	1.6	15
629	Multidataset Independent Subspace Analysis With Application to Multimodal Fusion. <i>IEEE Transactions on Image Processing</i> , 2021, 30, 588-602.	6.0	15
630	Dynamic Functional Connectivity Predicts Treatment Response to Electroconvulsive Therapy in Major Depressive Disorder. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 689488.	1.0	15

#	ARTICLE	IF	CITATIONS
631	Static and dynamic functional connectivity analysis of cerebrovascular reactivity: An fMRI study. <i>Brain and Behavior</i> , 2020, 10, e01516.	1.0	15
632	Sample Dependence Correction for Order Selection in fMRI Analysis. , 0, , .		14
633	A method to fuse fMRI tasks through spatial correlations: Applied to schizophrenia. <i>Human Brain Mapping</i> , 2009, 30, 2512-2529.	1.9	14
634	ICA analysis of fMRI with real-time constraints: an evaluation of fast detection performance as function of algorithms, parameters and a priori conditions. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 19.	1.0	14
635	Genetic influences on cognitive endophenotypes in schizophrenia. <i>Schizophrenia Research</i> , 2014, 156, 71-75.	1.1	14
636	Multidimensional frequency domain analysis of full-volume fMRI reveals significant effects of age, gender, and mental illness on the spatiotemporal organization of resting-state brain activity. <i>Frontiers in Neuroscience</i> , 2015, 9, 203.	1.4	14
637	A method to assess randomness of functional connectivity matrices. <i>Journal of Neuroscience Methods</i> , 2018, 303, 146-158.	1.3	14
638	Spatio-Temporal Dynamics of Intrinsic Networks in Functional Magnetic Imaging Data Using Recurrent Neural Networks. <i>Frontiers in Neuroscience</i> , 2018, 12, 600.	1.4	14
639	Brain function, structure and genomic data are linked but show different sensitivity to duration of illness and disease stage in schizophrenia. <i>NeuroImage: Clinical</i> , 2019, 23, 101887.	1.4	14
640	Source-based morphometry reveals gray matter differences related to suicidal behavior in criminal offenders. <i>Brain Imaging and Behavior</i> , 2020, 14, 1-9.	1.1	14
641	Central Nervous System Mechanisms of Nausea in Gastroparesis: An fMRI-Based Case-€Control Study. <i>Digestive Diseases and Sciences</i> , 2020, 65, 551-556.	1.1	14
642	Gray matter networks associated with attention and working memory deficit in ADHD across adolescence and adulthood. <i>Translational Psychiatry</i> , 2021, 11, 184.	2.4	14
643	Detection of prenatal alcohol exposure using machine learning classification of resting-state functional network connectivity data. <i>Alcohol</i> , 2021, 93, 25-34.	0.8	14
644	Centering inclusivity in the design of online conferences-€An OHBM-€Open Science perspective. <i>GigaScience</i> , 2021, 10, .	3.3	14
645	Multimodal MRI data fusion reveals distinct structural, functional and neurochemical correlates of heavy cannabis use. <i>Addiction Biology</i> , 2022, 27, e13113.	1.4	14
646	Developmental Changes in Dynamic Functional Connectivity From Childhood Into Adolescence. <i>Frontiers in Systems Neuroscience</i> , 2021, 15, 724805.	1.2	14
647	An attention-based hybrid deep learning framework integrating brain connectivity and activity of resting-state functional MRI data. <i>Medical Image Analysis</i> , 2022, 78, 102413.	7.0	14
648	A Feature-Selective Independent Component Analysis Method for Functional MRI. <i>International Journal of Biomedical Imaging</i> , 2007, 2007, 1-12.	3.0	13

#	ARTICLE	IF	CITATIONS
649	CCA for joint blind source separation of multiple datasets with application to group fMRI analysis. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	13
650	Correlations of diffusion tensor imaging values and symptom scores in patients with schizophrenia. , 2008, 2008, 5494-7.		13
651	Hemispheric Asymmetries during Processing of Immoral Stimuli. Frontiers in Evolutionary Neuroscience, 2010, 2, 110.	3.7	13
652	Independent subspace analysis with prior information for fMRI data. , 2010, , .		13
653	The Use of a priori Information in ICA-Based Techniques for Real-Time fMRI: An Evaluation of Static/Dynamic and Spatial/Temporal Characteristics. Frontiers in Human Neuroscience, 2013, 7, 64.	1.0	13
654	Multidataset independent subspace analysis extends independent vector analysis. , 2014, , .		13
655	A spectrum of sharing: maximization of information content for brain imaging data. GigaScience, 2015, 4, 2.	3.3	13
656	The absence of task-related increases in BOLD signal does not equate to absence of task-related brain activation. Journal of Neuroscience Methods, 2015, 240, 125-127.	1.3	13
657	Adaptive independent vector analysis for multi-subject complex-valued fMRI data. Journal of Neuroscience Methods, 2017, 281, 49-63.	1.3	13
658	Integrating Imaging Genomic Data in the Quest for Biomarkers of Schizophrenia Disease. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2018, 15, 1480-1491.	1.9	13
659	Consecutive Independence and Correlation Transform for Multimodal Fusion: Application to Eeg and Fmri Data. , 2018, , .		13
660	Refined measure of functional connectomes for improved identifiability and prediction. Human Brain Mapping, 2019, 40, 4843-4858.	1.9	13
661	In search of multimodal brain alterations in Alzheimer's and Binswanger's disease. NeuroImage: Clinical, 2020, 26, 101937.	1.4	13
662	Respiratory, cardiac, EEG, BOLD signals and functional connectivity over multiple microsleep episodes. NeuroImage, 2021, 237, 118129.	2.1	13
663	Functional network connectivity during Jazz improvisation. Scientific Reports, 2021, 11, 19036.	1.6	13
664	A Pilot Study on Collective Effects of 22q13.31 Deletions on Gray Matter Concentration in Schizophrenia. PLoS ONE, 2012, 7, e52865.	1.1	13
665	The link between brain functional network connectivity and genetic risk of Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	13
666	Reproducibility in Matrix and Tensor Decompositions: Focus on model match, interpretability, and uniqueness. IEEE Signal Processing Magazine, 2022, 39, 8-24.	4.6	13

#	ARTICLE	IF	CITATIONS
667	A method for multi-group inter-participant correlation: Abnormal synchrony in patients with schizophrenia during auditory target detection. <i>NeuroImage</i> , 2008, 39, 1129-1141.	2.1	12
668	Three-way FMRI-DTI-methylation data fusion based on mCCA+jICA and its application to schizophrenia. , 2012, 2012, 2692-5.		12
669	Automated collection of imaging and phenotypic data to centralized and distributed data repositories. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 60.	1.3	12
670	Integration of SNPs-FMRI-methylation data with sparse multi-CCA for schizophrenia study. , 2016, 2016, 3310-3313.		12
671	Autoconnectivity: A new perspective on human brain function. <i>Journal of Neuroscience Methods</i> , 2019, 323, 68-76.	1.3	12
672	Whole brain polarity regime dynamics are significantly disrupted in schizophrenia and correlate strongly with network connectivity measures. <i>PLoS ONE</i> , 2019, 14, e0224744.	1.1	12
673	Integration of Imaging (epi)Genomics Data for the Study of Schizophrenia Using Group Sparse Joint Nonnegative Matrix Factorization. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020, 17, 1671-1681.	1.9	12
674	Global and Specific Cortical Volume Asymmetries in Individuals With Psychosis Risk Syndrome and Schizophrenia: A Mixed Cross-sectional and Longitudinal Perspective. <i>Schizophrenia Bulletin</i> , 2020, 46, 713-721.	2.3	12
675	Nonlinear ICA of fMRI reveals primitive temporal structures linked to rest, task, and behavioral traits. <i>NeuroImage</i> , 2020, 218, 116989.	2.1	12
676	Tracing Network Evolution Using The Parafac2 Model. , 2020, , .		12
677	Complex Infomax: Convergence and Approximation of Infomax with Complex Nonlinearities. <i>Journal of Signal Processing Systems</i> , 2006, 44, 173-190.	1.0	11
678	A method to classify schizophrenia using inter-task spatial correlations of functional brain images. , 2008, 2008, 5510-3.		11
679	Order detection for fMRI analysis: Joint estimation of downsampling depth and order by information theoretic criteria. , 2011, , .		11
680	Genetic markers of white matter integrity in schizophrenia revealed by parallel ICA. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 100.	1.0	11
681	General Nonunitary Constrained ICA and its Application to Complex-Valued fMRI Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 922-929.	2.5	11
682	Investigation of True High Frequency Electrical Substrates of fMRI-Based Resting State Networks Using Parallel Independent Component Analysis of Simultaneous EEG/fMRI Data. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 74.	1.3	11
683	The Dangers of Following Trends in Research: Sparsity and Other Examples of Hammers in Search of Nails. <i>Proceedings of the IEEE</i> , 2018, 106, 1014-1018.	16.4	11
684	Decreased Cross-Domain Mutual Information in Schizophrenia From Dynamic Connectivity States. <i>Frontiers in Neuroscience</i> , 2019, 13, 873.	1.4	11

#	ARTICLE	IF	CITATIONS
685	A GICA-TVGL framework to study sex differences in resting state fMRI dynamic connectivity. Journal of Neuroscience Methods, 2020, 332, 108531.	1.3	11
686	Expanding the role of education in frontotemporal dementia: a functional dynamic connectivity (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.5	11
687	Data-driven approaches to neuroimaging biomarkers for neurological and psychiatric disorders: emerging approaches and examples. Current Opinion in Neurology, 2021, 34, 469-479.	1.8	11
688	Multiview Diffusion Map Improves Prediction of Fluid Intelligence With Two Paradigms of fMRI Analysis. IEEE Transactions on Biomedical Engineering, 2021, 68, 2529-2539.	2.5	11
689	Tracking spatial dynamics of functional connectivity during a task. NeuroImage, 2021, 239, 118310.	2.1	11
690	Low-Rank Tucker-2 Model for Multi-Subject fMRI Data Decomposition With Spatial Sparsity Constraint. IEEE Transactions on Medical Imaging, 2022, 41, 667-679.	5.4	11
691	Federated Analysis of Neuroimaging Data: A Review of the Field. Neuroinformatics, 2022, 20, 377-390.	1.5	11
692	Multi-modal deep learning of functional and structural neuroimaging and genomic data to predict mental illness. , 2021, 2021, 3267-3272.		11
693	Eyes-closed versus eyes-open differences in spontaneous neural dynamics during development. NeuroImage, 2022, 258, 119337.	2.1	11
694	Nonlinear functional network connectivity in resting functional magnetic resonance imaging data. Human Brain Mapping, 2022, 43, 4556-4566.	1.9	11
695	Extracting principle components for discriminant analysis of FMRI images. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, 2008, 449-452.	1.8	10
696	Examining associations between FMRI and EEG data using canonical correlation analysis. , 2008, , .		10
697	Joint Coupling of Awake EEG Frequency Activity and MRI Gray Matter Volumes in the Psychosis Dimension: A BSNIP Study. Frontiers in Psychiatry, 2015, 6, 162.	1.3	10
698	Approaches to Capture Variance Differences in Rest fMRI Networks in the Spatial Geometric Features: Application to Schizophrenia. Frontiers in Neuroscience, 2016, 10, 85.	1.4	10
699	Multivariate Genetic Correlates of the Auditory Paired Stimuli-Based P2 Event-Related Potential in the Psychosis Dimension From the BSNIP Study. Schizophrenia Bulletin, 2016, 42, 851-862.	2.3	10
700	A robust sparse-modeling framework for estimating schizophrenia biomarkers from fMRI. Journal of Neuroscience Methods, 2017, 276, 46-55.	1.3	10
701	Group information guided ICA shows more sensitivity to group differences than dual-regression. , 2017, , .		10
702	Decentralized independent vector analysis. , 2017, , .		10

#	ARTICLE	IF	CITATIONS
703	Identifying fMRI dynamic connectivity states using affinity propagation clustering method: Application to schizophrenia. , 2017, , .		10
704	Discriminating Bipolar Disorder from Major Depression using Whole-Brain Functional Connectivity: a Feature Selection Analysis with SVM-FoBa Algorithm. Journal of Signal Processing Systems, 2018, 90, 259-271.	1.4	10
705	Aberrant Brain Connectivity in Schizophrenia Detected via a Fast Gaussian Graphical Model. IEEE Journal of Biomedical and Health Informatics, 2019, 23, 1479-1489.	3.9	10
706	Prediction of Progression to Alzheimer's disease with Deep InfoMax. , 2019, , .		10
707	Decentralized temporal independent component analysis: Leveraging fMRI data in collaborative settings. NeuroImage, 2019, 186, 557-569.	2.1	10
708	The Dynamic Functional Network Connectivity Analysis Framework. Engineering, 2019, 5, 190-193.	3.2	10
709	Weaker Cerebellocortical Connectivity Within Sensorimotor and Executive Networks in Schizophrenia Compared to Healthy Controls: Relationships with Processing Speed. Brain Connectivity, 2020, 10, 490-503.	0.8	10
710	Enhanced dynamic functional connectivity (whole-brain chronnectome) in chess experts. Scientific Reports, 2020, 10, 7051.	1.6	10
711	Frequency-Aware Summarization of Resting-State fMRI Data. Frontiers in Systems Neuroscience, 2020, 14, 16.	1.2	10
712	A Deep Learning Model for Data-Driven Discovery of Functional Connectivity. Algorithms, 2021, 14, 75.	1.2	10
713	Microstructural plasticity in nociceptive pathways after spinal cord injury. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 863-871.	0.9	10
714	A deep learning based approach identifies regions more relevant than resting-state networks to the prediction of general intelligence from resting-state fMRI. Human Brain Mapping, 2021, 42, 5873-5887.	1.9	10
715	Whole MILC: Generalizing Learned Dynamics Across Tasks, Datasets, and Populations. Lecture Notes in Computer Science, 2020, , 407-417.	1.0	10
716	A Machine Learning Model for Exploring Aberrant Functional Network Connectivity Transition in Schizophrenia. , 2020, , .		10
717	Ultra-high-order ICA: an exploration of highly resolved data-driven representation of intrinsic connectivity networks (sparse ICNs). , 2019, , .		10
718	Three-way parallel group independent component analysis: Fusion of spatial and spatiotemporal magnetic resonance imaging data. Human Brain Mapping, 2022, 43, 1280-1294.	1.9	10
719	Developmental trajectory of MEG resting-state oscillatory activity in children and adolescents: a longitudinal reliability study. Cerebral Cortex, 2022, 32, 5404-5419.	1.6	10
720	A new multimodality fusion classification approach to explore the uniqueness of schizophrenia and autism spectrum disorder. Human Brain Mapping, 2022, 43, 3887-3903.	1.9	10

#	ARTICLE	IF	CITATIONS
721	ICA for Fusion of Brain Imaging Data. , 2008, , 221-240.		9
722	Guest Editorial: Special Issue on Machine Learning for Signal Processing. Journal of Signal Processing Systems, 2010, 61, 1-2.	1.4	9
723	Genetic variation in GAD1 is associated with cortical thickness in the parahippocampal gyrus. Journal of Psychiatric Research, 2013, 47, 872-879.	1.5	9
724	Genome-wide significant linkage of schizophrenia-related neuroanatomical trait to 12q24. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 678-686.	1.1	9
725	Multimodal based classification of schizophrenia patients. , 2015, 2015, 2629-32.		9
726	Generation of synthetic structural magnetic resonance images for deep learning pre-training. , 2015, , .		9
727	Intrinsic Connectivity Provides the Baseline Framework for Variability in Motor Performance: A Multivariate Fusion Analysis of Low- and High-Frequency Resting-State Oscillations and Antisaccade Performance. Brain Connectivity, 2016, 6, 505-517.	0.8	9
728	Default mode network deactivation to smoking cue relative to food cue predicts treatment outcome in nicotine use disorder. Addiction Biology, 2018, 23, 412-424.	1.4	9
729	Detection of relationships among multi-modal brain imaging meta-features via information flow. Journal of Neuroscience Methods, 2018, 294, 72-80.	1.3	9
730	Relationships between alpha oscillations during speech preparation and the listener N400 ERP to the produced speech. Scientific Reports, 2018, 8, 12838.	1.6	9
731	Visualizing Functional Network Connectivity Difference between Healthy Control and Major Depressive Disorder Using an Explainable Machine-learning Method. , 2020, 2020, 1424-1427.		9
732	Decentralized dynamic functional network connectivity: State analysis in collaborative settings. Human Brain Mapping, 2020, 41, 2909-2925.	1.9	9
733	Neurotransmitter imbalance dysregulates brain dynamic fluidity in frontotemporal degeneration. Neurobiology of Aging, 2020, 94, 176-184.	1.5	9
734	Meta-Modal Information Flow: A Method for Capturing Multimodal Modular Disconnectivity in Schizophrenia. IEEE Transactions on Biomedical Engineering, 2020, 67, 2572-2584.	2.5	9
735	Subtypes of depression characterized by different cognitive decline and brain activity alterations. Journal of Psychiatric Research, 2021, 138, 413-419.	1.5	9
736	Lateralization of Resting-State Networks in Children: Association with Age, Sex, Handedness, Intelligence Quotient, and Behavior. Brain Connectivity, 2022, 12, 246-259.	0.8	9
737	Tri-Clustering Dynamic Functional Network Connectivity Identifies Significant Schizophrenia Effects Across Multiple States in Distinct Subgroups of Individuals. Brain Connectivity, 2022, 12, 61-73.	0.8	9
738	A novel 5D brain parcellation approach based on spatio-temporal encoding of resting fMRI data from deep residual learning. Journal of Neuroscience Methods, 2022, 369, 109478.	1.3	9

#	ARTICLE	IF	CITATIONS
739	Neurodevelopmental Trajectories in Children With Internalizing, Externalizing and Emotion Dysregulation Symptoms. <i>Frontiers in Psychiatry</i> , 2022, 13, 846201.	1.3	9
740	On Entropy Rate for the Complex Domain and Its Application to i.i.d. Sampling. <i>IEEE Transactions on Signal Processing</i> , 2010, 58, 2409-2414.	3.2	8
741	Cross-Frequency rs-fMRI Network Connectivity Patterns Manifest Differently for Schizophrenia Patients and Healthy Controls. <i>IEEE Signal Processing Letters</i> , 2016, 23, 1076-1080.	2.1	8
742	Discriminating bipolar disorder from major depression based on kernel SVM using functional independent components. , 2017, , .		8
743	Identifying outliers using multiple kernel canonical correlation analysis with application to imaging genetics. <i>Computational Statistics and Data Analysis</i> , 2018, 125, 70-85.	0.7	8
744	Functional connectivity during affective mentalizing in criminal offenders with psychotic disorders: Associations with clinical symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 91-99.	0.9	8
745	Graph Modularity and Randomness Measures : A Comparative Study. , 2018, , .		8
746	Classification As a Criterion to Select Model Order For Dynamic Functional Connectivity States in Rest-fMRI Data. , 2019, , .		8
747	Network modules linking expression and methylation in prefrontal cortex of schizophrenia. <i>Epigenetics</i> , 2021, 16, 876-893.	1.3	8
748	Modular and state-relevant functional network connectivity in high-frequency eyes open vs eyes closed resting fMRI data. <i>Journal of Neuroscience Methods</i> , 2021, 358, 109202.	1.3	8
749	Distance canonical correlation analysis with application to an imaging-genetic study. <i>Journal of Medical Imaging</i> , 2019, 6, 1.	0.8	8
750	A Gradient-based Approach for Explaining Multimodal Deep Learning Classifiers. , 2021, , .		8
751	Auditory orienting and inhibition of return in schizophrenia: A functional magnetic resonance imaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 161-168.	2.5	7
752	Identifying brain dynamic network states via GIG-ICA: Application to schizophrenia, bipolar and schizoaffective disorders. , 2015, , .		7
753	Regional enrichment analyses on genetic profiles for schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2018, 192, 240-246.	1.1	7
754	Abnormal Dynamic Functional Network Connectivity and Graph Theoretical Analysis in Major Depressive Disorder. , 2018, 2018, 558-561.		7
755	Dissecting Static and Dynamic Functional Connectivity: Example From the Autism Spectrum. <i>Journal of Experimental Neuroscience</i> , 2019, 13, 117906951985180.	2.3	7
756	Diagnostic and Prognostic Classification of Brain Disorders Using Residual Learning on Structural MRI Data. , 2019, 2019, 4084-4088.		7

#	ARTICLE	IF	CITATIONS
757	Aberrant activity in conceptual networks underlies N400 deficits and unusual thoughts in schizophrenia. <i>NeuroImage: Clinical</i> , 2019, 24, 101960.	1.4	7
758	Adolescent sex differences in cortico-subcortical functional connectivity during response inhibition. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020, 20, 1-18.	1.0	7
759	Decentralized distribution-sampled classification models with application to brain imaging. <i>Journal of Neuroscience Methods</i> , 2020, 329, 108418.	1.3	7
760	Biomarker Identification Through Integrating fMRI and Epigenetics. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 1186-1196.	2.5	7
761	Optimized Combination of Multiple Graphs With Application to the Integration of Brain Imaging and (epi)Genomics Data. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 1801-1811.	5.4	7
762	Hippocampal and parahippocampal volumes vary by sex and traumatic life events in children. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 288-297.	1.4	7
763	Genetic Contributions to Multivariate Data-Driven Brain Networks Constructed via Source-Based Morphometry. <i>Cerebral Cortex</i> , 2020, 30, 4899-4913.	1.6	7
764	Multi-Paradigm fMRI Fusion via Sparse Tensor Decomposition in Brain Functional Connectivity Study. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 1712-1723.	3.9	7
765	A Joint Analysis of Multi-Paradigm fMRI Data With Its Application to Cognitive Study. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 951-962.	5.4	7
766	Sexually dimorphic development in the cortical oscillatory dynamics serving early visual processing. <i>Developmental Cognitive Neuroscience</i> , 2021, 50, 100968.	1.9	7
767	Multi-model Order ICA: A Data-driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. <i>Brain Connectivity</i> , 2021, , .	0.8	7
768	Privacy-preserving quality control of neuroimaging datasets in federated environments. <i>Human Brain Mapping</i> , 2022, 43, 2289-2310.	1.9	7
769	Dynamic functional connectivity patterns associated with dementia risk. <i>Alzheimer's Research and Therapy</i> , 2022, 14, .	3.0	7
770	Identification of Multimodal MRI and EEG Biomarkers using Joint-ICA and Divergence Criteria. <i>IEEE International Workshop on Machine Learning for Signal Processing</i> , 2007, , .	0.0	6
771	Flexible complex ICA of fMRI data. , 2010, , .		6
772	Hierarchical and graphical analysis of fMRI network connectivity in healthy and schizophrenic groups. , 2011, , .		6
773	The Clinical Assessment and Remote Administration Tablet. <i>Frontiers in Neuroinformatics</i> , 2011, 5, 31.	1.3	6
774	Structural Angle and Power Images Reveal Interrelated Gray and White Matter Abnormalities in Schizophrenia. <i>Neurology Research International</i> , 2012, 2012, 1-18.	0.5	6

#	ARTICLE	IF	CITATIONS
775	Data-driven fusion of EEG, functional and structural MRI: A comparison of two models. , 2014, , .		6
776	Enhanced disease characterization through multi network functional normalization in fMRI. Frontiers in Neuroscience, 2015, 9, 95.	1.4	6
777	Abnormal fronto-limbic engagement in incarcerated stimulant users during moral processing. Psychopharmacology, 2016, 233, 3077-3087.	1.5	6
778	Privacy-preserving source separation for distributed data using independent component analysis. , 2016, , .		6
779	Randomness in resting state functional connectivity matrices. , 2016, 2016, 5563-5566.		6
780	Non-orthogonal constrained independent vector analysis: Application to data fusion. , 2017, , .		6
781	Independent component analysis of SNPs reflects polygenic risk scores for schizophrenia. Schizophrenia Research, 2017, 181, 83-85.	1.1	6
782	A Perspective of the Cross-Tissue Interplay of Genetics, Epigenetics, and Transcriptomics, and Their Relation to Brain Based Phenotypes in Schizophrenia. Frontiers in Genetics, 2018, 9, 343.	1.1	6
783	Brain activation patterns in response to complex triggers in the Word Association Test: results from a new study in the United States. Journal of Analytical Psychology, 2018, 63, 484-509.	0.1	6
784	Altered Domain Functional Network Connectivity Strength and Randomness in Schizophrenia. Frontiers in Psychiatry, 2019, 10, 499.	1.3	6
785	ADHD Classification Within and Cross Cohort Using an Ensembled Feature Selection Framework. , 2019, , .		6
786	Phase fMRI Reveals More Sparseness and Balance of Rest Brain Functional Connectivity Than Magnitude fMRI. Frontiers in Neuroscience, 2019, 13, 204.	1.4	6
787	Traumatic Events Are Associated with Diverse Psychological Symptoms in Typically-Developing Children. Journal of Child and Adolescent Trauma, 2020, 13, 381-388.	1.0	6
788	Adaptive Constrained Independent Vector Analysis: An Effective Solution for Analysis of Large-Scale Medical Imaging Data. IEEE Journal on Selected Topics in Signal Processing, 2020, 14, 1255-1264.	7.3	6
789	Log-sum enhanced sparse deep neural network. Neurocomputing, 2020, 407, 206-220.	3.5	6
790	Covarying structural alterations in laterality of the temporal lobe in schizophrenia: A case for source-based laterality. NMR in Biomedicine, 2020, 33, e4294.	1.6	6
791	Discriminating VCID subgroups: A diffusion MRI multi-model fusion approach. Journal of Neuroscience Methods, 2020, 335, 108598.	1.3	6
792	Deep learning methods and applications in neuroimaging. Journal of Neuroscience Methods, 2020, 339, 108718.	1.3	6

#	ARTICLE	IF	CITATIONS
793	Role of self-focussed reappraisal of negative emotion in emergence of emotional symptoms in adolescent girls. <i>British Journal of Psychiatry</i> , 2020, 217, 383-389.	1.7	6
794	Graph-theoretical analysis identifies transient spatial states of resting-state dynamic functional network connectivity and reveals dysconnectivity in schizophrenia. <i>Journal of Neuroscience Methods</i> , 2021, 350, 109039.	1.3	6
795	On Self-Supervised Multimodal Representation Learning: An Application To Alzheimer's Disease. , 2021, , .		6
796	NeuroCrypt: Machine Learning Over Encrypted Distributed Neuroimaging Data. <i>Neuroinformatics</i> , 2022, 20, 91-108.	1.5	6
797	A deep autoencoder with sparse and graph Laplacian regularization for characterizing dynamic functional connectivity during brain development. <i>Neurocomputing</i> , 2021, 456, 97-108.	3.5	6
798	Quality Assurance in Functional MRI. <i>Biological Magnetic Resonance</i> , 2015, , 245-270.	0.4	6
799	Terminology Development Towards Harmonizing Multiple Clinical Neuroimaging Research Repositories. <i>Lecture Notes in Computer Science</i> , 2015, 9162, 104-117.	1.0	6
800	Atypical dynamic functional network connectivity state engagement during social-emotional processing in schizophrenia and autism. <i>Cerebral Cortex</i> , 2022, 32, 3406-3422.	1.6	6
801	A deep learning fusion model for brain disorder classification. , 2020, 2020, .		6
802	BPARC: A novel spatio-temporal (4D) data-driven brain parcellation scheme based on deep residual networks. , 2020, , .		6
803	Harmonization of Multi-site Dynamic Functional Connectivity Network Data. , 2021, , .		6
804	Fusing multimodal neuroimaging data with a variational autoencoder. , 2021, 2021, 3630-3633.		6
805	A resting-state fMRI pattern of spinocerebellar ataxia type 3 and comparison with 18F-FDG PET. <i>NeuroImage: Clinical</i> , 2022, 34, 103023.	1.4	6
806	Tracing Evolving Networks Using Tensor Factorizations vs. ICA-Based Approaches. <i>Frontiers in Neuroscience</i> , 2022, 16, 861402.	1.4	6
807	Brain connectivity: an opening window into addiction. <i>American Journal of Drug and Alcohol Abuse</i> , 2013, 39, 343-344.	1.1	5
808	Group independent component analysis of <sc>MR</sc> spectra. <i>Brain and Behavior</i> , 2013, 3, 229-242.	1.0	5
809	Performance of complex-valued ICA algorithms for fMRI analysis: Importance of taking full diversity into account. , 2014, , .		5
810	Genetic underpinnings of left superior temporal gyrus thickness in patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 430-440.	1.3	5

#	ARTICLE	IF	CITATIONS
811	Predicting schizophrenia by fusing networks from SNPs, DNA methylation and fMRI data. , 2016, 2016, 1447-1450.		5
812	Transdiagnostic Multimodal Neuroimaging in Psychosis: Structural, Resting-State, and Task Magnetic Resonance Imaging Correlates of Cognitive Control. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 870-880.	1.1	5
813	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. Biological Psychiatry, 2019, 85, e35-e39.	0.7	5
814	Connectivity and dysconnectivity: A brief history of functional connectivity research in schizophrenia and future directions. , 2019, , 123-154.		5
815	The chronnectome as a model for Charcot's "dynamic lesion" in functional movement disorders. NeuroImage: Clinical, 2020, 28, 102381.	1.4	5
816	Examining brain maturation during adolescence using graph Laplacian learning based Fourier transform. Journal of Neuroscience Methods, 2020, 338, 108649.	1.3	5
817	Correlation Guided Graph Learning to Estimate Functional Connectivity Patterns From fMRI Data. IEEE Transactions on Biomedical Engineering, 2021, 68, 1154-1165.	2.5	5
818	Resting-State Functional Network Disturbances in Schizophrenia. , 2021, , 187-215.		5
819	Sparse deep dictionary learning identifies differences of time-varying functional connectivity in brain neuro-developmental study. Neural Networks, 2021, 135, 91-104.	3.3	5
820	An Approach to Automatically Label and Order Brain Activity/Component Maps. Brain Connectivity, 2022, 12, 85-95.	0.8	5
821	Disjoint subspaces for common and distinct component analysis: Application to the fusion of multi-task fMRI data. Journal of Neuroscience Methods, 2021, 358, 109214.	1.3	5
822	Whole-Brain Functional Connectivity Dynamics Associated With Electroconvulsive Therapy Treatment Response. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 312-322.	1.1	5
823	Disruptions in global network segregation and integration in adolescents and young adults with fetal alcohol spectrum disorder. Alcoholism: Clinical and Experimental Research, 2021, 45, 1775-1789.	1.4	5
824	ENIGMA+COINSTAC: Improving Findability, Accessibility, Interoperability, and Re-usability. Neuroinformatics, 2022, 20, 261-275.	1.5	5
825	A Correlated Noise-Assisted Decentralized Differentially Private Estimation Protocol, and its Application to fMRI Source Separation. IEEE Transactions on Signal Processing, 2021, 69, 6355-6370.	3.2	5
826	Stability of functional network connectivity (FNC) values across multiple spatial normalization pipelines in spatially constrained independent component analysis. , 2021, , .		5
827	Trauma moderates the development of the oscillatory dynamics serving working memory in a sex-specific manner. Cerebral Cortex, 2022, 32, 5206-5215.	1.6	5
828	Association of Neuroimaging Data with Behavioral Variables: A Class of Multivariate Methods and Their Comparison Using Multi-Task fMRI Data. Sensors, 2022, 22, 1224.	2.1	5

#	ARTICLE	IF	CITATIONS
829	Statelets: Capturing recurrent transient variations in dynamic functional network connectivity. <i>Human Brain Mapping</i> , 2022, 43, 2503-2518.	1.9	5
830	Deep learning in resting-state fMRI. , 2021, 2021, 3965-3969.		5
831	SMART (splitting-merging assisted reliable) Independent Component Analysis for Brain Functional Networks. , 2021, 2021, 3263-3266.		5
832	Multiframe Evolving Dynamic Functional Connectivity (EVOdFNC): A Method for Constructing and Investigating Functional Brain Motifs. <i>Frontiers in Neuroscience</i> , 2022, 16, 770468.	1.4	5
833	Multi-Task fMRI Data Fusion Using IVA and PARAFAC2. , 2022, , .		5
834	Amygdala and hippocampal subregions mediate outcomes following trauma during typical development: Evidence from high-resolution structural MRI. <i>Neurobiology of Stress</i> , 2022, 18, 100456.	1.9	5
835	Multimodal data fusion of cortical-subcortical morphology and functional network connectivity in psychotic spectrum disorder. <i>NeuroImage: Clinical</i> , 2022, 35, 103056.	1.4	5
836	The impact of pubertal <scp>DHEA</scp> on the development of visuospatial oscillatory dynamics. <i>Human Brain Mapping</i> , 2022, 43, 5154-5166.	1.9	5
837	Semi-blind ICA of FMRI: a method for utilizing hypothesis-derived time courses in a spatial ICA analysis. , 0, , .		4
838	A novel approach to analyzing fMRI and SNP data via parallel independent component analysis. , 2007, 6511, 322.		4
839	A Multivariate Model for Comparison of Two Datasets and its Application to FMRI Analysis. <i>IEEE International Workshop on Machine Learning for Signal Processing</i> , 2007, , .	0.0	4
840	A review of multivariate methods in brain imaging data fusion. <i>Proceedings of SPIE</i> , 2010, , .	0.8	4
841	Network-based investigation of genetic modules associated with functional brain networks in schizophrenia. , 2013, , .		4
842	Brain functional networks extraction based on fMRI artifact removal: Single subject and group approaches. , 2014, 2014, 1026-9.		4
843	Parallel ICA with multiple references: A semi-blind multivariate approach. , 2014, 2014, 6659-62.		4
844	Fusing Concurrent EEG and fMRI Intrinsic Networks. , 2014, , 213-235.		4
845	Dynamic default mode network connectivity diminished in patients with schizophrenia. , 2015, , .		4
846	The impact of data preprocessing in traumatic brain injury detection using functional magnetic resonance imaging. , 2015, 2015, 5432-5.		4

#	ARTICLE	IF	CITATIONS
847	Learning schizophrenia imaging genetics data via Multiple Kernel Canonical Correlation Analysis. , 2016, , .		4
848	Influence Function of Multiple Kernel Canonical Analysis to Identify Outliers in Imaging Genetics Data. , 2016, , .		4
849	Supervised multimodal fusion and its application in searching joint neuromarkers of working memory deficits in schizophrenia. , 2016, 2016, 4021-4026.		4
850	Flexible large-scale fMRI analysis: A survey. , 2017, , .		4
851	A deep-learning approach to translate between brain structure and functional connectivity. , 2017, , .		4
852	Post-ICA phase de-noising for resting-state complex-valued FMRI data. , 2017, , .		4
853	Genetics Modulate Gray Matter Variation Beyond Disease Burden in Prodromal Huntingtonâ€™s Disease. Frontiers in Neurology, 2018, 9, 190.	1.1	4
854	A resting-state network comparison of combat-related PTSD with combat-exposed and civilian controls. Social Cognitive and Affective Neuroscience, 2019, 14, 933-945.	1.5	4
855	Translational Potential of Neuroimaging Genomic Analyses to Diagnosis and Treatment in Mental Disorders. Proceedings of the IEEE, 2019, 107, 912-927.	16.4	4
856	A Latent Gaussian Copula Model for Mixed Data Analysis in Brain Imaging Genetics. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2021, 18, 1350-1360.	1.9	4
857	A method to compare the discriminatory power of data-driven methods: Application to ICA and IVA. Journal of Neuroscience Methods, 2019, 311, 267-276.	1.3	4
858	Distinct structural brain circuits indicate mood and apathy profiles in bipolar disorder. Neurolmage: Clinical, 2020, 26, 101989.	1.4	4
859	Joint Bayesian-Incorporating Estimation of Multiple Gaussian Graphical Models to Study Brain Connectivity Development in Adolescence. IEEE Transactions on Medical Imaging, 2020, 39, 357-365.	5.4	4
860	Sex-related differences in brain dynamism at rest as neural correlates of positive and negative valence system constructs. Cognitive Neuroscience, 2020, 12, 1-24.	0.6	4
861	aNy-way Independent Component Analysis. , 2020, 2020, 1770-1774.		4
862	Causality-Based Feature Fusion for Brain Neuro-Developmental Analysis. IEEE Transactions on Medical Imaging, 2020, 39, 3290-3299.	5.4	4
863	Filtered correlation and allowed frequency spectra in dynamic functional connectivity. Journal of Neuroscience Methods, 2020, 343, 108837.	1.3	4
864	Restingâ€™state functional connectivity of the human hippocampus in periadolescent children: Associations with age and memory performance. Human Brain Mapping, 2021, 42, 3620-3642.	1.9	4

#	ARTICLE	IF	CITATIONS
865	DNA methylation under the major depression pathway predicts pediatric quality of life four-month post-pediatric mild traumatic brain injury. <i>Clinical Epigenetics</i> , 2021, 13, 140.	1.8	4
866	Brain multimodal co-alterations related to delay discounting: a multimodal MRI fusion analysis in persons with and without cocaine use disorder. <i>BMC Neuroscience</i> , 2021, 22, 51.	0.8	4
867	Individualized Prediction of Brain Network Interactions using Deep Siamese Networks. , 2020, , .		4
868	Spatially Covarying Patterns of Gray Matter Volume and Concentration Highlight Distinct Regions in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2021, 15, 708387.	1.4	4
869	Multivariate alterations in insula - Medial prefrontal cortex linked to genetics in 12q24 in schizophrenia. <i>Psychiatry Research</i> , 2021, 306, 114237.	1.7	4
870	A Decentralized ComBat Algorithm and Applications to Functional Network Connectivity. <i>Frontiers in Neurology</i> , 2022, 13, 826734.	1.1	4
871	Multimodal brain deficits shared in <scp>earlyâ€œonset</scp> and <scp>adultâ€œonset</scp> schizophrenia predict positive symptoms regardless of illness stage. <i>Human Brain Mapping</i> , 2022, 43, 3486-3497.	1.9	4
872	Longitudinal Whole-Brain Functional Network Change Patterns Over A Two-Year Period In The ABCD Data. , 2022, , .		4
873	Left amygdala structure mediates longitudinal associations between exposure to threat and longâ€œterm psychiatric symptomatology in youth. <i>Human Brain Mapping</i> , 2022, 43, 4091-4102.	1.9	4
874	An Interpretable and Predictive Connectivity-Based Neural Signature forÂChronicÂCannabis Use. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 320-330.	1.1	4
875	Identifying Alcohol Use Disorder With Resting State Functional Magnetic Resonance Imaging Data: A Comparison Among Machine Learning Classifiers. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	4
876	Detecting abnormal connectivity in schizophrenia via a joint directed acyclic graph estimation model. <i>NeuroImage</i> , 2022, 260, 119451.	2.1	4
877	A constrained coefficient ica algorithm for group difference enhancement. <i>Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing</i> , 2008, , .	1.8	3
878	Extended time-frequency granger causality for evaluation of functional network connectivity in event-related fMRI data. , 2009, 2009, 4440-3.		3
879	Correction of copy number variation data using principal component analysis. , 2010, 2010, 827-828.		3
880	Wavelet-based denoising and independent component analysis for improving multi-group inference in fMRI data. , 2011, , .		3
881	Order Selection of the Linear Mixing Model for Complex-Valued fMRI Data. <i>Journal of Signal Processing Systems</i> , 2012, 67, 117-128.	1.4	3
882	Multi-subject fMRI data analysis: Shift-invariant tensor factorization vs. group independent component analysis. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
883	Characterization of connectivity dynamics in intrinsic brain networks. , 2013, , .		3
884	Robust Kernel Canonical Correlation Analysis to Detect Gene-Gene Interaction for Imaging Genetics Data. , 2016, , .		3
885	Multimodal Fusion of Structural and Functional Brain Imaging Data. <i>Neuroinformatics</i> , 2016, , 853-869.	0.2	3
886	Model order effects on independent vector analysis applied to complex-valued fMRI data. , 2017, , .		3
887	Fused estimation of sparse connectivity patterns from rest fMRI. , 2017, , .		3
888	High and Low Levels of an NTRK2-Driven Genetic Profile Affect Motor- and Cognition-Associated Frontal Gray Matter in Prodromal Huntingtonâ€™s Disease. <i>Brain Sciences</i> , 2018, 8, 116.	1.1	3
889	Using Gradient as a New Metric for Dynamic Connectivity Estimation from Resting fMRI Data. , 2019, , .		3
890	Adolescent Psychopathic Traits Negatively Relate to Hemodynamic Activity within the Basal Ganglia during Error-Related Processing. <i>Journal of Abnormal Child Psychology</i> , 2019, 47, 1917-1929.	3.5	3
891	C-ICT for Discovery of Multiple Associations in Multimodal Imaging Data: Application to Fusion of fMRI and DTI Data. , 2019, , .		3
892	Two-Step Feature Selection for Identifying Developmental Differences in Resting fMRI Intrinsic Connectivity Networks. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4298.	1.3	3
893	Selection of Efficient Clustering Index to Estimate the Number of Dynamic Brain States from Functional Network Connectivity. , 2019, 2019, 632-635.		3
894	Tucker Decomposition for Extracting Shared and Individual Spatial Maps from Multi-Subject Resting-State fMRI Data. , 2021, , .		3
895	Fusion of Multiple Spatial Networks Derived from Complex-Valued fMRI Data via CNN Classification. , 2021, , .		3
896	Frontoparietal network and neuropsychological measures in typically developing children. <i>Neuropsychologia</i> , 2021, 159, 107914.	0.7	3
897	Consecutive Independence and Correlation Transform for Multimodal Data Fusion: Discovery of One-to-Many Associations in Structural and Functional Imaging Data. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8382.	1.3	3
898	Dissemination in time and space in presymptomatic granulin mutation carriers: a GENFI spatial chronnectome study. <i>Neurobiology of Aging</i> , 2021, 108, 155-167.	1.5	3
899	A data-driven approach for stratifying psychotic and mood disorders subjects using structural magnitude resonance imaging data. , 2020, , .		3
900	Can recurrent models know more than we do?. , 2021, , .		3

#	ARTICLE	IF	CITATIONS
901	Schizophrenia Prediction Using Integrated Imaging Genomic Networks. <i>Advances in Science, Technology and Engineering Systems</i> , 2017, 2, 702-710.	0.4	3
902	Multi-modal Brain Connectivity Study Using Deep Collaborative Learning. <i>Lecture Notes in Computer Science</i> , 2018, , 66-73.	1.0	3
903	Extraction of co-expressed discriminative features of Schizophrenia in imaging epigenetics framework. , 2019, , .		3
904	Individual differences in amygdala volumes predict changes in functional connectivity between subcortical and cognitive control networks throughout adolescence. <i>NeuroImage</i> , 2022, 247, 118852.	2.1	3
905	Time-varying Graphs: A Method to Identify Abnormal Integration and Disconnection in Functional Brain Connectivity with Application to Schizophrenia. , 2020, , .		3
906	Machine Learning Predicts Treatment Response in Bipolar & Major Depression Disorders. , 2021, , .		3
907	Individualized spatial network predictions using Siamese convolutional neural networks: A resting-state fMRI study of over 11,000 unaffected individuals. <i>PLoS ONE</i> , 2022, 17, e0249502.	1.1	3
908	Longitudinal changes in the neural oscillatory dynamics underlying abstract reasoning in children and adolescents. <i>NeuroImage</i> , 2022, 253, 119094.	2.1	3
909	A MAXIMAL-CORRELATION APPROACH USING ICA FOR TESTING FUNCTIONAL NETWORK CONNECTIVITY APPLIED TO SCHIZOPHRENIA. , 2007, , .		2
910	Semi-blind kurtosis maximization algorithm applied to complex-valued fMRI data. , 2011, , .		2
911	Higher dimensional fMRI connectivity dynamics show reduced dynamism in schizophrenia patients. , 2014, , .		2
912	A study of spatial variation in fMRI brain networks via independent vector analysis: Application to schizophrenia. , 2014, , .		2
913	Application of ICA to realistically simulated 1 H&MRS data. <i>Brain and Behavior</i> , 2015, 5, e00345.	1.0	2
914	Sensory load hierarchy-based classification of schizophrenia patients. , 2015, , .		2
915	Classification of schizophrenia and bipolar patients using static and time-varying resting-state FMRI brain connectivity. , 2015, , .		2
916	Integration of multiple genomic imaging data for the study of schizophrenia using joint nonnegative matrix factorization. , 2017, , .		2
917	ENFORCING CO-EXPRESSION IN MULTIMODAL REGRESSION FRAMEWORK. , 2017, 22, 105-116.		2
918	High dimensional latent Gaussian copula model for mixed data in imaging genetics. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
937	Fusing Concurrent EEG and fMRI Intrinsic Networks. , 2019, , 293-315.		2
938	<scp>BrainForge</scp>: An online data analysis platform for integrative neuroimaging acquisition, analysis, and sharing. Concurrency Computation Practice and Experience, 2023, 35, .	1.4	2
939	Decentralized Brain Age Estimation Using MRI Data. Neuroinformatics, 2022, 20, 981-990.	1.5	2
940	Altered resting fMRI spectral power in data-driven brain networks during development: A longitudinal study. Journal of Neuroscience Methods, 2022, 372, 109537.	1.3	2
941	Multimodal Brain Age Prediction with Feature Selection and Comparison. , 2021, 2021, 3858-3864.		2
942	Investigating ADHD subtypes in children using temporal dynamics of the electroencephalogram (EEG) microstates [*] . , 2021, 2021, 4358-4361.		2
943	Brain state instability as a biomarker of Alzheimer's disease progression: A dynamic functional network connectivity study. Alzheimer's and Dementia, 2021, 17, .	0.4	2
944	Data-driven spatio-temporal dynamic brain connectivity analysis using fALFF: Application to sensorimotor task data. , 2022, , .		2
945	Decentralized Spatially Constrained Source-Based Morphometry. , 2022, , .		2
946	Independent component analysis with feature selective filtering. , 0, , .		1
947	Bayesian blind source separation for brain imaging. , 2005, , .		1
948	A Method to Analyze Correlations between Multiple Brain Imaging Tasks to Characterize Schizophrenia. , 2008, , .		1
949	Understanding brain dynamics with independent component analysis. Acta Neuropsychiatrica, 2010, 22, 255-256.	1.0	1
950	Mind over chatter: plastic up-regulation of the fMRI alertness network by EEG neurofeedback. Nature Precedings, 2012, , .	0.1	1
951	Gradient artifact removal in concurrently acquired EEG data using independent vector analysis. , 2014, , .		1
952	Brain networks: The next steps. Physics of Life Reviews, 2014, 11, 440-441.	1.5	1
953	Multivariate Fusion of EEG and Functional MRI Data Using ICA: Algorithm Choice and Performance Analysis. Lecture Notes in Computer Science, 2015, , 489-496.	1.0	1
954	Time-varying frequency modes of resting fMRI brain networks reveal significant gender differences. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
955	162. Shared Genetic Risk of Schizophrenia and Gray Matter Reduction in 6p22.1. Schizophrenia Bulletin, 2017, 43, S83-S83.	2.3	1
956	Two models for fusion of medical imaging data: Comparison and connections. , 2017, , .		1
957	Increased Randomness of Functional Network Connectivity in Nicotine and Alcohol Consumers. , 2018, 2018, 1011-1014.		1
958	Evaluating Models of Dynamic Functional Connectivity Using Predictive Classification Accuracy. , 2018, , .		1
959	IVA-Based Spatio-Temporal Dynamic Connectivity Analysis in Large-Scale fMRI Data. , 2018, , .		1
960	Multimodal Neuroimaging Patterns Associated with Social Responsiveness Impairment in Autism: A Replication Study. , 2019, , .		1
961	Disjoint Subspaces for Common and Distinct Component Analysis: Application to Task fMRI Data. , 2019, , .		1
962	A method for building a genome-connectome bipartite graph model. Journal of Neuroscience Methods, 2019, 320, 64-71.	1.3	1
963	Concurrent Cross-Sectional and Longitudinal Analyses of Multivariate White Matter Profiles and Clinical Functioning in Pre-Diagnosis Huntington Disease. Journal of Huntington's Disease, 2019, 8, 199-219.	0.9	1
964	Comparison of Functional Network Connectivity and Granger Causality for Resting State fMRI Data. Lecture Notes in Computer Science, 2017, , 559-566.	1.0	1
965	A hybrid correlation analysis with application to imaging genetics. , 2018, , .		1
966	Cognitive Implications of Correlated Structural Network Changes in Schizophrenia. Frontiers in Integrative Neuroscience, 2021, 15, 755069.	1.0	1
967	BNCP: Brain-Network-based Convolutional Prototype Learning for Discriminating Depressive Disorders. , 2021, 2021, 1622-1626.		1
968	Uncovering Active Structural Subspaces Associated with Changes in Indicators for Alzheimer's Disease. , 2021, 2021, 3948-3951.		1
969	Evidence for Transcranial Magnetic Stimulation Induced Functional Connectivity Oscillations in the Brain. , 2021, 2021, 1407-1411.		1
970	Variational voxelwise rs-fMRI representation learning: Evaluation of sex, age, and neuropsychiatric signatures. , 2021, , .		1
971	Brain age acceleration as biomarker of Alzheimer's disease progression: Functional network connectivity analysis. Alzheimer's and Dementia, 2021, 17, .	0.4	1
972	An Accelerated Rank-(L,L,1,1) Block Term Decomposition Of Multi-Subject Fmri Data Under Spatial Orthonormality Constraint. , 2022, , .		1

#	ARTICLE	IF	CITATIONS
973	Feature-selective ICA and Its Convergence Properties. , 0, , .		0
974	Identification of Brain Image Biomarkers by Optimized Selection of Multimodal Independent Components. , 2008, , .		0
975	Exploration of the optimal group-discriminating features using CC-ICA. , 2008, , .		0
976	Fusion of concurrent single trial EEG data and fMRI data using multi-set canonical correlation analysis. , 2010, , .		0
977	A new metric to measure shape differences in fMRI activity. Proceedings of SPIE, 2011, , .	0.8	0
978	Complex-valued analysis and visualization of fMRI data for event-related and block-design paradigms. , 2012, , .		0
979	Detecting volumetric changes in fMRI connectivity networks in schizophrenia patients. , 2014, 2014, 726-9.		0
980	Parallel group ICA for multimodal biomedical data analyses. , 2015, , .		0
981	Resting fMRI measures are associated with cognitive deficits in schizophrenia assessed by the MATRICS consensus cognitive battery. , 2015, , .		0
982	Large scale fusion of brain imaging modalities and features using Markov-style dynamics in a feature meta-space. , 2015, 2015, 7716-9.		0
983	Diagnosing schizophrenia by integrating genomic and imaging data through network fusion. , 2016, , .		0
984	A graph theoretical approach for performance comparison of ICA for fMRI analysis. , 2017, , .		0
985	Weak Mutual Information Between Functional Domains in Schizophrenia. , 2018, , .		0
986	In-between and cross-frequency dependence-based summarization of resting-state fMRI data. , 2018, , .		0
987	Detection of differentially developed functional connectivity patterns in adolescents based on tensor discriminative analysis. , 2018, , .		0
988	Classifying Schizophrenia Subjects by Fusing Networks From Single-Nucleotide Polymorphisms, DNA Methylation, and Functional Magnetic Resonance Imaging Data. , 2018, , 61-83.		0
989	Gradient Theories of Brain Activation: a Novel Application to Studying the Parental Brain. Current Behavioral Neuroscience Reports, 2019, 6, 119-125.	0.6	0
990	Resting-State Functional Connectivity Imaging and Nicotine Dependence. , 2019, , 119-126.		0

#	ARTICLE	IF	CITATIONS
991	A Multimodal Learning Framework to Study Varying Information Complexity in Structural and Functional Sub-Domains in Schizophrenia. , 2021, , .		0
992	Statelets: A Novel Multi-Dimensional State-Shape Representation Of Brain Functional Connectivity Dynamics. , 2021, , .		0
993	A New Semi-Supervised Non-Negative Matrix Factorization Method For Brain Dynamic Functional Connectivity Analysis. , 2021, , .		0
994	Polygenic Hazard Score Associated Multimodal Brain Networks Along the Alzheimerâ€™s Disease Continuum. Frontiers in Aging Neuroscience, 2021, 13, 725246.	1.7	0
995	Imaging Genetics: Information Fusion and Association Techniques Between Biomedical Images and Genetic Factors. Health Information Science, 2017, , 103-114.	0.3	0
996	Adaptive windowing and windowless approaches to estimate dynamic functional brain connectivity. , 2017, , .		0
997	Can Machine Learning fMRI Be A Computer Aided Diagnosis Tool For Brain Diseases?. , 2018, , .		0
998	Fusing Concurrent EEG and fMRI Intrinsic Networks. , 2019, , 1-23.		0
999	Improved estimation of dynamic connectivity from resting-state fMRI data. , 2019, , .		0
1000	Phase fMRI reveals sparser function connectivity than magnitude fMRI. , 2019, , .		0
1001	A multimodal IVA fusion approach to identify linked neuroimaging markers. , 2021, 2021, 3928-3932.		0
1002	Shared sets of correlated polygenic risk scores and voxel-wise grey matter across multiple traits identified via bi-clustering. , 2021, 2021, 2201-2206.		0
1003	Building Models of Functional Interactions Among Brain Domains that Encode Varying Information Complexity: A Schizophrenia Case Study. Neuroinformatics, 2022, 20, 777-791.	1.5	0
1004	Functional connectomes incorporating phase synchronization for the characterization and prediction of individual differences. Journal of Neuroscience Methods, 2022, 372, 109539.	1.3	0
1005	OUP accepted manuscript. Cerebral Cortex, 2022, , .	1.6	0