

Astrid Weyerbrock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1945506/publications.pdf>

Version: 2024-02-01

109
papers

4,614
citations

136740

32
h-index

110170

64
g-index

113
all docs

113
docs citations

113
times ranked

7714
citing authors

#	ARTICLE	IF	CITATIONS
1	Cilengitide combined with standard treatment for patients with newly diagnosed glioblastoma with methylated MGMT promoter (CENTRIC EORTC 26071-22072 study): a multicentre, randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1100-1108.	5.1	800
2	Lomustine-temozolomide combination therapy versus standard temozolomide therapy in patients with newly diagnosed glioblastoma with methylated MGMT promoter (CeTeG/NOA09): a randomised, open-label, phase 3 trial. <i>Lancet</i> , The, 2019, 393, 678-688.	6.3	384
3	<i>p53</i> Deletion in Glioblastomas. <i>New England Journal of Medicine</i> , 2011, 364, 627-637.	13.9	220
4	Clinical benefit from resection of recurrent glioblastomas: results of a multicenter study including 503 patients with recurrent glioblastomas undergoing surgical resection. <i>Neuro-Oncology</i> , 2016, 18, 96-104.	0.6	186
5	Bevacizumab Plus Irinotecan Versus Temozolomide in Newly Diagnosed O ⁶ -Methylguanine-DNA Methyltransferase Nonmethylated Glioblastoma: The Randomized CLARIUS Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 1611-1619.	0.8	151
6	Endothelial cell-derived angiopoietin-2 is a therapeutic target in treatment-naïve and bevacizumab-resistant glioblastoma. <i>EMBO Molecular Medicine</i> , 2016, 8, 39-57.	3.3	140
7	Bevacizumab treatment induces metabolic adaptation toward anaerobic metabolism in glioblastomas. <i>Acta Neuropathologica</i> , 2015, 129, 115-131.	3.9	122
8	Residual Tumor Volume as Best Outcome Predictor in Low Grade Glioma – A Nine-Years Near-Randomized Survey of Surgery vs. Biopsy. <i>Scientific Reports</i> , 2016, 6, 32286.	1.6	110
9	Phase II Study of Radiotherapy and Temozolomide versus Radiochemotherapy with Temozolomide in Patients with Newly Diagnosed Glioblastoma without MGMT Promoter Hypermethylation (EORTC 26082). <i>Clinical Cancer Research</i> , 2016, 22, 4797-4806.	3.2	105
10	Predictors of In-Hospital Death After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2018, 49, 333-340.	1.0	99
11	Chloroquine or Chloroquine-PI3K/Akt Pathway Inhibitor Combinations Strongly Promote β -Irradiation-Induced Cell Death in Primary Stem-Like Glioma Cells. <i>PLoS ONE</i> , 2012, 7, e47357.	1.1	86
12	Molecular Evolution of IDH Wild-Type Glioblastomas Treated With Standard of Care Affects Survival and Design of Precision Medicine Trials: A Report From the EORTC 1542 Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 81-99.	0.8	84
13	Lineage-specific splicing of a brain-enriched alternative exon promotes glioblastoma progression. <i>Journal of Clinical Investigation</i> , 2014, 124, 2861-2876.	3.9	83
14	Comprehensive analysis of PD-L1 expression in glioblastoma multiforme. <i>Oncotarget</i> , 2017, 8, 42214-42225.	0.8	81
15	<i>TERT</i> promoter mutations and telomere length in adult malignant gliomas and recurrences. <i>Oncotarget</i> , 2015, 6, 10617-10633.	0.8	79
16	Whole brain irradiation with hippocampal sparing and dose escalation on multiple brain metastases. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 461-469.	1.0	77
17	Tumor Vessel Normalization, Immunostimulatory Reprogramming, and Improved Survival in Glioblastoma with Combined Inhibition of PD-1, Angiopoietin-2, and VEGF. <i>Cancer Immunology Research</i> , 2019, 7, 1910-1927.	1.6	74
18	Amino-acid PET versus MRI guided re-irradiation in patients with recurrent glioblastoma multiforme (GLIAA) – protocol of a randomized phase II trial (NOA 10/ARO 2013-1). <i>BMC Cancer</i> , 2016, 16, 769.	1.1	62

#	ARTICLE	IF	CITATIONS
19	Multicenter pilot study of radiochemotherapy as first-line treatment for adults with medulloblastoma (NOA-07). <i>Neuro-Oncology</i> , 2018, 20, 400-410.	0.6	56
20	Cytokine Production during Sleep and Wakefulness and Its Relationship to Cortisol in Healthy Humans. <i>Neuropsychobiology</i> , 1993, 28, 9-16.	0.9	53
21	Incidence and Outcome of Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2021, 52, 344-347.	1.0	49
22	Selective opening of the blood-brain barrier by a nitric oxide donor and long-term survival in rats with C6 gliomas. <i>Journal of Neurosurgery</i> , 2003, 99, 728-737.	0.9	45
23	Growth-inhibitory and chemosensitizing effects of the glutathione S-transferase-activated nitric oxide donor PABA/NO in malignant gliomas. <i>International Journal of Cancer</i> , 2012, 130, 1184-1194.	2.3	44
24	JS-K, a Glutathione S-Transferase-Activated Nitric Oxide Donor With Antineoplastic Activity in Malignant Gliomas. <i>Neurosurgery</i> , 2012, 70, 497-510.	0.6	42
25	Superiority of temozolomide over radiotherapy for elderly patients with RTK II methylation class, MGMT promoter methylated malignant astrocytoma. <i>Neuro-Oncology</i> , 2020, 22, 1162-1172.	0.6	42
26	Early Identification of Individuals at High Risk for Cerebral Infarction after Aneurysmal Subarachnoid Hemorrhage: The BEHAVIOR Score. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1587-1592.	2.4	40
27	The Barrow Neurological Institute Grading Scale as a Predictor for Delayed Cerebral Ischemia and Outcome After Aneurysmal Subarachnoid Hemorrhage: Data From a Nationwide Patient Registry (Swiss). <i>TJ ETQq1 b07843149rgBT / O</i>		
28	Decrease of VEGF-A in myeloid cells attenuates glioma progression and prolongs survival in an experimental glioma model. <i>Neuro-Oncology</i> , 2016, 18, 939-949.	0.6	38
29	Surgical Treatment of Mesiotemporal Lobe Epilepsy: Which Approach is Favorable?. <i>Neurosurgery</i> , 2017, 81, 992-1004.	0.6	38
30	Different but similar: personality traits of surgeons and internists—results of a cross-sectional observational study. <i>BMJ Open</i> , 2018, 8, e021310.	0.8	35
31	Reactive oxygen species (ROS) in the human neocortex: Role of aging and cognition. <i>Brain Research Bulletin</i> , 2010, 81, 484-490.	1.4	34
32	Delayed cell death associated with mitotic catastrophe in β -irradiated stem-like glioma cells. <i>Radiation Oncology</i> , 2011, 6, 71.	1.2	34
33	Effects of light and chronotherapy on human circadian rhythms in delayed sleep phase syndrome: Cytokines, cortisol, growth hormone, and the sleep-wake cycle. <i>Biological Psychiatry</i> , 1996, 40, 794-797.	0.7	33
34	Differential effects of nitric oxide on blood-brain barrier integrity and cerebral blood flow in intracerebral C6 gliomas. <i>Neuro-Oncology</i> , 2011, 13, 203-211.	0.6	33
35	Growth inhibition and chemosensitization of exogenous nitric oxide released from NONOates in glioma cells in vitro. <i>Journal of Neurosurgery</i> , 2009, 110, 128-136.	0.9	31
36	Surgical Ventricular Entry is a Key Risk Factor for Leptomeningeal Metastasis of High Grade Gliomas. <i>Scientific Reports</i> , 2015, 5, 17758.	1.6	31

#	ARTICLE	IF	CITATIONS
37	Progression-free and overall survival in patients with recurrent Glioblastoma multiforme treated with last-line bevacizumab versus bevacizumab/lomustine. <i>Journal of Neuro-Oncology</i> , 2016, 126, 567-575.	1.4	31
38	Differential modulation of K ⁺ -evoked 3H-neurotransmitter release from human neocortex by gabapentin and pregabalin. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008, 376, 301-307.	1.4	30
39	KLF6 depletion promotes NF- κ B signaling in glioblastoma. <i>Oncogene</i> , 2017, 36, 3562-3575.	2.6	30
40	Epigenetic Regulation of ZBTB18 Promotes Glioblastoma Progression. <i>Molecular Cancer Research</i> , 2017, 15, 998-1011.	1.5	30
41	The predictors and clinical impact of intraventricular hemorrhage in patients with aneurysmal subarachnoid hemorrhage. <i>International Journal of Stroke</i> , 2016, 11, 68-76.	2.9	28
42	Conscious Experience and Psychological Consequences of Awake Craniotomy. <i>World Neurosurgery</i> , 2019, 129, e381-e386.	0.7	28
43	Effects of gabapentin and pregabalin on K ⁺ -evoked 3H-GABA and 3H-glutamate release from human neocortical synaptosomes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 379, 361-369.	1.4	27
44	Intracerebral Hematoma Due to Aneurysm Rupture. <i>Neurosurgery</i> , 2016, 78, 813-820.	0.6	27
45	Malignant Transformation of a Dysembryoplastic Neuroepithelial Tumor (DNET) Characterized by Genome-Wide Methylation Analysis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016, 75, 358-365.	0.9	27
46	Early Vasospasm after Aneurysmal Subarachnoid Hemorrhage Predicts the Occurrence and Severity of Symptomatic Vasospasm and Delayed Cerebral Ischemia. <i>Cerebrovascular Diseases</i> , 2016, 41, 265-272.	0.8	26
47	ATF3 reduces migration capacity by regulation of matrix metalloproteinases via NF- κ B and STAT3 inhibition in glioblastoma. <i>Cell Death Discovery</i> , 2017, 3, 17006.	2.0	26
48	Objective functional assessment using the "Timed Up and Go" test in patients with lumbar spinal stenosis. <i>Neurosurgical Focus</i> , 2019, 46, E4.	1.0	23
49	Home-Time as a Surrogate Marker for Functional Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2018, 49, 3081-3084.	1.0	22
50	Integrative Modeling Reveals Annexin A2-mediated Epigenetic Control of Mesenchymal Glioblastoma. <i>EBioMedicine</i> , 2016, 12, 72-85.	2.7	21
51	Stereotactic fractionated radiotherapy of the resection cavity in patients with one to three brain metastases. <i>Clinical Neurology and Neurosurgery</i> , 2016, 142, 81-86.	0.6	21
52	Gene transfer technologies for malignant gliomas. <i>Current Opinion in Oncology</i> , 1999, 11, 168.	1.1	21
53	c-Jun-N-terminal phosphorylation regulates DNMT1 expression and genome wide methylation in gliomas. <i>Oncotarget</i> , 2017, 8, 6940-6954.	0.8	21
54	Integrative Diffusion-Weighted Imaging and Radiogenomic Network Analysis of Glioblastoma multiforme. <i>Scientific Reports</i> , 2017, 7, 43523.	1.6	20

#	ARTICLE	IF	CITATIONS
55	Integrative Network-based Analysis of Magnetic Resonance Spectroscopy and Genome Wide Expression in Glioblastoma multiforme. <i>Scientific Reports</i> , 2016, 6, 29052.	1.6	19
56	Effects of the nitric oxide donor JS-K on the blood-tumor barrier and on orthotopic U87 rat gliomas assessed by MRI. <i>Nitric Oxide - Biology and Chemistry</i> , 2013, 30, 17-25.	1.2	18
57	Surgery for IDH1/2 wild-type glioma invading the corpus callosum. <i>Acta Neurochirurgica</i> , 2021, 163, 937-945.	0.9	18
58	Molecular differences between cerebral blood volume and vessel size in glioblastoma multiforme. <i>Oncotarget</i> , 2017, 8, 11083-11093.	0.8	18
59	Differential inhibitory effects of drugs acting at the noradrenaline and 5-hydroxytryptamine transporters in rat and human neocortical synaptosomes*. <i>British Journal of Pharmacology</i> , 2009, 158, 1848-1856.	2.7	17
60	Cyclooxygenase (COX) Inhibition by Acetyl Salicylic Acid (ASA) Enhances Antitumor Effects of Nitric Oxide in Glioblastoma In Vitro. <i>Molecular Neurobiology</i> , 2019, 56, 6046-6055.	1.9	17
61	Digital transformation in spine research and outcome assessment. <i>Spine Journal</i> , 2020, 20, 310-311.	0.6	17
62	Outcome correlates with blood distribution in subarachnoid hemorrhage of unknown origin. <i>Acta Neurochirurgica</i> , 2010, 152, 417-422.	0.9	16
63	Whole Transcriptome Screening Reveals Myelination Deficits in Dysplastic Human Temporal Neocortex. <i>Cerebral Cortex</i> , 2017, 27, bhv346.	1.6	16
64	Nitric oxide released from JS-K induces cell death by mitotic catastrophe as part of necrosis in glioblastoma multiforme. <i>Cell Death and Disease</i> , 2016, 7, e2349-e2349.	2.7	16
65	Development of a Complication- and Treatment-Aware Prediction Model for Favorable Functional Outcome in Aneurysmal Subarachnoid Hemorrhage Based on Machine Learning. <i>Neurosurgery</i> , 2021, 88, E150-E157.	0.6	16
66	Simultaneous assessment of vessel size index, relative blood volume, and vessel permeability in a mouse brain tumor model using a combined spin echo gradient echo echo-planar imaging sequence and viable tumor analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1310-1318.	1.9	15
67	Patients undergoing surgery for lumbar degenerative spinal disorders favor smartphone-based objective self-assessment over paper-based patient-reported outcome measures. <i>Spine Journal</i> , 2021, 21, 610-617.	0.6	15
68	Improving Drug Delivery to Intracerebral Tumor and Surrounding Brain in a Rodent Model: A Comparison of Osmotic versus Bradykinin Modification of the Blood-Brain and/or Blood-Tumor Barriers. <i>Neurosurgery</i> , 1998, 43, 886-887.	0.6	14
69	Predictors of Occurrence and Anatomic Distribution of Multiple Aneurysms in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2018, 111, e199-e205.	0.7	14
70	Evaluation of the 6-minute walking test as a smartphone app-based self-measurement of objective functional impairment in patients with lumbar degenerative disc disease. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 779-788.	0.9	14
71	Endoscopic Fenestration of A Symptomatic Cavum Septum Pellucidum: Technical Case Report. <i>Operative Neurosurgery</i> , 2006, 59, ONS-E491-ONS-E491.	0.4	13
72	Neurocognitive functioning and health-related quality of life in adult medulloblastoma patients: long-term outcomes of the NOA-07 study. <i>Journal of Neuro-Oncology</i> , 2020, 148, 117-130.	1.4	12

#	ARTICLE	IF	CITATIONS
73	Clinical relevance of anterior cerebral artery asymmetry in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2017, 127, 1070-1076.	0.9	11
74	Mesoscopic imaging of glioblastomas: Are diffusion, perfusion and spectroscopic measures influenced by the radiogenetic phenotype?. <i>Neuroradiology Journal</i> , 2017, 30, 36-47.	0.6	11
75	Quality of life in the GLARIUS trial randomizing bevacizumab/irinotecan versus temozolomide in newly diagnosed, MGMT-nonmethylated glioblastoma. <i>Neuro-Oncology</i> , 2018, 20, 975-985.	0.6	11
76	Tumor growth patterns of MGMT-non-methylated glioblastoma in the randomized GLARIUS trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1581-1589.	1.2	11
77	Measuring the Impact of Delayed Cerebral Ischemia on Neuropsychological Outcome After Aneurysmal Subarachnoid Hemorrhage – Protocol of a Swiss Nationwide Observational Study (MoCA – DCI Study). <i>Neurosurgery</i> , 2019, 84, 1124-1132.	0.6	11
78	Gravitational valves in supine patients with ventriculo-peritoneal shunts. <i>Acta Neurochirurgica</i> , 2009, 151, 705-709.	0.9	10
79	The nitric oxide donor JS-K sensitizes U87 glioma cells to repetitive irradiation. <i>Tumor Biology</i> , 2017, 39, 101042831770392.	0.8	10
80	Intradural non-calcified thoracic disc herniation causing spontaneous intracranial hypotension: a case report. <i>BMC Surgery</i> , 2019, 19, 66.	0.6	10
81	Ruptured PICA aneurysms: presentation and treatment outcomes compared to other posterior circulation aneurysms. A Swiss SOS study. <i>Acta Neurochirurgica</i> , 2019, 161, 1325-1334.	0.9	10
82	External Validation of the Minimum Clinically Important Difference in the Timed-up-and-go Test After Surgery for Lumbar Degenerative Disc Disease. <i>Spine</i> , 2022, 47, 337-342.	1.0	10
83	Longitudinal smartphone-based self-assessment of objective functional impairment in patients undergoing surgery for lumbar degenerative disc disease: initial experience. <i>Acta Neurochirurgica</i> , 2020, 162, 2061-2068.	0.9	9
84	Ruptured posterior circulation aneurysms: epidemiology, patterns of care, and outcomes from the Swiss SOS national registry. <i>Acta Neurochirurgica</i> , 2019, 161, 769-779.	0.9	8
85	Early-stage penile carcinoma metastasizing to brain: Case report and literature review. <i>Urology</i> , 2005, 66, 432.e9-432.e11.	0.5	7
86	Global Tracking in Human Gliomas: A Comparison with Established Tracking Methods. <i>Clinical Neuroradiology</i> , 2013, 23, 263-275.	1.0	7
87	Lack of evidence for PlGF mediating the tumor resistance after anti-angiogenic therapy in malignant gliomas. <i>Journal of Neuro-Oncology</i> , 2015, 121, 269-278.	1.4	7
88	Outcome Prediction after Non-aneurysmal Non-traumatic Subarachnoid Hemorrhage. <i>Current Neurovascular Research</i> , 2015, 12, 269-276.	0.4	7
89	Smartphone-based real-life activity data for physical performance outcome in comparison to conventional subjective and objective outcome measures after degenerative lumbar spine surgery. <i>Brain and Spine</i> , 2022, 2, 100881.	0.0	7
90	Aneurysmal and Non-Aneurysmal SAH – Is Initial Computed Tomography Predictive?. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2009, 181, 881-887.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Effect of LINAC Radiosurgery on Regional Cerebral Blood Flow, Glucose Metabolism and Sodium-Potassium ATPase in Skull Base Meningiomas and Metastasis. Acta Neurochirurgica Supplementum, 1997, 68, 124-126.	0.5	6
92	Gliomas: quo vadis. Clinical Neurosurgery, 2006, 53, 58-63.	0.2	6
93	Computed tomography angiography spot sign predicts intraprocedural aneurysm rupture in subarachnoid hemorrhage. Acta Neurochirurgica, 2017, 159, 1305-1312.	0.9	5
94	External Validation of the Timed Up and Go Test as Measure of Objective Functional Impairment in Patients With Lumbar Degenerative Disc Disease. Neurosurgery, 2021, 88, E142-E149.	0.6	5
95	Assessment of the Minimum Clinically Important Difference in the Smartphone-based 6-minute Walking Test After Surgery for Lumbar Degenerative Disc Disease. Spine, 2021, 46, E959-E965.	1.0	5
96	Patterns of care for ruptured aneurysms of the middle cerebral artery: analysis of a Swiss national database (Swiss SOS). Journal of Neurosurgery, 2019, , 1-10.	0.9	5
97	Glioma vessel abnormality quantification using time-of-flight MR angiography. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 765-775.	1.1	4
98	Longitudinal neuropsychological assessment after aneurysmal subarachnoid hemorrhage and its relationship with delayed cerebral ischemia: a prospective Swiss multicenter study. Journal of Neurosurgery, 2022, , 1-9.	0.9	3
99	Freiburg Neuropathology Case Conference. A Mass Lesion of the Fourth Ventricle. Clinical Neuroradiology, 2015, 25, 439-443.	1.0	2
100	Distance to first symptoms measured by the 6-min walking test differentiates between treatment success and failure in patients with degenerative lumbar disorders. European Spine Journal, 2022, 31, 596-603.	1.0	2
101	Interdisciplinary Pain Therapy: An Innovative Therapeutic but Pre-DRG Economical Center of Medical Excellence. Zentralblatt Fur Neurochirurgie, 2006, 67, 67-75.	0.5	1
102	Freiburg Neuropathology Case Conference: Widespread Mass Lesions After Resection of a Glioblastoma Multiforme. Clinical Neuroradiology, 2012, 22, 375-380.	1.0	1
103	Baseline T1 hyperintense and diffusion-restricted lesions are not linked to prolonged survival in bevacizumab-treated glioblastoma patients of the GLARIUS trial. Journal of Neuro-Oncology, 2019, 144, 501-509.	1.4	1
104	Freiburg Neuropathology Case Conference: a Diffusely Infiltrating Lesion. Clinical Neuroradiology, 2010, 20, 70-73.	1.0	0
105	Freiburg Neuropathology Case Conference. Clinical Neuroradiology, 2011, 21, 35-39.	1.0	0
106	Freiburg Neuropathology Case Conference: Multiple Small Ring-Enhancing Lesions in a 75-Year-Old Patient. Clinical Neuroradiology, 2014, 24, 193-197.	1.0	0
107	Freiburg Neuropathology Case Conference: Tumor of the Cerebellum with Mild, Gyriiform Enhancement in a 19-Year-Old Patient. Clinical Neuroradiology, 2014, 24, 301-306.	1.0	0
108	PATH-42. EGFR-AMPLIFIED IDH-WILDTYPE GLIOBLASTOMAS SELDOM TRANSFORM INTO A HYPERMUTATED PHENOTYPE. Neuro-Oncology, 2018, 20, vi168-vi168.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Multifocal lumbar disc herniation at a single level: a potential pitfall for wrong side surgery. British Journal of Neurosurgery, 2021, 35, 120-121.	0.4	0