Tricia Ann Missall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1946232/publications.pdf

Version: 2024-02-01

623734 677142 23 922 14 22 citations g-index h-index papers 25 25 25 1209 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Appropriate use criteria for ancillary diagnostic testing in dermatopathology: New recommendations for 11 tests and 220 clinical scenarios from the American Society of Dermatopathology Appropriate Use Criteria Committee. Journal of Cutaneous Pathology, 2022, 49, 231-245.	1.3	5
2	Diffuse blistering rash with ocular involvement. JAAD Case Reports, 2022, 23, 90-92.	0.8	O
3	<scp><i>TERT</i></scp> and <scp><i>TERT</i></scp> promoter in melanocytic neoplasms: Current concepts in pathogenesis, diagnosis, and prognosis. Journal of Cutaneous Pathology, 2020, 47, 710-719.	1.3	16
4	Cutaneous intestinal metaplasia: An unusual cause of peristomal complication with malignant potential. Journal of Cutaneous Pathology, 2020, 47, 479-480.	1.3	2
5	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. Journal of the American Academy of Dermatology, 2019, 80, 189-207.e11.	1.2	16
6	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. Journal of Cutaneous Pathology, 2018, 45, 563-580.	1.3	22
7	The Monothiol Glutaredoxin Grx4 Regulates Iron Homeostasis and Virulence in Cryptococcus neoformans. MBio, 2018, 9, .	4.1	48
8	Granuloma Annulare in the Setting of Secukinumab. Case Reports in Dermatological Medicine, 2018, 2018, 1-3.	0.3	12
9	Evidence behind the use of molecular tests in melanocytic lesions and practice patterns of these tests by dermatopathologists. Journal of Cutaneous Pathology, 2018, 45, 839-846.	1.3	16
10	Ulcerative necrobiosis lipoidica in the setting of anti–tumor necrosis factor-α and hydroxychloroquine treatment for rheumatoid arthritis. JAAD Case Reports, 2017, 3, 127-130.	0.8	4
11	Clinicopathologic Evaluation of Cardiofaciocutaneous Syndrome: Overcoming the Challenges of Diagnosing a Rare Genodermatosis. Pediatric Dermatology, 2015, 32, e23-8.	0.9	5
12	Prominent follicular mucinosis with diffuse scalp alopecia resembling alopecia areata. Journal of Cutaneous Pathology, 2013, 40, 887-890.	1.3	5
13	Identification of Helicobacter pylori in Skin Biopsy of Prurigo Pigmentosa. American Journal of Dermatopathology, 2012, 34, 446-448.	0.6	14
14	Lentiginous Melanoma In Situ Treatment With Topical Imiquimod: Need for Individualized Regimens. Archives of Dermatology, 2010, 146, 1309.	1.4	16
15	Immunohistochemical differentiation of four benign eccrine tumors. Journal of Cutaneous Pathology, 2009, 36, 190-196.	1.3	34
16	The Use of Imiquimod to Minimize the Surgical Defect When Excising Invasive Malignant Melanoma Surrounded by Extensive Melanoma In Situ, Lentiginous Type. Dermatologic Surgery, 2009, 35, 868-874.	0.8	10
17	Posttranslational, Translational, and Transcriptional Responses to Nitric Oxide Stress in Cryptococcus neoformans: Implications for Virulence. Eukaryotic Cell, 2006, 5, 518-529.	3.4	79
18	Function of the thioredoxin proteins in Cryptococcus neoformans during stress or virulence and regulation by putative transcriptional modulators. Molecular Microbiology, 2005, 57, 847-858.	2.5	79

#	Article	IF	CITATIONS
19	Distinct Stress Responses of Two Functional Laccases in Cryptococcus neoformans Are Revealed in the Absence of the Thiol-Specific Antioxidant Tsa1. Eukaryotic Cell, 2005, 4, 202-208.	3.4	107
20	Thioredoxin Reductase Is Essential for Viability in the Fungal Pathogen Cryptococcus neoformans. Eukaryotic Cell, 2005, 4, 487-489.	3.4	75
21	Two glutathione peroxidases in the fungal pathogen Cryptococcus neoformans are expressed in the presence of specific substrates. Microbiology (United Kingdom), 2005, 151, 2573-2581.	1.8	54
22	Mechanisms of Resistance to Oxidative and Nitrosative Stress: Implications for Fungal Survival in Mammalian Hosts. Eukaryotic Cell, 2004, 3, 835-846.	3.4	200
23	Thiol peroxidase is critical for virulence and resistance to nitric oxide and peroxide in the fungal pathogen, Cryptococcus neoformans. Molecular Microbiology, 2004, 51, 1447-1458.	2.5	103