

Rosario Rossi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1947740/rosario-rossi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,582
citations

25
h-index

50
g-index

83
ext. papers

2,871
ext. citations

3.9
avg, IF

4.65
L-index

#	Paper	IF	Citations
77	Impact of body mass index on the outcome of elderly patients treated with transcatheter aortic valve implantation. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	0
76	Percutaneous pericardiocentesis for pericardial effusion: predictors of mortality and outcomes. <i>Internal and Emergency Medicine</i> , 2021 , 16, 1771-1777	3.7	3
75	Effects of sildenafil on right ventricle remodelling in Portopulmonary hypertension. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021 , 70, 102071	3.5	1
74	Protective role of chronic treatment with direct oral anticoagulants in elderly patients affected by interstitial pneumonia in COVID-19 era. <i>European Journal of Internal Medicine</i> , 2020 , 77, 158-160	3.9	43
73	Effect on mortality of different routes of administration and loading dose of aspirin in patients with ST-segment elevation acute myocardial infarction treated with primary angioplasty. <i>Coronary Artery Disease</i> , 2020 , 31, 348-353	1.4	1
72	Protective role of statins in COVID 19 patients: importance of pharmacokinetic characteristics rather than intensity of action. <i>Internal and Emergency Medicine</i> , 2020 , 15, 1573-1576	3.7	36
71	Reply to: "It takes two "eyes" to see in depth". <i>Journal of Hepatology</i> , 2019 , 70, 791-793	13.4	2
70	Mechanisms of Hydrogen Sulfide against the Progression of Severe Alzheimer's Disease in Transgenic Mice at Different Ages. <i>Pharmacology</i> , 2019 , 103, 50-60	2.3	28
69	Cardiopulmonary hemodynamics and C-reactive protein as prognostic indicators in compensated and decompensated cirrhosis. <i>Journal of Hepatology</i> , 2018 , 68, 949-958	13.4	75
68	Acute hemodynamic effects of intravenous adenosine in patients with associated pulmonary arterial hypertension: Comparison with intravenous epoprostenol. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018 , 49, 147-151	3.5	2
67	Management of cardiopulmonary disease in patients with systemic sclerosis: cardiorheumatology clinic and patient care standardization proposal. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 513-515	1.9	3
66	Cardiac involvement in systemic sclerosis: identification of high-risk patient profiles in different patterns of clinical presentation. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 393-395	1.9	4
65	Reply to: "Relationship of hyperdynamic circulation and cardiodynamic states in cirrhosis". <i>Journal of Hepatology</i> , 2018 , 69, 748-749	13.4	
64	Importance of the time of initiation of mineralocorticoid receptor antagonists on risk of mortality in patients with heart failure. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 119-125		4
63	NDP-EMSH attenuates heart and liver responses to myocardial reperfusion via the vagus nerve and JAK/ERK/STAT signaling. <i>European Journal of Pharmacology</i> , 2015 , 769, 22-32	5.3	11
62	Retained embolized fragment of totally implantable central venous catheter in right ventricle: it is really necessary to remove?. <i>Journal of Vascular Access</i> , 2015 , 16, 431-3	1.8	3
61	Coronary artery disease concomitant with chronic obstructive pulmonary disease. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 93-102	4.6	43

60	Protective effects of the melanocortin analog NDP-MSH in rats undergoing cardiac arrest. <i>European Journal of Pharmacology</i> , 2014 , 745, 108-16	5.3	14
59	Intact parathyroid hormone levels are associated with increased carotid intima media thickness in HIV infected patients. <i>Atherosclerosis</i> , 2014 , 237, 618-22	3.1	6
58	Longitudinal evaluation of endothelial function in children and adolescents with type 1 diabetes mellitus: a long-term follow-up study. <i>Pediatrics International</i> , 2014 , 56, 188-95	1.2	15
57	Long term prognostic value of subclinical carotid and femoral arterial wall lesions in patients with ST-elevation-myocardial infarction having percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2013 , 111, 649-56	3	6
56	Coronary artery bypass grafting vs percutaneous coronary intervention in a real-world setting: a comparative effectiveness study based on propensity score-matched cohorts. <i>European Journal of Cardio-thoracic Surgery</i> , 2013 , 44, e16-24	3	31
55	Erectile dysfunction is not a mirror of endothelial dysfunction in HIV-infected patients. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1114-21	1.1	17
54	Reduction of scatter radiation during transradial percutaneous coronary angiography: a randomized trial using a lead-free radiation shield. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 97-102	2.7	74
53	Parallel increase of subclinical atherosclerosis and epicardial adipose tissue in patients with HIV. <i>American Heart Journal</i> , 2012 , 163, 1024-30	4.9	22
52	Progression of coronary artery calcium in men affected by human immunodeficiency virus infection. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 935-41	2.5	24
51	Right ventricular function predicts cardiovascular events in outpatients with stable cardiovascular diseases: preliminary results. <i>Internal and Emergency Medicine</i> , 2012 , 7, 251-6	3.7	7
50	Long-term clinical outcomes after drug eluting stent implantation in women with de novo coronary lesions. Results from the REAL (REgistro Regionale AngiopLastiche Emilia-Romagna) multicenter registry. <i>International Journal of Cardiology</i> , 2011 , 149, 55-62	3.2	3
49	Influence of body mass index on extent of coronary atherosclerosis and cardiac events in a cohort of patients at risk of coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 86-93	4.5	24
48	Endothelial function affects early carotid atherosclerosis progression in hypertensive postmenopausal women. <i>Journal of Hypertension</i> , 2011 , 29, 1136-44	1.9	22
47	Randomized clinical trial on short-time compression with Kaolin-filled pad: a new strategy to avoid early bleeding and subacute radial artery occlusion after percutaneous coronary intervention. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 65-72	1.8	33
46	Acute myocardial infarction with occlusion of all three main epicardial coronary arteries: when Mother Nature takes care more than physicians. <i>Heart and Vessels</i> , 2011 , 26, 222-5	2.1	3
45	Vitamin D deficiency is associated with type 2 diabetes mellitus in HIV infection. <i>Aids</i> , 2011 , 25, 525-9	3.5	25
44	Epicardial adipose tissue is an independent marker of cardiovascular risk in HIV-infected patients. <i>Aids</i> , 2011 , 25, 1199-205	3.5	42
43	Human immunodeficiency virus infection is associated with accelerated atherosclerosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1857-60	5.1	15

42	Effects of antihypertensive treatment on endothelial function in postmenopausal hypertensive women. A significant role for aldosterone inhibition. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 446-55	3	7
41	Mehran contrast-induced nephropathy risk score predicts short- and long-term clinical outcomes in patients with ST-elevation-myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2010 , 3, 491-8 ⁶	6	86
40	Hypertension alone or related to the metabolic syndrome in postmenopausal women. <i>Expert Review of Cardiovascular Therapy</i> , 2010 , 8, 1541-8	2.5	15
39	A randomised trial of target-vessel versus multi-vessel revascularisation in ST-elevation myocardial infarction: major adverse cardiac events during long-term follow-up. <i>Heart</i> , 2010 , 96, 662-7	5.1	255
38	Lipodystrophy and anti-retroviral therapy as predictors of sub-clinical atherosclerosis in human immunodeficiency virus infected subjects. <i>Atherosclerosis</i> , 2010 , 208, 222-7	3.1	58
37	Comparison of 2-year clinical outcomes with sirolimus and paclitaxel-eluting stents for patients with diabetes: results of the Registro Regionale AngiopLastiche Emilia-Romagna Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 327-34	2.7	3
36	Rationale and study design of the OISTER trial: optical coherence tomography evaluation of stent struts re-endothelialization in patients with non-ST-elevation acute coronary syndromes--a comparison of the intrEvide tRapiril eluting stent vs. taxus drug-eluting stent implantation. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 534-43	1.9	2
35	Long-term clinical outcomes and cost-effectiveness analysis in multivessel percutaneous coronary interventions: comparison of drug-eluting stents, bare-metal stents and a mixed approach in patients at high and low risk of repeat revascularisation. <i>EuroIntervention</i> , 2010 , 5, 953-961	3.1	7
34	Coronary aging in HIV-infected patients. <i>Clinical Infectious Diseases</i> , 2009 , 49, 1756-62	11.6	93
33	Metabolic disorders induced by highly active antiretroviral therapy and their relationship with vascular remodeling of the brachial artery in a population of HIV-infected patients. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 927-33	12.7	7
32	Chronic total coronary occlusion in patients with intermediate viability: value of low-dose dobutamine and contrast-enhanced 3-T MRI in predicting functional recovery in patients undergoing percutaneous revascularisation with drug-eluting stent. <i>Radiologia Medica</i> , 2009 , 114, 692-704	6.5	15
31	The role of the Framingham risk score to predict the presence of subclinical coronary atherosclerosis in patients with HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 303-4	3.1	7
30	Prognostic role of flow-mediated dilation and cardiac risk factors in post-menopausal women. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 997-1002	15.1	213
29	3-Tesla MRI for the evaluation of myocardial viability: a comparative study with 1.5-Tesla MRI. <i>Radiologia Medica</i> , 2008 , 113, 347-62	6.5	11
28	Sildenafil improves endothelial function in patients with pulmonary hypertension. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008 , 21, 172-7	3.5	18
27	Images in cardiovascular medicine. Spontaneous echocardiographic wall motion abnormalities in variant angina. <i>Circulation</i> , 2008 , 118, e4-6	16.7	
26	Metabolic syndrome affects cardiovascular risk profile and response to treatment in hypertensive postmenopausal women. <i>Hypertension</i> , 2008 , 52, 865-72	8.5	32
25	Endothelial dysfunction in postmenopausal women and hypertension. <i>Women's Health</i> , 2007 , 3, 515-8	3	3

24	Does 16-slice multidetector computed tomography improve stent patency and in-stent restenosis evaluation?. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 438-44	1.9	2
23	Anti- and pro-oxidant factors and endothelial dysfunction in chronic cigarette smokers with coronary heart disease. <i>European Journal of Internal Medicine</i> , 2007 , 18, 314-20	3.9	4
22	Type 2 diabetes mellitus is a risk factor for the development of hypertension in postmenopausal women. <i>Journal of Hypertension</i> , 2006 , 24, 2017-22	1.9	12
21	Non-invasive, three-dimensional visualization of coronary artery bypass grafts by multislice spiral computed tomography. <i>International Journal of Cardiology</i> , 2005 , 99, 157-9	3.2	3
20	Endothelial-dependent vasodilation and incidence of type 2 diabetes in a population of healthy postmenopausal women. <i>Diabetes Care</i> , 2005 , 28, 702-7	14.6	59
19	Cardiac involvement in malignancies. Case 2. Right ventricular lesion as presenting feature of acute promyelocytic leukemia. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2742-4	2.2	2
18	Transdermal 17-beta-estradiol and risk of developing type 2 diabetes in a population of healthy, nonobese postmenopausal women. <i>Diabetes Care</i> , 2004 , 27, 645-9	14.6	44
17	Flow-mediated vasodilation and the risk of developing hypertension in healthy postmenopausal women. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1636-40	15.1	112
16	Effects of progestins on estrogen-induced increase in C-reactive protein in postmenopausal women. <i>Maturitas</i> , 2004 , 49, 315-20	5	12
15	Noninvasive assessment of coronary artery bypass graft patency by multislice computed tomography. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2004 , 5, 36-41		5
14	Menopause and cardiovascular risk. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2002 , 32, 325-8		53
13	Effects of hormone replacement therapy on C-reactive protein levels in healthy postmenopausal women: comparison between oral and transdermal administration of estrogen. <i>American Journal of Medicine</i> , 2002 , 113, 331-4	2.4	28
12	Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 505-10	15.1	475
11	Aldosterone inhibition limits collagen synthesis and progressive left ventricular enlargement after anterior myocardial infarction. <i>American Heart Journal</i> , 2001 , 141, 41-6	4.9	80
10	Effects of transdermal 17beta-estradiol on left ventricular anatomy and performance in hypertensive women. <i>Hypertension</i> , 1999 , 34, 1041-6	8.5	51
9	Double-blind randomized placebo-controlled study of transdermal estrogen replacement therapy on hypertensive postmenopausal women. <i>American Journal of Hypertension</i> , 1999 , 12, 1000-8	2.3	25
8	Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction. <i>American Heart Journal</i> , 1998 , 135, 287-92	4.9	5
7	Relationship between atrial function, left ventricular isovolumic relation time, and early filling in dual chamber-paced patients. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 300-9	5.8	4

6	Short atrioventricular delay reduces the degree of mitral regurgitation in patients with a sequential dual-chamber pacemaker. <i>American Journal of Cardiology</i> , 1997 , 80, 901-5	3	9
5	Early predictors of late dilation and remodeling after thrombolized anterior transmural myocardial infarction. <i>Clinical Cardiology</i> , 1997 , 20, 28-34	3-3	8
4	Left atrial size is the major predictor of cardiac death and overall clinical outcome in patients with dilated cardiomyopathy: a long-term follow-up study. <i>Clinical Cardiology</i> , 1997 , 20, 553-60	3-3	88
3	The importance of different atrioventricular delay for left ventricular filling in sequential pacing: clinical implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 1595-604	1.6	11
2	Causes of death in patients with unipolar single chamber ventricular pacing: prevalence and circumstances in dependence on arrhythmias leading to pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995 , 18, 11-7	1.6	13
1	Evaluation of the effectiveness of isradipine SRO in the treatment of hypertensive patients with left ventricular hypertrophy. <i>Cardiovascular Drugs and Therapy</i> , 1994 , 8, 153-60	3-9	3