

Marilina Tampoia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1948994/publications.pdf>

Version: 2024-02-01

56
papers

1,674
citations

318942

23
h-index

325983

40
g-index

62
all docs

62
docs citations

62
times ranked

2350
citing authors

#	ARTICLE	IF	CITATIONS
1	ELISA detection of anti-desmoglein 1 and anti-desmoglein 3 and indirect immunofluorescence in oral pemphigus: A retrospective study. <i>Oral Diseases</i> , 2022, 28, 1149-1156.	1.5	5
2	Perivascular and endomysial macrophages expressing VEGF and CXCL12 promote angiogenesis in anti-HMGR immune-mediated necrotizing myopathy. <i>Rheumatology</i> , 2022, 61, 3448-3460.	0.9	9
3	Increased concentration of soluble leukocyte-associated immunoglobulin-like receptor (LAIR) in sera from patients with blistering diseases: possible pathophysiological implications?. <i>Minerva Medica</i> , 2022, , .	0.3	0
4	Current technologies for anti-ENA antibody detection: State-of-the-art of diagnostic immunoassays. <i>Journal of Immunological Methods</i> , 2022, 507, 113297.	0.6	3
5	Diagnostic accuracy of anti-phospholipase A2 receptor (PLA2R) antibodies in idiopathic membranous nephropathy: an Italian experience. <i>Journal of Nephrology</i> , 2021, 34, 573-579.	0.9	15
6	Evaluation of BP180 NC16A ELISA in exclusive oral pemphigoid diagnosis. A comparative study. <i>Oral Diseases</i> , 2021, 27, 525-531.	1.5	7
7	Diagnosing and Monitoring Celiac Patients with Selective IgA Deficiency: Still an Open Issue. <i>Digestive Diseases and Sciences</i> , 2021, 66, 3234-3241.	1.1	5
8	Anti-DFS70 antibodies detected by specific methods in patients with thrombosis or recurrent pregnancy loss: no evidence of an association. <i>Scientific Reports</i> , 2020, 10, 7748.	1.6	6
9	A new diagnostic algorithm for pattern-oriented autoantibody testing according to the ICAP nomenclature: A pilot study. <i>Autoimmunity Reviews</i> , 2020, 19, 102588.	2.5	10
10	A new M23-based ELISA assay for anti-aquaporin 4 autoantibodies: diagnostic accuracy and clinical correlation. <i>Autoimmunity Highlights</i> , 2019, 10, 5.	3.9	10
11	Autophagy markers LC3 and p62 accumulate in immune-mediated necrotizing myopathy. <i>Muscle and Nerve</i> , 2019, 60, 315-327.	1.0	31
12	Serum and Salivary BP180 NC 16a Enzyme-Linked Immunosorbent Assay in Mucous Membrane Pemphigoid. Analysis of a Cohort of 25 Patients. <i>Proceedings (mdpi)</i> , 2019, 35, 21.	0.2	0
13	Anti-AChR antibodies detected by ELISA method using an automated system (SkyLAB 752): evaluation of the analytical performance according to the Clinical and Laboratory Standards Institute (CLSI) EP15-A. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2018, 14, 20-24.	0.2	0
14	Definition of a new cut-off for the anti-phospholipase A2 receptor (PLA2R) autoantibody immunoassay in patients affected by idiopathic membranous nephropathy. <i>Journal of Nephrology</i> , 2018, 31, 899-905.	0.9	25
15	Bullous Pemphigoid and Neurologic Diseases: Toward a Specific Serologic Profile?. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2018, 18, 662-664.	0.6	6
16	A New Immunodot Assay for Multiplex Detection of Autoantibodies in a Cohort of Italian Patients With Idiopathic Inflammatory Myopathies. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 859-866.	0.9	22
17	Anti-DFS70 antibodies detected by immunoblot methods: A reliable tool to confirm the dense fine speckles ANA pattern. <i>Journal of Immunological Methods</i> , 2016, 436, 50-53.	0.6	33
18	Autoimmune Hepatitis: Factors Involved in Initiation and Methods of Diagnosis and Treatment. <i>Critical Reviews in Immunology</i> , 2016, 36, 407-428.	1.0	3

#	ARTICLE	IF	CITATIONS
19	The ANA-reflex test as a model for improving clinical appropriateness in autoimmune diagnostics. <i>Autoimmunity Highlights</i> , 2016, 7, 9.	3.9	24
20	Autoantibody Profiling in a Cohort of Pediatric and Adult Patients With Autoimmune Hepatitis. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 41-46.	0.9	24
21	Il test ANA-reflex. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2015, 11, 171-175.	0.2	3
22	Proinflammatory Cytokines and Antiskin Autoantibodies in Patients With Inherited Epidermolysis Bullosa. <i>Medicine (United States)</i> , 2015, 94, e1528.	0.4	51
23	Circulating anti-brain autoantibodies in schizophrenia and mood disorders. <i>Psychiatry Research</i> , 2015, 230, 704-708.	1.7	18
24	Serological epitope profile of anti-Ro52â€™ positive patients with systemic autoimmune rheumatic diseases. <i>Arthritis Research and Therapy</i> , 2015, 17, 365.	1.6	16
25	Specific chemoluminescence and immunoasorption tests for anti-DFS70 antibodies avoid false positive results by indirect immunofluorescence. <i>Clinica Chimica Acta</i> , 2015, 451, 271-277.	0.5	43
26	Autoantibody profiling of patients with primary biliary cirrhosis using a multiplexed line-blot assay. <i>Clinica Chimica Acta</i> , 2015, 438, 135-138.	0.5	31
27	High Levels of Soluble Ctlâ€4 Are Present in Anti-Mitochondrial Antibody Positive, but Not in Antibody Negative Patients with Primary Biliary Cirrhosis. <i>PLoS ONE</i> , 2014, 9, e112509.	1.1	3
28	Automated antinuclear immunofluorescence antibody screening: A comparative study of six computer-aided diagnostic systems. <i>Autoimmunity Reviews</i> , 2014, 13, 292-298.	2.5	109
29	Gastric Autoantibodies. , 2014, , 359-363.		0
30	Anti-cyclic citrullinated peptide antibody titer predicts time to rheumatoid arthritis onset in patients with undifferentiated arthritis: results from a 2-year prospective study. <i>Arthritis Research and Therapy</i> , 2013, 15, R16.	1.6	60
31	Anti-brain autoantibodies in the serum of schizophrenic patients: A case-control study. <i>Psychiatry Research</i> , 2013, 210, 800-805.	1.7	17
32	Prevalence of specific anti-skin autoantibodies in a cohort of patients with inherited epidermolysis bullosa. <i>Orphanet Journal of Rare Diseases</i> , 2013, 8, 132.	1.2	30
33	Anti-Skin Specific Autoantibodies Detected by a New Immunofluorescence Multiplex Biochip Method in Patients with Autoimmune Bullous Diseases. <i>Dermatology</i> , 2012, 225, 37-44.	0.9	42
34	Clinical Usefulness of the Serological Gastric Biopsy for the Diagnosis of Chronic Autoimmune Gastritis. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-5.	3.3	39
35	Diagnostic value of anti-mutated citrullinated vimentin in comparison to anti-cyclic citrullinated peptide and anti-viral citrullinated peptide 2 antibodies in rheumatoid arthritis: An Italian multicentric study and review of the literature. <i>Autoimmunity Reviews</i> , 2012, 11, 815-820.	2.5	48
36	Diagnostic accuracy of enzyme-linked immunosorbent assays (ELISA) to detect anti-skin autoantibodies in autoimmune blistering skin diseases: A systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2012, 12, 121-126.	2.5	69

#	ARTICLE	IF	CITATIONS
37	Can supplementation with vitamin D reduce the risk or modify the course of autoimmune diseases? A systematic review of the literature. <i>Autoimmunity Reviews</i> , 2012, 12, 127-136.	2.5	234
38	Overcoming a "Probable" Diagnosis in Antimitochondrial Antibody Negative Primary Biliary Cirrhosis: Study of 100 Sera and Review of the Literature. <i>Clinical Reviews in Allergy and Immunology</i> , 2012, 42, 288-297.	2.9	70
39	Prevalence of anti-histone antibodies, their clinical significance and correlation with other autoantibodies in a cohort of Italian scleroderma patients. <i>Autoimmunity Highlights</i> , 2011, 2, 29-33.	3.9	6
40	Autoantibodies to parietal cells as predictors of atrophic body gastritis: A five-year prospective study in patients with autoimmune thyroid diseases. <i>Autoimmunity Reviews</i> , 2010, 10, 80-83.	2.5	102
41	Antibodies to fibrillarin, PM-Scl and RNA polymerase III detected by ELISA assays in patients with systemic sclerosis. <i>Clinica Chimica Acta</i> , 2010, 411, 710-713.	0.5	16
42	Anti-NuMA antibodies in a psoriatic patient: Considerations about clinical relevance and effect of infliximab treatment. <i>Immunopharmacology and Immunotoxicology</i> , 2009, 31, 127-129.	1.1	0
43	B-lymphocyte Stimulator and a Proliferation-inducing Ligand Serum Levels in IgA-deficient Patients With and Without Celiac Disease. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 268-273.	1.8	7
44	Evaluation of a New ELISA Assay for Detection of BP230 Autoantibodies in Bullous Pemphigoid. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 15-20.	1.8	40
45	Response of Cartilage Oligomeric Matrix Protein to Monoclonal Antibody Drugs in Patients with Rheumatoid Arthritis. <i>Laboratory Medicine</i> , 2009, 40, 645-650.	0.8	1
46	Evaluation of Factitious Hyperkalemia in Hemolytic Samples: Impact of the Mean Corpuscular Hemoglobin Concentration. <i>Laboratory Medicine</i> , 2009, 40, 224-226.	0.8	3
47	Diagnostic Accuracy of Immunoassays for the Detection of Antibodies to Citrullinated Proteins. <i>Clinical Reviews in Allergy and Immunology</i> , 2008, 34, 16-20.	2.9	9
48	Biological variation of Cartilage Oligomeric Matrix Protein (COMP): A proposal to interpret laboratory serial testing. <i>Clinica Chimica Acta</i> , 2007, 380, 248-249.	0.5	4
49	Testing for IgG class antibodies in celiac disease patients with selective IgA deficiency.. <i>Clinica Chimica Acta</i> , 2007, 382, 95-99.	0.5	71
50	Diagnostic Accuracy of IgA Anti-tissue Transglutaminase Antibody Assays in Celiac Disease Patients with Selective IgA Deficiency. <i>Annals of the New York Academy of Sciences</i> , 2007, 1109, 212-220.	1.8	35
51	Application of a Combined Protocol for Rational Request and Utilization of Antibody Assays Improves Clinical Diagnostic Efficacy in Autoimmune Rheumatic Disease. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 112-116.	1.2	29
52	High prevalence of celiac disease in autoimmune hepatitis detected by anti-tissue transglutaminase autoantibodies. <i>Journal of Clinical Laboratory Analysis</i> , 2005, 19, 6-10.	0.9	95
53	Anti-cyclic citrullinated peptide autoantibodies measured by an automated enzyme immunoassay: Analytical performance and clinical correlations. <i>Clinica Chimica Acta</i> , 2005, 355, 137-144.	0.5	15
54	Analytical and diagnostic accuracy of the EliA [®] automated enzyme fluoroimmunoassay for antineutrophil cytoplasmic autoantibody detection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 1161-7.	1.4	7

#	ARTICLE	IF	CITATIONS
55	Appropriateness of point-of-care testing (POCT) in an emergency department. <i>Clinica Chimica Acta</i> , 2003, 333, 185-189.	0.5	44
56	Association of celiac disease with connective tissue diseases and autoimmune diseases of the digestive tract. <i>Autoimmunity Reviews</i> , 2003, 2, 358-363.	2.5	39