

# Mary B Goldring

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/194923/mary-b-goldring-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163  
papers

15,169  
citations

59  
h-index

122  
g-index

183  
ext. papers

17,211  
ext. citations

5.2  
avg, IF

7.06  
L-index

#	Paper	IF	Citations
163	IKK $\beta$ -Mediated Noncanonical NF- $\kappa$ B Signaling Is Required To Support Murine Gammaherpesvirus 68 Latency .. <i>Journal of Virology</i> , <b>2022</b> , e0002722	6.6	
162	Basal and IL-1 $\beta$ -enhanced chondrocyte chemotactic activity on monocytes are co-dependent on both IKK $\alpha$ and IKK $\beta$ /NF- $\kappa$ B activating kinases. <i>Scientific Reports</i> , <b>2021</b> , 11, 21697	4.9	0
161	Thermoresponsive polymeric dexamethasone prodrug for arthritis pain. <i>Journal of Controlled Release</i> , <b>2021</b> , 339, 484-497	11.7	3
160	Transcriptomic and epigenomic analyses uncovered Lrrc15 as a contributing factor to cartilage damage in osteoarthritis. <i>Scientific Reports</i> , <b>2021</b> , 11, 21107	4.9	2
159	Mouse Models of Osteoarthritis: Surgical Model of Post-traumatic Osteoarthritis Induced by Destabilization of the Medial Meniscus. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2221, 223-260	1.4	5
158	Labral calcification plays a key role in hip pain and symptoms in femoroacetabular impingement. <i>Journal of Orthopaedic Surgery and Research</i> , <b>2020</b> , 15, 86	2.8	8
157	Cartilage Biology: Overview <b>2020</b> , 521-534		1
156	Cells for Cartilage Regeneration <b>2020</b> , 33-99		0
155	LOXL2 promotes aggrecan and gender-specific anabolic differences to TMJ cartilage. <i>Scientific Reports</i> , <b>2020</b> , 10, 20179	4.9	3
154	Response to "Letter to the editor: Labral calcification plays a key role in hip pain and symptoms in femoroacetabular impingement". <i>Journal of Orthopaedic Surgery and Research</i> , <b>2020</b> , 15, 274	2.8	
153	The integrative analysis of DNA methylation and mRNA expression profiles confirmed the role of selenocompound metabolism pathway in Kashin-Beck disease. <i>Cell Cycle</i> , <b>2020</b> , 19, 2351-2366	4.7	1
152	Lysyl Oxidase-Like 2 Protects against Progressive and Aging Related Knee Joint Osteoarthritis in Mice. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	6
151	CITED2 mediates the cross-talk between mechanical loading and IL-4 to promote chondroprotection. <i>Annals of the New York Academy of Sciences</i> , <b>2019</b> , 1442, 128-137	6.5	6
150	CITED2 mediates the mechanical loading-induced suppression of adipokines in the infrapatellar fat pad. <i>Annals of the New York Academy of Sciences</i> , <b>2019</b> , 1442, 153-164	6.5	2
149	Bystander effectors of chondrosarcoma cells irradiated at different LET impair proliferation of chondrocytes. <i>Journal of Cell Communication and Signaling</i> , <b>2019</b> , 13, 343-356	5.2	11
148	Phenotypic instability of chondrocytes in osteoarthritis: on a path to hypertrophy. <i>Annals of the New York Academy of Sciences</i> , <b>2019</b> , 1442, 17-34	6.5	63
147	Inducible knockout of CHUK/IKK $\beta$ in adult chondrocytes reduces progression of cartilage degradation in a surgical model of osteoarthritis. <i>Scientific Reports</i> , <b>2019</b> , 9, 8905	4.9	11

146	CHUK/IKK- $\beta$ loss in lung epithelial cells enhances NSCLC growth associated with HIF up-regulation. <i>Life Science Alliance</i> , <b>2019</b> , 2,	5.8	1
145	Morphological and ultrastructural analysis of normal, injured and osteoarthritic human knee menisci. <i>European Journal of Histochemistry</i> , <b>2019</b> , 63,	2.1	6
144	Inflammatory molecules produced by meniscus and synovium in early and end-stage osteoarthritis: a coculture study. <i>Journal of Cellular Physiology</i> , <b>2019</b> , 234, 11176-11187	7	31
143	Individual and combined toxicity of T-2 toxin and deoxynivalenol on human C-28/I2 and rat primary chondrocytes. <i>Journal of Applied Toxicology</i> , <b>2019</b> , 39, 343-353	4.1	4
142	ELF3 Contributes to Cartilage Degradation in vivo in a Surgical Model of Post-Traumatic Osteoarthritis. <i>Scientific Reports</i> , <b>2018</b> , 8, 6438	4.9	16
141	E74-Like Factor (ELF3) and Leptin, a Novel Loop Between Obesity and Inflammation Perpetuating a Pro-Catabolic State in Cartilage. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 45, 2401-2410	3.9	10
140	Phlpp inhibitors block pain and cartilage degradation associated with osteoarthritis. <i>Journal of Orthopaedic Research</i> , <b>2018</b> , 36, 1487-1497	3.8	15
139	Collagen XI mutation lowers susceptibility to load-induced cartilage damage in mice. <i>Journal of Orthopaedic Research</i> , <b>2018</b> , 36, 711-720	3.8	9
138	Cells for Cartilage Regeneration <b>2018</b> , 1-67		
137	Evaluation of surfactant proteins A, B, C, and D in articular cartilage, synovial membrane and synovial fluid of healthy as well as patients with osteoarthritis and rheumatoid arthritis. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203502	3.7	1
136	ELF3 modulates type II collagen gene (COL2A1) transcription in chondrocytes by inhibiting SOX9-CBP/p300-driven histone acetyltransferase activity. <i>Connective Tissue Research</i> , <b>2017</b> , 58, 15-26	3.3	21
135	Kinematics of meniscal- and ACL-transected mouse knees during controlled tibial compressive loading captured using roentgen stereophotogrammetry. <i>Journal of Orthopaedic Research</i> , <b>2017</b> , 35, 353-360	3.8	9
134	Perlecan is required for the chondrogenic differentiation of synovial mesenchymal cells through regulation of Sox9 gene expression. <i>Journal of Orthopaedic Research</i> , <b>2017</b> , 35, 837-846	3.8	21
133	Cellular responses to T-2 toxin and/or deoxynivalenol that induce cartilage damage are not specific to chondrocytes. <i>Scientific Reports</i> , <b>2017</b> , 7, 2231	4.9	29
132	DNA methylation of the RUNX2 P1 promoter mediates MMP13 transcription in chondrocytes. <i>Scientific Reports</i> , <b>2017</b> , 7, 7771	4.9	31
131	Cartilage and Chondrocytes <b>2017</b> , 34-59.e3		3
130	Anabolic role of lysyl oxidase like-2 in cartilage of knee and temporomandibular joints with osteoarthritis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 179	5.7	20
129	Biology of the Normal Joint <b>2017</b> , 1-19.e4		4

128	Selenium promotes metabolic conversion of T-2 toxin to HT-2 toxin in cultured human chondrocytes. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2017</b> , 44, 218-224	4.1	8
127	Role of subchondral bone properties and changes in development of load-induced osteoarthritis in mice. <i>Osteoarthritis and Cartilage</i> , <b>2017</b> , 25, 2108-2118	6.2	31
126	Is arthroscopic videotape a reliable tool for describing early joint tissue pathology of the knee?. <i>Knee</i> , <b>2017</b> , 24, 1374-1382	2.6	7
125	LOXL2 as a protective in osteoarthritis cartilage. <i>Aging</i> , <b>2017</b> , 9, 2024-2025	5.6	5
124	Pathogenesis of Osteoarthritis in General <b>2017</b> , 1-25		4
123	E74-like factor 3 and nuclear factor- $\kappa$ B regulate lipocalin-2 expression in chondrocytes. <i>Journal of Physiology</i> , <b>2016</b> , 594, 6133-6146	3.9	18
122	Changes in the osteochondral unit during osteoarthritis: structure, function and cartilage-bone crosstalk. <i>Nature Reviews Rheumatology</i> , <b>2016</b> , 12, 632-644	8.1	348
121	Osteoarthritis. <i>Nature Reviews Disease Primers</i> , <b>2016</b> , 2, 16072	51.1	534
120	Phlpp1 facilitates post-traumatic osteoarthritis and is induced by inflammation and promoter demethylation in human osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2016</b> , 24, 1021-8	6.2	27
119	Strain-induced mechanotransduction through primary cilia, extracellular ATP, purinergic calcium signaling, and ERK1/2 transactivates CITED2 and downregulates MMP-1 and MMP-13 gene expression in chondrocytes. <i>Osteoarthritis and Cartilage</i> , <b>2016</b> , 24, 892-901	6.2	42
118	Laminins and Nidogens in the Pericellular Matrix of Chondrocytes: Their Role in Osteoarthritis and Chondrogenic Differentiation. <i>American Journal of Pathology</i> , <b>2016</b> , 186, 410-8	5.8	24
117	Osteoarthritis and the Immune System <b>2016</b> , 257-269		1
116	Progressive cell-mediated changes in articular cartilage and bone in mice are initiated by a single session of controlled cyclic compressive loading. <i>Journal of Orthopaedic Research</i> , <b>2016</b> , 34, 1941-1949	3.8	26
115	CCAAT/enhancer binding protein $\beta$ (C/EBP $\beta$ ) regulates the transcription of growth arrest and DNA damage-inducible protein 45 (GADD45) in articular chondrocytes. <i>Pathology Research and Practice</i> , <b>2016</b> , 212, 302-9	3.4	3
114	Potential Mechanisms of PTOA: Inflammation <b>2015</b> , 201-209		1
113	Emerging targets in osteoarthritis therapy. <i>Current Opinion in Pharmacology</i> , <b>2015</b> , 22, 51-63	5.1	112
112	Pathophysiology of osteoarthritis: canonical NF- $\kappa$ B/IKK $\beta$ dependent and kinase-independent effects of IKK $\alpha$ in cartilage degradation and chondrocyte differentiation. <i>RMD Open</i> , <b>2015</b> , 1, e000061	5.9	85
111	Tribute to Stephen M. Krane. <i>Journal of Bone and Mineral Research</i> , <b>2015</b> , 30, 751-2	6.3	

110	Early knee osteoarthritis. <i>RMD Open</i> , <b>2015</b> , 1, e000062	5.9	71
109	Mouse models of osteoarthritis: surgical model of posttraumatic osteoarthritis induced by destabilization of the medial meniscus. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1226, 143-73	1.4	35
108	Cell migration to CXCL12 requires simultaneous IKK $\alpha$ and IKK $\beta$ dependent NF- $\kappa$ B signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2014</b> , 1843, 1796-1804	4.9	18
107	A hyaluronic acid-salmon calcitonin conjugate for the local treatment of osteoarthritis: chondro-protective effect in a rabbit model of early OA. <i>Journal of Controlled Release</i> , <b>2014</b> , 187, 30-8	11.7	38
106	Biochemical evidence for gap junctions and Cx43 expression in immortalized human chondrocyte cell line: a potential model in the study of cell communication in human chondrocytes. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 586-90	6.2	11
105	Mechanical forces induce changes in VEGF and VEGFR-1/sFlt-1 expression in human chondrocytes. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 15456-74	6.3	26
104	Identification of $\alpha$ -macroglobulin as a master inhibitor of cartilage-degrading factors that attenuates the progression of posttraumatic osteoarthritis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 1843-53	9.5	49
103	Lack of ADAM10 in endothelial cells affects osteoclasts at the chondro-osseus junction. <i>Journal of Orthopaedic Research</i> , <b>2014</b> , 32, 224-30	3.8	9
102	Green tea polyphenol treatment is chondroprotective, anti-inflammatory and palliative in a mouse post-traumatic osteoarthritis model. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, 508	5.7	55
101	Association of reduced type IX collagen gene expression in human osteoarthritic chondrocytes with epigenetic silencing by DNA hypermethylation. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3040-51	9.5	53
100	Homeostatic mechanisms in articular cartilage and role of inflammation in osteoarthritis. <i>Current Rheumatology Reports</i> , <b>2013</b> , 15, 375	4.9	212
99	Oxidative stress and status of antioxidant enzymes in children with Kashin-Beck disease. <i>Osteoarthritis and Cartilage</i> , <b>2013</b> , 21, 1781-9	6.2	34
98	Proteomic analysis of synovial fluid from the osteoarthritic knee: comparison with transcriptome analyses of joint tissues. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 981-92		109
97	Loss of methylation in CpG sites in the NF- $\kappa$ B enhancer elements of inducible nitric oxide synthase is responsible for gene induction in human articular chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 732-42		71
96	In vivo cyclic compression causes cartilage degeneration and subchondral bone changes in mouse tibiae. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 1569-78		119
95	ADAM17 controls endochondral ossification by regulating terminal differentiation of chondrocytes. <i>Molecular and Cellular Biology</i> , <b>2013</b> , 33, 3077-90	4.8	40
94	Association of joint space narrowing with impairment of physical function and work ability in patients with early rheumatoid arthritis: protection beyond disease control by adalimumab plus methotrexate. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1156-62	2.4	46
93	The proinflammatory cytokines interleukin-1 $\alpha$ and tumor necrosis factor $\alpha$ promote the expression and secretion of proteolytically active cathepsin S from human chondrocytes. <i>Biological Chemistry</i> , <b>2013</b> , 394, 307-16	4.5	22

92	Regulated transcription of human matrix metalloproteinase 13 (MMP13) and interleukin-1 $\beta$ (IL1B) genes in chondrocytes depends on methylation of specific proximal promoter CpG sites. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 10061-10072	5.4	110
91	Pulsed electromagnetic fields increased the anti-inflammatory effect of A $\beta$ and A $\beta$ adenosine receptors in human T/C-28a2 chondrocytes and hFOB 1.19 osteoblasts. <i>PLoS ONE</i> , <b>2013</b> , 8, e65561	3.7	84
90	IKK $\gamma$ /CHUK regulates extracellular matrix remodeling independent of its kinase activity to facilitate articular chondrocyte differentiation. <i>PLoS ONE</i> , <b>2013</b> , 8, e73024	3.7	34
89	Biology of the Normal Joint <b>2013</b> , 1-19.e6		2
88	Cartilage and Chondrocytes <b>2013</b> , 33-60.e10		5
87	Acute inflammation with induction of anaphylatoxin C5a and terminal complement complex C5b-9 associated with multiple intra-articular injections of hylan G-F 20: a case report. <i>Osteoarthritis and Cartilage</i> , <b>2012</b> , 20, 791-5	6.2	14
86	Articular cartilage degradation in osteoarthritis. <i>HSS Journal</i> , <b>2012</b> , 8, 7-9	2	78
85	Chondrogenesis, joint formation, and cartilage metabolism. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14,	5.7	1
84	Epigenomic and microRNA-mediated regulation in cartilage development, homeostasis, and osteoarthritis. <i>Trends in Molecular Medicine</i> , <b>2012</b> , 18, 109-18	11.5	123
83	Chondrogenesis, chondrocyte differentiation, and articular cartilage metabolism in health and osteoarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , <b>2012</b> , 4, 269-85	3.8	257
82	Matrilin-3 induction of IL-1 receptor antagonist is required for up-regulating collagen II and aggrecan and down-regulating ADAMTS-5 gene expression. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14, R197	5.7	26
81	Dual regulation of metalloproteinase expression in chondrocytes by Wnt-1-inducible signaling pathway protein 3/CCN6. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 2289-99		22
80	Osteoarthritis: a disease of the joint as an organ. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 1697-707		1449
79	Caesalpinia sappan extract inhibits IL1 $\beta$ mediated overexpression of matrix metalloproteinases in human chondrocytes. <i>Genes and Nutrition</i> , <b>2012</b> , 7, 307-18	4.3	29
78	E74-like factor 3 (ELF3) impacts on matrix metalloproteinase 13 (MMP13) transcriptional control in articular chondrocytes under proinflammatory stress. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 3559-72	5.4	60
77	A misplaced lncRNA causes brachydactyly in humans. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 3990-4003	3.9	95
76	Human chondrocyte cultures as models of cartilage-specific gene regulation. <i>Methods in Molecular Biology</i> , <b>2012</b> , 806, 301-36	1.4	38
75	Intact pericellular matrix of articular cartilage is required for unactivated discoidin domain receptor 2 in the mouse model. <i>American Journal of Pathology</i> , <b>2011</b> , 179, 1338-46	5.8	39

74	The epigenetic effect of glucosamine and a nuclear factor-kappa B (NF-kB) inhibitor on primary human chondrocytes--implications for osteoarthritis. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 405, 362-7	3.4	83
73	Suppressors of cytokine signalling (SOCS) are reduced in osteoarthritis. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 407, 54-9	3.4	45
72	Anti-inflammatory activity of an ethanolic <i>Caesalpinia sappan</i> extract in human chondrocytes and macrophages. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 138, 364-72	5	52
71	C-28/12 and T/C-28a2 chondrocytes as well as human primary articular chondrocytes express sex hormone and insulin receptors--Useful cells in study of cartilage metabolism. <i>Annals of Anatomy</i> , <b>2011</b> , 193, 23-9	2.9	23
70	Inflammation in osteoarthritis. <i>Current Opinion in Rheumatology</i> , <b>2011</b> , 23, 471-8	5.3	835
69	Physiological loading of joints prevents cartilage degradation through CITED2. <i>FASEB Journal</i> , <b>2011</b> , 25, 182-91	0.9	61
68	Roles of inflammatory and anabolic cytokines in cartilage metabolism: signals and multiple effectors converge upon MMP-13 regulation in osteoarthritis. <i>European Cells and Materials</i> , <b>2011</b> , 21, 202-20	4.3	310
67	Articular cartilage and subchondral bone in the pathogenesis of osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , <b>2010</b> , 1192, 230-7	6.5	513
66	A cis-regulatory site downregulates PTHLH in translocation t(8;12)(q13;p11.2) and leads to Brachydactyly Type E. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 848-60	5.6	55
65	Inhibitor of NF-kappa B kinases alpha and beta are both essential for high mobility group box 1-mediated chemotaxis [corrected]. <i>Journal of Immunology</i> , <b>2010</b> , 184, 4497-509	5.3	79
64	GADD45beta enhances Col10a1 transcription via the MTK1/MKK3/6/p38 axis and activation of C/EBPbeta-TAD4 in terminally differentiating chondrocytes. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 8395-407	5.4	37
63	Bone and cartilage in osteoarthritis: is what's best for one good or bad for the other?. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, 143	5.7	33
62	Transcriptional and post-transcriptional regulation of iNOS expression in human chondrocytes. <i>Biochemical Pharmacology</i> , <b>2010</b> , 79, 722-32	6	50
61	Trefoil factor 3 is induced during degenerative and inflammatory joint disease, activates matrix metalloproteinases, and enhances apoptosis of articular cartilage chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 815-25		34
60	Matrix metalloproteinase 13 loss associated with impaired extracellular matrix remodeling disrupts chondrocyte differentiation by concerted effects on multiple regulatory factors. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2370-81		41
59	NF-kappaB signaling: multiple angles to target OA. <i>Current Drug Targets</i> , <b>2010</b> , 11, 599-613	3	407
58	Chondrogenesis, joint formation, and articular cartilage regeneration. <i>Journal of Cellular Biochemistry</i> , <b>2009</b> , 107, 383-92	4.7	70
57	DNA demethylation at specific CpG sites in the IL1B promoter in response to inflammatory cytokines in human articular chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3303-13		123



56	Cartilage homeostasis in health and rheumatic diseases. <i>Arthritis Research and Therapy</i> , <b>2009</b> , 11, 224	5-7	464
55	Cartilage and Chondrocytes <b>2009</b> , 37-69		1
54	ESE-1 is a potent repressor of type II collagen gene (COL2A1) transcription in human chondrocytes. <i>Journal of Cellular Physiology</i> , <b>2008</b> , 215, 562-73	7	47
53	Differential requirements for IKKalpha and IKKbeta in the differentiation of primary human osteoarthritic chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 227-39		61
52	Differential expression of GADD45beta in normal and osteoarthritic cartilage: potential role in homeostasis of articular chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 2075-87		77
51	Update on the Chondrocyte Lineage and Implications for Cell Therapy in Osteoarthritis <b>2007</b> , 53-76		2
50	Increased expression of the collagen receptor discoidin domain receptor 2 in articular cartilage as a key event in the pathogenesis of osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2663-73		97
49	Osteoarthritis. <i>Journal of Cellular Physiology</i> , <b>2007</b> , 213, 626-34	7	953
48	Selection of reliable reference genes for qPCR studies on chondroprotective action. <i>BMC Molecular Biology</i> , <b>2007</b> , 8, 13	4-5	46
47	Cells of the synovium in rheumatoid arthritis. Chondrocytes. <i>Arthritis Research and Therapy</i> , <b>2007</b> , 9, 220	5-7	83
46	Cytokines, Growth Factors, and Bone-Derived Factors in Cartilage <b>2007</b> , 41-63		3
45	Update on the biology of the chondrocyte and new approaches to treating cartilage diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2006</b> , 20, 1003-25	5-3	199
44	The control of chondrogenesis. <i>Journal of Cellular Biochemistry</i> , <b>2006</b> , 97, 33-44	4-7	815
43	Rheumatoid Arthritis and other Inflammatory Joint Pathologies <b>2006</b> , 843-869		1
42	Activation of the discoidin domain receptor 2 induces expression of matrix metalloproteinase 13 associated with osteoarthritis in mice. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 548-55	5-4	148
41	Human chondrocyte cultures as models of cartilage-specific gene regulation. <i>Methods in Molecular Medicine</i> , <b>2005</b> , 107, 69-95		21
40	The Ets transcription factor ESE-1 mediates induction of the COX-2 gene by LPS in monocytes. <i>FEBS Journal</i> , <b>2005</b> , 272, 1676-87	5-7	55
39	Human beta-defensin 3 mediates tissue remodeling processes in articular cartilage by increasing levels of metalloproteinases and reducing levels of their endogenous inhibitors. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1736-45		62



38	Inhibitors of mitogen-activated protein kinases downregulate COX-2 expression in human chondrocytes. <i>Mediators of Inflammation</i> , <b>2005</b> , 2005, 249-55	4.3	49
37	Gene expression profiling in conjunction with physiological rescues of IKKalpha-null cells with wild type or mutant IKKalpha reveals distinct classes of IKKalpha/NF-kappaB-dependent genes. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 14057-69	5.4	25
36	A novel role for GADD45beta as a mediator of MMP-13 gene expression during chondrocyte terminal differentiation. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 38544-55	5.4	81
35	Culture of immortalized chondrocytes and their use as models of chondrocyte function. <i>Methods in Molecular Medicine</i> , <b>2004</b> , 100, 37-52		30
34	Immortalization of human articular chondrocytes for generation of stable, differentiated cell lines. <i>Methods in Molecular Medicine</i> , <b>2004</b> , 100, 23-36		26
33	NF-kappa B-mediated repression of growth arrest- and DNA-damage-inducible proteins 45alpha and gamma is essential for cancer cell survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 13618-23	11.5	132
32	ESE-1 is a novel transcriptional mediator of angiopoietin-1 expression in the setting of inflammation. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 12794-803	5.4	48
31	Vascular endothelial growth factor (VEGF) induces matrix metalloproteinase expression in immortalized chondrocytes. <i>Journal of Pathology</i> , <b>2004</b> , 202, 367-74	9.4	140
30	WISP3-dependent regulation of type II collagen and aggrecan production in chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 488-97		71
29	Production of endogenous antibiotics in articular cartilage. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3526-34		40
28	The role of cytokines in cartilage matrix degeneration in osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , <b>2004</b> , S27-36	2.2	452
27	Chemokines in cartilage degradation. <i>Clinical Orthopaedics and Related Research</i> , <b>2004</b> , S53-61	2.2	65
26	The regulation of chondrocyte function by proinflammatory mediators: prostaglandins and nitric oxide. <i>Clinical Orthopaedics and Related Research</i> , <b>2004</b> , S37-46	2.2	191
25	CITED2-mediated regulation of MMP-1 and MMP-13 in human chondrocytes under flow shear. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 47275-80	5.4	100
24	The TATA-containing core promoter of the type II collagen gene (COL2A1) is the target of interferon-gamma-mediated inhibition in human chondrocytes: requirement for Stat1 alpha, Jak1 and Jak2. <i>Biochemical Journal</i> , <b>2003</b> , 369, 103-15	3.8	48
23	Responses to the proinflammatory cytokines interleukin-1 and tumor necrosis factor alpha in cells derived from rheumatoid synovium and other joint tissues involve nuclear factor kappaB-mediated induction of the Ets transcription factor ESE-1. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1249-60		85
22	Egr-1 mediates transcriptional repression of COL2A1 promoter activity by interleukin-1beta. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 17688-700	5.4	104
21	IKKalpha, IKKbeta, and NEMO/IKKgamma are each required for the NF-kappa B-mediated inflammatory response program. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 45129-40	5.4	178

20	Role of cytokines and chemokines in cartilage and bone destruction in arthritis. <i>Current Opinion in Orthopaedics</i> , <b>2002</b> , 13, 351-362		4
19	Novel NEMO/IkappaB kinase and NF-kappa B target genes at the pre-B to immature B cell transition. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 18579-90	5.4	125
18	Anticytokine therapy for osteoarthritis. <i>Expert Opinion on Biological Therapy</i> , <b>2001</b> , 1, 817-29	5.4	99
17	The role of the chondrocyte in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 1916-26		570
16	Immortalized human adult articular chondrocytes maintain cartilage-specific phenotype and responses to interleukin-1beta. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2189-201		97
15	Osteoarthritis and cartilage: the role of cytokines. <i>Current Rheumatology Reports</i> , <b>2000</b> , 2, 459-65	4.9	343
14	Functional isoforms of IkappaB kinase alpha (IKKalpha) lacking leucine zipper and helix-loop-helix domains reveal that IKKalpha and IKKbeta have different activation requirements. <i>Molecular and Cellular Biology</i> , <b>2000</b> , 20, 2635-49	4.8	14
13	Proteoglycan production by immortalized human chondrocyte cell lines cultured under conditions that promote expression of the differentiated phenotype. <i>Archives of Biochemistry and Biophysics</i> , <b>2000</b> , 383, 79-90	4.1	58
12	Preparation of immortalized human chondrocyte cell lines. <i>Methods in Molecular Medicine</i> , <b>1999</b> , 18, 173-92		
11	The EWS/TEC fusion protein encoded by the t(9;22) chromosomal translocation in human chondrosarcomas is a highly potent transcriptional activator. <i>Oncogene</i> , <b>1999</b> , 18, 3303-8	9.2	77
10	Activation and regulation of the IkappaB kinase in human B cells by CD40 signaling. <i>European Journal of Immunology</i> , <b>1999</b> , 29, 1353-62	6.1	33
9	The role of cytokines as inflammatory mediators in osteoarthritis: lessons from animal models. <i>Connective Tissue Research</i> , <b>1999</b> , 40, 1-11	3.3	235
8	Parathyroid hormone-related proteins is abundant in osteoarthritic cartilage, and the parathyroid hormone-related protein 1-173 isoform is selectively induced by transforming growth factor beta in articular chondrocytes and suppresses generation of extracellular inorganic pyrophosphate. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 2152-61		65
7	Parathyroid hormone-related protein is abundant in osteoarthritic cartilage, and the parathyroid hormone-related protein 1-173 isoform is selectively induced by transforming growth factor beta in articular chondrocytes and suppresses generation of extracellular inorganic pyrophosphate <b>1998</b> , 41, 2152		1
6	Human chondrocyte cultures as models of cartilage-specific gene regulation. <i>Methods in Molecular Medicine</i> , <b>1996</b> , 2, 217-32		6
5	Cytokines and skeletal physiology. <i>Clinical Orthopaedics and Related Research</i> , <b>1996</b> , 13-23	2.2	33
4	Regulation of Collagen Gene Expression by Prostaglandins and Interleukin-1beta in Cultured Chondrocytes and Fibroblasts. <i>American Journal of Therapeutics</i> , <b>1996</b> , 3, 9-16	1	51
3	Transcriptional suppression by interleukin-1 and interferon-gamma of type II collagen gene expression in human chondrocytes. <i>Journal of Cellular Biochemistry</i> , <b>1994</b> , 54, 85-99	4.7	147

- |   |  |    |
|---|--|----|
| 2 | Molecular cloning of rat and human type IX collagen cDNA and localization of the alpha 1(IX) gene on the human chromosome 6. <i>FEBS Journal</i> , <b>1989</b> , 179, 71-8 | 72 |
| 1 | Cytokines. <i>Novartis Foundation Symposium</i> , <b>1988</b> , 136, 239-56  | 1  |