

Won-Ha Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1949611/publications.pdf>

Version: 2024-02-01

120
papers

5,448
citations

71061

41
h-index

91828

69
g-index

121
all docs

121
docs citations

121
times ranked

7773
citing authors

#	ARTICLE	IF	CITATIONS
1	Satellite glia as a critical component of diabetic neuropathy: Role of lipocalin-2 and pyruvate dehydrogenase kinase- α axis in the dorsal root ganglion. <i>Glia</i> , 2021, 69, 971-996.	2.5	17
2	Lipocalin-2 in Diabetic Complications of the Nervous System: Physiology, Pathology, and Beyond. <i>Frontiers in Physiology</i> , 2021, 12, 638112.	1.3	17
3	Mitochondrial dysfunction regulates the JAK-STAT pathway via LKB1-mediated AMPK activation ER-stress-independent manner. <i>Biochemistry and Cell Biology</i> , 2020, 98, 137-144.	0.9	11
4	Interrogation of kinase genetic interactions provides a global view of PAK1-mediated signal transduction pathways. <i>Journal of Biological Chemistry</i> , 2020, 295, 16906-16919.	1.6	4
5	Microglia Gone Awry: Linking Immunometabolism to Neurodegeneration. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 246.	1.8	30
6	Yeast-Based Genetic Interaction Analysis of Human Kinome. <i>Cells</i> , 2020, 9, 1156.	1.8	5
7	Proteomic examination of the neuroglial secretome: lessons for the clinic. <i>Expert Review of Proteomics</i> , 2020, 17, 207-220.	1.3	4
8	LETMD1 Regulates Phagocytosis and Inflammatory Responses to Lipopolysaccharide via Reactive Oxygen Species Generation and NF- κ B Activation in Macrophages. <i>Journal of Immunology</i> , 2020, 204, 1299-1309.	0.4	9
9	Axon Guidance Molecules Guiding Neuroinflammation. <i>Experimental Neurobiology</i> , 2019, 28, 311-319.	0.7	38
10	Paradoxical role of lipocalin-2 in metabolic disorders and neurological complications. <i>Biochemical Pharmacology</i> , 2019, 169, 113626.	2.0	29
11	A Bcr-Abl Inhibitor GNF-2 Attenuates Inflammatory Activation of Glia and Chronic Pain. <i>Frontiers in Pharmacology</i> , 2019, 10, 543.	1.6	16
12	Reverse Signaling of Tumor Necrosis Factor Superfamily Proteins in Macrophages and Microglia: Superfamily Portrait in the Neuroimmune Interface. <i>Frontiers in Immunology</i> , 2019, 10, 262.	2.2	25
13	ER stress differentially affects pro-inflammatory changes induced by mitochondrial dysfunction in the human monocytic leukemia cell line, THP-1. <i>Cell Biology International</i> , 2019, 43, 313-322.	1.4	7
14	Hypothalamic inflammation and malfunctioning glia in the pathophysiology of obesity and diabetes: Translational significance. <i>Biochemical Pharmacology</i> , 2018, 153, 123-133.	2.0	36
15	Functional dissection of astrocyte-secreted proteins: Implications in brain health and diseases. <i>Progress in Neurobiology</i> , 2018, 162, 37-69.	2.8	111
16	Optogenetics of the Spinal Cord: Use of Channelrhodopsin Proteins for Interrogation of Spinal Cord Circuits. <i>Current Protein and Peptide Science</i> , 2018, 19, 714-724.	0.7	3
17	Sodium azide suppresses LPS-induced expression MCP-1 through regulating $\text{I}\kappa\text{B}\alpha$ and STAT1 activities in macrophages. <i>Cellular Immunology</i> , 2017, 315, 64-70.	1.4	9
18	Astrocyte-derived lipocalin-2 mediates hippocampal damage and cognitive deficits in experimental models of vascular dementia. <i>Glia</i> , 2017, 65, 1471-1490.	2.5	119

#	ARTICLE	IF	CITATIONS
19	Crosstalk between signals initiated from TLR4 and cell surface BAFF results in synergistic induction of proinflammatory mediators in THP-1 cells. <i>Scientific Reports</i> , 2017, 7, 45826.	1.6	12
20	Pyruvate dehydrogenase kinase 2 and 4 gene deficiency attenuates nociceptive behaviors in a mouse model of acute inflammatory pain. <i>Journal of Neuroscience Research</i> , 2016, 94, 837-849.	1.3	11
21	Functional polarization of neuroglia: Implications in neuroinflammation and neurological disorders. <i>Biochemical Pharmacology</i> , 2016, 103, 1-16.	2.0	207
22	Metabolic Control of Glia-Mediated Neuroinflammation. <i>Current Alzheimer Research</i> , 2016, 13, 387-402.	0.7	12
23	Fermented bitter melon extract differentially regulates lipopolysaccharide-induced cytokine gene expression through nuclear factor- κ B and interferon regulatory factor-1. <i>Animal Cells and Systems</i> , 2015, 19, 194-200.	0.8	2
24	Activation of lymphotoxin-beta receptor enhances the LPS-induced expression of IL-8 through NF- κ B and IRF-1. <i>Immunology Letters</i> , 2015, 165, 63-69.	1.1	6
25	Fascin Regulates TLR4/PKC-mediated Translational Activation Through miR-155 and miR-125b, which Targets the 3' UTR of TNF- α mRNA. <i>Immunological Investigations</i> , 2015, 44, 309-320.	1.0	9
26	Myristoylated alanine-rich C kinase substrate (MARCKS) regulates the expression of proinflammatory cytokines in macrophages through activation of p38/JNK MAPK and NF- κ B. <i>Cellular Immunology</i> , 2015, 296, 115-121.	1.4	26
27	RNAi-based functional selection identifies novel cell migration determinants dependent on PI3K and AKT pathways. <i>Nature Communications</i> , 2014, 5, 5217.	5.8	24
28	Lipocalin-2 Protein Deficiency Ameliorates Experimental Autoimmune Encephalomyelitis. <i>Journal of Biological Chemistry</i> , 2014, 289, 16773-16789.	1.6	116
29	The pivotal role played by lipocalin-2 in chronic inflammatory pain. <i>Experimental Neurology</i> , 2014, 254, 41-53.	2.0	51
30	Natural Flavone Jaceosidin is a Neuroinflammation Inhibitor. <i>Phytotherapy Research</i> , 2013, 27, 404-411.	2.8	29
31	SHPS-1 and a synthetic peptide representing its ITIM inhibit the MyD88, but not TRIF, pathway of TLR signaling through activation of SHP and PI3K in THP-1 cells. <i>Inflammation Research</i> , 2013, 62, 377-386.	1.6	8
32	Stimulation of CD107 affects LPS-induced cytokine secretion and cellular adhesion through the ERK signaling pathway in the human macrophage-like cell line, THP-1. <i>Cellular Immunology</i> , 2013, 281, 122-128.	1.4	12
33	Secreted protein lipocalin-2 promotes microglial M1 polarization. <i>FASEB Journal</i> , 2013, 27, 1176-1190.	0.2	159
34	Reverse signaling from LIGHT promotes pro-inflammatory responses in the human monocytic leukemia cell line, THP-1. <i>Cellular Immunology</i> , 2013, 285, 10-17.	1.4	15
35	Phenotypic Polarization of Activated Astrocytes: The Critical Role of Lipocalin-2 in the Classical Inflammatory Activation of Astrocytes. <i>Journal of Immunology</i> , 2013, 191, 5204-5219.	0.4	170
36	Role of Lipocalin-2-Chemokine Axis in the Development of Neuropathic Pain following Peripheral Nerve Injury. <i>Journal of Biological Chemistry</i> , 2013, 288, 24116-24127.	1.6	43

#	ARTICLE	IF	CITATIONS
37	Acute Phase Protein Lipocalin-2 Is Associated with Formalin-induced Nociception and Pathological Pain. <i>Immune Network</i> , 2013, 13, 289.	1.6	18
38	Lipocalin-type Prostaglandin D2 Synthase Protein Regulates Glial Cell Migration and Morphology through Myristoylated Alanine-rich C-Kinase Substrate. <i>Journal of Biological Chemistry</i> , 2012, 287, 9414-9428.	1.6	34
39	Seroprevalence of subtype H3 influenza A virus in South Korean cats. <i>Journal of Feline Medicine and Surgery</i> , 2012, 14, 746-750.	0.6	7
40	Synthetic Peptides Containing ITIM-Like Domains Block Expression of Inflammatory Mediators and Migration/Invasion of Cancer Cells Through Activation of SHP-1 and PI3K. <i>Cancer Investigation</i> , 2012, 30, 364-371.	0.6	3
41	Microglia-inhibiting activity of Parkinson's disease drug amantadine. <i>Neurobiology of Aging</i> , 2012, 33, 2145-2159.	1.5	48
42	The role of Roquin overexpression in the modulation of signaling during in vitro and ex vivo T-cell activation. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 280-286.	1.0	11
43	A novel derivative of decursin, CSL-32, blocks migration and production of inflammatory mediators and modulates PI3K and NF- κ B activities in HT1080 cells. <i>Cell Biology International</i> , 2012, 36, 683-688.	1.4	13
44	A novel vaccine combined with an alum adjuvant for porcine encephalomyocarditis virus (EMCV)-induced reproductive failure in pregnant sows. <i>Research in Veterinary Science</i> , 2012, 93, 1508-1511.	0.9	7
45	Synthetic peptides containing ITIM-like sequences of IREM-1 (CD300F) differentially regulate MyD88 and TRIF-mediated TLR signalling through activation of SHP and/or PI3K. <i>Clinical and Experimental Immunology</i> , 2012, 167, 438-446.	1.1	12
46	CD300a and CD300f differentially regulate the MyD88 and TRIF-mediated TLR signalling pathways through activation of SHP-1 and/or SHP-2 in human monocytic cell lines. <i>Immunology</i> , 2012, 135, 226-235.	2.0	46
47	Regulation by lipocalin-2 of neuronal cell death, migration, and morphology. <i>Journal of Neuroscience Research</i> , 2012, 90, 540-550.	1.3	73
48	Stimulation of FasL Induces Production of Proinflammatory Mediators Through Activation of Mitogen-Activated Protein Kinases and Nuclear Factor- κ B in THP-1 Cells. <i>Inflammation</i> , 2012, 35, 1-10.	1.7	16
49	Modulation of Glial and Neuronal Migration by Lipocalin-2 in Zebrafish. <i>Immune Network</i> , 2011, 11, 342.	1.6	17
50	Differential antiproliferation effect of 2-oxo-3-oxo-benzoyloxycinnamaldehyde in Kras-transformed cells via downregulation of thiol antioxidants. <i>Cancer Science</i> , 2011, 102, 212-218.	1.7	11
51	Synthetic peptides containing ITIM-like sequences of IREM-1 inhibit BAFF-mediated regulation of interleukin-8 expression and phagocytosis through SHP-1 and/or PI3K. <i>Immunology</i> , 2011, 134, 224-233.	2.0	8
52	Pro-apoptotic role of integrin β 3 in glioma cells. <i>Journal of Neurochemistry</i> , 2011, 117, 494-503.	2.1	17
53	2-Hydroxycinnamaldehyde targets low-density lipoprotein receptor-related protein-1 to inhibit lipopolysaccharide-induced microglial activation. <i>Journal of Neuroimmunology</i> , 2011, 230, 52-64.	1.1	24
54	Comparative analysis of the role of small G proteins in cell migration and cell death: Cytoprotective and promigratory effects of RalA. <i>Experimental Cell Research</i> , 2011, 317, 2007-2018.	1.2	14

#	ARTICLE	IF	CITATIONS
55	Stimulation of Fas (CD95) induces production of pro-inflammatory mediators through ERK/JNK-dependent activation of NF- κ B in THP-1 cells. <i>Cellular Immunology</i> , 2011, 271, 157-162.	1.4	34
56	BAFF and APRIL induce inflammatory activation of THP-1 cells through interaction with their conventional receptors and activation of MAPK and NF- κ B. <i>Inflammation Research</i> , 2011, 60, 807-815.	1.6	22
57	A Novel Pathway Responsible for Lipopolysaccharide-Induced Translational Regulation of TNF- α and IL-6 Expression Involves Protein Kinase C and Fascin. <i>Journal of Immunology</i> , 2011, 187, 6327-6334.	0.4	26
58	Lipocalin-2 Is a Chemokine Inducer in the Central Nervous System. <i>Journal of Biological Chemistry</i> , 2011, 286, 43855-43870.	1.6	149
59	CD300F Blocks Both MyD88 and TRIF-Mediated TLR Signaling through Activation of Src Homology Region 2 Domain-Containing Phosphatase 1. <i>Journal of Immunology</i> , 2011, 186, 6296-6303.	0.4	39
60	NF- κ B as a common signaling pathway in ganglioside-induced autophagic cell death and activation of astrocytes. <i>Journal of Neuroimmunology</i> , 2010, 226, 66-72.	1.1	35
61	Analysis of glial secretome: The long pentraxin PTX3 modulates phagocytic activity of microglia. <i>Journal of Neuroimmunology</i> , 2010, 229, 63-72.	1.1	60
62	TL1A induces the expression of TGF- β -inducible gene h3 (β ig-h3) through PKC, PI3K, and ERK in THP-1 cells. <i>Cellular Immunology</i> , 2010, 266, 61-66.	1.4	11
63	Stimulation of glucocorticoid-induced tumor necrosis factor receptor family-related protein ligand (GITRL) induces inflammatory activation of microglia in culture. <i>Journal of Neuroscience Research</i> , 2010, 88, 2188-2196.	1.3	21
64	The differential effect of high and low molecular weight fucoidans on the severity of collagen-induced arthritis in mice. <i>Phytotherapy Research</i> , 2010, 24, 1384-1391.	2.8	74
65	Macrophages express membrane bound form of APRIL that can generate immunomodulatory signals. <i>Immunology</i> , 2010, 131, 350-356.	2.0	22
66	Immune receptor expressed on myeloid cells 1 (IREM-1) inhibits B cell activation factor (BAFF)-mediated inflammatory regulation of THP-1 cells through modulation of the activities of extracellular regulated kinase (ERK). <i>Clinical and Experimental Immunology</i> , 2010, 161, 504-511.	1.1	17
67	Reverse signaling through BAFF differentially regulates the expression of inflammatory mediators and cytoskeletal movements in THP-1 cells. <i>Immunology and Cell Biology</i> , 2010, 88, 148-156.	1.0	45
68	Cell to Cell Interaction Can Activate Membrane-bound APRIL Which Are Expressed on Inflammatory Macrophages. <i>Immune Network</i> , 2010, 10, 173.	1.6	17
69	Functional Selection of Phagocytosis-Promoting Genes: Cell Sorting-Based Selection. <i>Journal of Biomolecular Screening</i> , 2010, 15, 949-955.	2.6	8
70	Identification of novel cell migration-promoting genes by a functional genetic screen. <i>FASEB Journal</i> , 2010, 24, 464-478.	0.2	48
71	Activation of CD147 with Cyclophilin A Induces the Expression of IFITM1 through ERK and PI3K in THP-1 Cells. <i>Mediators of Inflammation</i> , 2010, 2010, 1-9.	1.4	26
72	Decursinol angelate blocks transmigration and inflammatory activation of cancer cells through inhibition of PI3K, ERK and NF- κ B activation. <i>Cancer Letters</i> , 2010, 296, 35-42.	3.2	39

#	ARTICLE	IF	CITATIONS
73	Immune responses and expression of the virus-like particle antigen of the porcine encephalomyocarditis virus. <i>Research in Veterinary Science</i> , 2010, 89, 295-300.	0.9	12
74	The Stimulation of CD147 Induces MMP-9 Expression through ERK and NF- κ B in Macrophages: Implication for Atherosclerosis. <i>Immune Network</i> , 2009, 9, 90.	1.6	57
75	Lipocalin-2 Is an Autocrine Mediator of Reactive Astrocytosis. <i>Journal of Neuroscience</i> , 2009, 29, 234-249.	1.7	232
76	Suppression of the TRIF-dependent signaling pathway of Toll-like receptors by luteolin. <i>Biochemical Pharmacology</i> , 2009, 77, 1391-1400.	2.0	111
77	Suppression of the lipopolysaccharide-induced expression of MARCKS-related protein (MRP) affects transmigration in activated RAW264.7 cells. <i>Cellular Immunology</i> , 2009, 256, 92-98.	1.4	14
78	Antitumor Effects and Immunomodulating Activities of <i>Phellinus linteus</i> Extract in a CT-26 Cell-Injected Colon Cancer Mouse Model. <i>Mycobiology</i> , 2009, 37, 128.	0.6	9
79	Discoidin domain receptor 1 mediates collagen-induced inflammatory activation of microglia in culture. <i>Journal of Neuroscience Research</i> , 2008, 86, 1087-1095.	1.3	32
80	Role of protein kinase C δ in paraquat-induced glial cell death. <i>Journal of Neuroscience Research</i> , 2008, 86, 2062-2070.	1.3	24
81	The antipsychotic spiperone attenuates inflammatory response in cultured microglia via the reduction of proinflammatory cytokine expression and nitric oxide production. <i>Journal of Neurochemistry</i> , 2008, 107, 1225-1235.	2.1	59
82	Reverse signaling initiated from GITRL induces NF- κ B activation through ERK in the inflammatory activation of macrophages. <i>Molecular Immunology</i> , 2008, 45, 523-533.	1.0	54
83	Inhibition of glial inflammatory activation and neurotoxicity by tricyclic antidepressants. <i>Neuropharmacology</i> , 2008, 55, 826-834.	2.0	163
84	Comparative Analysis of the Expression Patterns of Various TNFSF/TNFRSF in Atherosclerotic Plaques. <i>Immunological Investigations</i> , 2008, 37, 359-373.	1.0	26
85	Rapid default transition of CD4 T cell effectors to functional memory cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 2199-2211.	4.2	88
86	Effects of Soy Pinitol on the Pro-Inflammatory Cytokines and Scavenger Receptors in Oxidized Low-Density Lipoprotein-Treated THP-1 Macrophages. <i>Journal of Medicinal Food</i> , 2007, 10, 594-601.	0.8	17
87	A Dual Role of Lipocalin 2 in the Apoptosis and Deramification of Activated Microglia. <i>Journal of Immunology</i> , 2007, 179, 3231-3241.	0.4	151
88	Up-regulation of skeletal muscle LIM protein 1 gene by 25-hydroxycholesterol may mediate morphological changes of rat aortic smooth muscle cells. <i>Life Sciences</i> , 2007, 80, 460-467.	2.0	6
89	Regulation of Toll-like receptor 4 expression and its signaling by hypoxia in cultured microglia. <i>Journal of Neuroscience Research</i> , 2007, 85, 1989-1995.	1.3	48
90	Macrophages express granzyme B in the lesion areas of atherosclerosis and rheumatoid arthritis. <i>Immunology Letters</i> , 2007, 111, 57-65.	1.1	65

#	ARTICLE	IF	CITATIONS
91	Glucocorticoid-induced tumour necrosis factor receptor-related protein-mediated macrophage stimulation may induce cellular adhesion and cytokine expression in rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 2007, 148, 410-418.	1.1	41
92	CD4 + T α cell memory: generation and multi α faceted roles for CD4 + T cells in protective immunity to influenza. <i>Immunological Reviews</i> , 2006, 211, 8-22.	2.8	154
93	Induction of microglial apoptosis by corticotropin-releasing hormone. <i>Journal of Neurochemistry</i> , 2006, 98, 962-972.	2.1	35
94	Glucocorticoid-induced tumour necrosis factor receptor family related protein (GITR) mediates inflammatory activation of macrophages that can destabilize atherosclerotic plaques. <i>Immunology</i> , 2006, 119, 421-429.	2.0	66
95	Z39Ig is expressed on macrophages and may mediate inflammatory reactions in arthritis and atherosclerosis. <i>Journal of Leukocyte Biology</i> , 2006, 80, 922-928.	1.5	45
96	Decursin Inhibits Induction of Inflammatory Mediators by Blocking Nuclear Factor- κ B Activation in Macrophages. <i>Molecular Pharmacology</i> , 2006, 69, 1783-1790.	1.0	101
97	Severe coronary artery spasm can be associated with hyperthyroidism. <i>Coronary Artery Disease</i> , 2005, 16, 135-139.	0.3	55
98	LIGHT is involved in the pathogenesis of rheumatoid arthritis by inducing the expression of pro-inflammatory cytokines and MMP-9 in macrophages. <i>Immunology</i> , 2005, 114, 272-279.	2.0	62
99	Vitamin E supplementation alters HDL-cholesterol concentration and paraoxonase activity in rabbits fed high-cholesterol diet: Comparison with probucol. <i>Journal of Biochemical and Molecular Toxicology</i> , 2005, 19, 336-346.	1.4	27
100	TLR4, but Not TLR2, Signals Autoregulatory Apoptosis of Cultured Microglia: A Critical Role of IFN- γ as a Decision Maker. <i>Journal of Immunology</i> , 2005, 174, 6467-6476.	0.4	148
101	Cyclophilin A may contribute to the inflammatory processes in rheumatoid arthritis through induction of matrix degrading enzymes and inflammatory cytokines from macrophages. <i>Clinical Immunology</i> , 2005, 116, 217-224.	1.4	124
102	Involvement of TL1A and DR3 in induction of pro-inflammatory cytokines and matrix metalloproteinase-9 in atherogenesis. <i>Cytokine</i> , 2005, 29, 229-235.	1.4	80
103	High-level expression and characterization of the recombinant enzyme, and tissue distribution of human succinic semialdehyde dehydrogenase. <i>Protein Expression and Purification</i> , 2005, 44, 16-22.	0.6	15
104	Neuropeptide PACAP inhibits hypoxic activation of brain microglia: a protective mechanism against microglial neurotoxicity in ischemia. <i>Brain Research</i> , 2004, 1026, 151-156.	1.1	44
105	Oxidized low-density lipoproteins may induce expression of monocyte chemoattractant protein-3 in atherosclerotic plaques. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 898-905.	1.0	20
106	TWEAK Can Induce Pro-Inflammatory Cytokines and Matrix Metalloproteinase-9 in Macrophages. <i>Circulation Journal</i> , 2004, 68, 396-399.	0.7	128
107	LIGHT is Expressed in Foam Cells and Involved in Destabilization of Atherosclerotic Plaques through Induction of Matrix Metalloproteinase-9 and IL-8. <i>Immune Network</i> , 2004, 4, 116.	1.6	17
108	A novel chemokine, Leukotactin-1, induces chemotaxis, pro-atherogenic cytokines, and tissue factor expression in atherosclerosis. <i>Atherosclerosis</i> , 2002, 161, 255-260.	0.4	36

#	ARTICLE	IF	CITATIONS
109	Different expressivity of a ventricular essential myosin light chain gene Ala57Gly mutation in familial hypertrophic cardiomyopathy. <i>American Heart Journal</i> , 2001, 141, 184-189.	1.2	48
110	Activation of CD14 on circulating monocytes in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2001, 80, 135-142.	0.8	20
111	A Cofactor of tRNA Synthetase, p43, Is Secreted to Up-regulate Proinflammatory Genes. <i>Journal of Biological Chemistry</i> , 2001, 276, 23028-23033.	1.6	135
112	Tumor Necrosis Factor Receptor Superfamily 12 may Destabilize Atherosclerotic Plaques by Inducing Matrix Metalloproteinases. <i>Japanese Circulation Journal</i> , 2001, 65, 136-138.	1.0	30
113	Tumor Necrosis Factor Receptor Superfamily 14 Is Involved in Atherogenesis by Inducing Proinflammatory Cytokines and Matrix Metalloproteinases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 2004-2010.	1.1	120
114	Correlation between Monocyte and T-lymphocyte Activation Markers in Patients with Acute Coronary Syndrome.. <i>International Heart Journal</i> , 2000, 41, 605-615.	0.6	6
115	Early expression of a malignant phenotype of familial hypertrophic cardiomyopathy associated with a Gly716Arg myosin heavy chain mutation in a Korean family. <i>American Journal of Cardiology</i> , 1998, 82, 1509-1513.	0.7	34
116	Interaction of the Nuclear Matrix-associated Region (MAR)-Binding Proteins, SATB1 and CDP/Cux, with a MAR Element (L2a) in an Upstream Regulatory Region of the Mouse CD8a Gene. <i>Journal of Biological Chemistry</i> , 1997, 272, 18440-18452.	1.6	81
117	Development of thymic carcinoma in transgenic mice expressing SV40 T antigen. <i>Cancer Letters</i> , 1996, 107, 293-300.	3.2	10
118	T Cell Lymphoma in Transgenic Mice Expressing the HumanHsp70Gene. <i>Biochemical and Biophysical Research Communications</i> , 1996, 218, 582-587.	1.0	103
119	Alterations of the thymic selection process in transgenic mice expressing SV40 large T antigen. , 1996, 67, 399-404.		3
120	Cis-acting DNA elements and cell type-specific nuclear proteins which may play a role in regulation of mouse CD8 β (Lyt-2) gene transcription. <i>International Immunology</i> , 1994, 6, 1307-1321.	1.8	17