Hongzhou Lu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1950340/publications.pdf

Version: 2024-02-01

		186265	54911
132	8,280	28	84
papers	citations	h-index	g-index
139	139	139	17399
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Outbreak of pneumonia of unknown etiology in Wuhan, China: The mystery and the miracle. Journal of Medical Virology, 2020, 92, 401-402.	5.0	2,395
2	Emerging 2019 Novel Coronavirus (2019-nCoV) Pneumonia. Radiology, 2020, 295, 210-217.	7.3	997
3	Drug treatment options for the 2019-new coronavirus (2019-nCoV). BioScience Trends, 2020, 14, 69-71.	3.4	852
4	Viral and host factors related to the clinical outcome of COVID-19. Nature, 2020, 583, 437-440.	27.8	746
5	Evaluating the Association of Clinical Characteristics With Neutralizing Antibody Levels in Patients Who Have Recovered From Mild COVID-19 in Shanghai, China. JAMA Internal Medicine, 2020, 180, 1356.	5.1	211
6	CT quantification of pneumonia lesions in early days predicts progression to severe illness in a cohort of COVID-19 patients. Theranostics, 2020, 10, 5613-5622.	10.0	166
7	The role of peripheral blood eosinophil counts in COVIDâ€19 patients. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 471-482.	5.7	131
8	Characteristics of Gut Microbiota in Patients With Rheumatoid Arthritis in Shanghai, China. Frontiers in Cellular and Infection Microbiology, 2019, 9, 369.	3.9	117
9	A promising magnetic SERS immunosensor for sensitive detection of avian influenza virus. Biosensors and Bioelectronics, 2017, 89, 906-912.	10.1	89
10	Analysis of coagulation parameters in patients with COVID-19 in Shanghai, China. BioScience Trends, 2020, 14, 285-289.	3.4	86
11	Fecal bacterial microbiome diversity in chronic HIV-infected patients in China. Emerging Microbes and Infections, 2016, 5, 1-7.	6.5	82
12	Shufeng Jiedu, a promising herbal therapy for moderate COVID-19:Antiviral and anti-inflammatory properties, pathways of bioactive compounds, and a clinical real-world pragmatic study. Phytomedicine, 2021, 85, 153390.	5. 3	60
13	Functional mapping of B-cell linear epitopes of SARS-CoV-2 in COVID-19 convalescent population. Emerging Microbes and Infections, 2020, 9, 1988-1996.	6.5	58
14	The BET inhibitor OTX015 reactivates latent HIV-1 through P-TEFb. Scientific Reports, 2016, 6, 24100.	3.3	56
15	Clinical characteristics in patients with SARSâ€CoVâ€2/HBV coâ€infection. Journal of Viral Hepatitis, 2020, 27, 1504-1507.	2.0	56
16	The Wuhan SARSâ€CoVâ€2—What's next for China. Journal of Medical Virology, 2020, 92, 546-547.	5.0	51
17	Clinical Potential of <scp>UTEâ€MRI</scp> for Assessing <scp>COVID</scp> â€19: Patient―and Lesionâ€Based Comparative Analysis. Journal of Magnetic Resonance Imaging, 2020, 52, 397-406.	3.4	48
18	Clinical and CT features of early stage patients with COVID-19: a retrospective analysis of imported cases in Shanghai, China. European Respiratory Journal, 2020, 55, 2000407.	6.7	48

#	Article	IF	CITATIONS
19	A deep learning-based quantitative computed tomography model for predicting the severity of COVID-19: a retrospective study of 196 patients. Annals of Translational Medicine, 2021, 9, 216-216.	1.7	44
20	Malignancies in HIV-Infected and AIDS Patients. Advances in Experimental Medicine and Biology, 2017, 1018, 167-179.	1.6	42
21	Comprehensive mapping of binding hot spots of SARS-CoV-2 RBD-specific neutralizing antibodies for tracking immune escape variants. Genome Medicine, 2021, 13, 164.	8.2	42
22	Reactivation of HIV-1 from Latency by an Ingenol Derivative from Euphorbia Kansui. Scientific Reports, 2017, 7, 9451.	3.3	40
23	Pathogenesisâ€directed therapy of 2019 novel coronavirus disease. Journal of Medical Virology, 2021, 93, 1320-1342.	5.0	40
24	Anti-Retroviral Therapy Decreases but Does Not Normalize Indoleamine 2,3-Dioxygenase Activity in HIV-Infected Patients. PLoS ONE, 2014, 9, e100446.	2.5	40
25	Changes in intestinal microbiota in HIV-1-infected subjects following cART initiation: influence of CD4+ T cell count. Emerging Microbes and Infections, 2018, 7, 1-4.	6.5	39
26	BET inhibitors RVX-208 and PFI-1 reactivate HIV-1 from latency. Scientific Reports, 2017, 7, 16646.	3.3	37
27	Two cellular microRNAs, miR-196b and miR-1290, contribute to HIV-1 latency. Virology, 2015, 486, 228-238.	2.4	34
28	Post-Traumatic Growth Experiences among COVID-19 Confirmed Cases in China: A Qualitative Study. Clinical Nursing Research, 2021, 30, 1079-1087.	1.6	34
29	Reducing distress and promoting resilience: a preliminary trial of a CBT skills intervention among recently HIV-diagnosed MSM in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, S39-S48.	1.2	32
30	New challenges to fighting COVID-19: Virus variants, potential vaccines, and development of antivirals. BioScience Trends, 2021, 15, 126-128.	3.4	32
31	Clinical Characteristics and Prognosis of Penicilliosis Among Human Immunodeficiency Virus–Infected Patients in Eastern China. American Journal of Tropical Medicine and Hygiene, 2017, 96, 1350-1354.	1.4	31
32	Epigenetic Landscapes of Single-Cell Chromatin Accessibility and Transcriptomic Immune Profiles of T Cells in COVID-19 Patients. Frontiers in Immunology, 2021, 12, 625881.	4.8	30
33	An open-label, randomized trial of the combination of IFN- \hat{l}° plus TFF2 with standard care in the treatment of patients with moderate COVID-19. EClinicalMedicine, 2020, 27, 100547.	7.1	29
34	Extra-pulmonary viral shedding in H7N9 Avian Influenza patients. Journal of Clinical Virology, 2015, 69, 30-32.	3.1	28
35	Observations about symptomatic and asymptomatic infections of 494 patients with COVID-19 in Shanghai, China. American Journal of Infection Control, 2020, 48, 1045-1050.	2.3	28
36	Dynamics of TCR repertoire and T cell function in COVID-19 convalescent individuals. Cell Discovery, 2021, 7, 89.	6.7	27

#	Article	IF	Citations
37	Heterogeneous Klebsiella pneumoniae Co-infections Complicate Personalized Bacteriophage Therapy. Frontiers in Cellular and Infection Microbiology, 2020, 10, 608402.	3.9	26
38	Bi-specific ligand-controlled chimeric antigen receptor T-cell therapy for non-small cell lung cancer. BioScience Trends, 2018, 12, 298-308.	3.4	25
39	A simple algorithm helps early identification of SARS-CoV-2 infection patients with severe progression tendency. Infection, 2020, 48, 577-584.	4.7	25
40	An analysis of drug resistance among people living with HIV/AIDS in Shanghai, China. PLoS ONE, 2017, 12, e0165110.	2.5	25
41	Epidemiology and clinical course of COVID-19 in Shanghai, China. Emerging Microbes and Infections, 2020, 9, 1537-1545.	6.5	24
42	SARS-CoV-2 RNA elements share human sequence identity and upregulate hyaluronan via NamiRNA-enhancer network. EBioMedicine, 2022, 76, 103861.	6.1	24
43	Vitamin C supplementation is necessary for patients with coronavirus disease: An ultra-high-performance liquid chromatography-tandem mass spectrometry finding. Journal of Pharmaceutical and Biomedical Analysis, 2021, 196, 113927.	2.8	23
44	Integrating longitudinal clinical laboratory tests with targeted proteomic and transcriptomic analyses reveal the landscape of host responses in COVID-19. Cell Discovery, 2021, 7, 42.	6.7	23
45	Resilience of frontline nurses during the <scp>COVID</scp> pandemic in China: A qualitative study. Australian Journal of Cancer Nursing, 2021, 23, 639-645.	1.6	23
46	Novel sarbecovirus bispecific neutralizing antibodies with exceptional breadth and potency against currently circulating SARS-CoV-2 variants and sarbecoviruses. Cell Discovery, 2022, 8, 36.	6.7	22
47	<scp>PEBP</scp> 1 suppresses <scp>HIV</scp> transcription and induces latency by inactivating <scp>MAPK</scp> / <scp>NF</scp> â€P̂B signaling. EMBO Reports, 2020, 21, e49305.	4.5	21
48	A Mixed-Methods Study Supporting a Model of Chinese Parental HIV Disclosure. AIDS and Behavior, 2016, 20, 165-173.	2.7	20
49	Caspase-1 Activity in CD4 T Cells Is Downregulated Following Antiretroviral Therapy for HIV-1 Infection. AIDS Research and Human Retroviruses, 2017, 33, 164-171.	1.1	20
50	A clinical pilot study on the safety and efficacy of aerosol inhalation treatment of IFN-κ plus TFF2 in patients with moderate COVID-19. EClinicalMedicine, 2020, 25, 100478.	7.1	20
51	An evolving approach to the laboratory assessment of COVIDâ€19. Journal of Medical Virology, 2020, 92, 1812-1817.	5.0	20
52	Genome-wide screening for highly discriminative SNPs for personal identification and their assessment in world populations. Forensic Science International: Genetics, 2017, 28, 118-127.	3.1	19
53	Dual effects of the novel ingenol derivatives on the acute and latent HIV-1 infections. Antiviral Research, 2019, 169, 104555.	4.1	19
54	Gut Microbiota Dysbiosis Is Not Independently Associated With Neurocognitive Impairment in People Living With HIV. Frontiers in Microbiology, 2018, 9, 3352.	3.5	19

#	Article	IF	CITATIONS
55	Disclosure experience among COVIDâ€19â€confirmed patients in China: A qualitative study. Journal of Clinical Nursing, 2021, 30, 783-792.	3.0	18
56	Correlation Between Early Plasma Interleukin 37 Responses With Low Inflammatory Cytokine Levels and Benign Clinical Outcomes in Severe Acute Respiratory Syndrome Coronavirus 2 Infection. Journal of Infectious Diseases, 2021, 223, 568-580.	4.0	17
57	A structural equation model of patient-healthcare provider relationships and HIV-infected patient outcomes in Chinese populations. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 383-390.	1.2	16
58	An antiretroviral regimen containing 6 months of stavudine followed by long-term zidovudine for first-line HIV therapy is optimal in resource-limited settings: a prospective, multicenter study in China. Chinese Medical Journal, 2014, 127, 59-65.	2.3	16
59	Prediction of COVID-19 Patients at High Risk of Progression to Severe Disease. Frontiers in Public Health, 2020, 8, 574915.	2.7	15
60	A streamlined clinical metagenomic sequencing protocol for rapid pathogen identification. Scientific Reports, 2021, 11, 4405.	3.3	15
61	HIV-1-Specific CAR-T Cells With Cell-Intrinsic PD-1 Checkpoint Blockade Enhance Anti-HIV Efficacy in vivo. Frontiers in Microbiology, 2021, 12, 684016.	3.5	15
62	Trends in baseline CD4 cell counts and risk factors for late antiretroviral therapy initiation among HIV-positive patients in Shanghai, a retrospective cross-sectional study. BMC Infectious Diseases, 2017, 17, 285.	2.9	14
63	Clinical usefulness of metagenomic next-generation sequencing for the diagnosis of central nervous system infection in people living with HIV. International Journal of Infectious Diseases, 2021, 107, 139-144.	3.3	14
64	Analysis of liver injury factors in 332 patients with COVID-19 in Shanghai, China. Aging, 2020, 12, 18844-18852.	3.1	14
65	Hymecromone: a clinical prescription hyaluronan inhibitor for efficiently blocking COVID-19 progression. Signal Transduction and Targeted Therapy, 2022, 7, 91.	17.1	14
66	Zinc-Finger Nucleases Induced by HIV-1 Tat Excise HIV-1 from the Host Genome in Infected and Latently Infected Cells. Molecular Therapy - Nucleic Acids, 2018, 12, 67-74.	5.1	13
67	Prevalence and risk factors of metabolic associated fatty liver disease among people living with HIV in China. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1670-1678.	2.8	13
68	Safety, tolerability, pharmacokinetic characteristics, and immunogenicity of MW33: a Phase 1 clinical study of the SARS-CoV-2 RBD-targeting monoclonal antibody. Emerging Microbes and Infections, 2021, 10, 1638-1648.	6.5	13
69	Clinical and prognostic analysis of 78 patients with human immuno-deficiency virus associated non-Hodgkin's lymphoma in Chinese population. Infectious Agents and Cancer, 2017, 12, 7.	2.6	12
70	HIV/AIDS responses in China should focus on the impact of global integration. BioScience Trends, 2018, 12, 507-509.	3.4	12
71	Distinct immune signatures discriminate between asymptomatic and presymptomatic SARS-CoV-2pos subjects. Cell Research, 2021, 31, 1148-1162.	12.0	12
72	Evaluation of Epstein-Barr Virus Salivary Shedding in HIV/AIDS Patients and HAART Use: A Retrospective Cohort Study. Virologica Sinica, 2018, 33, 227-233.	3.0	11

#	Article	IF	Citations
73	Lipid profile and renal safety of tenofovir disoproxil fumarate-based anti-retroviral therapy in HIV-infected Chinese patients. International Journal of Infectious Diseases, 2019, 83, 64-71.	3.3	11
74	Self-Management Behaviors Among Patients With Liver Cirrhosis in Shanghai, China: A Cross-Sectional Study. Clinical Nursing Research, 2020, 29, 448-459.	1.6	11
75	CCL28 mucosal expression in SARS-CoV-2-infected patients with diarrhea in relation to disease severity. Journal of Infection, 2021, 82, e19-e21.	3.3	11
76	Unmet needs of symptom management and associated factors among the HIV-positive population in Shanghai, China: A cross-sectional study. Applied Nursing Research, 2020, 54, 151283.	2.2	11
77	Quality of life in HIV-infected Chinese women and their family caregivers:an intervention study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1572-1579.	1.2	10
78	Tobacco use and HIV symptom severity in Chinese people living with HIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 217-222.	1.2	10
79	Incidence and spectrum of infections among HIV/AIDS patients with lymphoma during chemotherapy. Journal of Infection and Chemotherapy, 2021, 27, 1459-1464.	1.7	10
80	Recent 5-year Findings and Technological Advances in the Proteomic Study of HIV-associated Disorders. Genomics, Proteomics and Bioinformatics, 2017, 15, 110-120.	6.9	9
81	Burnout in nurses during the COVID-19 pandemic in China: New challenges for public health. BioScience Trends, 2021, 15, 129-131.	3.4	9
82	Thymosin Alpha-1 Has no Beneficial Effect on Restoring CD4+ and CD8+ T Lymphocyte Counts in COVID-19 Patients. Frontiers in Immunology, 2021, 12, 568789.	4.8	9
83	The bromodomain and extraterminal domain inhibitor bromosporine synergistically reactivates latent HIV-1 in latently infected cells. Oncotarget, 2017, 8, 94104-94116.	1.8	9
84	Substance use, anxiety, and self-management efficacy in HIV-positive individuals: A mediation analysis. Journal of Substance Use, 2018, 23, 408-414.	0.7	8
85	Opportunities and challenges to the use of neutralizing monoclonal antibody therapies for COVID-19. BioScience Trends, 2021, 15, 205-210.	3.4	8
86	Comprehensive Treatment and Management of COVID-19: Expert Consensus Statement from Shanghai., 2020,, 226-244.		8
87	The predictive role of lymphocyte subsets and laboratory measurements in COVID-19 disease: a retrospective study. Therapeutic Advances in Respiratory Disease, 2021, 15, 175346662110497.	2.6	8
88	Potential for jaktinib hydrochloride to treat cytokine storms in patients with COVID-19. BioScience Trends, 2020, 14, 161-167.	3.4	8
89	China takes an active role in combating an Ebola outbreak: On-site observations and reflections from a Chinese healthcare provider. Intractable and Rare Diseases Research, 2015, 4, 217-219.	0.9	7
90	Editing out HIV: application of gene editing technology to achieve functional cure. Retrovirology, 2021, 18, 39.	2.0	7

#	Article	IF	CITATIONS
91	Clinicopathologic characteristics of HIV/AIDS-related plasmablastic lymphoma. International Journal of STD and AIDS, 2017, 28, 380-388.	1.1	6
92	iTRAQ based investigation of plasma proteins in HIV infected and HIV/HBV coinfected patients $\hat{a} \in \text{``C9}$ and KLK are related to HIV/HBV coinfection. International Journal of Infectious Diseases, 2017, 63, 64-71.	3.3	6
93	Latest advances in the efficacy, tolerability, and monotherapy of integrase inhibitors. BioScience Trends, 2017, 11, 490-495.	3.4	6
94	The Development of a Brief Distress Reduction Intervention for Individuals Recently Diagnosed With HIV in China. Cognitive and Behavioral Practice, 2018, 25, 319-334.	1.5	6
95	The importance of non-tuberculous mycobacteria identification in Chinese patients infected with HIV. BioScience Trends, 2018, 12, 515-516.	3.4	6
96	Plasma Membrane Proteomic Profile Discovers Macrophage-capping Protein Related to Latent HIV-1. Current HIV Research, 2019, 17, 42-52.	0.5	6
97	Mycobacterium tuberculosis co-infection is associated with increased surrogate marker of the HIV reservoir. AIDS Research and Therapy, 2020, 17, 63.	1.7	6
98	Use of comedications and potential drug-drug interactions in people living with HIV in China. Journal of Infection and Chemotherapy, 2020, 26, 722-728.	1.7	6
99	Quantitative Proteomics Analysis of Systemic Responses and Biological Mechanisms of ShuFenglieDu Capsule Using H1N1-Infected RAW264.7 Cells. ACS Omega, 2020, 5, 15417-15423.	3.5	6
100	Safety, Tolerability, Pharmacokinetics, and Acceptability of Oral and Long-Acting Cabotegravir in HIV-Negative Chinese Men. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0205721.	3.2	6
101	Vimentin—a potential biomarker for therapeutic efficiency of HAART. Acta Biochimica Et Biophysica Sinica, 2014, 46, 1001-1006.	2.0	5
102	Update: Drug treatment options for coronavirus disease 2019 (COVID-19). BioScience Trends, 2021, 15, 345-349.	3.4	5
103	Simultaneous determination of first-line anti-tuberculosis drugs and one metabolite of isoniazid by liquid chromatography/tandem mass spectrometry in patients with human immunodeficiency virus-tuberculosis coinfection. Heliyon, 2021, 7, e07532.	3.2	5
104	Reasons and Risk Factors for the Initial Regimen Modification in Chinese Treatment-Na \tilde{A} -ve Patients with HIV Infection: A Retrospective Cohort Analysis. PLoS ONE, 2015, 10, e0133242.	2.5	4
105	<p>Discovery of Potential Plasma Biomarkers for Tuberculosis in HIV-Infected Patients by Data-Independent Acquisition-Based Quantitative Proteomics</p> . Infection and Drug Resistance, 2020, Volume 13, 1185-1196.	2.7	4
106	Concerns of Parental HIV Disclosure in China. Clinical Nursing Research, 2021, 30, 830-839.	1.6	4
107	FKBP3 Induces Human Immunodeficiency Virus Type 1 Latency by Recruiting Histone Deacetylase $1/2$ to the Viral Long Terminal Repeat. MBio, 2021, 12, e0079521.	4.1	4
108	2014 update of the Chinese guidelines for diagnosis and treatment of avian influenza A(H7N9) virus infection. Chinese Medical Journal, 2014, 127, 2543-7.	2.3	4

#	Article	IF	Citations
109	The Development of Criteria for the Selection of Chinese Peer Educators in HIV Management: A Delphi Study. Scientifica, 2016, 2016, 1-4.	1.7	3
110	Immediate antiviral therapy for HIV-infected persons faces with various obstacles. Drug Discoveries and Therapeutics, 2019, 13, 172-174.	1.5	3
111	Challenges to eliminating the AIDS pandemic in China. Global Health & Medicine, 2019, 1, 16-19.	1.4	3
112	Effect of combination antiretroviral therapy on the clinical manifestations, radiological characteristics, and disease severity of HIV-associated Talaromyces marneffei infection. International Journal of STD and AIDS, 2020, 31, 747-752.	1.1	3
113	Case report: histopathology and molecular pathology analysis on enteric tissue of a COVID-19 patient. Diagnostic Pathology, 2021, 16, 40.	2.0	3
114	Risk factors for myocardial injury at admission of 325 patients with coronavirus disease 2019 in Shanghai, China. Australasian Journal on Ageing, 2021, , .	0.9	3
115	HIV/AIDS strategies should focus on outcomes and the psychological status of older patients diagnosed with HIV. BioScience Trends, 2022, 16, 91-98.	3.4	3
116	Discovery process, clinical characteristics, and treatment of patients infected with avian influenza virus (H7N9) in Shanghai. Chinese Medical Journal, 2014, 127, 185-6.	2.3	3
117	Increased MMAB level in mitochondria as a novel biomarker of hepatotoxicity induced by Efavirenz. PLoS ONE, 2017, 12, e0188366.	2.5	2
118	Characteristics and Outcomes of Acinetobacter baumannii Infections in Patients with HIV: A Matched Case-Control Study. Scientific Reports, 2018, 8, 15617.	3.3	2
119	Prevention of mother-to-child transmission (PMTCT) continues to play a vital role in the response to HIV/AIDS: Current status and future perspectives. BioScience Trends, 2019, 13, 107-109.	3.4	2
120	Therapeutic Monitoring of Plasma Digoxin for COVID-19 Patients Using a Simple UPLC-MS/MS Method. Current Pharmaceutical Analysis, 2021, 17, 1308-1316.	0.6	2
121	The development of a quarantine strategy is an important path to a normalized response to COVID-19. BioScience Trends, 2020, 14, 396-398.	3.4	2
122	The epidemic of major sexually transmitted diseases in Shanghai, China, 2009-2018. BioScience Trends, 2019, 13, 273-275.	3.4	1
123	Pharmacogenomics and pharmacokinetics of efavirenz 400Âor 600Âmg in 184 treatment-naive HIV-infected patients in China. Pharmacogenomics, 2020, 21, 945-956.	1.3	1
124	Combating COVID-19 as a designated hospital: Experience from Shanghai, China. Global Health & Medicine, 2021, 3, 112-114.	1.4	1
125	Pharmacokinetics and Safety of Intravenous and Subcutaneous Auto-injector Single-dose Belimumab in Healthy Chinese Volunteers: A phase 1, Randomized, Open-label Study. Rheumatology and Therapy, 2021, 8, 1711-1724.	2.3	1
126	Saliva specimen complements anal swab in assessing patients with COVID-19 for discharge from hospital. Emerging Microbes and Infections, 2021, 10, 2090-2097.	6.5	1

#	Article	lF	CITATIONS
127	Longitudinal trajectory of the association between quality of life and depression among people living with HIV in China: a mixed effects model. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, , 1-8.	1.2	1
128	Human infection with avian influenza A(H7N9) virus in Shanghai: current status and future trends. Chinese Medical Journal, 2014, 127, 1973-6.	2.3	1
129	<i>Editorial Commentary</i> : Control of HIV for Men Who Have Sex With Men in China: A Role for the Internet?. Clinical Infectious Diseases, 2016, 62, 1448-1449.	5.8	0
130	Proteomic study of the mechanism of talin-C as an inhibitor of HIV infection. Current Proteomics, 2020, 18 , .	0.3	0
131	Simultaneously Determining Seven Second-Line Anti-TB Drugs by UHPLC-MS: Application for TDM in HIV-TB Patients. Current Pharmaceutical Analysis, 2021, 18, .	0.6	0
132	Population pharmacokinetics and model-informed precision dosing of lamivudine in Chinese HIV-infected patients with mild and moderate impaired renal function. Expert Review of Clinical Pharmacology, 0, , 1-9.	3.1	0