

# Jong-Sun Kang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1951374/publications.pdf>

Version: 2024-02-01

92  
papers

3,653  
citations

172457

29  
h-index

149698

56  
g-index

96  
all docs

96  
docs citations

96  
times ranked

4258  
citing authors

#	ARTICLE	IF	CITATIONS
1	PRMT7 ablation in cardiomyocytes causes cardiac hypertrophy and fibrosis through $\beta$ -catenin dysregulation. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 99.	5.4	11
2	Protein Arginine Methyltransferases in Neuromuscular Function and Diseases. <i>Cells</i> , 2022, 11, 364.	4.1	9
3	PRMT1 suppresses doxorubicin-induced cardiotoxicity by inhibiting endoplasmic reticulum stress. <i>Cellular Signalling</i> , 2022, 98, 110412.	3.6	5
4	BST204 Protects Dexamethasone-Induced Myotube Atrophy through the Upregulation of Myotube Formation and Mitochondrial Function. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2367.	2.6	4
5	Impaired pattern separation in Tg2576 mice is associated with hyperexcitable dentate gyrus caused by Kv4.1 downregulation. <i>Molecular Brain</i> , 2021, 14, 62.	2.6	15
6	Calbindin regulates Kv4.1 trafficking and excitability in dentate granule cells via CaMKII-dependent phosphorylation. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1134-1147.	7.7	2
7	Technical requirements for cultured meat production: a review. <i>Journal of Animal Science and Technology</i> , 2021, 63, 681-692.	2.5	14
8	Role of Protein Arginine Methyltransferases and Inflammation in Muscle Pathophysiology. <i>Frontiers in Physiology</i> , 2021, 12, 712389.	2.8	10
9	SLIT3 promotes myogenic differentiation as a novel therapeutic factor against muscle loss. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1724-1740.	7.3	13
10	Inducible Prmt1 ablation in adult vascular smooth muscle leads to contractile dysfunction and aortic dissection. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1569-1579.	7.7	13
11	Aronia Upregulates Myogenic Differentiation and Augments Muscle Mass and Function Through Muscle Metabolism. <i>Frontiers in Nutrition</i> , 2021, 8, 753643.	3.7	2
12	Spatiotemporal expression of long noncoding RNA <i>Moshe</i> modulates heart cell lineage commitment. <i>RNA Biology</i> , 2021, 18, 640-654.	3.1	9
13	Ginsenoside Rb1 and Rb2 upregulate Akt/mTOR signaling-mediated muscular hypertrophy and myoblast differentiation. <i>Journal of Ginseng Research</i> , 2020, 44, 435-441.	5.7	30
14	PRMT7 methylates and suppresses GLI2 binding to SUFU thereby promoting its activation. <i>Cell Death and Differentiation</i> , 2020, 27, 15-28.	11.2	21
15	Prmt7 promotes myoblast differentiation via methylation of p38MAPK on arginine residue 70. <i>Cell Death and Differentiation</i> , 2020, 27, 573-586.	11.2	24
16	BST204, a Rg3 and Rh2 Enriched Ginseng Extract, Upregulates Myotube Formation and Mitochondrial Function in TNF- $\alpha$ -Induced Atrophic Myotubes. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 631-650.	3.8	8
17	ZNF746/PARIS overexpression induces cellular senescence through FoxO1/p21 axis activation in myoblasts. <i>Cell Death and Disease</i> , 2020, 11, 359.	6.3	14
18	Kv4.1, a Key Ion Channel For Low Frequency Firing of Dentate Granule Cells, Is Crucial for Pattern Separation. <i>Journal of Neuroscience</i> , 2020, 40, 2200-2214.	3.6	20

#	ARTICLE	IF	CITATIONS
19	Indoprofen prevents muscle wasting in aged mice through activation of PDK1/AKT pathway. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1070-1088.	7.3	26
20	Satellite cell-specific ablation of <i>Cdon</i> impairs integrin activation, FGF signalling, and muscle regeneration. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1089-1103.	7.3	24
21	PRMT7 deficiency causes dysregulation of the HCN channels in the CA1 pyramidal cells and impairment of social behaviors. <i>Experimental and Molecular Medicine</i> , 2020, 52, 604-614.	7.7	11
22	Cdo Is Required for Efficient Motor Neuron Generation of Embryonic Stem Cells. <i>International Journal of Stem Cells</i> , 2020, 13, 342-352.	1.8	2
23	Cdo Is Required for Efficient Motor Neuron Generation of Embryonic Stem Cells. <i>International Journal of Stem Cells</i> , 2020, 13, 342-352.	1.8	2
24	Ginsenoside Rg1 augments oxidative metabolism and anabolic response of skeletal muscle in mice. <i>Journal of Ginseng Research</i> , 2019, 43, 475-481.	5.7	10
25	The inhibition of chloride intracellular channel 1 enhances Ca <sup>2+</sup> and reactive oxygen species signaling in A549 human lung cancer cells. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-11.	7.7	13
26	PRMT7 deficiency enhances adipogenesis through modulation of C/EBP- $\beta$ . <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 484-490.	2.1	14
27	DDS promotes longevity through a microbiome-mediated starvation signal. <i>Translational Medicine of Aging</i> , 2019, 3, 64-69.	1.3	5
28	Ginsenoside Rg3 upregulates myotube formation and mitochondrial function, thereby protecting myotube atrophy induced by tumor necrosis factor-alpha. <i>Journal of Ethnopharmacology</i> , 2019, 242, 112054.	4.1	30
29	Methylation determines the extracellular calcium sensitivity of the leak channel NALCN in hippocampal dentate granule cells. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-14.	7.7	13
30	Characterization of a novel LQT3 variant with a selective efficacy of mexiletine treatment. <i>Scientific Reports</i> , 2019, 9, 12997.	3.3	8
31	Intracellular Zn <sup>2+</sup> Signaling Facilitates Mossy Fiber Input-Induced Heterosynaptic Potentiation of Direct Cortical Inputs in Hippocampal CA3 Pyramidal Cells. <i>Journal of Neuroscience</i> , 2019, 39, 3812-3831.	3.6	15
32	PRMT1 suppresses ATF4-mediated endoplasmic reticulum response in cardiomyocytes. <i>Cell Death and Disease</i> , 2019, 10, 903.	6.3	16
33	Roles of ErbB3-binding protein 1 (EBP1) in embryonic development and gene-silencing control. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24852-24860.	7.1	7
34	Skeletal muscle-specific <i>Prmt1</i> deletion causes muscle atrophy via deregulation of the PRMT6-FOXO3 axis. <i>Autophagy</i> , 2019, 15, 1069-1081.	9.1	79
35	SGTb regulates a surface localization of a guidance receptor BOC to promote neurite outgrowth. <i>Cellular Signalling</i> , 2019, 55, 100-108.	3.6	8
36	Chemical induced conversion of mouse fibroblasts and human adipose-derived stem cells into skeletal muscle-like cells. <i>Biomaterials</i> , 2019, 193, 30-46.	11.4	23

#	ARTICLE	IF	CITATIONS
37	Arginine methylation as a key post-translational modification in skeletal muscle homeostasis: a review. <i>Precision and Future Medicine</i> , 2019, 3, 139-145.	1.6	3
38	Endocytosis of KATP Channels Drives Glucose-Stimulated Excitation of Pancreatic $\beta$ Cells. <i>Cell Reports</i> , 2018, 22, 471-481.	6.4	16
39	Bisphenol A and estradiol impede myoblast differentiation through down-regulating Akt signaling pathway. <i>Toxicology Letters</i> , 2018, 292, 12-19.	0.8	15
40	Black ginseng activates Akt signaling, thereby enhancing myoblast differentiation and myotube growth. <i>Journal of Ginseng Research</i> , 2018, 42, 116-121.	5.7	19
41	Estrogen modulates serotonin effects on vasoconstriction through Src inhibition. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-9.	7.7	13
42	Cardiac specific PRMT1 ablation causes heart failure through CaMKII dysregulation. <i>Nature Communications</i> , 2018, 9, 5107.	12.8	64
43	Long non-coding RNA ChRO1 facilitates ATRX/DAXX-dependent H3.3 deposition for transcription-associated heterochromatin reorganization. <i>Nucleic Acids Research</i> , 2018, 46, 11759-11775.	14.5	37
44	Cdon deficiency causes cardiac remodeling through hyperactivation of WNT/ $\beta$ -catenin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1345-E1354.	7.1	45
45	Identification of pathogenic variants in genes related to channelopathy and cardiomyopathy in Korean sudden cardiac arrest survivors. <i>Journal of Human Genetics</i> , 2017, 62, 615-620.	2.3	8
46	An isoflavone compound daidzein elicits myoblast differentiation and myotube growth. <i>Journal of Functional Foods</i> , 2017, 38, 438-446.	3.4	15
47	Ginsenoside Rg1 from <i>Panax ginseng</i> enhances myoblast differentiation and myotube growth. <i>Journal of Ginseng Research</i> , 2017, 41, 608-614.	5.7	25
48	A Sonic hedgehog coreceptor, BOC regulates neuronal differentiation and neurite outgrowth via interaction with ABL and JNK activation. <i>Cellular Signalling</i> , 2017, 30, 30-40.	3.6	22
49	Epicatechin elicits MyoD-dependent myoblast differentiation and myogenic conversion of fibroblasts. <i>PLoS ONE</i> , 2017, 12, e0175271.	2.5	20
50	Bakuchiol augments MyoD activation leading to enhanced myoblast differentiation. <i>Chemico-Biological Interactions</i> , 2016, 248, 60-67.	4.0	13
51	Prmt7 Deficiency Causes Reduced Skeletal Muscle Oxidative Metabolism and Age-Related Obesity. <i>Diabetes</i> , 2016, 65, 1868-1882.	0.6	79
52	Dehydrocorydaline promotes myogenic differentiation via p38 MAPK activation. <i>Molecular Medicine Reports</i> , 2016, 14, 3029-3036.	2.4	14
53	PKN2 and Cdo interact to activate AKT and promote myoblast differentiation. <i>Cell Death and Disease</i> , 2016, 7, e2431-e2431.	6.3	33
54	Fluid flow facilitates inward rectifier K <sup>+</sup> current by convectively restoring [K <sup>+</sup> ] at the cell membrane surface. <i>Scientific Reports</i> , 2016, 6, 39585.	3.3	4

#	ARTICLE	IF	CITATIONS
55	Peroxisome proliferator-activated receptor $\hat{1}^2/\hat{1}^1$ (PPAR $\hat{1}^2/\hat{1}^1$ ) activates promyogenic signaling pathways, thereby promoting myoblast differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 470, 157-162.	2.1	4
56	A Shh coreceptor Cdo is required for efficient cardiomyogenesis of pluripotent stem cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 93, 57-66.	1.9	13
57	Cdo Regulates Surface Expression of Kir2.1 K <sup>+</sup> Channel in Myoblast Differentiation. <i>PLoS ONE</i> , 2016, 11, e0158707.	2.5	16
58	Protein arginine methylation facilitates KCNQ channel-PIP2 interaction leading to seizure suppression. <i>ELife</i> , 2016, 5, .	6.0	37
59	Syntaxin 4 regulates the surface localization of a promyogenic receptor Cdo thereby promoting myogenic differentiation. <i>Skeletal Muscle</i> , 2015, 5, 28.	4.2	9
60	Overweight in Mice and Enhanced Adipogenesis In Vitro Are Associated With Lack of the Hedgehog Coreceptor Boc. <i>Diabetes</i> , 2015, 64, 2092-2103.	0.6	15
61	Kazinol-P from <i>Broussonetia kazinoki</i> enhances skeletal muscle differentiation via p38MAPK and MyoD. <i>Biochemical and Biophysical Research Communications</i> , 2015, 456, 471-475.	2.1	13
62	CDO, an Hh-Coreceptor, Mediates Lung Cancer Cell Proliferation and Tumorigenicity through Hedgehog Signaling. <i>PLoS ONE</i> , 2014, 9, e111701.	2.5	11
63	Cdo suppresses canonical Wnt signalling via interaction with Lrp6 thereby promoting neuronal differentiation. <i>Nature Communications</i> , 2014, 5, 5455.	12.8	41
64	Tetrahydropalmatine promotes myoblast differentiation through activation of p38MAPK and MyoD. <i>Biochemical and Biophysical Research Communications</i> , 2014, 455, 147-152.	2.1	21
65	The Shh coreceptor Cdo is required for differentiation of midbrain dopaminergic neurons. <i>Stem Cell Research</i> , 2014, 13, 262-274.	0.7	14
66	Phosphorylation of Stim1 at serine 575 via netrin-2/Cdo-activated ERK1/2 is critical for the promyogenic function of Stim1. <i>Molecular Biology of the Cell</i> , 2012, 23, 1376-1387.	2.1	27
67	TGF- $\hat{1}^2$ -activated Kinase 1 (TAK1) and Apoptosis Signal-regulating Kinase 1 (ASK1) Interact with the Promyogenic Receptor Cdo to Promote Myogenic Differentiation via Activation of p38MAPK Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 11602-11615.	3.4	33
68	Dual Functions of Highly Potent Graphene Derivative- $\hat{e}$ -Poly-L-lysine Composites To Inhibit Bacteria and Support Human Cells. <i>ACS Nano</i> , 2012, 6, 7151-7161.	14.6	141
69	Overlapping Roles and Collective Requirement for the Coreceptors GAS1, CDO, and BOC in SHH Pathway Function. <i>Developmental Cell</i> , 2011, 20, 775-787.	7.0	255
70	Promyogenic function of Integrin/FAK signaling is mediated by Cdo, Cdc42 and MyoD. <i>Cellular Signalling</i> , 2011, 23, 1162-1169.	3.6	33
71	Esco2 promotes neuronal differentiation by repressing Notch signaling. <i>Cellular Signalling</i> , 2011, 23, 1876-1884.	3.6	15
72	Gas1 cooperates with Cdo and promotes myogenic differentiation via activation of p38MAPK. <i>Cellular Signalling</i> , 2011, 23, 2021-2029.	3.6	25

#	ARTICLE	IF	CITATIONS
73	Mutations in CDON, Encoding a Hedgehog Receptor, Result in Holoprosencephaly and Defective Interactions with Other Hedgehog Receptors. <i>American Journal of Human Genetics</i> , 2011, 89, 231-240.	6.2	116
74	<i>Boc</i> modifies the holoprosencephaly spectrum of <i>Cdo</i> mutant mice. <i>DMM Disease Models and Mechanisms</i> , 2011, 4, 368-380.	2.4	63
75	Muscle stem cells in developmental and regenerative myogenesis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 243-248.	2.5	72
76	<i>Cdo</i> Interacts with APPL1 and Activates AKT in Myoblast Differentiation. <i>Molecular Biology of the Cell</i> , 2010, 21, 2399-2411.	2.1	50
77	<i>Cdo</i> Binds Abl To Promote p38 <sup>β</sup> Mitogen-Activated Protein Kinase Activity and Myogenic Differentiation. <i>Molecular and Cellular Biology</i> , 2009, 29, 4130-4143.	2.3	43
78	<i>Cdo</i> promotes neuronal differentiation via activation of the p38 mitogen-activated protein kinase pathway. <i>FASEB Journal</i> , 2009, 23, 2088-2099.	0.5	46
79	Ocular abnormalities in mice lacking the immunoglobulin superfamily member <i>Cdo</i> . <i>FEBS Journal</i> , 2009, 276, 5998-6010.	4.7	21
80	A <i>Cdo</i> - <i>Bnip-2</i> - <i>Cdc42</i> signaling pathway regulates p38 <sup>β</sup> MAPK activity and myogenic differentiation. <i>Journal of Cell Biology</i> , 2008, 182, 497-507.	5.2	98
81	Regulation of Myoblast Motility and Fusion by the CXCR4-associated Sialomucin, CD164. <i>Journal of Biological Chemistry</i> , 2008, 283, 8301-8309.	3.4	65
82	Hedgehog Signaling: Cooking with Gas1. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007, 2007, pe50.	3.9	25
83	Activation of p38 <sup>β</sup> MAPK in myogenesis via binding of the scaffold protein JLP to the cell surface protein <i>Cdo</i> . <i>Journal of Cell Biology</i> , 2006, 175, 383-388.	5.2	117
84	The Cell Surface Membrane Proteins <i>Cdo</i> and <i>Boc</i> Are Components and Targets of the Hedgehog Signaling Pathway and Feedback Network in Mice. <i>Developmental Cell</i> , 2006, 10, 647-656.	7.0	334
85	<i>Cdo</i> Functions at Multiple Points in the Sonic Hedgehog Pathway, and <i>Cdo</i> -Deficient Mice Accurately Model Human Holoprosencephaly. <i>Developmental Cell</i> , 2006, 10, 657-665.	7.0	226
86	Cortical Thinning and Hydrocephalus in Mice Lacking the Immunoglobulin Superfamily Member <i>CDO</i> . <i>Molecular and Cellular Biology</i> , 2006, 26, 3764-3772.	2.3	37
87	Close encounters: regulation of vertebrate skeletal myogenesis by cell-cell contact. <i>Journal of Cell Science</i> , 2005, 118, 2355-2362.	2.0	140
88	Netrins and neogenin promote myotube formation. <i>Journal of Cell Biology</i> , 2004, 167, 493-504.	5.2	132
89	Positive Regulation of Myogenic bHLH Factors and Skeletal Muscle Development by the Cell Surface Receptor <i>CDO</i> . <i>Developmental Cell</i> , 2004, 7, 843-854.	7.0	86
90	Promyogenic members of the Ig and cadherin families associate to positively regulate differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3989-3994.	7.1	71

#	ARTICLE	IF	CITATIONS
91	BOC, an Ig superfamily member, associates with CDO to positively regulate myogenic differentiation. EMBO Journal, 2002, 21, 114-124.	7.8	130
92	CDO: An Oncogene-, Serum-, and Anchorage-regulated Member of the Ig/Fibronectin Type III Repeat Family. Journal of Cell Biology, 1997, 138, 203-213.	5.2	82