

Yuka Kimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1951444/publications.pdf>

Version: 2024-02-01

19
papers

4,807
citations

516710

16
h-index

940533

16
g-index

19
all docs

19
docs citations

19
times ranked

4125
citing authors

#	ARTICLE	IF	CITATIONS
1	Sulfite protects neurons from oxidative stress. <i>British Journal of Pharmacology</i> , 2019, 176, 571-582.	5.4	43
2	Sulfite protects neurons from oxidative stress.. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 1-O-20.	0.0	0
3	Hydrogen Sulfide (H ₂ S) and polysulfides (H ₂ S _n) as signaling molecules. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-1-80.	0.0	0
4	The production and role of hydrogen sulfide and hydrogen polysulfides in mammalian cells. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-1-23.	0.0	0
5	Polysulfides (H ₂ S _n) produced from the interaction of hydrogen sulfide (H ₂ S) and nitric oxide (NO) activate TRPA1 channels. <i>Scientific Reports</i> , 2017, 7, 45995.	3.3	103
6	Analysis of endogenous H ₂ S and H ₂ S _n in mouse brain by high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection. <i>Free Radical Biology and Medicine</i> , 2017, 113, 355-362.	2.9	67
7	3-Mercaptopyruvate sulfurtransferase produces potential redox regulators cysteine- and glutathione-persulfide (Cys-SSH and GSSH) together with signaling molecules H ₂ S ₂ , H ₂ S ₃ and H ₂ S. <i>Scientific Reports</i> , 2017, 7, 10459.	3.3	116
8	Identification of H ₂ S ₃ and H ₂ S produced by 3-mercaptopyruvate sulfurtransferase in the brain. <i>Scientific Reports</i> , 2015, 5, 14774.	3.3	181
9	A novel pathway for the production of hydrogen sulfide from D-cysteine in mammalian cells. <i>Nature Communications</i> , 2013, 4, 1366.	12.8	449
10	Polysulfides are possible H ₂ S-derived signaling molecules in rat brain. <i>FASEB Journal</i> , 2013, 27, 2451-2457.	0.5	299
11	Hydrogen Sulfide Is a Signaling Molecule and a Cytoprotectant. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 45-57.	5.4	254
12	Thioredoxin and dihydrolipoic acid are required for 3-mercaptopyruvate sulfurtransferase to produce hydrogen sulfide. <i>Biochemical Journal</i> , 2011, 439, 479-485.	3.7	252
13	Development of a Highly Selective Fluorescence Probe for Hydrogen Sulfide. <i>Journal of the American Chemical Society</i> , 2011, 133, 18003-18005.	13.7	614
14	Hydrogen Sulfide Protects the Retina from Light-induced Degeneration by the Modulation of Ca ²⁺ Influx. <i>Journal of Biological Chemistry</i> , 2011, 286, 39379-39386.	3.4	130
15	Hydrogen Sulfide Increases Glutathione Production and Suppresses Oxidative Stress in Mitochondria. <i>Antioxidants and Redox Signaling</i> , 2010, 12, 1-13.	5.4	579
16	Vascular Endothelium Expresses 3-Mercaptopyruvate Sulfurtransferase and Produces Hydrogen Sulfide. <i>Journal of Biochemistry</i> , 2009, 146, 623-626.	1.7	410
17	Hydrogen Sulfide Protects HT22 Neuronal Cells from Oxidative Stress. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 661-670.	5.4	275
18	l-Cysteine Inhibits Insulin Release From the Pancreatic Î²-Cell. <i>Diabetes</i> , 2006, 55, 1391-1397.	0.6	269

#	ARTICLE	IF	CITATIONS
19	Hydrogen sulfide protects neurons from oxidative stress. FASEB Journal, 2004, 18, 1165-1167.	0.5	766