

Gui-Wu Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1952036/gui-wu-wei-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

273
papers

14,881
citations

70
h-index

110
g-index

298
ext. papers

16,554
ext. citations

3.3
avg, IF

8.2
L-index

#	Paper	IF	Citations
273	Some induced geometric aggregation operators with intuitionistic fuzzy information and their application to group decision making. <i>Applied Soft Computing Journal</i> , 2010 , 10, 423-431	7.5	475
272	Hesitant fuzzy prioritized operators and their application to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2012 , 31, 176-182	7.3	363
271	GRA method for multiple attribute decision making with incomplete weight information in intuitionistic fuzzy setting. <i>Knowledge-Based Systems</i> , 2010 , 23, 243-247	7.3	299
270	Gray relational analysis method for intuitionistic fuzzy multiple attribute decision making. <i>Expert Systems With Applications</i> , 2011 , 38, 11671-11677	7.8	265
269	Extension of VIKOR method for decision making problem based on hesitant fuzzy set. <i>Applied Mathematical Modelling</i> , 2013 , 37, 4938-4947	4.5	259
268	Some q-rung orthopair fuzzy Heronian mean operators in multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1426-1458	8.4	248
267	Picture fuzzy aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 713-724	1.6	241
266	PICTURE FUZZY CROSS-ENTROPY FOR MULTIPLE ATTRIBUTE DECISION MAKING PROBLEMS. <i>Journal of Business Economics and Management</i> , 2016 , 17, 491-502	2	232
265	Pythagorean fuzzy power aggregation operators in multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 169-186	8.4	232
264	Maximizing deviation method for multiple attribute decision making in intuitionistic fuzzy setting. <i>Knowledge-Based Systems</i> , 2008 , 21, 833-836	7.3	203
263	Some intuitionistic fuzzy Einstein hybrid aggregation operators and their application to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2013 , 37, 472-479	7.3	202
262	Some hesitant interval-valued fuzzy aggregation operators and their applications to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2013 , 46, 43-53	7.3	197
261	Application of correlation coefficient to interval-valued intuitionistic fuzzy multiple attribute decision-making with incomplete weight information. <i>Knowledge and Information Systems</i> , 2011 , 26, 337-349	2.4	196
260	A method for multiple attribute group decision making based on the ET-WG and ET-OWG operators with 2-tuple linguistic information. <i>Expert Systems With Applications</i> , 2010 , 37, 7895-7900	7.8	191
259	Similarity measures of Pythagorean fuzzy sets based on the cosine function and their applications. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 634-652	8.4	190
258	Some induced correlated aggregating operators with intuitionistic fuzzy information and their application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2012 , 39, 2026-2034	7.8	184
257	UNCERTAIN LINGUISTIC HYBRID GEOMETRIC MEAN OPERATOR AND ITS APPLICATION TO GROUP DECISION MAKING UNDER UNCERTAIN LINGUISTIC ENVIRONMENT. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 251-267	0.8	180

256	Uncertain linguistic Bonferroni mean operators and their application to multiple attribute decision making. <i>Applied Mathematical Modelling</i> , 2013 , 37, 5277-5285	4.5	178
255	Pythagorean Fuzzy Maclaurin Symmetric Mean Operators in Multiple Attribute Decision Making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1043-1070	8.4	176
254	Pythagorean fuzzy interaction aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 2119-2132	1.6	164
253	Grey relational analysis method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. <i>Expert Systems With Applications</i> , 2011 , 38, 4824-4828	7.8	144
252	Projection models for multiple attribute decision making with picture fuzzy information. <i>International Journal of Machine Learning and Cybernetics</i> , 2018 , 9, 713-719	3.8	143
251	Dual hesitant fuzzy aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2281-2290	1.6	142
250	Approaches to Interval Intuitionistic Trapezoidal Fuzzy Multiple Attribute Decision Making with Incomplete Weight Information. <i>International Journal of Fuzzy Systems</i> , 2015 , 17, 484-489	3.6	141
249	Picture Fuzzy Hamacher Aggregation Operators and their Application to Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2018 , 157, 271-320	1	141
248	Extension of TOPSIS method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. <i>Knowledge and Information Systems</i> , 2010 , 25, 623-634	2.4	141
247	Some dependent aggregation operators with 2-tuple linguistic information and their application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2012 , 39, 5881-5886	7.8	133
246	Some Cosine Similarity Measures for Picture Fuzzy Sets and Their Applications to Strategic Decision Making. <i>Informatica</i> , 2017 , 28, 547-564	2.9	133
245	Hesitant pythagorean fuzzy hamacher aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1105-1117	1.6	132
244	Hesitant triangular fuzzy information aggregation based on Einstein operations and their application to multiple attribute decision making. <i>Expert Systems With Applications</i> , 2014 , 41, 1086-1094	7.8	132
243	Picture 2-Tuple Linguistic Bonferroni Mean Operators and Their Application to Multiple Attribute Decision Making. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 997-1010	3.6	132
242	Interval valued hesitant fuzzy uncertain linguistic aggregation operators in multiple attribute decision making. <i>International Journal of Machine Learning and Cybernetics</i> , 2016 , 7, 1093-1114	3.8	123
241	Dual hesitant pythagorean fuzzy Hamacher aggregation operators in multiple attribute decision making. <i>Archives of Control Sciences</i> , 2017 , 27, 365-395		122
240	Picture 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Soft Computing</i> , 2018 , 22, 989-1002	3.5	121
239	Pythagorean 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1129-1142	1.6	120

238	Some q-rung orthopair fuzzy maclaurin symmetric mean operators and their applications to potential evaluation of emerging technology commercialization. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 50-81	8.4	119
237	Grey relational analysis model for dynamic hybrid multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2011 , 24, 672-679	7.3	117
236	The Generalized Dice Similarity Measures for Picture Fuzzy Sets and Their Applications. <i>Informatica</i> , 2018 , 29, 107-124	2.9	114
235	A comparative study of robust efficiency analysis and Data Envelopment Analysis with imprecise data. <i>Expert Systems With Applications</i> , 2017 , 81, 28-38	7.8	113
234	A Linear Assignment Method for Multiple Criteria Decision Analysis with Hesitant Fuzzy Sets Based on Fuzzy Measure. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 607-614	3.6	112
233	Bipolar Fuzzy Hamacher Aggregation Operators in Multiple Attribute Decision Making. <i>International Journal of Fuzzy Systems</i> , 2018 , 20, 1-12	3.6	110
232	Some generalized aggregating operators with linguistic information and their application to multiple attribute group decision making. <i>Computers and Industrial Engineering</i> , 2011 , 61, 32-38	6.4	109
231	Models for selecting an ERP system with hesitant fuzzy linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2155-2165	1.6	107
230	TODIM Method for Picture Fuzzy Multiple Attribute Decision Making. <i>Informatica</i> , 2018 , 29, 555-566	2.9	105
229	Dual Hesitant Bipolar Fuzzy Hamacher Prioritized Aggregation Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2018 , 6, 11508-11522	3.5	100
228	Hesitant bipolar fuzzy aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1119-1128	1.6	98
227	Bipolar 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1197-1207	1.6	94
226	Some Bonferroni mean operators with 2-tuple linguistic information and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 2153-2162	1.6	94
225	Potential optimality and robust optimality in multiattribute decision analysis with incomplete information: A comparative study. <i>Decision Support Systems</i> , 2013 , 55, 679-684	5.6	93
224	Models for Green Supplier Selection with Some 2-Tuple Linguistic Neutrosophic Number Bonferroni Mean Operators. <i>Symmetry</i> , 2018 , 10, 131	2.7	92
223	Induced hesitant interval-valued fuzzy Einstein aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 24, 789-803	1.6	92
222	Interval-valued dual hesitant fuzzy uncertain linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1881-1893	1.6	90
221	Research on Construction Engineering Project Risk Assessment with Some 2-Tuple Linguistic Neutrosophic Hamy Mean Operators. <i>Sustainability</i> , 2018 , 10, 1536	3.6	89

220	Models for Green Supplier Selection in Green Supply Chain Management With Pythagorean 2-Tuple Linguistic Information. <i>IEEE Access</i> , 2018 , 6, 18042-18060	3.5	86
219	FIOWHM operator and its application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2011 , 38, 2984-2989	7.8	86
218	Some Novel Pythagorean Fuzzy Interaction Aggregation Operators in Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2018 , 159, 385-428	1	85
217	Picture uncertain linguistic Bonferroni mean operators and their application to multiple attribute decision making. <i>Kybernetes</i> , 2017 , 46, 1777-1800	2	85
216	Pythagorean hesitant fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1197-1233	8.4	84
215	Methods for MADM with Picture Fuzzy Muirhead Mean Operators and Their Application for Evaluating the Financial Investment Risk. <i>Symmetry</i> , 2019 , 11, 6	2.7	83
214	Similarity Measures of q-Rung Orthopair Fuzzy Sets Based on Cosine Function and Their Applications. <i>Mathematics</i> , 2019 , 7, 340	2.3	82
213	Oil price fluctuation, stock market and macroeconomic fundamentals: Evidence from China before and after the financial crisis. <i>Finance Research Letters</i> , 2019 , 30, 23-29	8.1	82
212	TODIM method for Pythagorean 2-tuple linguistic multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 35, 901-915	1.6	82
211	Pythagorean Fuzzy Hamy Mean Operators in Multiple Attribute Group Decision Making and Their Application to Supplier Selection. <i>Symmetry</i> , 2018 , 10, 505	2.7	82
210	Methods for Multiple Attribute Group Decision Making Based on Intuitionistic Fuzzy Dombi Hamy Mean Operators. <i>Symmetry</i> , 2018 , 10, 574	2.7	79
209	UNCERTAIN PRIORITIZED OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>Technological and Economic Development of Economy</i> , 2017 , 21, 118-139	4.7	75
208	TODIM Method for Multiple Attribute Group Decision Making under 2-Tuple Linguistic Neutrosophic Environment. <i>Symmetry</i> , 2018 , 10, 486	2.7	74
207	Hesitant fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2689-2699	1.6	73
206	Some Interval-Valued Intuitionistic Fuzzy Dombi Hamy Mean Operators and Their Application for Evaluating the Elderly Tourism Service Quality in Tourism Destination. <i>Mathematics</i> , 2018 , 6, 294	2.3	73
205	MABAC method for multiple attribute group decision making under q-rung orthopair fuzzy environment. <i>Defence Technology</i> , 2020 , 16, 208-216	3	71
204	Research on Risk Evaluation of Enterprise Human Capital Investment With Interval-Valued Bipolar 2-Tuple Linguistic Information. <i>IEEE Access</i> , 2018 , 6, 35697-35712	3.5	70
203	A multiple criteria hesitant fuzzy decision making with Shapley value-based VIKOR method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1065-1075	1.6	70

202	Models for Safety Assessment of Construction Project With Some 2-Tuple Linguistic Pythagorean Fuzzy Bonferroni Mean Operators. <i>IEEE Access</i> , 2018 , 6, 52105-52137	3.5	70
201	Pythagorean fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 189-201	0.5	69
200	Interval-Valued Pythagorean Fuzzy Maclaurin Symmetric Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2018 , 6, 67866-67884	3.5	69
199	Approaches to Multiple Attribute Decision Making with Interval-Valued 2-Tuple Linguistic Pythagorean Fuzzy Information. <i>Mathematics</i> , 2018 , 6, 201	2.3	67
198	Infectious disease pandemic and permanent volatility of international stock markets: A long-term perspective. <i>Finance Research Letters</i> , 2020 , 101709	8.1	65
197	An Extended VIKOR Method for Multiple Criteria Group Decision Making with Triangular Fuzzy Neutrosophic Numbers. <i>Symmetry</i> , 2018 , 10, 497	2.7	64
196	Methods for Multiple-Attribute Group Decision Making with q-Rung Interval-Valued Orthopair Fuzzy Information and Their Applications to the Selection of Green Suppliers. <i>Symmetry</i> , 2019 , 11, 56	2.7	63
195	Some Induced Aggregating Operators with Fuzzy Number Intuitionistic Fuzzy Information and their Applications to Group Decision Making. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 84	3.4	62
194	Hesitant fuzzy linguistic aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 49-63	1.6	60
193	UNCERTAIN LINGUISTIC PRIORITIZED AGGREGATION OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2013 , 21, 603-627	0.8	60
192	TOPSIS Method for Developing Supplier Selection with Probabilistic Linguistic Information. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 749-759	3.6	59
191	Fuzzy prioritized operators and their application to multiple attribute group decision making. <i>Applied Mathematical Modelling</i> , 2013 , 37, 4759-4770	4.5	58
190	Generalized triangular fuzzy correlated averaging operator and their application to multiple attribute decision making. <i>Applied Mathematical Modelling</i> , 2012 , 36, 2975-2982	4.5	58
189	Models for Multiple Attribute Decision Making with Some 2-Tuple Linguistic Pythagorean Fuzzy Hamy Mean Operators. <i>Mathematics</i> , 2018 , 6, 236	2.3	58
188	VIKOR Method for MAGDM Based on Q-Rung Interval-Valued Orthopair Fuzzy Information and Its Application to Supplier Selection of Medical Consumption Products. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	57
187	Some q-rung orthopair fuzzy Hamy mean operators in multiple attribute decision-making and their application to enterprise resource planning systems selection. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 2429-2458	8.4	57
186	Some Induced Aggregating Operators with Fuzzy Number Intuitionistic Fuzzy Information and their Applications to Group Decision Making. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 84-95	3.4	56
185	The generalized Dice similarity measures for Pythagorean fuzzy multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 1158-1183	8.4	56

184	Grey Relational Analysis Method for Intuitionistic Fuzzy Multiple Attribute Decision Making with Preference Information on Alternatives. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 164-173	3.4	55
183	SOME HARMONIC AGGREGATION OPERATORS WITH 2-TUPLE LINGUISTIC ASSESSMENT INFORMATION AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2011 , 19, 977-998	0.8	54
182	EDAS METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING UNDER Q-RUNG ORTHOPAIR FUZZY ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2019 , 26, 86-102	4.7	53
181	Some Geometric Aggregation Operators Based on Interval-Valued Intuitionistic Fuzzy Sets and their Application to Group Decision Making 2007 ,		52
180	Supplier Selection of Medical Consumption Products with a Probabilistic Linguistic MABAC Method. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	52
179	Some single-valued neutrosophic Bonferroni power aggregation operators in multiple attribute decision making. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2019 , 10, 863-882	3.7	52
178	Model for software quality evaluation with hesitant fuzzy uncertain linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2639-2647	1.6	51
177	TOPSIS Method for Probabilistic Linguistic MAGDM with Entropy Weight and Its Application to Supplier Selection of New Agricultural Machinery Products. <i>Entropy</i> , 2019 , 21, 953	2.8	50
176	Pythagorean Fuzzy Hamacher Power Aggregation Operators in Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2019 , 166, 57-85	1	50
175	Evaluation Based on Distance from Average Solution Method for Multiple Criteria Group Decision Making under Picture 2-Tuple Linguistic Environment. <i>Mathematics</i> , 2019 , 7, 243	2.3	50
174	PROBABILISTIC AGGREGATION OPERATORS AND THEIR APPLICATION IN UNCERTAIN MULTI-PERSON DECISION-MAKING / TIKIMYBINIAI SUMAVIMO OPERATORIAI IR JŪAIKYMAS PRIIMANT GRUPINIUS SPRENDIMUS NEAPIBŪOJE APLINKOJE. <i>Technological and Economic Development of Economy</i> , 2011 , 17, 335-351	4.7	50
173	Methods for strategic decision-making problems with immediate probabilities in intuitionistic fuzzy setting. <i>Scientia Iranica</i> , 2012 , 19, 1936-1946	1.5	48
172	Approaches to multiple attribute group decision making based on the generalized Dice similarity measures with intuitionistic fuzzy information. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 85-95	0.5	47
171	EDAS METHOD FOR MULTIPLE CRITERIA GROUP DECISION MAKING WITH PICTURE FUZZY INFORMATION AND ITS APPLICATION TO GREEN SUPPLIERS SELECTIONS. <i>Technological and Economic Development of Economy</i> , 2019 , 25, 1123-1138	4.7	47
170	Interval-valued dual hesitant fuzzy linguistic geometric aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2016 , 20, 189-196	0.5	46
169	Models for Multiple Attribute Group Decision Making with 2-Tuple Linguistic Assessment Information. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 315-324	3.4	45
168	Multiple Attribute Decision-Making with Dual Hesitant Pythagorean Fuzzy Information. <i>Cognitive Computation</i> , 2019 , 11, 193-211	4.4	45
167	Algorithms for probabilistic uncertain linguistic multiple attribute group decision making based on the GRA and CRITIC method: application to location planning of electric vehicle charging stations. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 828-846	2.5	44

166	Multiple Attribute Decision Making With Interval-Valued Bipolar Fuzzy Information and Their Application to Emerging Technology Commercialization Evaluation. <i>IEEE Access</i> , 2018 , 6, 60930-60955	3.5	44
165	Methods for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Information. <i>Mathematics</i> , 2018 , 6, 228	2.3	44
164	Some Interval-Valued Intuitionistic Fuzzy Dombi Heronian Mean Operators and their Application for Evaluating the Ecological Value of Forest Ecological Tourism Demonstration Areas. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	42
163	Hesitant triangular fuzzy information aggregation in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1201-1209	1.6	42
162	Fuzzy number intuitionistic fuzzy prioritized operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 24, 879-888	1.6	42
161	An Extended Bidirectional Projection Method for Picture Fuzzy MAGDM and Its Application to Safety Assessment of Construction Project. <i>IEEE Access</i> , 2019 , 7, 166138-166147	3.5	42
160	Bidirectional project method for dual hesitant Pythagorean fuzzy multiple attribute decision-making and their application to performance assessment of new rural construction. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 1920-1934	8.4	41
159	FUZZY POWER AGGREGATION OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>Technological and Economic Development of Economy</i> , 2013 , 19, 377-396	4.7	41
158	AN APPROACH TO MULTIPLE ATTRIBUTE DECISION MAKING BASED ON THE INDUCED CHOQUET INTEGRAL WITH FUZZY NUMBER INTUITIONISTIC FUZZY INFORMATION. <i>Journal of Business Economics and Management</i> , 2014 , 15, 277-298	2	40
157	Some linguistic power aggregating operators and their application to multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 25, 695-707	1.6	40
156	Models for multiple attribute decision making with dual hesitant fuzzy uncertain linguistic information. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2016 , 20, 217-227	9.57	39
155	Distance and similarity measures for hesitant interval-valued fuzzy sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 19-36	1.6	39
154	GRA method for multiple criteria group decision making with incomplete weight information under hesitant fuzzy setting. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 1095-1105	1.6	39
153	Pythagorean 2-Tuple Linguistic Taxonomy Method for Supplier Selection in Medical Instrument Industries. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	39
152	Models for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Muirhead Mean Operators and Their Application to Green Suppliers Selection. <i>Informatica</i> , 2019 , 30, 153-186	2.9	38
151	Dual Hesitant q-Rung Orthopair Fuzzy Muirhead Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2019 , 7, 67139-67166	3.5	37
150	CHOQUET INTEGRALS OF WEIGHTED TRIANGULAR FUZZY LINGUISTIC INFORMATION AND THEIR APPLICATIONS TO MULTIPLE ATTRIBUTE DECISION MAKING. <i>Journal of Business Economics and Management</i> , 2014 , 15, 795-809	2	37
149	Some hybrid aggregating operators in linguistic decision making with DempsterShafer belief structure. <i>Computers and Industrial Engineering</i> , 2013 , 65, 646-651	6.4	35

148	AN APPROACH TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING WITH INTERVAL INTUITIONISTIC TRAPEZOIDAL FUZZY INFORMATION. <i>Technological and Economic Development of Economy</i> , 2012 , 18, 317-330	4.7	35
147	EDAS Method for Multiple Attribute Group Decision Making with Probabilistic Uncertain Linguistic Information and Its Application to Green Supplier Selection. <i>International Journal of Computational Intelligence Systems</i> , 2019 , 12, 1361	3.4	35
146	Some 2-tuple linguistic Pythagorean Heronian mean operators and their application to multiple attribute decision-making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2019 , 31, 555-574	3.7	34
145	Dual Hesitant Pythagorean Fuzzy Hamy Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2019 , 7, 86697-86716	3.5	34
144	EDAS method for probabilistic linguistic multiple attribute group decision making and their application to green supplier selection. <i>Soft Computing</i> , 2021 , 25, 9045-9053	3.5	34
143	EDAS method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 1597-1608	1.6	33
142	Stochastic efficiency analysis with a reliability consideration. <i>Omega</i> , 2014 , 48, 1-9	7.2	33
141	TODIM Method for Single-Valued Neutrosophic Multiple Attribute Decision Making. <i>Information (Switzerland)</i> , 2017 , 8, 125	2.6	33
140	Intuitionistic fuzzy MABAC method based on cumulative prospect theory for multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 6337-6359	8.4	33
139	Models for MADM With 2-Tuple Linguistic Neutrosophic Dombi Bonferroni Mean Operators. <i>IEEE Access</i> , 2019 , 7, 108878-108905	3.5	32
138	MABAC method for multiple attribute group decision making under picture 2-tuple linguistic environment. <i>Soft Computing</i> , 2020 , 24, 5819-5829	3.5	32
137	AN EXTENDED COPRAS MODEL FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING BASED ON SINGLE-VALUED NEUTROSOPHIC 2-TUPLE LINGUISTIC ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 353-368	4.7	31
136	Dual Hesitant Pythagorean Fuzzy Heronian Mean Operators in Multiple Attribute Decision Making. <i>Mathematics</i> , 2019 , 7, 344	2.3	30
135	Minimum Deviation Models for Multiple Attribute Decision Making in Intuitionistic Fuzzy Setting. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 174-183	3.4	30
134	CODAS METHOD FOR 2-TUPLE LINGUISTIC PYTHAGOREAN FUZZY MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND ITS APPLICATION TO FINANCIAL MANAGEMENT PERFORMANCE ASSESSMENT. <i>Technological and Economic Development of Economy</i> , 2020 , 26, 920-932	4.7	30
133	Improved TODIM method for intuitionistic fuzzy MAGDM based on cumulative prospect theory and its application on stock investment selection. <i>International Journal of Machine Learning and Cybernetics</i> , 2021 , 12, 891-901	3.8	30
132	Models for MADM with Single-Valued Neutrosophic 2-Tuple Linguistic Muirhead Mean Operators. <i>Mathematics</i> , 2019 , 7, 442	2.3	29
131	Pythagorean uncertain linguistic aggregation operators for multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 165-179	0.5	29

130	GREEN SUPPLIER SELECTION BASED ON CODAS METHOD IN PROBABILISTIC UNCERTAIN LINGUISTIC ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 530-549	4.7	29
129	Model-based evaluation for online shopping platform with probabilistic double hierarchy linguistic CODAS method. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 5339-5358	8.4	28
128	Probabilistic linguistic GRA method for multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 38, 4721-4732	1.6	27
127	Some prioritized aggregating operators with linguistic information and their application to multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1619-1630	1.6	27
126	Extended CPT-TODIM method for interval-valued intuitionistic fuzzy MAGDM and its application to urban ecological risk assessment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 4091-4106	1.6	27
125	Similarity Measures of Spherical Fuzzy Sets Based on Cosine Function and Their Applications. <i>IEEE Access</i> , 2019 , 7, 159069-159080	3.5	27
124	TODIM method for multiple attribute group decision making based on cumulative prospect theory with 2-tuple linguistic neutrosophic sets. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 1199-1222	8.4	27
123	Green supplier selection with an uncertain probabilistic linguistic MABAC method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 3125-3136	1.6	26
122	Cumulative Prospect Theory: Performance Evaluation of Government Purchases of Home-Based Elderly-Care Services Using the Pythagorean 2-tuple Linguistic TODIM Method. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	26
121	The generalized dice similarity measures for multiple attribute decision making with hesitant fuzzy linguistic information. <i>Economic Research-Ekonomika Istrazivanja</i> , 2019 , 32, 1498-1520	2.5	26
120	Methods for Evaluating the Technological Innovation Capability for the High-Tech Enterprises With Generalized Interval Neutrosophic Number Bonferroni Mean Operators. <i>IEEE Access</i> , 2019 , 7, 86473-86492	3.5	26
119	Green supplier selection in steel industry with intuitionistic Fuzzy Taxonomy method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 7247-7258	1.6	26
118	TODIM method based on cumulative prospect theory for multiple attribute group decision-making under 2-tuple linguistic Pythagorean fuzzy environment. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 2548-2571	8.4	26
117	QUALIFLEX method for evaluating human factors in construction project management with Pythagorean 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 4039-4050	1.6	26
116	Models for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Muirhead Mean Operators and Their Application to Green Suppliers Selection. <i>Informatica</i> , 2019 , 30, 153-186	2.9	25
115	A NOVEL EDAS BASED METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING WITH PYTHAGOREAN 2-TUPLE LINGUISTIC INFORMATION. <i>Technological and Economic Development of Economy</i> , 2020 , 26, 1125-1138	4.7	25
114	Can CBOE gold and silver implied volatility help to forecast gold futures volatility in China? Evidence based on HAR and Ridge regression models. <i>Finance Research Letters</i> , 2020 , 35, 101287	8.1	25
113	Pythagorean Fuzzy TODIM Method Based on the Cumulative Prospect Theory for MAGDM and Its Application on Risk Assessment of Science and Technology Projects. <i>International Journal of Fuzzy Systems</i> , 2021 , 23, 1027-1041	3.6	25

112	Which fear index matters for predicting US stock market volatilities: Text-counts or option based measurement?. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2019 , 536, 122567	3.3	24
111	CODAS Method for Multiple Attribute Group Decision Making Under 2-Tuple Linguistic Neutrosophic Environment. <i>Informatica</i> , 2020 , 161-184	2.9	24
110	Pythagorean 2-Tuple Linguistic VIKOR Method for Evaluating Human Factors in Construction Project Management. <i>Mathematics</i> , 2019 , 7, 1149	2.3	24
109	Grey relational analysis method based on cumulative prospect theory for intuitionistic fuzzy multi-attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 3783-3795	1.6	24
108	TODIM Method Based on Cumulative Prospect Theory for Multiple Attributes Group Decision Making Under Probabilistic Hesitant Fuzzy Setting. <i>International Journal of Fuzzy Systems</i> , 1	3.6	23
107	Selecting the Low-Carbon Tourism Destination: Based on Pythagorean Fuzzy Taxonomy Method. <i>Mathematics</i> , 2020 , 8, 832	2.3	22
106	Model for multiple attribute decision making based on the Einstein correlated information fusion with hesitant fuzzy information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 3057-3064	1.6	22
105	SF-GRA method based on cumulative prospect theory for multiple attribute group decision making and its application to emergency supplies supplier selection. <i>Engineering Applications of Artificial Intelligence</i> , 2022 , 110, 104679	7.2	22
104	PDHL-EDAS METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND ITS APPLICATION TO 3D PRINTER SELECTION. <i>Technological and Economic Development of Economy</i> , 2021 , 28, 179-200	4.7	22
103	GRA Method for Probabilistic Linguistic Multiple Attribute Group Decision Making with Incomplete Weight Information and Its Application to Waste Incineration Plants Location Problem. <i>International Journal of Computational Intelligence Systems</i> , 2019 , 12, 1547	3.4	22
102	QUALIFLEX method for MAGDM with probabilistic uncertain linguistic information and its application to green supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 6819-6831	1.6	22
101	The Multi-Attributive Border Approximation Area Comparison (MABAC) for Multiple Attribute Group Decision Making Under 2-Tuple Linguistic Neutrosophic Environment. <i>Informatica</i> , 2019 , 30, 799-818	2.9	21
100	Some 2-tuple linguistic neutrosophic number Muirhead mean operators and their applications to multiple attribute decision making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2019 , 31, 409-439	2	21
99	CPT-TODIM METHOD FOR INTERVAL-VALUED BIPOLAR FUZZY MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND APPLICATION TO INDUSTRIAL CONTROL SECURITY SERVICE PROVIDER SELECTION. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 1186-1206	4.7	21
98	MABAC method for multiple attribute group decision making with probabilistic uncertain linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 3315-3327	1.6	20
97	The impact of employee welfare on innovation performance: Evidence from China's manufacturing corporations. <i>International Journal of Production Economics</i> , 2020 , 228, 107753	9.3	20
96	VIKOR Method for Interval Neutrosophic Multiple Attribute Group Decision-Making. <i>Information (Switzerland)</i> , 2017 , 8, 144	2.6	20
95	Some q-rung interval-valued orthopair fuzzy Maclaurin symmetric mean operators and their applications to multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 2769-2806	8.4	20

94	CPT-TODIM method for bipolar fuzzy multi-attribute group decision making and its application to network security service provider selection. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 1943-1969	8.4	20
93	METHODS FOR PROBABILISTIC DECISION MAKING WITH LINGUISTIC INFORMATION. <i>Technological and Economic Development of Economy</i> , 2014 , 20, 193-209	4.7	19
92	Dual hesitant bipolar fuzzy aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 155-164	0.5	19
91	EDAS method based on cumulative prospect theory for multiple attribute group decision-making under picture fuzzy environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-13	1.6	19
90	Some power Heronian mean operators in multiple attribute decision-making based on q-rung orthopair hesitant fuzzy environment. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2020 , 32, 909-937	2	19
89	Probabilistic linguistic multiple attribute group decision making for location planning of electric vehicle charging stations based on the generalized Dice similarity measures. <i>Artificial Intelligence Review</i> , 2021 , 54, 4137-4167	9.7	19
88	CPT-MABAC method for spherical fuzzy multiple attribute group decision making and its application to green supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 1009-1019	1.6	19
87	GRP and CRITIC method for probabilistic uncertain linguistic MAGDM and its application to site selection of hospital constructions. <i>Soft Computing</i> , 1	3.5	18
86	Maximizing deviation method for multiple attribute decision making under q-rung orthopair fuzzy environment. <i>Defence Technology</i> , 2020 , 16, 1073-1087	3	18
85	Dual Hesitant q-Rung Orthopair Fuzzy Hamacher Aggregation Operators and their Applications in Scheme Selection of Construction Project. <i>Symmetry</i> , 2019 , 11, 771	2.7	17
84	Induced Intuitionistic Fuzzy Ordered Weighted Averaging Operator and Its Application to Multiple Attribute Group Decision Making 2008 , 124-131		17
83	CPT-TODIM method for picture fuzzy multiple attribute group decision making and its application to food enterprise quality credit evaluation. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 10115-10128	1.6	17
82	TODIM Method for Interval-Valued Pythagorean Fuzzy MAGDM Based on Cumulative Prospect Theory and Its Application to Green Supplier Selection. <i>Arabian Journal for Science and Engineering</i> , 2021 , 46, 1899-1910	2.5	17
81	Models for Multiple Attribute Decision-Making with Dual Generalized Single-Valued Neutrosophic Bonferroni Mean Operators. <i>Algorithms</i> , 2018 , 11, 2	1.8	16
80	Approaches to hesitant fuzzy multiple attribute decision making with incomplete weight information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 259-266	1.6	16
79	VIKOR method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 3185-3208	2.5	16
78	Entropy-Based GLDS Method for Social Capital Selection of a PPP Project with q-Rung Orthopair Fuzzy Information. <i>Entropy</i> , 2020 , 22,	2.8	15
77	Pythagorean fuzzy Muirhead mean operators in multiple attribute decision making for evaluating of emerging technology commercialization. <i>Economic Research-Ekonomska Istrazivanja</i> , 2019 , 32, 1667-1696	2.5	15

76	MADM Method With Interval-Valued Bipolar Uncertain Linguistic Information for Evaluating the Computer Network Security. <i>IEEE Access</i> , 2019 , 7, 151506-151524	3.5	15
75	Grey Relational Analysis Method for Interval-Valued Intuitionistic Fuzzy Multiple Attribute Decision Making 2008 ,		15
74	Picture fuzzy MABAC method based on prospect theory for multiple attribute group decision making and its application to suppliers selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 1-11	1.6	15
73	Model for selection of hospital constructions with probabilistic linguistic GRP method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 1245-1259	1.6	15
72	Taxonomy method for multiple attribute group decision making based on interval-valued intuitionistic fuzzy with entropy. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-15	1.6	15
71	Return connectedness among commodity and financial assets during the COVID-19 pandemic: Evidence from China and the US. <i>Resources Policy</i> , 2021 , 73, 102166	7.2	15
70	Are industry-level indicators more helpful to forecast industrial stock volatility? Evidence from Chinese manufacturing purchasing managers index. <i>Journal of Forecasting</i> , 2021 , 40, 17-39	2.1	14
69	A novel MADM technique based on extended power generalized Maclaurin symmetric mean operators under probabilistic dual hesitant fuzzy setting and their application to sustainable suppliers selection. <i>Expert Systems With Applications</i> , 2022 , 117419	7.8	14
68	GRA method for waste incineration plants location problem with probabilistic linguistic multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 2909-2920	1.6	13
67	Multiple attribute decision making based on interval-valued Pythagorean uncertain linguistic aggregation operators. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 59-81	0.5	13
66	Some self-evaluation models of enterprise credit based on some probabilistic double hierarchy linguistic aggregation operators. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 11809-11828	1.6	12
65	CODAS method for Pythagorean 2-tuple linguistic multiple attribute group decision making. <i>IEEE Access</i> , 2019 , 1-1	3.5	11
64	Pythagorean fuzzy heronian mean operators in multiple attribute decision making and their application to supplier selection. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2019 , 23, 77-91	0.5	11
63	Models for Multiple Attribute Group Decision Making with 2-Tuple Linguistic Assessment Information. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 315	3.4	11
62	The Generalized Dice Similarity Measures for Probabilistic Uncertain Linguistic MAGDM and Its Application to Location Planning of Electric Vehicle Charging Stations. <i>International Journal of Fuzzy Systems</i> , 2022 , 1	3.6	10
61	Pythagorean 2-tuple linguistic power aggregation operators in multiple attribute decision making. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 904-933	2.5	10
60	Spherical fuzzy Dombi power Heronian mean aggregation operators for multiple attribute group decision-making. <i>Computational and Applied Mathematics</i> , 2022 , 41, 1	2.4	10
59	MODEL FOR NETWORK SECURITY SERVICE PROVIDER SELECTION WITH PROBABILISTIC UNCERTAIN LINGUISTIC TODIM METHOD BASED ON PROSPECT THEORY. <i>Technological and Economic Development of Economy</i> , 2022 , 1-17	4.7	10

58	Picture uncertain linguistic aggregation operators and their application to multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 243-256	0.5	9
57	Induced Interval-Valued Intuitionistic Fuzzy OWG Operator 2008 ,		9
56	Probabilistic Uncertain Linguistic EDAS Method Based on Prospect Theory for Multiple Attribute Group Decision-Making and Its Application to Green Finance. <i>International Journal of Fuzzy Systems</i> , 2011 , 1, 1-16	3.6	9
55	Picture fuzzy heronian mean aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 167-175	0.5	9
54	Data envelopment analysis based on maximin relative efficiency criterion. <i>Computers and Operations Research</i> , 2012 , 39, 2478-2487	4.6	8
53	TOPSIS method for spherical fuzzy MAGDM based on cumulative prospect theory and combined weights and its application to residential location. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 42, 1367-1380 ⁸	1.6	8
52	New similarity and distance measures of Pythagorean fuzzy sets and its application to selection of advertising platforms. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 5403-5419	1.6	8
51	Approaches to Multiple-Attribute Decision-Making Based on Pythagorean 2-Tuple Linguistic Bonferroni Mean Operators. <i>Algorithms</i> , 2018 , 11, 5	1.8	7
50	Models for hesitant interval-valued fuzzy multiple attribute decision making based on the correlation coefficient with incomplete weight information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1631-1644	1.6	7
49	Application Interval-Valued Intuitionistic Fuzzy Set to Select Supplier 2008 ,		7
48	Bidirectional projection method for multi-attribute group decision making under probabilistic uncertain linguistic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 1429-1443	1.6	7
47	CPT-MABAC-Based multiple attribute group decision making method with probabilistic hesitant fuzzy information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-16	1.6	7
46	Grey Relational Analysis Method for Intuitionistic Fuzzy Multiple Attribute Decision Making with Preference Information on Alternatives. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 164	3.4	6
45	Correction to Pythagorean fuzzy interaction aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 34, 2817-2824	1.6	6
44	Minimum deviation method for single-valued neutrosophic multiple attribute decision making with preference information on alternatives. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 1-19	1.6	5
43	Some new dual hesitant fuzzy linguistic operators based on Archimedean t-norm and t-conorm. <i>Neural Computing and Applications</i> , 2019 , 31, 7017-7040	4.8	5
42	Minimum Deviation Models for Multiple Attribute Decision Making in Intuitionistic Fuzzy Setting. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 174	3.4	5
41	Fuzzy Linguistic Hybrid Harmonic Mean Operator and Its Application to Software Selection. <i>Journal of Software</i> , 2009 , 4,	3	5

40	Does crude oil futures price really help to predict spot oil price? New evidence from density forecasting. <i>International Journal of Finance and Economics</i> , 2020 ,	1.5	5
39	Banzhaf Choquet-copula-based aggregation operators for managing q-rung orthopair fuzzy information. <i>Soft Computing</i> , 2021 , 25, 6891-6914	3.5	5
38	Pythagorean Hesitant Fuzzy Hamacher Aggregation Operators in Multiple-Attribute Decision Making. <i>Journal of Intelligent Systems</i> , 2019 , 28, 759-776	1.5	5
37	Group decision making for internet public opinion emergency based upon linguistic intuitionistic fuzzy information. <i>International Journal of Machine Learning and Cybernetics</i> ,1	3.8	5
36	An Effective Supplier Selection Method with Intuitionistic Fuzzy Information 2008 ,		4
35	Location Selection of Express Distribution Centre with Probabilistic Linguistic MABAC Method Based on the Cumulative Prospect Theory. <i>Informatica</i> , 2022 , 1-20	2.9	4
34	Improved CODAS Method Under Picture 2-Tuple Linguistic Environment and Its Application for Green Supplier Selection. <i>Informatica</i> , 2021 , 195-216	2.9	4
33	Extended TODIM Based on Cumulative Prospect Theory for Picture Fuzzy Multiple Attribute Group Decision Making. <i>Informatica</i> , 2020 , 1-22	2.9	4
32	TODIM method for interval-valued Pythagorean fuzzy multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 249-259	0.5	4
31	Taxonomy-based multiple attribute group decision making method with probabilistic uncertain linguistic information and its application in supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 3237-3250	1.6	4
30	CODAS methods for multiple attribute group decision making with interval-valued bipolar uncertain linguistic information and their application to risk assessment of Chinese enterprises' overseas mergers and acquisitions. <i>Economic Research-Ekonomska Istrazivanja</i> ,1-17	2.5	4
29	Hybrid Harmonic Averaging Operator and its Application to Decision Making 2009 ,		3
28	Method for intuitionistic fuzzy multiple attribute decision making without weight information but with preference information on alternatives 2008 ,		3
27	A Method for Uncertain Linguistic Multiple Attribute Decision Making with Incomplete Weight Information 2007 ,		3
26	Multiple Attribute Decision Making Based on Power Muirhead Mean Operators Under 2-Tuple Linguistic Pythagorean Fuzzy Environment. <i>Cognitive Computation</i> , 2020 , 12, 1276-1298	4.4	3
25	Group decision support methodology based upon the multigranular generalized orthopair 2-tuple linguistic information model. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 3367-3400	8.4	3
24	Forecasting regular and extreme gold price volatility: The roles of asymmetry, extreme event, and jump. <i>Journal of Forecasting</i> ,	2.1	3
23	Dual hesitant fuzzy linguistic power-geometric operators based on Archimedean t-conorms and t-norms and their application to group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 3829-3847	1.6	2

22	Some generalized Pythagorean 2-tuple linguistic Bonferroni mean operators in multiple attribute decision making. <i>Journal of Algorithms and Computational Technology</i> , 2018 , 12, 387-398	0.7	2
21	Value-at-risk and data envelopment analysis: comments on Wu and Olson (2010). <i>International Journal of Production Research</i> , 2011 , 49, 7189-7193	7.8	2
20	UDWGA Operator and its Application to Dynamic Multiple Attribute Decision Making 2009 ,		2
19	Grey relational analysis method for multiple attribute decision making with incomplete weight information in intuitionistic fuzzy setting 2008 ,		2
18	Uncertain Linguistic Hybrid Geometric Mean Operator 2007 ,		2
17	The Generalized Dice Similarity Measures for Spherical Fuzzy Sets and Their Applications. <i>Studies in Fuzziness and Soft Computing</i> , 2021 , 85-110	0.7	2
16	Dependent Uncertain Linguistic OWA Operator 2008 , 156-163		2
15	A novel method for multi-attribute risk decision-making based on regret theory and hybrid information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 6955-6964	1.6	2
14	Approaches to multiple attribute decision making based on picture 2-tuple linguistic power Hamy mean aggregation operators. <i>RAIRO - Operations Research</i> , 2021 , 55, S435-S460	2.2	2
13	Model for Multiple Attribute Decision Making Based on Picture 2-Tuple Linguistic Power Aggregation Operators. <i>International Journal of Decision Support System Technology</i> , 2019 , 11, 35-65	0.7	1
12	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1105-1117] DOI: 10.3233/JIFS-16554. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8613-8613	1.6	1
11	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1129-1142] DOI: 10.3233/JIFS-16715. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8617-8617	1.6	1
10	Some Generalized Uncertain Linguistic Aggregating Operators 2009 ,		1
9	Trapezoid Fuzzy Linguistic Weighted Geometric Averaging Operator 2007 ,		1
8	Single-valued neutrosophic TODIM method based on cumulative prospect theory for multi-attribute group decision making and its application to medical emergency management evaluation. <i>Economic Research-Ekonomska Istrazivanja</i> , 1-17	2.5	1
7	Extended EDAS method for multiple attribute decision making in mixture z-number environment based on CRITIC method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 1-12	1.6	1
6	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1119-1128] DOI: 10.3233/JIFS-16612. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8615-8615	1.6	
5	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1197-1207] DOI: 10.3233/JIFS-16946. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8619-8619	1.6	

- | | | |
|---|---|-----|
| 4 | Models for multiple attribute decision making with some interval-valued 2-tuple linguistic Pythagorean fuzzy Bonferroni mean operators. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2020 , 23, 259-294 | 0.5 |
| 3 | Uncertain Hamacher Aggregation Operators and Their Application to Multiple Attribute Decision Making. <i>International Journal of Decision Support System Technology</i> , 2018 , 10, 40-64 | 0.7 |
| 2 | Application of catastrophe progression method on hybrid multiple attribute decision-making problems based on regret theory. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-14 | 1.6 |
| 1 | Uncertain Hamacher Aggregation Operators and Their Application to Multiple Attribute Decision Making 2021 , 741-766 | |