

Gui-Wu Wei

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1952036/gui-wu-wei-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

273
papers

14,881
citations

70
h-index

110
g-index

298
ext. papers

16,554
ext. citations

3.3
avg, IF

8.2
L-index

#	Paper	IF	Citations
273	Location Selection of Express Distribution Centre with Probabilistic Linguistic MABAC Method Based on the Cumulative Prospect Theory. <i>Informatica</i> , 2022 , 1-20	2.9	4
272	TOPSIS method for spherical fuzzy MAGDM based on cumulative prospect theory and combined weights and its application to residential location. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 42, 1367-1380	1.6	1380 ⁸
271	SF-GRA method based on cumulative prospect theory for multiple attribute group decision making and its application to emergency supplies supplier selection. <i>Engineering Applications of Artificial Intelligence</i> , 2022 , 110, 104679	7.2	22
270	Picture fuzzy MABAC method based on prospect theory for multiple attribute group decision making and its application to suppliers selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 1-11	1.6	15
269	Spherical fuzzy Dombi power Heronian mean aggregation operators for multiple attribute group decision-making. <i>Computational and Applied Mathematics</i> , 2022 , 41, 1	2.4	10
268	MODEL FOR NETWORK SECURITY SERVICE PROVIDER SELECTION WITH PROBABILISTIC UNCERTAIN LINGUISTIC TODIM METHOD BASED ON PROSPECT THEORY. <i>Technological and Economic Development of Economy</i> , 2022 , 1-17	4.7	10
267	Extended EDAS method for multiple attribute decision making in mixture z-number environment based on CRITIC method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 1-12	1.6	1
266	A novel MADM technique based on extended power generalized Maclaurin symmetric mean operators under probabilistic dual hesitant fuzzy setting and their application to sustainable suppliers selection. <i>Expert Systems With Applications</i> , 2022 , 117419	7.8	14
265	PDHL-EDAS METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND ITS APPLICATION TO 3D PRINTER SELECTION. <i>Technological and Economic Development of Economy</i> , 2021 , 28, 179-200	4.7	22
264	Improved CODAS Method Under Picture 2-Tuple Linguistic Environment and Its Application for Green Supplier Selection. <i>Informatica</i> , 2021 , 195-216	2.9	4
263	EDAS method based on cumulative prospect theory for multiple attribute group decision-making under picture fuzzy environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-13	1.6	19
262	The Generalized Dice Similarity Measures for Spherical Fuzzy Sets and Their Applications. <i>Studies in Fuzziness and Soft Computing</i> , 2021 , 85-110	0.7	2
261	New similarity and distance measures of Pythagorean fuzzy sets and its application to selection of advertising platforms. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 5403-5419	1.6	8
260	TODIM method based on cumulative prospect theory for multiple attribute group decision-making under 2-tuple linguistic Pythagorean fuzzy environment. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 2548-2571	8.4	26
259	Banzhaf Choquet-copula-based aggregation operators for managing q-rung orthopair fuzzy information. <i>Soft Computing</i> , 2021 , 25, 6891-6914	3.5	5
258	Extended CPT-TODIM method for interval-valued intuitionistic fuzzy MAGDM and its application to urban ecological risk assessment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 4091-4106	1.6	27
257	QUALIFLEX method for evaluating human factors in construction project management with Pythagorean 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 4039-4050	1.6	26

256	CPT-TODIM method for picture fuzzy multiple attribute group decision making and its application to food enterprise quality credit evaluation. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 10115-10128	1.6	17
255	Group decision support methodology based upon the multigranular generalized orthopair 2-tuple linguistic information model. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 3367-3400	8.4	3
254	EDAS method for probabilistic linguistic multiple attribute group decision making and their application to green supplier selection. <i>Soft Computing</i> , 2021 , 25, 9045-9053	3.5	34
253	Model-based evaluation for online shopping platform with probabilistic double hierarchy linguistic CODAS method. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 5339-5358	8.4	28
252	Some self-evaluation models of enterprise credit based on some probabilistic double hierarchy linguistic aggregation operators. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 11809-11828	1.6	12
251	Intuitionistic fuzzy MABAC method based on cumulative prospect theory for multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 6337-6359	8.4	33
250	Are industry-level indicators more helpful to forecast industrial stock volatility? Evidence from Chinese manufacturing purchasing managers index. <i>Journal of Forecasting</i> , 2021 , 40, 17-39	2.1	14
249	Improved TODIM method for intuitionistic fuzzy MAGDM based on cumulative prospect theory and its application on stock investment selection. <i>International Journal of Machine Learning and Cybernetics</i> , 2021 , 12, 891-901	3.8	30
248	TODIM method for multiple attribute group decision making based on cumulative prospect theory with 2-tuple linguistic neutrosophic sets. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 1199-1222	8.4	27
247	Model for selection of hospital constructions with probabilistic linguistic GRP method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 1245-1259	1.6	15
246	TODIM Method for Interval-Valued Pythagorean Fuzzy MAGDM Based on Cumulative Prospect Theory and Its Application to Green Supplier Selection. <i>Arabian Journal for Science and Engineering</i> , 2021 , 46, 1899-1910	2.5	17
245	Probabilistic linguistic multiple attribute group decision making for location planning of electric vehicle charging stations based on the generalized Dice similarity measures. <i>Artificial Intelligence Review</i> , 2021 , 54, 4137-4167	9.7	19
244	CPT-TODIM method for bipolar fuzzy multi-attribute group decision making and its application to network security service provider selection. <i>International Journal of Intelligent Systems</i> , 2021 , 36, 1943-1969	8.4	20
243	AN EXTENDED COPRAS MODEL FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING BASED ON SINGLE-VALUED NEUTROSOPHIC 2-TUPLE LINGUISTIC ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 353-368	4.7	31
242	Pythagorean Fuzzy TODIM Method Based on the Cumulative Prospect Theory for MAGDM and Its Application on Risk Assessment of Science and Technology Projects. <i>International Journal of Fuzzy Systems</i> , 2021 , 23, 1027-1041	3.6	25
241	GREEN SUPPLIER SELECTION BASED ON CODAS METHOD IN PROBABILISTIC UNCERTAIN LINGUISTIC ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 530-549	4.7	29
240	CPT-TODIM METHOD FOR INTERVAL-VALUED BIPOLAR FUZZY MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND APPLICATION TO INDUSTRIAL CONTROL SECURITY SERVICE PROVIDER SELECTION. <i>Technological and Economic Development of Economy</i> , 2021 , 27, 1186-1206	4.7	21
239	Application of catastrophe progression method on hybrid multiple attribute decision-making problems based on regret theory. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-14	1.6	

238	CPT-MABAC method for spherical fuzzy multiple attribute group decision making and its application to green supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 1009-1019	1.6	19
237	Bidirectional projection method for multi-attribute group decision making under probabilistic uncertain linguistic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 1429-1443	1.6	7
236	CPT-MABAC-Based multiple attribute group decision making method with probabilistic hesitant fuzzy information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-16	1.6	7
235	Taxonomy-based multiple attribute group decision making method with probabilistic uncertain linguistic information and its application in supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 3237-3250	1.6	4
234	Taxonomy method for multiple attribute group decision making based on interval-valued intuitionistic fuzzy with entropy. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 1-15	1.6	15
233	Grey relational analysis method based on cumulative prospect theory for intuitionistic fuzzy multi-attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 41, 3783-3795	1.6	24
232	Return connectedness among commodity and financial assets during the COVID-19 pandemic: Evidence from China and the US. <i>Resources Policy</i> , 2021 , 73, 102166	7.2	15
231	Uncertain Hamacher Aggregation Operators and Their Application to Multiple Attribute Decision Making 2021 , 741-766		
230	Approaches to multiple attribute decision making based on picture 2-tuple linguistic power Hamy mean aggregation operators. <i>RAIRO - Operations Research</i> , 2021 , 55, S435-S460	2.2	2
229	Green supplier selection with an uncertain probabilistic linguistic MABAC method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 3125-3136	1.6	26
228	MABAC method for multiple attribute group decision making with probabilistic uncertain linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 3315-3327	1.6	20
227	Probabilistic linguistic GRA method for multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 38, 4721-4732	1.6	27
226	Selecting the Low-Carbon Tourism Destination: Based on Pythagorean Fuzzy Taxonomy Method. <i>Mathematics</i> , 2020 , 8, 832	2.3	22
225	Cumulative Prospect Theory: Performance Evaluation of Government Purchases of Home-Based Elderly-Care Services Using the Pythagorean 2-tuple Linguistic TODIM Method. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	26
224	TOPSIS Method for Developing Supplier Selection with Probabilistic Linguistic Information. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 749-759	3.6	59
223	Algorithms for probabilistic uncertain linguistic multiple attribute group decision making based on the GRA and CRITIC method: application to location planning of electric vehicle charging stations. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 828-846	2.5	44
222	GRA method for waste incineration plants location problem with probabilistic linguistic multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 2909-2920	1.6	13
221	Some Interval-Valued Intuitionistic Fuzzy Dombi Heronian Mean Operators and their Application for Evaluating the Ecological Value of Forest Ecological Tourism Demonstration Areas. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	42

220	VIKOR Method for MAGDM Based on Q-Rung Interval-Valued Orthopair Fuzzy Information and Its Application to Supplier Selection of Medical Consumption Products. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	57
219	The impact of employee welfare on innovation performance: Evidence from China's manufacturing corporations. <i>International Journal of Production Economics</i> , 2020 , 228, 107753	9.3	20
218	Entropy-Based GLDS Method for Social Capital Selection of a PPP Project with q-Rung Orthopair Fuzzy Information. <i>Entropy</i> , 2020 , 22,	2.8	15
217	Extended TODIM Based on Cumulative Prospect Theory for Picture Fuzzy Multiple Attribute Group Decision Making. <i>Informatica</i> , 2020 , 1-22	2.9	4
216	CODAS METHOD FOR 2-TUPLE LINGUISTIC PYTHAGOREAN FUZZY MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND ITS APPLICATION TO FINANCIAL MANAGEMENT PERFORMANCE ASSESSMENT. <i>Technological and Economic Development of Economy</i> , 2020 , 26, 920-932	4.7	30
215	A NOVEL EDAS BASED METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING WITH PYTHAGOREAN 2-TUPLE LINGUISTIC INFORMATION. <i>Technological and Economic Development of Economy</i> , 2020 , 26, 1125-1138	4.7	25
214	Can CBOE gold and silver implied volatility help to forecast gold futures volatility in China? Evidence based on HAR and Ridge regression models. <i>Finance Research Letters</i> , 2020 , 35, 101287	8.1	25
213	Maximizing deviation method for multiple attribute decision making under q-rung orthopair fuzzy environment. <i>Defence Technology</i> , 2020 , 16, 1073-1087	3	18
212	Some power Heronian mean operators in multiple attribute decision-making based on q-rung orthopair hesitant fuzzy environment. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2020 , 32, 909-937	2	19
211	VIKOR method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 3185-3208	2.5	16
210	CODAS Method for Multiple Attribute Group Decision Making Under 2-Tuple Linguistic Neutrosophic Environment. <i>Informatica</i> , 2020 , 161-184	2.9	24
209	Does crude oil futures price really help to predict spot oil price? New evidence from density forecasting. <i>International Journal of Finance and Economics</i> , 2020 ,	1.5	5
208	A novel method for multi-attribute risk decision-making based on regret theory and hybrid information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 6955-6964	1.6	2
207	QUALIFLEX method for MAGDM with probabilistic uncertain linguistic information and its application to green supplier selection. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 6819-6831	1.6	22
206	Models for multiple attribute decision making with some interval-valued 2-tuple linguistic Pythagorean fuzzy Bonferroni mean operators. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2020 , 23, 259-294	0.5	
205	Green supplier selection in steel industry with intuitionistic fuzzy Taxonomy method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 39, 7247-7258	1.6	26
204	Multiple Attribute Decision Making Based on Power Muirhead Mean Operators Under 2-Tuple Linguistic Pythagorean Fuzzy Environment. <i>Cognitive Computation</i> , 2020 , 12, 1276-1298	4.4	3
203	MABAC method for multiple attribute group decision making under picture 2-tuple linguistic environment. <i>Soft Computing</i> , 2020 , 24, 5819-5829	3.5	32

202	MABAC method for multiple attribute group decision making under q-rung orthopair fuzzy environment. <i>Defence Technology</i> , 2020 , 16, 208-216	3	71
201	Pythagorean 2-tuple linguistic power aggregation operators in multiple attribute decision making. <i>Economic Research-Ekonomska Istrazivanja</i> , 2020 , 33, 904-933	2.5	10
200	Infectious disease pandemic and permanent volatility of international stock markets: A long-term perspective. <i>Finance Research Letters</i> , 2020 , 101709	8.1	65
199	Dual hesitant fuzzy linguistic power-geometric operators based on Archimedean t-conorms and t-norms and their application to group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 3829-3847	1.6	2
198	Which fear index matters for predicting US stock market volatilities: Text-counts or option based measurement?. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2019 , 536, 122567	3.3	24
197	TOPSIS Method for Probabilistic Linguistic MAGDM with Entropy Weight and Its Application to Supplier Selection of New Agricultural Machinery Products. <i>Entropy</i> , 2019 , 21, 953	2.8	50
196	Models for MADM with Single-Valued Neutrosophic 2-Tuple Linguistic Muirhead Mean Operators. <i>Mathematics</i> , 2019 , 7, 442	2.3	29
195	Bidirectional project method for dual hesitant Pythagorean fuzzy multiple attribute decision-making and their application to performance assessment of new rural construction. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 1920-1934	8.4	41
194	EDAS method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 1597-1608	1.6	33
193	Dual Hesitant q-Rung Orthopair Fuzzy Hamacher Aggregation Operators and their Applications in Scheme Selection of Construction Project. <i>Symmetry</i> , 2019 , 11, 771	2.7	17
192	Dual Hesitant q-Rung Orthopair Fuzzy Muirhead Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2019 , 7, 67139-67166	3.5	37
191	Model for Multiple Attribute Decision Making Based on Picture 2-Tuple Linguistic Power Aggregation Operators. <i>International Journal of Decision Support System Technology</i> , 2019 , 11, 35-65	0.7	1
190	CODAS method for Pythagorean 2-tuple linguistic multiple attribute group decision making. <i>IEEE Access</i> , 2019 , 1-1	3.5	11
189	Dual Hesitant Pythagorean Fuzzy Heronian Mean Operators in Multiple Attribute Decision Making. <i>Mathematics</i> , 2019 , 7, 344	2.3	30
188	Similarity Measures of q-Rung Orthopair Fuzzy Sets Based on Cosine Function and Their Applications. <i>Mathematics</i> , 2019 , 7, 340	2.3	82
187	Methods for MADM with Picture Fuzzy Muirhead Mean Operators and Their Application for Evaluating the Financial Investment Risk. <i>Symmetry</i> , 2019 , 11, 6	2.7	83
186	Methods for Multiple-Attribute Group Decision Making with q-Rung Interval-Valued Orthopair Fuzzy Information and Their Applications to the Selection of Green Suppliers. <i>Symmetry</i> , 2019 , 11, 56	2.7	63
185	Some 2-tuple linguistic Pythagorean Heronian mean operators and their application to multiple attribute decision-making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2019 , 31, 555-574	2	34

184	Oil price fluctuation, stock market and macroeconomic fundamentals: Evidence from China before and after the financial crisis. <i>Finance Research Letters</i> , 2019 , 30, 23-29	8.1	82
183	Pythagorean Fuzzy Hamacher Power Aggregation Operators in Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2019 , 166, 57-85	1	50
182	Evaluation Based on Distance from Average Solution Method for Multiple Criteria Group Decision Making under Picture 2-Tuple Linguistic Environment. <i>Mathematics</i> , 2019 , 7, 243	2.3	50
181	Some new dual hesitant fuzzy linguistic operators based on Archimedean t-norm and t-conorm. <i>Neural Computing and Applications</i> , 2019 , 31, 7017-7040	4.8	5
180	Pythagorean fuzzy Muirhead mean operators in multiple attribute decision making for evaluating of emerging technology commercialization. <i>Economic Research-Ekonomika Istrazivanja</i> , 2019 , 32, 1667-1696	2.5	15
179	Some q-rung orthopair fuzzy Hamy mean operators in multiple attribute decision-making and their application to enterprise resource planning systems selection. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 2429-2458	8.4	57
178	Pythagorean fuzzy heronian mean operators in multiple attribute decision making and their application to supplier selection. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2019 , 23, 77-91	0.5	11
177	The generalized dice similarity measures for multiple attribute decision making with hesitant fuzzy linguistic information. <i>Economic Research-Ekonomika Istrazivanja</i> , 2019 , 32, 1498-1520	2.5	26
176	Models for MADM With 2-Tuple Linguistic Neutrosophic Dombi Bonferroni Mean Operators. <i>IEEE Access</i> , 2019 , 7, 108878-108905	3.5	32
175	Dual Hesitant Pythagorean Fuzzy Hamy Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2019 , 7, 86697-86716	3.5	34
174	Methods for Evaluating the Technological Innovation Capability for the High-Tech Enterprises With Generalized Interval Neutrosophic Number Bonferroni Mean Operators. <i>IEEE Access</i> , 2019 , 7, 86473-86492	3.5	26
173	Some q-rung interval-valued orthopair fuzzy Maclaurin symmetric mean operators and their applications to multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 2769-2806	8.4	20
172	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1105-1117] DOI: 10.3233/JIFS-16554. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8613-8613	1.6	1
171	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1119-1128] DOI: 10.3233/JIFS-16612. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8615-8615	1.6	
170	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1129-1142] DOI: 10.3233/JIFS-16715. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8617-8617	1.6	1
169	IOS Press has retracted the following publication from its online content: [Journal of Intelligent & Fuzzy Systems, 33(2) (2017), 1197-1207] DOI: 10.3233/JIFS-16946. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 8619-8619	1.6	
168	MADM Method With Interval-Valued Bipolar Uncertain Linguistic Information for Evaluating the Computer Network Security. <i>IEEE Access</i> , 2019 , 7, 151506-151524	3.5	15
167	Models for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Muirhead Mean Operators and Their Application to Green Suppliers Selection. <i>Informatica</i> , 2019 , 30, 153-186	2.9	25

166	Models for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Muirhead Mean Operators and Their Application to Green Suppliers Selection. <i>Informatica</i> , 2019 , 30, 153-186	2.9	38
165	The Multi-Attributive Border Approximation Area Comparison (MABAC) for Multiple Attribute Group Decision Making Under 2-Tuple Linguistic Neutrosophic Environment. <i>Informatica</i> , 2019 , 30, 799-818	2.8	21
164	EDAS Method for Multiple Attribute Group Decision Making with Probabilistic Uncertain Linguistic Information and Its Application to Green Supplier Selection. <i>International Journal of Computational Intelligence Systems</i> , 2019 , 12, 1361	3.4	35
163	GRA Method for Probabilistic Linguistic Multiple Attribute Group Decision Making with Incomplete Weight Information and Its Application to Waste Incineration Plants Location Problem. <i>International Journal of Computational Intelligence Systems</i> , 2019 , 12, 1547	3.4	22
162	EDAS METHOD FOR MULTIPLE CRITERIA GROUP DECISION MAKING WITH PICTURE FUZZY INFORMATION AND ITS APPLICATION TO GREEN SUPPLIERS SELECTIONS. <i>Technological and Economic Development of Economy</i> , 2019 , 25, 1123-1138	4.7	47
161	EDAS METHOD FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING UNDER Q-RUNG ORTHOPAIR FUZZY ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , 2019 , 26, 86-102	4.7	53
160	Similarity Measures of Spherical Fuzzy Sets Based on Cosine Function and Their Applications. <i>IEEE Access</i> , 2019 , 7, 159069-159080	3.5	27
159	An Extended Bidirectional Projection Method for Picture Fuzzy MAGDM and Its Application to Safety Assessment of Construction Project. <i>IEEE Access</i> , 2019 , 7, 166138-166147	3.5	42
158	Supplier Selection of Medical Consumption Products with a Probabilistic Linguistic MABAC Method. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	52
157	Pythagorean 2-Tuple Linguistic Taxonomy Method for Supplier Selection in Medical Instrument Industries. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	39
156	Pythagorean 2-Tuple Linguistic VIKOR Method for Evaluating Human Factors in Construction Project Management. <i>Mathematics</i> , 2019 , 7, 1149	2.3	24
155	Some 2-tuple linguistic neutrosophic number Muirhead mean operators and their applications to multiple attribute decision making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2019 , 31, 409-439	2	21
154	Multiple Attribute Decision-Making with Dual Hesitant Pythagorean Fuzzy Information. <i>Cognitive Computation</i> , 2019 , 11, 193-211	4.4	45
153	The generalized Dice similarity measures for Pythagorean fuzzy multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 1158-1183	8.4	56
152	Some q-rung orthopair fuzzy maclaurin symmetric mean operators and their applications to potential evaluation of emerging technology commercialization. <i>International Journal of Intelligent Systems</i> , 2019 , 34, 50-81	8.4	119
151	Pythagorean Hesitant Fuzzy Hamacher Aggregation Operators in Multiple-Attribute Decision Making. <i>Journal of Intelligent Systems</i> , 2019 , 28, 759-776	1.5	5
150	Some single-valued neutrosophic Bonferroni power aggregation operators in multiple attribute decision making. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2019 , 10, 863-882	3.7	52
149	Pythagorean hesitant fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1197-1233	8.4	84

148	Dual Hesitant Bipolar Fuzzy Hamacher Prioritized Aggregation Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2018 , 6, 11508-11522	3.5	100
147	Some q-rung orthopair fuzzy Heronian mean operators in multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1426-1458	8.4	248
146	Picture Fuzzy Hamacher Aggregation Operators and their Application to Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2018 , 157, 271-320	1	141
145	Similarity measures of Pythagorean fuzzy sets based on the cosine function and their applications. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 634-652	8.4	190
144	Minimum deviation method for single-valued neutrosophic multiple attribute decision making with preference information on alternatives. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 1-19	1.6	5
143	Some Novel Pythagorean Fuzzy Interaction Aggregation Operators in Multiple Attribute Decision Making. <i>Fundamenta Informaticae</i> , 2018 , 159, 385-428	1	85
142	Models for Green Supplier Selection in Green Supply Chain Management With Pythagorean 2-Tuple Linguistic Information. <i>IEEE Access</i> , 2018 , 6, 18042-18060	3.5	86
141	Multiple attribute decision making based on interval-valued Pythagorean uncertain linguistic aggregation operators. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 59-81	0.5	13
140	Picture 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Soft Computing</i> , 2018 , 22, 989-1002	3.5	121
139	Projection models for multiple attribute decision making with picture fuzzy information. <i>International Journal of Machine Learning and Cybernetics</i> , 2018 , 9, 713-719	3.8	143
138	Pythagorean Fuzzy Maclaurin Symmetric Mean Operators in Multiple Attribute Decision Making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 1043-1070	8.4	176
137	TODIM method for Pythagorean 2-tuple linguistic multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 35, 901-915	1.6	82
136	Models for Multiple Attribute Decision-Making with Dual Generalized Single-Valued Neutrosophic Bonferroni Mean Operators. <i>Algorithms</i> , 2018 , 11, 2	1.8	16
135	Approaches to Multiple-Attribute Decision-Making Based on Pythagorean 2-Tuple Linguistic Bonferroni Mean Operators. <i>Algorithms</i> , 2018 , 11, 5	1.8	7
134	Research on Risk Evaluation of Enterprise Human Capital Investment With Interval-Valued Bipolar 2-Tuple Linguistic Information. <i>IEEE Access</i> , 2018 , 6, 35697-35712	3.5	70
133	Research on Construction Engineering Project Risk Assessment with Some 2-Tuple Linguistic Neutrosophic Hamy Mean Operators. <i>Sustainability</i> , 2018 , 10, 1536	3.6	89
132	Models for Green Supplier Selection with Some 2-Tuple Linguistic Neutrosophic Number Bonferroni Mean Operators. <i>Symmetry</i> , 2018 , 10, 131	2.7	92
131	Some generalized Pythagorean 2-tuple linguistic Bonferroni mean operators in multiple attribute decision making. <i>Journal of Algorithms and Computational Technology</i> , 2018 , 12, 387-398	0.7	2

130	The Generalized Dice Similarity Measures for Picture Fuzzy Sets and Their Applications. <i>Informatica</i> , 2018 , 29, 107-124	2.9	114
129	TODIM Method for Picture Fuzzy Multiple Attribute Decision Making. <i>Informatica</i> , 2018 , 29, 555-566	2.9	105
128	Pythagorean fuzzy power aggregation operators in multiple attribute decision making. <i>International Journal of Intelligent Systems</i> , 2018 , 33, 169-186	8.4	232
127	Bipolar Fuzzy Hamacher Aggregation Operators in Multiple Attribute Decision Making. <i>International Journal of Fuzzy Systems</i> , 2018 , 20, 1-12	3.6	110
126	Uncertain Hamacher Aggregation Operators and Their Application to Multiple Attribute Decision Making. <i>International Journal of Decision Support System Technology</i> , 2018 , 10, 40-64	0.7	
125	Multiple Attribute Decision Making With Interval-Valued Bipolar Fuzzy Information and Their Application to Emerging Technology Commercialization Evaluation. <i>IEEE Access</i> , 2018 , 6, 60930-60955	3.5	44
124	Methods for Multiple Attribute Decision Making with Interval-Valued Pythagorean Fuzzy Information. <i>Mathematics</i> , 2018 , 6, 228	2.3	44
123	An Extended VIKOR Method for Multiple Criteria Group Decision Making with Triangular Fuzzy Neutrosophic Numbers. <i>Symmetry</i> , 2018 , 10, 497	2.7	64
122	Correction to Pythagorean fuzzy interaction aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 34, 2817-2824	1.6	6
121	Approaches to Multiple Attribute Decision Making with Interval-Valued 2-Tuple Linguistic Pythagorean Fuzzy Information. <i>Mathematics</i> , 2018 , 6, 201	2.3	67
120	Models for Multiple Attribute Decision Making with Some 2-Tuple Linguistic Pythagorean Fuzzy Hamy Mean Operators. <i>Mathematics</i> , 2018 , 6, 236	2.3	58
119	Interval-Valued Pythagorean Fuzzy Maclaurin Symmetric Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , 2018 , 6, 67866-67884	3.5	69
118	Methods for Multiple Attribute Group Decision Making Based on Intuitionistic Fuzzy Dombi Hamy Mean Operators. <i>Symmetry</i> , 2018 , 10, 574	2.7	79
117	Some Interval-Valued Intuitionistic Fuzzy Dombi Hamy Mean Operators and Their Application for Evaluating the Elderly Tourism Service Quality in Tourism Destination. <i>Mathematics</i> , 2018 , 6, 294	2.3	73
116	TODIM method for interval-valued Pythagorean fuzzy multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 249-259	0.5	4
115	TODIM Method for Multiple Attribute Group Decision Making under 2-Tuple Linguistic Neutrosophic Environment. <i>Symmetry</i> , 2018 , 10, 486	2.7	74
114	Picture fuzzy heronian mean aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2018 , 22, 167-175	0.5	9
113	Pythagorean Fuzzy Hamy Mean Operators in Multiple Attribute Group Decision Making and Their Application to Supplier Selection. <i>Symmetry</i> , 2018 , 10, 505	2.7	82

112	Models for Safety Assessment of Construction Project With Some 2-Tuple Linguistic Pythagorean Fuzzy Bonferroni Mean Operators. <i>IEEE Access</i> , 2018 , 6, 52105-52137	3.5	70
111	UNCERTAIN PRIORITIZED OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>Technological and Economic Development of Economy</i> , 2017 , 21, 118-139	4.7	75
110	A Linear Assignment Method for Multiple Criteria Decision Analysis with Hesitant Fuzzy Sets Based on Fuzzy Measure. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 607-614	3.6	112
109	Approaches to multiple attribute group decision making based on the generalized Dice similarity measures with intuitionistic fuzzy information. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 85-95	0.5	47
108	A comparative study of robust efficiency analysis and Data Envelopment Analysis with imprecise data. <i>Expert Systems With Applications</i> , 2017 , 81, 28-38	7.8	113
107	Dual hesitant pythagorean fuzzy Hamacher aggregation operators in multiple attribute decision making. <i>Archives of Control Sciences</i> , 2017 , 27, 365-395		122
106	Picture fuzzy aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 713-724	1.6	241
105	Interval-valued dual hesitant fuzzy uncertain linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1881-1893	1.6	90
104	Pythagorean fuzzy interaction aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 2119-2132	1.6	164
103	Hesitant pythagorean fuzzy hamacher aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1105-1117	1.6	132
102	Hesitant bipolar fuzzy aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1119-1128	1.6	98
101	Pythagorean 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1129-1142	1.6	120
100	Bipolar 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1197-1207	1.6	94
99	VIKOR Method for Interval Neutrosophic Multiple Attribute Group Decision-Making. <i>Information (Switzerland)</i> , 2017 , 8, 144	2.6	20
98	Pythagorean fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 189-201	0.5	69
97	Picture uncertain linguistic Bonferroni mean operators and their application to multiple attribute decision making. <i>Kybernetes</i> , 2017 , 46, 1777-1800	2	85
96	Pythagorean uncertain linguistic aggregation operators for multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 165-179	0.5	29
95	Picture uncertain linguistic aggregation operators and their application to multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 243-256	0.5	9

94	Dual hesitant bipolar fuzzy aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2017 , 21, 155-164	0.5	19
93	Picture 2-Tuple Linguistic Bonferroni Mean Operators and Their Application to Multiple Attribute Decision Making. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 997-1010	3.6	132
92	TODIM Method for Single-Valued Neutrosophic Multiple Attribute Decision Making. <i>Information (Switzerland)</i> , 2017 , 8, 125	2.6	33
91	Some Cosine Similarity Measures for Picture Fuzzy Sets and Their Applications to Strategic Decision Making. <i>Informatica</i> , 2017 , 28, 547-564	2.9	133
90	Interval-valued dual hesitant fuzzy linguistic geometric aggregation operators in multiple attribute decision making. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2016 , 20, 189-196	0.5	46
89	Models for multiple attribute decision making with dual hesitant fuzzy uncertain linguistic information. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2016 , 20, 217-227	0.5	39
88	Interval valued hesitant fuzzy uncertain linguistic aggregation operators in multiple attribute decision making. <i>International Journal of Machine Learning and Cybernetics</i> , 2016 , 7, 1093-1114	3.8	123
87	PICTURE FUZZY CROSS-ENTROPY FOR MULTIPLE ATTRIBUTE DECISION MAKING PROBLEMS. <i>Journal of Business Economics and Management</i> , 2016 , 17, 491-502	2	232
86	Approaches to Interval Intuitionistic Trapezoidal Fuzzy Multiple Attribute Decision Making with Incomplete Weight Information. <i>International Journal of Fuzzy Systems</i> , 2015 , 17, 484-489	3.6	141
85	Stochastic efficiency analysis with a reliability consideration. <i>Omega</i> , 2014 , 48, 1-9	7.2	33
84	METHODS FOR PROBABILISTIC DECISION MAKING WITH LINGUISTIC INFORMATION. <i>Technological and Economic Development of Economy</i> , 2014 , 20, 193-209	4.7	19
83	Hesitant triangular fuzzy information aggregation based on Einstein operations and their application to multiple attribute decision making. <i>Expert Systems With Applications</i> , 2014 , 41, 1086-1094	7.8	132
82	A multiple criteria hesitant fuzzy decision making with Shapley value-based VIKOR method. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1065-1075	1.6	70
81	CHOQUET INTEGRALS OF WEIGHTED TRIANGULAR FUZZY LINGUISTIC INFORMATION AND THEIR APPLICATIONS TO MULTIPLE ATTRIBUTE DECISION MAKING. <i>Journal of Business Economics and Management</i> , 2014 , 15, 795-809	2	37
80	Distance and similarity measures for hesitant interval-valued fuzzy sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 19-36	1.6	39
79	Some Bonferroni mean operators with 2-tuple linguistic information and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 2153-2162	1.6	94
78	Approaches to hesitant fuzzy multiple attribute decision making with incomplete weight information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 259-266	1.6	16
77	Hesitant fuzzy Hamacher aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2689-2699	1.6	73

76	Models for selecting an ERP system with hesitant fuzzy linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2155-2165	1.6	107
75	Models for hesitant interval-valued fuzzy multiple attribute decision making based on the correlation coefficient with incomplete weight information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1631-1644	1.6	7
74	Model for software quality evaluation with hesitant fuzzy uncertain linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2639-2647	1.6	51
73	Model for multiple attribute decision making based on the Einstein correlated information fusion with hesitant fuzzy information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 3057-3064	1.6	22
72	Hesitant fuzzy linguistic aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 49-63	1.6	60
71	Hesitant triangular fuzzy information aggregation in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1201-1209	1.6	42
70	GRA method for multiple criteria group decision making with incomplete weight information under hesitant fuzzy setting. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 1095-1105	1.6	39
69	Dual hesitant fuzzy aggregation operators in multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 2281-2290	1.6	142
68	Some prioritized aggregating operators with linguistic information and their application to multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 26, 1619-1630	1.6	27
67	AN APPROACH TO MULTIPLE ATTRIBUTE DECISION MAKING BASED ON THE INDUCED CHOQUET INTEGRAL WITH FUZZY NUMBER INTUITIONISTIC FUZZY INFORMATION. <i>Journal of Business Economics and Management</i> , 2014 , 15, 277-298	2	40
66	Extension of VIKOR method for decision making problem based on hesitant fuzzy set. <i>Applied Mathematical Modelling</i> , 2013 , 37, 4938-4947	4.5	259
65	FUZZY POWER AGGREGATION OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>Technological and Economic Development of Economy</i> , 2013 , 19, 377-396	4.7	41
64	Potential optimality and robust optimality in multiattribute decision analysis with incomplete information: A comparative study. <i>Decision Support Systems</i> , 2013 , 55, 679-684	5.6	93
63	Fuzzy prioritized operators and their application to multiple attribute group decision making. <i>Applied Mathematical Modelling</i> , 2013 , 37, 4759-4770	4.5	58
62	Some hybrid aggregating operators in linguistic decision making with Dempster-Shafer belief structure. <i>Computers and Industrial Engineering</i> , 2013 , 65, 646-651	6.4	35
61	Uncertain linguistic Bonferroni mean operators and their application to multiple attribute decision making. <i>Applied Mathematical Modelling</i> , 2013 , 37, 5277-5285	4.5	178
60	Some hesitant interval-valued fuzzy aggregation operators and their applications to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2013 , 46, 43-53	7.3	197
59	Some intuitionistic fuzzy Einstein hybrid aggregation operators and their application to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2013 , 37, 472-479	7.3	202

58	Some linguistic power aggregating operators and their application to multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 25, 695-707	1.6	40
57	UNCERTAIN LINGUISTIC PRIORITIZED AGGREGATION OPERATORS AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2013 , 21, 603-627	0.8	60
56	Fuzzy number intuitionistic fuzzy prioritized operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 24, 879-888	1.6	42
55	Induced hesitant interval-valued fuzzy Einstein aggregation operators and their application to multiple attribute decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2013 , 24, 789-803	1.6	92
54	Data envelopment analysis based on maximin relative efficiency criterion. <i>Computers and Operations Research</i> , 2012 , 39, 2478-2487	4.6	8
53	Some induced correlated aggregating operators with intuitionistic fuzzy information and their application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2012 , 39, 2026-2034	7.8	184
52	Some dependent aggregation operators with 2-tuple linguistic information and their application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2012 , 39, 5881-5886	7.8	133
51	Hesitant fuzzy prioritized operators and their application to multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2012 , 31, 176-182	7.3	363
50	AN APPROACH TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING WITH INTERVAL INTUITIONISTIC TRAPEZOIDAL FUZZY INFORMATION. <i>Technological and Economic Development of Economy</i> , 2012 , 18, 317-330	4.7	35
49	Methods for strategic decision-making problems with immediate probabilities in intuitionistic fuzzy setting. <i>Scientia Iranica</i> , 2012 , 19, 1936-1946	1.5	48
48	Generalized triangular fuzzy correlated averaging operator and their application to multiple attribute decision making. <i>Applied Mathematical Modelling</i> , 2012 , 36, 2975-2982	4.5	58
47	Value-at-risk and data envelopment analysis: comments on Wu and Olson (2010). <i>International Journal of Production Research</i> , 2011 , 49, 7189-7193	7.8	2
46	Grey Relational Analysis Method for Intuitionistic Fuzzy Multiple Attribute Decision Making with Preference Information on Alternatives. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 164-173	3.4	55
45	Application of correlation coefficient to interval-valued intuitionistic fuzzy multiple attribute decision-making with incomplete weight information. <i>Knowledge and Information Systems</i> , 2011 , 26, 337-349	2.4	196
44	FIOWHM operator and its application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2011 , 38, 2984-2989	7.8	86
43	Some generalized aggregating operators with linguistic information and their application to multiple attribute group decision making. <i>Computers and Industrial Engineering</i> , 2011 , 61, 32-38	6.4	109
42	PROBABILISTIC AGGREGATION OPERATORS AND THEIR APPLICATION IN UNCERTAIN MULTI-PERSON DECISION-MAKING / TIKIMYBINIAI SUMAVIMO OPERATORIAI IR JŪAIKYMAS PRIIMANT GRUPINIUS SPRENDIMUS NEAPIBŪOJE APLINKOJE. <i>Technological and Economic Development of Economy</i> , 2011 , 17, 335-351	4.7	50
41	Grey relational analysis method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. <i>Expert Systems With Applications</i> , 2011 , 38, 4824-4828	7.8	144

40	Gray relational analysis method for intuitionistic fuzzy multiple attribute decision making. <i>Expert Systems With Applications</i> , 2011 , 38, 11671-11677	7.8	265
39	Grey relational analysis model for dynamic hybrid multiple attribute decision making. <i>Knowledge-Based Systems</i> , 2011 , 24, 672-679	7.3	117
38	Minimum Deviation Models for Multiple Attribute Decision Making in Intuitionistic Fuzzy Setting. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 174-183	3.4	30
37	SOME HARMONIC AGGREGATION OPERATORS WITH 2-TUPLE LINGUISTIC ASSESSMENT INFORMATION AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2011 , 19, 977-998	0.8	54
36	Grey Relational Analysis Method for Intuitionistic Fuzzy Multiple Attribute Decision Making with Preference Information on Alternatives. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 164	3.4	6
35	Minimum Deviation Models for Multiple Attribute Decision Making in Intuitionistic Fuzzy Setting. <i>International Journal of Computational Intelligence Systems</i> , 2011 , 4, 174	3.4	5
34	Models for Multiple Attribute Group Decision Making with 2-Tuple Linguistic Assessment Information. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 315-324	3.4	45
33	Some Induced Aggregating Operators with Fuzzy Number Intuitionistic Fuzzy Information and their Applications to Group Decision Making. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 84-95	3.4	56
32	GRA method for multiple attribute decision making with incomplete weight information in intuitionistic fuzzy setting. <i>Knowledge-Based Systems</i> , 2010 , 23, 243-247	7.3	299
31	Extension of TOPSIS method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. <i>Knowledge and Information Systems</i> , 2010 , 25, 623-634	2.4	141
30	Some induced geometric aggregation operators with intuitionistic fuzzy information and their application to group decision making. <i>Applied Soft Computing Journal</i> , 2010 , 10, 423-431	7.5	475
29	A method for multiple attribute group decision making based on the ET-WG and ET-OWG operators with 2-tuple linguistic information. <i>Expert Systems With Applications</i> , 2010 , 37, 7895-7900	7.8	191
28	Some Induced Aggregating Operators with Fuzzy Number Intuitionistic Fuzzy Information and their Applications to Group Decision Making. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 84	3.4	62
27	Models for Multiple Attribute Group Decision Making with 2-Tuple Linguistic Assessment Information. <i>International Journal of Computational Intelligence Systems</i> , 2010 , 3, 315	3.4	11
26	UNCERTAIN LINGUISTIC HYBRID GEOMETRIC MEAN OPERATOR AND ITS APPLICATION TO GROUP DECISION MAKING UNDER UNCERTAIN LINGUISTIC ENVIRONMENT. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 251-267	0.8	180
25	Hybrid Harmonic Averaging Operator and its Application to Decision Making 2009 ,		3
24	Some Generalized Uncertain Linguistic Aggregating Operators 2009 ,		1
23	UDWGA Operator and its Application to Dynamic Multiple Attribute Decision Making 2009 ,		2

22	Fuzzy Linguistic Hybrid Harmonic Mean Operator and Its Application to Software Selection. <i>Journal of Software</i> , 2009 , 4,	3	5
21	Grey relational analysis method for multiple attribute decision making with incomplete weight information in intuitionistic fuzzy setting 2008 ,		2
20	Application Interval-Valued Intuitionistic Fuzzy Set to Select Supplier 2008 ,		7
19	An Effective Supplier Selection Method with Intuitionistic Fuzzy Information 2008 ,		4
18	Grey Relational Analysis Method for Interval-Valued Intuitionistic Fuzzy Multiple Attribute Decision Making 2008 ,		15
17	Method for intuitionistic fuzzy multiple attribute decision making without weight information but with preference information on alternatives 2008 ,		3
16	Induced Interval-Valued Intuitionistic Fuzzy OWG Operator 2008 ,		9
15	Maximizing deviation method for multiple attribute decision making in intuitionistic fuzzy setting. <i>Knowledge-Based Systems</i> , 2008 , 21, 833-836	7.3	203
14	Induced Intuitionistic Fuzzy Ordered Weighted Averaging Operator and Its Application to Multiple Attribute Group Decision Making 2008 , 124-131		17
13	Dependent Uncertain Linguistic OWA Operator 2008 , 156-163		2
12	Trapezoid Fuzzy Linguistic Weighted Geometric Averaging Operator 2007 ,		1
11	Uncertain Linguistic Hybrid Geometric Mean Operator 2007 ,		2
10	A Method for Uncertain Linguistic Multiple Attribute Decision Making with Incomplete Weight Information 2007 ,		3
9	Some Geometric Aggregation Operators Based on Interval-Valued Intuitionistic Fuzzy Sets and their Application to Group Decision Making 2007 ,		52
8	Probabilistic Uncertain Linguistic EDAS Method Based on Prospect Theory for Multiple Attribute Group Decision-Making and Its Application to Green Finance. <i>International Journal of Fuzzy Systems</i> ,1	3.6	9
7	GRP and CRITIC method for probabilistic uncertain linguistic MAGDM and its application to site selection of hospital constructions. <i>Soft Computing</i> ,1	3.5	18
6	Forecasting regular and extreme gold price volatility: The roles of asymmetry, extreme event, and jump. <i>Journal of Forecasting</i> ,	2.1	3
5	The Generalized Dice Similarity Measures for Probabilistic Uncertain Linguistic MAGDM and Its Application to Location Planning of Electric Vehicle Charging Stations. <i>International Journal of Fuzzy Systems</i> ,1	3.6	10

4	Group decision making for internet public opinion emergency based upon linguistic intuitionistic fuzzy information. <i>International Journal of Machine Learning and Cybernetics</i> ,1	3.8	5
3	TODIM Method Based on Cumulative Prospect Theory for Multiple Attributes Group Decision Making Under Probabilistic Hesitant Fuzzy Setting. <i>International Journal of Fuzzy Systems</i> ,1	3.6	23
2	CODAS methods for multiple attribute group decision making with interval-valued bipolar uncertain linguistic information and their application to risk assessment of Chinese enterprises' overseas mergers and acquisitions. <i>Economic Research-Ekonomska Istrazivanja</i> ,1-17	2.5	4
1	Single-valued neutrosophic TODIM method based on cumulative prospect theory for multi-attribute group decision making and its application to medical emergency management evaluation. <i>Economic Research-Ekonomska Istrazivanja</i> ,1-17	2.5	1