

# Jerzy Wielbo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1952734/publications.pdf>

Version: 2024-02-01

51  
papers

770  
citations

471509

17  
h-index

552781

26  
g-index

52  
all docs

52  
docs citations

52  
times ranked

855  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effect of a Preparation Containing Rhizobial Nod Factors on Pea Morphological Traits and Physiology. <i>Agronomy</i> , 2021, 11, 1457.	3.0	2
2	Genetic and physiological diversity of white Spanish broom ( <i>Chamaecytisus albus</i> ) endophytes. <i>Acta Biochimica Polonica</i> , 2021, 68, 419-426.	0.5	0
3	Genetic Variation in Host-Specific Competitiveness of the Symbiont <i>Rhizobium leguminosarum</i> Symbiovar <i>viciae</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 719987.	3.6	4
4	Recent Advances in Biological Nitrogen Fixation. <i>Agronomy</i> , 2021, 11, 1941.	3.0	0
5	Multimodal Spectroscopic Imaging of Pea Root Nodules to Assess the Nitrogen Fixation in the Presence of Biofertilizer Based on Nod-Factors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12991.	4.1	4
6	Combined Effect of Light and Nutrients on the Micromorphology of the White rot Fungus <i>Cerrena unicolor</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 1678.	4.1	6
7	Current Research Trends in Biological Science Vol. 2. , 2020, , .		0
8	The wood decay fungus <i>Cerrena unicolor</i> adjusts its metabolism to grow on various types of wood and light conditions. <i>PLoS ONE</i> , 2019, 14, e0211744.	2.5	23
9	RNA Sequencing Reveals Differential Gene Expression of <i>Cerrena unicolor</i> in Response to Variable Lighting Conditions. <i>International Journal of Molecular Sciences</i> , 2019, 20, 290.	4.1	10
10	Nod factors improve the nitrogen content and rhizobial diversity of faba bean and alter soil dehydrogenase, protease, and acid phosphomonoesterase activities. <i>International Agrophysics</i> , 2019, 1, 9-15.	1.7	2
11	Comparative transcriptomic analysis of <i>Cerrena unicolor</i> revealed differential expression of genes engaged in degradation of various kinds of wood. <i>Microbiological Research</i> , 2018, 207, 256-268.	5.3	18
12	Benefits of flavonoids and straw mulch application on soil microbial activity in pea rhizosphere. <i>International Journal of Environmental Science and Technology</i> , 2018, 15, 755-764.	3.5	8
13	Transcriptome-based analysis of the saprophytic fungus <i>Abortiporus biennis</i> " response to oxalic acid. <i>Microbiological Research</i> , 2017, 199, 79-88.	5.3	9
14	Electrophoretic profiles of lipopolysaccharides from <i>Rhizobium</i> strains nodulating <i>Pisum sativum</i> do not reflect phylogenetic relationships between these strains. <i>Archives of Microbiology</i> , 2017, 199, 1011-1021.	2.2	2
15	Flavonoids and Nod Factors: Importance in Legume-Microbe Interactions and Legume Improvement. , 2017, , 75-94.		1
16	Ocena wpÅ,ywu molibdenu i lipochitoooligosacharydÅ³w na plonowanie grochu siewnego. <i>Przemysl Chemiczny</i> , 2017, 1, 191-194.	0.0	0
17	Purification and characterization of laccase from <i>Sinorhizobium meliloti</i> and analysis of the lacc gene. <i>International Journal of Biological Macromolecules</i> , 2016, 92, 138-147.	7.5	31
18	The Diversity of Pea Microsymbionts in Various Types of Soils and Their Effects on Plant Host Productivity. <i>Microbes and Environments</i> , 2015, 30, 254-261.	1.6	11

#	ARTICLE	IF	CITATIONS
19	High-quality permanent draft genome sequence of <i>Rhizobium leguminosarum</i> bv. <i>viciae</i> strain GB30; an effective microsymbiont of <i>Pisum sativum</i> growing in Poland. <i>Standards in Genomic Sciences</i> , 2015, 10, 36.	1.5	3
20	The response of rhizosphere microbial properties to flavonoids and Nod factors. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2015, 65, 125-131.	0.6	4
21	Increased genetic diversity in the populations of <i>Echium vulgare</i> L. colonising Zn-Pb waste heaps. <i>Biochemical Systematics and Ecology</i> , 2015, 60, 28-36.	1.3	12
22	Effect of Sulfur and Nod Factors (LCOs) on Some Physiological Features and Yield of Pea ( <i>Pisum</i> ) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.1	1
23	Symbiotic Activity of Pea ( <i>Pisum sativum</i> ) after Application of Nod Factors under Field Conditions. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7344-7351.	4.1	7
24	The pleiotropic effects of extract containing rhizobial Nod factors on pea growth and yield. <i>Open Life Sciences</i> , 2014, 9, 396-409.	1.4	2
25	Functional relationships between plasmids and their significance for metabolism and symbiotic performance of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> . <i>Journal of Applied Genetics</i> , 2014, 55, 515-527.	1.9	12
26	Nodulation competitiveness of <i>Ensifer meliloti</i> alfalfa Nodule Isolates and Their Potential for Application as Inoculants. <i>Polish Journal of Microbiology</i> , 2014, 63, 357-386.	1.7	6
27	Phenotype profiling of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> clover nodule isolates reveal their both versatile and specialized metabolic capabilities. <i>Archives of Microbiology</i> , 2013, 195, 255-267.	2.2	25
28	Pea growth and symbiotic activity response to Nod factors (lipo-chitooligosaccharides) and soil compaction. <i>Applied Soil Ecology</i> , 2013, 72, 181-186.	4.3	17
29	<i>Rhizobium pisi</i> sv. <i>trifolii</i> K3.22 harboring nod genes of the <i>Rhizobium leguminosarum</i> sv. <i>trifolii</i> cluster. <i>Systematic and Applied Microbiology</i> , 2013, 36, 252-258.	2.8	28
30	Activity and immunodetection of lysozyme in earthworm <i>Dendrobaena veneta</i> (Annelida). <i>Journal of Invertebrate Pathology</i> , 2012, 109, 83-90.	3.2	28
31	The effect of biotic and physical factors on the competitive ability of <i>Rhizobium leguminosarum</i> . <i>Open Life Sciences</i> , 2012, 7, 13-24.	1.4	5
32	Nod factors stimulate seed germination and promote growth and nodulation of pea and vetch under competitive conditions. <i>Microbiological Research</i> , 2012, 167, 144-150.	5.3	35
33	Rhizobial communities in symbiosis with legumes: genetic diversity, competition and interactions with host plants. <i>Open Life Sciences</i> , 2012, 7, 363-372.	1.4	13
34	repABC-based replication systems of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> TA1 plasmids: Incompatibility and evolutionary analyses. <i>Plasmid</i> , 2011, 66, 53-66.	1.4	17
35	Intragenomic diversity of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> clover nodule isolates. <i>BMC Microbiology</i> , 2011, 11, 123.	3.3	37
36	Competitiveness of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> Strains in Mixed Inoculation of Clover ( <i>Trifolium pratense</i> ). <i>Polish Journal of Microbiology</i> , 2011, 60, 43-49.	1.7	6

#	ARTICLE	IF	CITATIONS
37	The Structure and Metabolic Diversity of Population of Pea Microsymbionts Isolated from Root Nodules. <i>British Microbiology Research Journal</i> , 2011, 1, 55-69.	0.2	7
38	Symbiosis-stage associated alterations in quorum sensing autoinducer molecules biosynthesis in <i>Sinorhizobium meliloti</i> . <i>Plant and Soil</i> , 2010, 329, 399-410.	3.7	11
39	The competition between <i>Rhizobium leguminosarum</i> bv. <i>viciae</i> strains progresses until late stages of symbiosis. <i>Plant and Soil</i> , 2010, 337, 125-135.	3.7	22
40	Response to flavonoids as a factor influencing competitiveness and symbiotic activity of <i>Rhizobium leguminosarum</i> . <i>Microbiological Research</i> , 2010, 165, 50-60.	5.3	70
41	Genetic and Metabolic Divergence within a <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> Population Recovered from Clover Nodules. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4593-4600.	3.1	30
42	Enhancing <i>Rhizobium</i> "Legume Symbiosis Using Signaling Factors. , 2010, , 27-54.		17
43	Pretreatment of Clover Seeds with Nod Factors Improves Growth and Nodulation of <i>Trifolium pratense</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 479-487.	1.8	19
44	Influence of phosphate and ammonia on the growth, exopolysaccharide production and symbiosis of <i>Rhizobium leguminosarum</i> bv. <i>Trifolii</i> TA1 with clover ( <i>Trifolium pratense</i> ). <i>Acta Biologica Hungarica</i> , 2008, 59, 115-127.	0.7	8
45	Increased metabolic potential of <i>Rhizobium</i> spp. is associated with bacterial competitiveness. <i>Canadian Journal of Microbiology</i> , 2007, 53, 957-967.	1.7	57
46	Complexity of phenotypes and symbiotic behaviour of <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> exopolysaccharide mutants. <i>Archives of Microbiology</i> , 2004, 182, 331-336.	2.2	20
47	Environmental modulation of the <i>pssTNOP</i> gene expression in <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> . <i>Canadian Journal of Microbiology</i> , 2004, 50, 201-211.	1.7	15
48	<i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> PssP Protein Is Required for Exopolysaccharide Biosynthesis and Polymerization. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 388-397.	2.6	31
49	Mutation in the <i>pssB-pssA</i> intergenic region of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> affects the surface polysaccharides synthesis and nitrogen fixation ability. <i>Journal of Plant Physiology</i> , 2001, 158, 1565-1574.	3.5	14
50	Construction of improved vectors and cassettes containing <i>gusA</i> and antibiotic resistance genes for studies of transcriptional activity and bacterial localization. <i>Journal of Microbiological Methods</i> , 2001, 45, 197-205.	1.6	24
51	Molecular Characterization of <i>pssCDE</i> Genes of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain TA1: <i>pssD</i> Mutant Is Affected in Exopolysaccharide Synthesis and Endocytosis of Bacteria. <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 1142-1148.	2.6	35