

Zhengyuan Xu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1952872/zhengyuan-xu-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

2,945
citations

26
h-index

49
g-index

223
ext. papers

3,797
ext. citations

4.8
avg, IF

5.77
L-index

#	Paper	IF	Citations
165	. <i>IEEE Journal on Selected Areas in Communications</i> , 2015 , 33, 1738-1749	14.2	229
164	Ultraviolet Communications: Potential and State-Of-The-Art 2008 , 46, 67-73		226
163	Modeling of non-line-of-sight ultraviolet scattering channels for communication. <i>IEEE Journal on Selected Areas in Communications</i> , 2009 , 27, 1535-1544	14.2	179
162	Analytical performance study of solar blind non-line-of-sight ultraviolet short-range communication links. <i>Optics Letters</i> , 2008 , 33, 1860-2	3	137
161	Path loss modeling and performance trade-off study for short-range non-line-of-sight ultraviolet communications. <i>Optics Express</i> , 2009 , 17, 3929-40	3.3	126
160	Visible light communications in heterogeneous networks: Paving the way for user-centric design. <i>IEEE Wireless Communications</i> , 2015 , 22, 8-16	13.4	109
159	. <i>IEEE Transactions on Signal Processing</i> , 2015 , 63, 4245-4256	4.8	88
158	Blind adaptive algorithms for minimum variance CDMA receivers. <i>IEEE Transactions on Communications</i> , 2001 , 49, 180-194	6.9	83
157	Multihop Free-Space Optical Communications Over Turbulence Channels with Pointing Errors using Heterodyne Detection. <i>Journal of Lightwave Technology</i> , 2014 , 32, 2597-2604	4	80
156	100 m/500 Mbps underwater optical wireless communication using an NRZ-OOK modulated 520 nm laser diode. <i>Optics Express</i> , 2019 , 27, 12171-12181	3.3	79
155	Perturbation analysis for subspace decomposition with applications in subspace-based algorithms. <i>IEEE Transactions on Signal Processing</i> , 2002 , 50, 2820-2830	4.8	75
154	Performance of short-range non-line-of-sight LED-based ultraviolet communication receivers. <i>Optics Express</i> , 2010 , 18, 12226-38	3.3	63
153	A Survey on Ultraviolet C-Band (UV-C) Communications. <i>IEEE Communications Surveys and Tutorials</i> , 2019 , 21, 2111-2133	37.1	58
152	Channel Estimation and Signal Detection for Optical Wireless Scattering Communication With Inter-Symbol Interference. <i>IEEE Transactions on Wireless Communications</i> , 2015 , 14, 5326-5337	9.6	53
151	Blind multiuser detection: from MOE to subspace methods. <i>IEEE Transactions on Signal Processing</i> , 2004 , 52, 510-524	4.8	53
150	A Path Loss Model for Non-Line-of-Sight Ultraviolet Multiple Scattering Channels. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2010 , 2010,	3.2	48
149	Joint LED dimming and high capacity visible light communication by overlapping PPM 2010 ,		39

148	Blind channel estimation for long code multiuser CDMA systems. <i>IEEE Transactions on Signal Processing</i> , 2000 , 48, 988-1001	4.8	36
147	Pilot symbol assisted modulation in frequency selective fading wireless channels. <i>IEEE Transactions on Signal Processing</i> , 2000 , 48, 2353-2365	4.8	35
146	Non-Line of Sight Optical Wireless Relaying With the Photon Counting Receiver: A Count-and-Forward Protocol. <i>IEEE Transactions on Wireless Communications</i> , 2015 , 14, 376-388	9.6	32
145	DC-Informative Joint Color-Frequency Modulation for Visible Light Communications. <i>Journal of Lightwave Technology</i> , 2015 , 33, 2181-2188	4	31
144	LMMSE SIMO Receiver for Short-Range Non-Line-of-Sight Scattering Communication. <i>IEEE Transactions on Wireless Communications</i> , 2015 , 14, 5338-5349	9.6	30
143	On the second-order statistics of the weighted sample covariance matrix. <i>IEEE Transactions on Signal Processing</i> , 2003 , 51, 527-534	4.8	29
142	Design and implementation of a real-time CIM-MIMO optical camera communication system. <i>Optics Express</i> , 2016 , 24, 24567-24579	3.3	28
141	Squarylium and rubrene based filterless narrowband photodetectors for an all-organic two-channel visible light communication system. <i>Organic Electronics</i> , 2016 , 37, 346-351	3.5	27
140	Line-of-sight visible light communication system design and demonstration 2010 ,		27
139	Code-constrained blind detection of CDMA signals in multipath channels. <i>IEEE Signal Processing Letters</i> , 2002 , 9, 389-392	3.2	26
138	A Cost-Efficient Real-Time 25 Mb/s System for LED-UOWC: Design, Channel Coding, FPGA Implementation, and Characterization. <i>Journal of Lightwave Technology</i> , 2018 , 36, 2627-2637	4	25
137	Accuracy of the Point-Source Model of a Multi-LED Array in High-Speed Visible Light Communication Channel Characterization. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-14	1.8	24
136	The color shift key modulation with non-uniform signaling for visible light communication 2012 ,		24
135	Performance analysis of b-bit digital receivers for TR-UWB systems with inter-pulse interference. <i>IEEE Transactions on Wireless Communications</i> , 2007 , 6, 494-505	9.6	24
134	Indoor Optical Wireless Channel Characteristics With Distinct Source Radiation Patterns. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-15	1.8	23
133	Some practical constraints and solutions for optical camera communication. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020 , 378, 20190191	3	22
132	A 1Mbps Real-Time NLOS UV Scattering Communication System With Receiver Diversity Over 1km. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-13	1.8	22
131	Multiuser transmitted reference ultra-wideband communication systems. <i>IEEE Journal on Selected Areas in Communications</i> , 2006 , 24, 766-772	14.2	22

130	Color Planning and Intercell Interference Coordination for Multicolor Visible Light Communication Networks. <i>Journal of Lightwave Technology</i> , 2017 , 35, 4980-4993	4	19
129	Time Delay Estimation Bounds in Convolutional Random Channels. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2007 , 1, 418-430	7.5	18
128	Characterization on Practical Photon Counting Receiver in Optical Scattering Communication. <i>IEEE Transactions on Communications</i> , 2019 , 67, 2203-2217	6.9	17
127	Signal Characterization and Receiver Design for Visible Light Communication Under Weak Illuminance. <i>IEEE Communications Letters</i> , 2016 , 1-1	3.8	16
126	Ziv-Zakai Time Delay Estimation Bound for Ultra-Wideband Signals 2007 ,		16
125	Joint Dimming and Communication Design for Visible Light Communication. <i>IEEE Communications Letters</i> , 2017 , 21, 1043-1046	3.8	15
124	Link Gain and Pulse Width Broadening Evaluation of Non-Line-of-Sight Optical Wireless Scattering Communication Over Broad Spectra. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-12	1.8	15
123	Asymptotic performance of subspace methods for synchronous multirate CDMA systems. <i>IEEE Transactions on Signal Processing</i> , 2002 , 50, 2015-2026	4.8	15
122	Characteristics and Performance of Image Sensor Communication. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-19	1.8	14
121	Temporal Spectrum Sensing for Optical Wireless Scattering Communications. <i>Journal of Lightwave Technology</i> , 2015 , 33, 3890-3900	4	14
120	Modulation Designs for Visible Light Communications With Signal-Dependent Noise. <i>Journal of Lightwave Technology</i> , 2016 , 34, 5516-5525	4	14
119	Wavelength dependent channel characterization for underwater optical wireless communications 2014 ,		14
118	Approximate Performance Analysis of Wireless Ultraviolet Links 2007 ,		14
117	Experimental Indoor Visible Light Positioning Systems With Centimeter Accuracy Based on a Commercial Smartphone Camera. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-17	1.8	14
116	Modeling of optical wireless scattering communication channels over broad spectra. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2015 , 32, 486-90	1.8	13
115	Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. <i>Journal of Lightwave Technology</i> , 2020 , 38, 5695-5707	4	13
114	Ziv-Zakai Bounds on Time Delay Estimation in Unknown Convolutional Random Channels. <i>IEEE Transactions on Signal Processing</i> , 2010 , 58, 2729-2745	4.8	13
113	Turbulence Channel Modeling and Non-Parametric Estimation for Optical Wireless Scattering Communication. <i>Journal of Lightwave Technology</i> , 2017 , 35, 2746-2756	4	12

112	Low-Complexity Hyperbolic Source Localization With A Linear Sensor Array. <i>IEEE Signal Processing Letters</i> , 2008 , 15, 865-868	3.2	12
111	Compensation of Sampling Frequency Offset With Digital Interpolation for OFDM-Based Visible Light Communication Systems. <i>Journal of Lightwave Technology</i> , 2018 , 36, 5488-5497	4	12
110	Signal Detection Under Short-Interval Sampling of Continuous Waveforms for Optical Wireless Scattering Communication. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 3431-3443	9.6	11
109	Asymptotically near-optimal blind estimation of multipath CDMA channels. <i>IEEE Transactions on Signal Processing</i> , 2001 , 49, 2003-2017	4.8	11
108	Real-time investigation of CAP transceivers with hybrid digital equalization for visible light communication. <i>Optics Express</i> , 2019 , 27, 9382-9393	3.3	11
107	Clipping Noise and Power Allocation for OFDM-Based Optical Wireless Communication Using Photon Detection. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 237-240	5.9	11
106	Signal Characterization for Multiple Access Non-Line of Sight Scattering Communication. <i>IEEE Transactions on Communications</i> , 2018 , 66, 4138-4154	6.9	10
105	Impact of LED array simplification on indoor visible light communication channel modeling 2014 ,		10
104	Blind identification of co-existing synchronous and asynchronous users for CDMA systems. <i>IEEE Signal Processing Letters</i> , 2001 , 8, 212-214	3.2	10
103	OLED Panel Radiation Pattern and Its Impact on VLC Channel Characteristics. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-10	1.8	9
102	Optical Wireless Scattering Channel Estimation for Photon-Counting and Photomultiplier Tube Receivers. <i>IEEE Transactions on Communications</i> , 2016 , 64, 4749-4763	6.9	9
101	Simulations of table-top watt-class 1 THz radiation sources with two-section periodic structure. <i>Journal of Applied Physics</i> , 2014 , 115, 014503	2.5	9
100	Blind MMSE-Constrained Multiuser Detection. <i>IEEE Transactions on Vehicular Technology</i> , 2008 , 57, 608-618	6.8	9
99	Hybrid RF/VLC Systems: A Comprehensive Survey on Network Topologies, Performance Analyses, Applications, and Future Directions. <i>IEEE Access</i> , 2021 , 9, 160402-160436	3.5	9
98	Accuracy analysis of different modeling schemes in indoor visible light communications with distributed array sources 2014 ,		8
97	POR-based channel estimation for UWB communications. <i>IEEE Transactions on Wireless Communications</i> , 2005 , 4, 2968-2982	9.6	8
96	Large-sample performance of blind and Group-blind multiuser detectors: a perturbation perspective. <i>IEEE Transactions on Information Theory</i> , 2004 , 50, 2389-2401	2.8	8
95	Blind multiuser detection by kurtosis maximization/minimization. <i>IEEE Signal Processing Letters</i> , 2004 , 11, 1-4	3.2	8

94	Optimal Transmission of VLC System in the Presence of LED Nonlinearity and APD Module Saturation. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-14	1.8	8
93	Particle stream channel modeling and estimation for non-line of sight optical wireless communication 2014 ,		7
92	Wireless ultraviolet network models and performance in noncoplanar geometry 2010 ,		7
91	Dynamic Optical Wireless Communication Channel Characterization Through Air-Water Interface 2020 ,		7
90	Experimental underwater quantum key distribution. <i>Optics Express</i> , 2021 , 29, 8725-8736	3.3	7
89	Distance-Range-Oriented Constellation Design for VLC-SCMA Downlink With Signal-Dependent Noise. <i>IEEE Communications Letters</i> , 2019 , 23, 434-437	3.8	7
88	Preliminary Characterization of Coverage for Water-to-Air Visible Light Communication Through Wavy Water Surface. <i>IEEE Photonics Journal</i> , 2021 , 13, 1-13	1.8	7
87	Lens design for indoor MIMO visible light communications. <i>Optics Communications</i> , 2017 , 389, 224-229	2	6
86	Efficient Visible Light Sensing in Eigenspace. <i>IEEE Communications Letters</i> , 2018 , 22, 994-997	3.8	6
85	Demonstration of a covert camera-screen communication system 2017 ,		6
84	Performance of indoor VLC and illumination under multiple reflections 2014 ,		6
83	ZivĀakai Time-Delay Estimation Bounds for Frequency-Hopping Waveforms Under Frequency-Selective Fading. <i>IEEE Transactions on Signal Processing</i> , 2010 , 58, 6400-6406	4.8	6
82	Effects of imperfect blind channel estimation on performance of linear CDMA receivers. <i>IEEE Transactions on Signal Processing</i> , 2004 , 52, 2873-2884	4.8	6
81	Diversity-assisted channel estimation and multiuser detection for downlink CDMA with long spreading codes. <i>IEEE Transactions on Signal Processing</i> , 2004 , 52, 190-201	4.8	6
80	Improved constraint for multipath mitigation in constrained MOE multiuser detection. <i>Journal of Communications and Networks</i> , 2001 , 3, 249-256	4.1	6
79	Achievable Rates and Signal Detection for Photon-Level Photomultiplier Receiver Based on Statistical Non-Linear Model. <i>IEEE Transactions on Wireless Communications</i> , 2019 , 18, 6015-6029	9.6	6
78	Correlation Analysis and Path Loss Prediction for Optical Wireless Scattering Communication over Broad Spectra 2018 ,		6
77	System and Waveform Design for Wavelet Packet Division Multiplexing-Based Visible Light Communications. <i>Journal of Lightwave Technology</i> , 2015 , 1-1	4	5

76	Hidden Markov Model Based Signal Characterization for Weak Light Communication. <i>Journal of Lightwave Technology</i> , 2018 , 36, 1730-1738	4	5
75	A Two-Dimensional Constellation Design Method for Visible Light Communications With Signal-Dependent Shot Noise. <i>IEEE Communications Letters</i> , 2018 , 22, 1786-1789	3.8	5
74	. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 5480-5493	9.6	5
73	Experimental demonstration of high-order modulation for optical camera communication 2015 ,		5
72	A Signal Subspace Detection Technique for Single Carrier Block Transmission with Unique Words. <i>IEEE Communications Letters</i> , 2011 , 15, 151-153	3.8	5
71	Range-based geolocation in fading environments 2008 ,		5
70	LED Half-Power Angle Optimization for Ultra-Dense Indoor Visible Light Communication Network Deployment. <i>IEEE Open Journal of the Communications Society</i> , 2020 , 1, 835-848	6.7	5
69	Saturation compensation for visible light communication with off-the-shelf detectors. <i>Optics Express</i> , 2021 , 29, 9670-9684	3.3	5
68	Constrained Partial Group Decoding With MaxMin Fairness for Multi-Color Multi-User Visible Light Communication. <i>IEEE Transactions on Communications</i> , 2019 , 67, 8573-8584	6.9	4
67	Improving the NLOS optical scattering channel via beam reshaping 2014 ,		4
66	Impact of different LED-spacing in arrayed LED transmitter on VLC channel modeling 2014 ,		4
65	A Simple Closed-Form Linear Source Localization Algorithm 2007 ,		4
64	Subspace multiuser receivers for UWB communication systems		4
63	Graph-based multi-user scheduling for indoor cooperative visible light transmission. <i>Optics Express</i> , 2020 , 28, 15984-16002	3.3	4
62	Predicted and Experimental Performance of a Long Distance Non-Line of Sight Image Sensor Communication System 2018 ,		4
61	Channel Characterization for Multi-Color VLC for Feedback and Beamforming Design 2018 ,		4
60	Petahertz communication: Harmonizing optical spectra for wireless communications. <i>Digital Communications and Networks</i> , 2021 , 7, 605-605	5.9	4
59	SVM-Assisted Realization and Demonstration of Indoor 4 Mb/s Non-Line-of-Sight Visible Light Communication With Second-Order Reflection. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-17	1.8	3

58	Vectorized Color Modulation for Covert Camera-Screen Communication 2019 ,		3
57	APD Nonlinearity and Its Impact on PAM-Based Visible Light Communication. <i>IEEE Communications Letters</i> , 2020 , 24, 1057-1061	3.8	3
56	Parallel Channel over Wide Optical Spectrum: Mining and Matching-Based Optimization 2017 ,		3
55	Power Allocation Over Broad Spectra Optical Wireless Scattering Communication Based on Link Gain Correlation. <i>IEEE Transactions on Communications</i> , 2019 , 67, 6980-6993	6.9	3
54	UVOC-MAC: a MAC protocol for outdoor ultraviolet networks. <i>Wireless Networks</i> , 2013 , 19, 1101-1120	2.5	3
53	Power optimization under brightness and communication requirements for visible light communication based on MacAdam ellipse. <i>Journal of Communications and Information Networks</i> , 2017 , 2, 28-35		3
52	Optical interference alignment for an indoor visible light communication X-channel 2015 ,		3
51	Effects of LED lighting degradation and junction temperature variation on the performance of visible light communication 2012 ,		3
50	Correction to "Modeling of Non-Line-of-Sight Ultraviolet Scattering Channels for Communication" [Dec 09 1535-1544]. <i>IEEE Journal on Selected Areas in Communications</i> , 2011 , 29, 250-250	14.2	3
49	Statistical performance of a data-based covariance estimator. <i>IEEE Transactions on Vehicular Technology</i> , 2004 , 53, 939-943	6.8	3
48	Minimum variance multiuser detection for impulse radio UWB systems		3
47	Mean and covariance based estimation of multiple access UWB channels		3
46	Comparison of interpolation-based sampling frequency offset compensation schemes for practical OFDM-VLC systems. <i>Optics Express</i> , 2020 , 28, 2337-2348	3.3	3
45	Power optimization of multiple-wavelength optical wireless scattering communication 2016 ,		3
44	Design and experimental demonstration of a real-time 95kbps optical camera communication system 2016 ,		3
43	Secrecy Performance Analysis for Water-to-Air Visible Light Communication. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	3
42	Correlation Analysis and Link Gain Prediction for Optical Wireless Scattering Communication Over Broad Spectra. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 1386-1396	9.6	2
41	Characteristics of optical scattering and turbulence communication channels 2014 ,		2

40	Estimation of NLOS optical wireless communication channels with laser transmitters 2014 ,		2
39	Ziv-Zakai bound on time delay estimation in unknown convolutive random channels 2008 ,		2
38	A Novel Modulation Diversity Assisted Ultrawideband Communication System. <i>IEEE Transactions on Signal Processing</i> , 2007 , 55, 4227-4240	4.8	2
37	A novel modulation diversity assisted ultra wideband communication system		2
36	Frequency-domain estimation of multiple access ultra-wideband signals		2
35	A 1.9Mbps OFDM-based all-organic visible light communication system 2016 ,		2
34	Mitigation of Strong Background Radiation with Attenuation Diversity for Vehicular Visible Light Communication 2019 ,		2
33	Anti error and erasure coding for water-to-air visible light communication through wavy water surface with wave height up to 0.6 meters. <i>Optics Express</i> , 2022 , 30, 18743	3.3	2
32	Achievable Rate Bounds on Poisson Channel with a Sample-Based Practical Photon-Counting Receiver 2019 ,		1
31	Multi-Layer Coding and Map-Assisted Partial Group Decoding for Multi-Color Multi-User Visible Light Communication 2019 ,		1
30	A Statistical Non-Linear Model and Analysis for Photon-Level Photomultiplier Receiver 2019 ,		1
29	Multi-Layer Superimposed Transmission for Optical Wireless Scattering Communication. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-14	1.8	1
28	Visible light communication based on wavelet packet division multiplexing 2014 ,		1
27	Performance analysis of the MIMO zero-forcing receiver over continuous flat fading channels 2010 ,		1
26	Introduction to the Issue on Performance Limits of Ultra-Wideband Systems. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2007 , 1, 337-339	7.5	1
25	WLCp1-09: Transmitted Reference Schemes for Wireless Optical Communications. <i>IEEE Global Telecommunications Conference (GLOBECOM)</i> , 2006 ,		1
24	Blind channel estimation in aperiodic time-hopping ultra-wideband communications. <i>IEEE Transactions on Signal Processing</i> , 2006 , 54, 2333-2346	4.8	1
23	Data Detection Performance of an MTR-UWB Receiver in the Presence of Timing Errors		1

22	Performance Study of A Near-Optimum Modulation Diversity Assisted Ultra-Wideband Receiver 2006,		1
21	Trends in Ultra-wideband Transceiver Design 2006, 127-153		1
20	Joint Packet Scheduling and Channel Allocation for Wireless Communications		1
19	Subspace-based channel estimation for CDMA downlink with aperiodic spreading codes and multiple subchannels 2001,		1
18	Performance analysis of blind channel estimation for precoded multiuser systems. <i>Journal of Communications and Networks</i> , 2002, 4, 189-198	4.1	1
17	Demodulation of amplitude modulated signals in the presence of multipath		1
16	New cost function for blind estimation of M-PSK signals		1
15	Preliminary Investigation of Air-to-Water Visible Light Communication Link Under Strong Ambient Light 2021,		1
14	Correlation-Based LTI Channel Estimation for Multi-Wavelength Optical Scattering NLOS Communication. <i>IEEE Transactions on Communications</i> , 2020, 68, 1648-1661	6.9	1
13	Turbulence channel modeling and non-parametric estimation for optical wireless scattering communication 2016,		1
12	Sequential detection for optical wireless scattering communication 2016,		1
11	Two-dimensional Intensity Distribution and Adaptive Power Allocation for Ultraviolet Ad-Hoc Network. <i>IEEE Transactions on Green Communications and Networking</i> , 2021, 1-1	4	1
10	On the Achievable Rate and Capacity for a Sample-Based Practical Photon-Counting Receiver. <i>IEEE Transactions on Communications</i> , 2021, 69, 6152-6169	6.9	1
9	Channel Modeling and Signal Processing for Array-Based Visible Light Communication System Under Link Misalignment. <i>IEEE Photonics Journal</i> , 2022, 14, 1-10	1.8	1
8	Weak Radio-Frequency Signal Detection Based on Piezo-Opto-Electro-Mechanical System: Architecture Design and Sensitivity Prediction. <i>IEEE Internet of Things Journal</i> , 2021, 8, 10085-10102	10.7	0
7	Power optimization for multiple QoS, delay, and BER classes relying on finite-delay information theory. <i>Journal of Communications and Information Networks</i> , 2017, 2, 33-40		
6	Signature candidate of quantum chaos far from the semiclassical regime. <i>Chaos</i> , 2014, 24, 013127	3.3	
5	Medium Access Control With Physical-Layer-Assisted Link Differentiation. <i>IEEE Transactions on Vehicular Technology</i> , 2008, 57, 1255-1271	6.8	

4	Effects of Multiple Antennas on Outage Performance of Decode-and-Forward Cooperative Networks with Relay Selection. <i>IEICE Transactions on Communications</i> , 2011 , E94-B, 3155-3159	0.5
3	Quantumized Microwave Detection Based on Ξ Type Three-level Superconducting System: HMM Modeling and Performance Prediction. <i>IEEE Transactions on Communications</i> , 2021 , 1-1	6.9
2	Weak signal detection for visible light communication in the pulse and transition regimes of an operational PMT detector via an SVM-based learning method.. <i>Optics Express</i> , 2022 , 30, 12456-12473	3.3
1	Wireless communication based on microwave photon-level detection with superconducting devices: Achievable rate prediction. <i>China Communications</i> , 2022 , 1-14	3