Sharon Linda Naismith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1953063/publications.pdf

Version: 2024-02-01

322 papers 14,601 citations

61 h-index 99 g-index

328 all docs

 $\begin{array}{c} 328 \\ \text{docs citations} \end{array}$

times ranked

328

16358 citing authors

#	Article	IF	CITATIONS
1	A Systematic Review of the Impact of Adherence on the Effectiveness of e-Therapies. Journal of Medical Internet Research, 2011, 13, e52.	4.3	696
2	Computerized Cognitive Training in Older Adults With Mild Cognitive Impairment or Dementia: A Systematic Review and Meta-Analysis. American Journal of Psychiatry, 2017, 174, 329-340.	7.2	491
3	Autism spectrum disorders: a meta-analysis of executive function. Molecular Psychiatry, 2018, 23, 1198-1204.	7.9	453
4	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. British Journal of Psychiatry, 2005, 186, 197-202.	2.8	389
5	The neurobiology of depression in later-life: Clinical, neuropsychological, neuroimaging and pathophysiological features. Progress in Neurobiology, 2012, 98, 99-143.	5.7	234
6	Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. Brain, 2013, 136, 3671-3681.	7.6	222
7	Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. Brain, 2013, 136, 1204-1215.	7.6	195
8	The specific contributions of setâ€shifting to freezing of gait in Parkinson's disease. Movement Disorders, 2010, 25, 1000-1004.	3.9	178
9	Applying clinical staging to young people who present for mental health care. Microbial Biotechnology, 2013, 7, 31-43.	1.7	173
10	Visual misperceptions and hallucinations in Parkinson's disease: Dysfunction of attentional control networks?. Movement Disorders, 2011, 26, 2154-2159.	3.9	164
11	Autonomous identification of freezing of gait in Parkinson's disease from lower-body segmental accelerometry. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 19.	4.6	159
12	Rethinking the Dose-Response Relationship Between Usage and Outcome in an Online Intervention for Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e231.	4.3	152
13	Early intervention for cognitive decline: can cognitive training be used as a selective prevention technique?. International Psychogeriatrics, 2010, 22, 537-548.	1.0	145
14	Neuropsychological Performance in Patients With Depression is Associated With Clinical, Etiological and Genetic Risk Factors. Journal of Clinical and Experimental Neuropsychology, 2003, 25, 866-877.	1.3	140
15	Impaired MMN/P3a complex in first-episode psychosis: Cognitive and psychosocial associations. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 822-829.	4.8	140
16	Targeted primary careâ€based mental health services for young Australians. Medical Journal of Australia, 2012, 196, 136-140.	1.7	138
17	Delayed sleep phase in young people with unipolar or bipolar affective disorders. Journal of Affective Disorders, 2013, 145, 260-263.	4.1	136
18	A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11.	3.1	135

#	Article	IF	CITATIONS
19	Neurobehavioral Functioning in Obstructive Sleep Apnea: Differential Effects of Sleep Quality, Hypoxemia and Subjective Sleepiness. Journal of Clinical and Experimental Neuropsychology, 2004, 26, 43-54.	1.3	133
20	Development of a simple screening tool for common mental disorders in general practice. Medical Journal of Australia, 2001, 175, S10-7.	1.7	131
21	Disability in major depression related to self-rated and objectively-measured cognitive deficits: a preliminary study. BMC Psychiatry, 2007, 7, 32.	2.6	122
22	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. Journal of Affective Disorders, 2007, 98, 137-142.	4.1	121
23	Caudate Nucleus Volumes and Genetic Determinants of Homocysteine Metabolism in the Prediction of Psychomotor Speed in Older Persons With Depression. American Journal of Psychiatry, 2002, 159, 2096-2098.	7.2	115
24	A Double-Blind Randomized Controlled Trial of Oxytocin Nasal Spray and Social Cognition Training for Young People With Early Psychosis. Schizophrenia Bulletin, 2015, 41, 483-493.	4.3	115
25	Effect of the Mediterranean diet on cognition and brain morphology and function: a systematic review of randomized controlled trials. American Journal of Clinical Nutrition, 2018, 107, 389-404.	4.7	115
26	Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. Translational Psychiatry, 2015, 5, e555-e555.	4.8	114
27	Manipulating the sleep-wake cycle and circadian rhythms to improve clinical management of major depression. BMC Medicine, 2013, 11, 79.	5.5	112
28	The role of dysfunctional attentional control networks in visual misperceptions in Parkinson's disease. Human Brain Mapping, 2014, 35, 2206-2219.	3.6	111
29	Sleep-wake cycle and melatonin rhythms in adolescents and young adults with mood disorders: Comparison of unipolar and bipolar phenotypes. European Psychiatry, 2013, 28, 412-416.	0.2	110
30	Cognitive training in affective disorders improves memory: A preliminary study using the NEAR approach. Journal of Affective Disorders, 2010, 121, 258-262.	4.1	108
31	Disturbances in melatonin secretion and circadian sleep–wake regulation in Parkinson disease. Sleep Medicine, 2014, 15, 342-347.	1.6	107
32	Neuronal network disintegration: common pathways linking neurodegenerative diseases. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1234-1241.	1.9	106
33	Subjective memory complaints, vascular risk factors and psychological distress in the middle-aged: a cross-sectional study. BMC Psychiatry, 2011, 11, 108.	2.6	105
34	Glutathione relates to neuropsychological functioning in mild cognitive impairment. Alzheimer's and Dementia, 2014, 10, 67-75.	0.8	105
35	The major impact of freezing of gait on quality of life in Parkinson's disease. Journal of Neurology, 2015, 262, 108-115.	3.6	105
36	Sleep Well, Think Well: Sleep-Wake Disturbance in Mild Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2010, 23, 123-130.	2.3	101

#	Article	IF	Citations
37	Cognitive training-induced short-term functional and long-term structural plastic change is related to gains in global cognition in healthy older adults: a pilot study. Frontiers in Aging Neuroscience, 2015, 7, 14.	3.4	101
38	Differential Neural Activation Patterns in Patients with Parkinson's Disease and Freezing of Gait in Response to Concurrent Cognitive and Motor Load. PLoS ONE, 2013, 8, e52602.	2.5	98
39	Circadian Misalignment and Sleep Disruption in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2013, 38, 857-866.	2.6	97
40	Internet-Delivered Cognitive Behavioural Therapy for Adults with Mild to Moderate Depression and High Cardiovascular Disease Risks: A Randomised Attention-Controlled Trial. PLoS ONE, 2013, 8, e59139.	2.5	97
41	Effect of Oral Appliance Therapy on Neurobehavioral Functioning In Obstructive Sleep Apnea: A Randomized Controlled Trial. Journal of Clinical Sleep Medicine, 2005, 01, 374-380.	2.6	96
42	Assessing the utility of Freezing of Gait Questionnaires in Parkinson's Disease. Parkinsonism and Related Disorders, 2012, 18, 25-29.	2.2	95
43	Abnormal patterns of theta frequency oscillations during the temporal evolution of freezing of gait in Parkinson's disease. Clinical Neurophysiology, 2014, 125, 569-576.	1.5	95
44	A comparison of clinical and objective measures of freezing of gait in Parkinson's disease. Parkinsonism and Related Disorders, 2012, 18, 572-577.	2.2	94
45	Neuropsychological and Socio-Occupational Functioning in Young Psychiatric Outpatients: A Longitudinal Investigation. PLoS ONE, 2013, 8, e58176.	2.5	91
46	Ambulatory sleep-wake patterns and variability in young people with emerging mental disorders. Journal of Psychiatry and Neuroscience, 2015, 40, 28-37.	2.4	91
47	Right care, first time: a highly personalised and measurementâ€based care model to manage youth mental health. Medical Journal of Australia, 2019, 211, S3-S46.	1.7	88
48	Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients. Psychological Medicine, 2013, 43, 1161-1173.	4.5	87
49	Enhancing Memory in Late-Life Depression: The Effects of a Combined Psychoeducation and Cognitive Training Program. American Journal of Geriatric Psychiatry, 2011, 19, 240-248.	1.2	85
50	Circadian rhythm sleep–wake disturbances and depression in young people: implications for prevention and early intervention. Lancet Psychiatry,the, 2021, 8, 813-823.	7.4	81
51	Neuropsychological Clustering Highlights Cognitive Differences In Young People Presenting With Depressive Symptoms. Journal of the International Neuropsychological Society, 2011, 17, 267-276.	1.8	80
52	Delivering Youth-Specific Mental Health Services: The Advantages of a Collaborative, Multi-Disciplinary System. Australasian Psychiatry, 2009, 17, 189-194.	0.7	75
53	Examining Internet and eHealth Practices and Preferences: Survey Study of Australian Older Adults With Subjective Memory Complaints, Mild Cognitive Impairment, or Dementia. Journal of Medical Internet Research, 2017, 19, e358.	4.3	75
54	Unmet need for recognition of common mental disorders in Australian general practice. Medical Journal of Australia, 2001, 175, S18-24.	1.7	74

#	Article	IF	Citations
55	The pathophysiological mechanisms underlying freezing of gait in Parkinson's Disease. Journal of Clinical Neuroscience, 2011, 18, 1154-1157.	1.5	74
56	Randomized Controlled Trial of a Healthy Brain Ageing Cognitive Training Program: Effects on Memory, Mood, and Sleep. Journal of Alzheimer's Disease, 2015, 44, 1181-1191.	2.6	73
57	Napping in older people †at risk' of dementia: relationships with depression, cognition, medical burden and sleep quality. Journal of Sleep Research, 2015, 24, 494-502.	3.2	72
58	Fronto-striatal atrophy correlates of inhibitory dysfunction in Parkinson's disease versus behavioural variant frontotemporal dementia. Cortex, 2013, 49, 1833-1843.	2.4	71
59	Sphere: A National Depression Project. Australasian Psychiatry, 1998, 6, 248-250.	0.7	70
60	Impaired implicit sequence learning in depression: a probe for frontostriatal dysfunction?. Psychological Medicine, 2006, 36, 313-323.	4.5	69
61	Objective measurement of sleep in mild cognitive impairment: A systematic review and meta-analysis. Sleep Medicine Reviews, 2020, 52, 101308.	8.5	69
62	Sleep disturbance relates to neuropsychological functioning in late-life depression. Journal of Affective Disorders, 2011, 132, 139-145.	4.1	68
63	Clinical classification in mental health at the cross-roads: which direction next?. BMC Medicine, 2013, 11, 125.	5.5	68
64	Sleep-Wake Cycle in Young and Older Persons with a Lifetime History of Mood Disorders. PLoS ONE, 2014, 9, e87763.	2.5	68
65	Cognitive training for freezing of gait in Parkinson's disease: a randomized controlled trial. Npj Parkinson's Disease, 2018, 4, 15.	5.3	66
66	Circadian rhythms and psychiatric profiles in young adults with unipolar depressive disorders. Translational Psychiatry, 2018, 8, 213.	4.8	65
67	Early intervention for cognitive decline: is there a role for multiple medical or behavioural interventions?. Microbial Biotechnology, 2009, 3, 19-27.	1.7	63
68	Review of Emotion Recognition in Mild Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2011, 32, 257-266.	1.5	63
69	Psychological distress and quality of life in older persons: relative contributions of fixed and modifiable risk factors. BMC Psychiatry, 2013, 13, 249.	2.6	62
70	Circadian profiles in young people during the early stages of affective disorder. Translational Psychiatry, 2012, 2, e123-e123.	4.8	61
71	Improving memory in Parkinson's disease: A healthy brain ageing cognitive training program. Movement Disorders, 2013, 28, 1097-1103.	3.9	61
72	Deficits in episodic memory retrieval reveal impaired default mode network connectivity in amnestic mild cognitive impairment. NeuroImage: Clinical, 2014, 4, 473-480.	2.7	61

#	Article	IF	Citations
73	Structural brain correlates of obstructive sleep apnoea in older adults at risk for dementia. European Respiratory Journal, 2018, 52, 1800740.	6.7	60
74	Clinical correlates of chronotypes in young persons with mental disorders. Chronobiology International, 2015, 32, 1183-1191.	2.0	59
75	Microstructural White Matter Changes in the Corpus Callosum of Young People with Bipolar Disorder: A Diffusion Tensor Imaging Study. PLoS ONE, 2013, 8, e59108.	2.5	58
76	Attentional set-shifting deficits correlate with the severity of freezing of gait in Parkinson's disease. Parkinsonism and Related Disorders, 2013, 19, 388-390.	2.2	58
77	Disability is already pronounced in young people with early stages of affective disorders: Data from an early intervention service. Journal of Affective Disorders, 2011, 131, 84-91.	4.1	57
78	Modeling freezing of gait in Parkinson's disease with a virtual reality paradigm. Gait and Posture, 2013, 38, 104-108.	1.4	55
79	Correlating anterior insula gray matter volume changes in young people with clinical and neurocognitive outcomes: an MRI study. BMC Psychiatry, 2012, 12, 45.	2.6	54
80	The Relationship between Thermoregulation and REM Sleep Behaviour Disorder in Parkinson's Disease. PLoS ONE, 2013, 8, e72661.	2.5	54
81	Prevalence and Predictors of Poor Sleep Quality in Mild Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 204-211.	2.3	53
82	Using virtual reality to explore the role of conflict resolution and environmental salience in Freezing of Gait in Parkinson's disease. Parkinsonism and Related Disorders, 2013, 19, 937-942.	2.2	52
83	Caregiver burden in mild cognitive impairment. Aging and Mental Health, 2015, 19, 72-78.	2.8	52
84	Strategy-Based Cognitive Training for Improving Executive Functions in Older Adults: a Systematic Review. Neuropsychology Review, 2016, 26, 252-270.	4.9	52
85	Distinguishing young people with emerging bipolar disorders from those with unipolar depression. Journal of Affective Disorders, 2013, 144, 208-215.	4.1	51
86	Does sleep disturbance mediate neuropsychological functioning in older people with depression?. Journal of Affective Disorders, 2009, 116, 139-143.	4.1	50
87	Is Obstructive Sleep Apnoea Related to Neuropsychological Function in Healthy Older Adults? A Systematic Review and Meta-Analysis. Neuropsychology Review, 2017, 27, 389-402.	4.9	50
88	Circadian depression: A mood disorder phenotype. Neuroscience and Biobehavioral Reviews, 2021, 126, 79-101.	6.1	50
89	Amphetamine psychosis: a model for studying the onset and course of psychosis. Medical Journal of Australia, 2009, 190, S22-5.	1.7	49
90	Functional impairment in adolescents and young adults with emerging mood disorders. British Journal of Psychiatry, 2014, 205, 362-368.	2.8	49

#	Article	IF	Citations
91	Fronto-striatal correlates of impaired implicit sequence learning in major depression: An fMRI study. Journal of Affective Disorders, 2010, 125, 256-261.	4.1	48
92	Sleep–wake changes and cognition in neurodegenerative disease. Progress in Brain Research, 2011, 190, 21-52.	1.4	48
93	Longitudinal associations between mismatch negativity and disability in early schizophrenia- and affective-spectrum disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 46, 161-169.	4.8	48
94	Hippocampal Volume in Older Adults at Risk of Cognitive Decline: The Role of Sleep, Vascular Risk, and Depression. Journal of Alzheimer's Disease, 2015, 44, 1279-1290.	2.6	48
95	Neuropsychological functioning in Parkinson's disease: Differential relationships with selfâ€reported sleepâ€wake disturbances. Movement Disorders, 2011, 26, 1537-1541.	3.9	47
96	Reduced Mismatch Negativity in Mild Cognitive Impairment: Associations with Neuropsychological Performance. Journal of Alzheimer's Disease, 2012, 30, 209-219.	2.6	47
97	Impaired verbal memory in young adults with unipolar and bipolar depression. Microbial Biotechnology, 2010, 4, 227-233.	1.7	46
98	Sleep Disturbances in Parkinson Disease and Their Potential Role in Heterogeneity. Journal of Geriatric Psychiatry and Neurology, 2010, 23, 131-137.	2.3	46
99	Frontal lobe changes occur early in the course of affective disorders in young people. BMC Psychiatry, 2012, 12, 4.	2.6	46
100	InÂvivo glutathione levels in young persons with bipolar disorder: A magnetic resonance spectroscopy study. Journal of Psychiatric Research, 2013, 47, 412-417.	3.1	46
101	Anterior cingulate integrity: Executive and neuropsychiatric features in Parkinson's disease. Movement Disorders, 2012, 27, 1262-1267.	3.9	45
102	Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. BMJ Open, 2013, 3, e002229.	1.9	45
103	Treatment of common mental disorders in Australian general practice. Medical Journal of Australia, 2001, 175, S25-30.	1.7	44
104	Circadian rhythmicity in emerging mood disorders: state or trait marker?. International Journal of Bipolar Disorders, 2016, 4, 3.	2.2	44
105	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. Psychiatry Research - Neuroimaging, 2007, 155, 211-220.	1.8	43
106	The role of rumination in illness trajectories in youth: linking trans-diagnostic processes with clinical staging models. Psychological Medicine, 2016, 46, 2467-2484.	4.5	43
107	Distinct neurometabolic profiles are evident in the anterior cingulate of young people with major psychiatric disorders. Translational Psychiatry, 2012, 2, e110-e110.	4.8	42
108	Microstructural white matter changes are correlated with the stage of psychiatric illness. Translational Psychiatry, 2013, 3, e248-e248.	4.8	42

#	Article	IF	CITATIONS
109	Safety of higher doses of melatonin in adults: A systematic review and metaâ€analysis. Journal of Pineal Research, 2022, 72, e12782.	7.4	42
110	A novel paradigm for modelling freezing of gait in Parkinson's disease. Journal of Clinical Neuroscience, 2010, 17, 984-987.	1.5	41
111	Investigating visual misperceptions in Parkinson's disease: A novel behavioral paradigm. Movement Disorders, 2012, 27, 500-505.	3.9	41
112	Freezing of gait in Parkinson's disease: Current treatments and the potential role for cognitive training. Restorative Neurology and Neuroscience, 2014, 32, 411-422.	0.7	41
113	Sleep disturbance in mild cognitive impairment. Current Opinion in Psychiatry, 2018, 31, 153-159.	6.3	40
114	Effects of mental health training and clinical audit on general practitioners' management of common mental disorders. Medical Journal of Australia, 2001, 175, S42-7.	1.7	39
115	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. Journal of Affective Disorders, 2005, 85, 327-332.	4.1	39
116	Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. BMC Psychiatry, 2013, 13, 303.	2.6	39
117	Cognitive Training in Parkinson's Disease. Neurorehabilitation and Neural Repair, 2017, 31, 207-216.	2.9	38
118	Sleep outcomes following sleep-hygiene-related interventions for individuals with traumatic brain injury: A systematic review. Brain Injury, 2017, 31, 422-433.	1.2	38
119	The Role of Mild Depression in Sleep Disturbance and Quality of Life in Parkinson's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2010, 22, 384-389.	1.8	37
120	The relationship between actigraphically defined sleep disturbance and REM sleep behaviour disorder in Parkinson's Disease. Clinical Neurology and Neurosurgery, 2010, 112, 420-423.	1.4	37
121	How does social functioning in the early stages of psychosis relate to depression and social anxiety?. Microbial Biotechnology, 2011, 5, 224-232.	1.7	37
122	Oxidative stress and depressive symptoms in older adults: A magnetic resonance spectroscopy study. Journal of Affective Disorders, 2015, 180, 29-35.	4.1	37
123	Identifying the neural correlates of doorway freezing in Parkinson's disease. Human Brain Mapping, 2019, 40, 2055-2064.	3.6	37
124	Comorbidity of common mental disorders and alcohol or other substance misuse in Australian general practice. Medical Journal of Australia, 2001, 175, S31-6.	1.7	36
125	The role of glia in late-life depression. International Psychogeriatrics, 2012, 24, 1878-1890.	1.0	36
126	Effect of oral appliance therapy on neurobehavioral functioning in obstructive sleep apnea: a randomized controlled trial. Journal of Clinical Sleep Medicine, 2005, 1, 374-80.	2.6	36

#	Article	IF	Citations
127	Thoughts of death or suicidal ideation are common in young people aged 12 to 30 years presenting for mental health care. BMC Psychiatry, 2012, 12, 234.	2.6	35
128	Recent Advances in Sleep-Wake Cycle and Biological Rhythms in Bipolar Disorder. Current Psychiatry Reports, 2013, 15, 402.	4. 5	35
129	Investigating rapid eye movement sleep without atonia in Parkinson's disease using the rapid eye movement sleep behavior disorder screening questionnaire. Movement Disorders, 2014, 29, 736-742.	3.9	35
130	An Immersive Virtual Reality Platform for Assessing Spatial Navigation Memory in Predementia Screening: Feasibility and Usability Study. JMIR Mental Health, 2019, 6, e13887.	3.3	35
131	Reduced temporal mismatch negativity in late-life depression: An event-related potential index of cognitive deficit and functional disability?. Journal of Affective Disorders, 2012, 138, 71-78.	4.1	34
132	Antisaccade errors reveal cognitive control deficits in Parkinson's disease with freezing of gait. Journal of Neurology, 2015, 262, 2745-2754.	3.6	34
133	Objective Measurement of Daytime Napping, Cognitive Dysfunction and Subjective Sleepiness in Parkinson's Disease. PLoS ONE, 2013, 8, e81233.	2,5	34
134	Utilising functional MRI (fMRI) to explore the freezing phenomenon in Parkinson's disease. Journal of Clinical Neuroscience, 2011, 18, 807-810.	1.5	33
135	The contribution of nocturnal sleep to the consolidation of motor skill learning in healthy ageing and <scp>P</scp> arkinson's disease. Journal of Sleep Research, 2013, 22, 398-405.	3.2	33
136	Irregular sleep-wake patterns in older adults with current or remitted depression. Journal of Affective Disorders, 2021, 281, 431-437.	4.1	33
137	Sleep disturbance in mild cognitive impairment: differential effects of current and remitted depression. Acta Neuropsychiatrica, 2011, 23, 167-172.	2.1	32
138	Internet-based treatment for older adults with depression and co-morbid cardiovascular disease: protocol for a randomised, double-blind, placebo controlled trial. BMC Psychiatry, 2011, 11, 10.	2.6	32
139	Parallel Changes in Mood and Melatonin Rhythm Following an Adjunctive Multimodal Chronobiological Intervention With Agomelatine in People With Depression: A Proof of Concept Open Label Study. Frontiers in Psychiatry, 2018, 9, 624.	2.6	32
140	Dementia in long-term Parkinson's disease patients: a multicentre retrospective study. Npj Parkinson's Disease, 2020, 6, 2.	5. 3	32
141	Variability of Stepping during a Virtual Reality Paradigm in Parkinson's Disease Patients with and without Freezing of Gait. PLoS ONE, 2013, 8, e66718.	2.5	32
142	Clinical assessment of freezing of gait in Parkinson's disease from computer-generated animation. Gait and Posture, 2013, 38, 326-329.	1.4	31
143	Genetic and Environmental Contributions to Sleep-Wake Behavior in 12-Year-Old Twins. Sleep, 2013, 36, 1715-1722.	1.1	31
144	Stuck in the mud: time for change in the implementation of cognitive training research in ageing?. Frontiers in Aging Neuroscience, 2014, 6, 43.	3.4	31

#	Article	lF	CITATIONS
145	Early phenotypic differences between Parkinson's disease patients with and without freezing of gait. Parkinsonism and Related Disorders, 2014, 20, 604-607.	2.2	31
146	Memory Performance Correlates of Hippocampal Subfield Volume in Mild Cognitive Impairment Subtype. Frontiers in Behavioral Neuroscience, 2019, 13, 259.	2.0	31
147	In vivo imaging of oxidative stress and fronto-limbic white matter integrity in young adults with mood disorders. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 145-156.	3.2	30
148	Mild Cognitive Impairment in Parkinson's Disease: A Review of Current Concepts. Neurology Research International, 2013, 2013, 1-8.	1.3	29
149	Sleep quality in healthy older people: Relationship with \hat{A}^1H magnetic resonance spectroscopy markers of glial and neuronal integrity Behavioral Neuroscience, 2013, 127, 803-810.	1.2	29
150	Emotion Recognition in Mild Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2013, 26, 165-173.	2.3	29
151	Cognitive Training Enhances Pre-Attentive Neurophysiological Responses in Older Adults â€~At Risk' of Dementia. Journal of Alzheimer's Disease, 2014, 41, 1095-1108.	2.6	29
152	Impaired cognitive control in Parkinson's disease patients with freezing of gait in response to cognitive load. Journal of Neural Transmission, 2015, 122, 653-660.	2.8	29
153	Vascular Risk to Late-Life Depression: Evidence from a Longitudinal Community Study. Australian and New Zealand Journal of Psychiatry, 2003, 37, 62-65.	2.3	28
154	Neuropsychological profile according to the clinical stage of young persons presenting for mental health care. BMC Psychology, 2013, $1,8$.	2.1	28
155	Association between Sleep-Disordered Breathing and Neuropsychological Performance in Older Adults with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 46, 157-165.	2.6	28
156	Validation of the Psychosis and Hallucinations Questionnaire in Nonâ€demented Patients with Parkinson's Disease. Movement Disorders Clinical Practice, 2015, 2, 175-181.	1.5	28
157	The effect of 12-wk ï‰-3 fatty acid supplementation on inÂvivo thalamus glutathione concentration in patients "at risk―for major depression. Nutrition, 2015, 31, 1247-1254.	2.4	28
158	Sleep-wake profiles and circadian rhythms of core temperature and melatonin in young people with affective disorders. Journal of Psychiatric Research, 2017, 94, 131-138.	3.1	28
159	Adjunctive Internet-delivered cognitive behavioural therapy for insomnia in men with depression: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2019, 53, 350-360.	2.3	28
160	Managing depression across the life cycle: new strategies for clinicians and their patients. Internal Medicine Journal, 2009, 39, 720-727.	0.8	27
161	Sleep–wake disturbances in common neurodegenerative diseases: A closer look at selected aspects of the neural circuitry. Journal of the Neurological Sciences, 2011, 307, 9-14.	0.6	27
162	How well do caregivers detect mild cognitive change in Parkinson's disease?. Movement Disorders, 2011, 26, 161-164.	3.9	27

#	Article	IF	Citations
163	Utility and Limitations of Addenbrooke's Cognitive Examination-Revised for Detecting Mild Cognitive Impairment in Parkinson's Disease. Dementia and Geriatric Cognitive Disorders, 2011, 31, 349-357.	1.5	27
164	Mild Cognitive Impairment Subtypes in Older People With Depressive Symptoms. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 174-183.	2.3	27
165	Sleep disturbance in mild cognitive impairment is associated with alterations in the brain's default mode network Behavioral Neuroscience, 2016, 130, 305-315.	1.2	27
166	Efficacy of Psychosocial Interventions for People with Multiple Sclerosis: A Meta-Analysis of Specific Treatment Effects. Psychotherapy and Psychosomatics, 2018, 87, 105-111.	8.8	27
167	Autism, Early Psychosis, and Social Anxiety Disorder: a transdiagnostic examination of executive function cognitive circuitry and contribution to disability. Translational Psychiatry, 2018, 8, 200.	4.8	27
168	Circadian rhythm and sleep alterations in older people with lifetime depression: a case-control study. BMC Psychiatry, 2020, 20, 192.	2.6	27
169	Electroconvulsive therapy-induced persistent retrograde amnesia: Could it be minimised by ketamine or other pharmacological approaches?. Journal of Affective Disorders, 2010, 126, 39-45.	4.1	25
170	Social cognitive performance as a marker of positive psychotic symptoms in young people seeking help for mental health problems. Schizophrenia Research, 2013, 149, 77-82.	2.0	25
171	Quality of Life in Parkinson's Disease Caregivers: The Contribution of Personality Traits. BioMed Research International, 2013, 2013, 1-6.	1.9	25
172	Hippocampal glutamate is increased and associated with risky drinking in young adults with major depression. Journal of Affective Disorders, 2015, 186, 95-98.	4.1	25
173	"DASH―symptoms in patients with Parkinson's disease: Red flags for early cognitive decline. Journal of Clinical Neuroscience, 2011, 18, 352-355.	1.5	24
174	Freezing of Gait and its Associations in the Early and Advanced Clinical Motor Stages of Parkinson's Disease: A Cross-Sectional Study. Journal of Parkinson's Disease, 2015, 5, 881-891.	2.8	24
175	Sleep–wake profiles predict longitudinal changes in manic symptoms and memory in young people with mood disorders. Journal of Sleep Research, 2016, 25, 549-555.	3.2	24
176	Sleep–wake cycle phenotypes in young people with familial and nonâ€familial mood disorders. Bipolar Disorders, 2016, 18, 642-649.	1.9	24
177	Association of Anterior Cingulate Glutathione with Sleep Apnea in Older Adults At-Risk for Dementia. Sleep, 2016, 39, 899-906.	1.1	24
178	Associations of objective and subjective sleep disturbance with cognitive function in older men with comorbid depression and insomnia. Sleep Health, 2017, 3, 178-183.	2.5	24
179	The differential yet concurrent contributions of motor, cognitive and affective disturbance to freezing of gait in Parkinson's disease. Clinical Neurology and Neurosurgery, 2013, 115, 542-545.	1.4	23
180	Cluster analysis reveals abnormal hippocampal neurometabolic profiles in young people with mood disorders. European Neuropsychopharmacology, 2015, 25, 836-845.	0.7	23

#	Article	IF	CITATIONS
181	Assessing the utility of the Movement Disorder Society Task Force Level 1 diagnostic criteria for mild cognitive impairment in Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 31-35.	2.2	23
182	Functional Connectivity in the Default Mode Network is Reduced in Association with Nocturnal Awakening in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2017, 56, 1373-1384.	2.6	23
183	Mismatch Negativity/P3a Complex in Young People with Psychiatric Disorders: A Cluster Analysis. PLoS ONE, 2012, 7, e51871.	2.5	23
184	Can older "at risk―adults benefit from psychoeducation targeting healthy brain aging?. International Psychogeriatrics, 2011, 23, 413-424.	1.0	22
185	Body mass, cardiovascular risk and metabolic characteristics of young persons presenting for mental healthcare in Sydney, Australia. BMJ Open, 2015, 5, e007066-e007066.	1.9	22
186	Cohort profile: the Brain and Mind Centre <i>Optymise</i> cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. BMJ Open, 2020, 10, e030985.	1.9	22
187	Using Staged Care to Provide "Right Care First Time―to People With Common Affective Disorders. Psychiatric Services, 2021, 72, 691-703.	2.0	22
188	Neuropsychological functioning is compromised in binge drinking young adults with depression. Psychiatry Research, 2013, 210, 256-262.	3.3	21
189	Emotion recognition deficits exist in mild cognitive impairment, but only in the amnestic subtype Psychology and Aging, 2013, 28, 840-852.	1.6	21
190	Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. Journal of Affective Disorders, 2018, 229, 85-94.	4.1	21
191	Sleep-Dependent Memory in Older People With and Without MCI: The Relevance of Sleep Microarchitecture, OSA, Hippocampal Subfields, and Episodic Memory. Cerebral Cortex, 2021, 31, 2993-3005.	2.9	21
192	Conclusions about the assessment and management of common mental disorders in Australian general practice. Medical Journal of Australia, 2001, 175, S52-5.	1.7	20
193	Screening for Sleep Apnoea in Mild Cognitive Impairment: The Utility of the Multivariable Apnoea Prediction Index. Sleep Disorders, 2014, 2014, 1-7.	1.4	20
194	Virtual reality walking and dopamine: Opening new doorways to understanding freezing of gait in Parkinson's disease. Journal of the Neurological Sciences, 2014, 344, 182-185.	0.6	20
195	The relationships between mild cognitive impairment and phenotype in Parkinson's disease. Npj Parkinson's Disease, 2015, 1, 15015.	5.3	20
196	Mild Cognitive Impairment in Parkinson's Disease: Impact on Caregiver Outcomes. Journal of Parkinson's Disease, 2016, 6, 589-596.	2.8	20
197	Improving the social health of community-dwelling older people living with dementia through a reablement program. International Psychogeriatrics, 2018, 30, 915-920.	1.0	20
198	Brain oxidative stress and cognitive function in older adults with diabetes and pre-diabetes who are at risk for dementia. Diabetes Research and Clinical Practice, 2022, 184, 109178.	2.8	20

#	Article	IF	Citations
199	Using informant reports to detect cognitive decline in mild cognitive impairment. International Psychogeriatrics, 2012, 24, 967-973.	1.0	19
200	Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008–2016). BMJ Open, 2018, 8, e022659.	1.9	19
201	Impaired Neurobehavioural Performance in Untreated Obstructive Sleep Apnea Patients Using a Novel Standardised Test Battery. Frontiers in Surgery, 2018, 5, 35.	1.4	19
202	A pragmatic randomised controlled trial (RCT) and realist evaluation of the interdisciplinary home-bAsed Reablement program (I-HARP) for improving functional independence of community dwelling older people with dementia: an effectiveness-implementation hybrid design. BMC Geriatrics, 2019, 19, 199.	2.7	19
203	Improvements in cognitive function and quantitative sleep electroencephalogram in obstructive sleep apnea after six months of continuous positive airway pressure treatment. Sleep, 2022, 45, .	1.1	19
204	Cognitive impairment with and without depression history: an analysis of white matter microstructure. Journal of Psychiatry and Neuroscience, 2014, 39, 135-43.	2.4	18
205	Utility of the LIBRA Index in Relation to Cognitive Functioning in a Clinical Health Seeking Sample. Journal of Alzheimer's Disease, 2018, 62, 373-384.	2.6	18
206	Advanced Circadian Timing and Sleep Fragmentation Differentially Impact on Memory Complaint Subtype in Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2018, 66, 565-577.	2.6	18
207	Prevalence and patterns of cognitive impairment in acute coronary syndrome patients: A systematic review. European Journal of Preventive Cardiology, 2020, 27, 284-293.	1.8	18
208	Episodic memory in depression: the unique contribution of the anterior caudate and hippocampus. Psychological Medicine, 2016, 46, 2189-2199.	4.5	17
209	Dysregulated sleep–wake cycles in young people are associated with emerging stages of major mental disorders. Microbial Biotechnology, 2016, 10, 63-70.	1.7	17
210	The relative contributions of psychiatric symptoms and psychotropic medications on the sleep-wake profile of young persons with anxiety, depression and bipolar disorders. Psychiatry Research, 2016, 243, 403-406.	3.3	17
211	N-of-1 trials for assessing the effects of deprescribing medications on short-term clinical outcomes in older adults: a systematic review. Journal of Clinical Epidemiology, 2018, 93, 112-119.	5.0	16
212	Relationships between sleep quality, depressive symptoms and MCI diagnosis: A path analysis. Journal of Affective Disorders, 2019, 256, 26-32.	4.1	16
213	Disability in older adults across the continuum of cognitive decline: unique contributions of depression, sleep disturbance, cognitive deficits and medical burden. International Psychogeriatrics, 2019, 31, 1611-1625.	1.0	16
214	"Sleep Well, Think Well―Group Program for Mild Cognitive Impairment: A Randomized Controlled Pilot Study. Behavioral Sleep Medicine, 2019, 17, 778-789.	2.1	16
215	Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. BJPsych Open, 2020, 6, e31.	0.7	16
216	Memory Compensation Strategies in Older People with Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2020, 26, 86-96.	1.8	16

#	Article	IF	Citations
217	Dementia prevention: the time to act is now. Medical Journal of Australia, 2021, 214, 302.	1.7	16
218	Social Cognition Deficits and Psychopathic Traits in Young People Seeking Mental Health Treatment. PLoS ONE, 2013, 8, e67753.	2.5	16
219	Distress and disability in young adults presenting to clinical services with mood disorders. International Journal of Bipolar Disorders, 2013, 1, 23.	2.2	15
220	Temporal Characteristics of High-Frequency Lower-Limb Oscillation during Freezing of Gait in Parkinson's Disease. Parkinson's Disease, 2014, 2014, 1-7.	1.1	15
221	Cognitive dysfunction and functional disability in alcohol-dependent adults with or without a comorbid affective disorder. Cognitive Neuropsychiatry, 2015, 20, 222-231.	1.3	15
222	Spectroscopic markers of memory impairment, symptom severity and age of onset in older people with lifetime depression: Discrete roles of N-acetyl aspartate and glutamate. Journal of Affective Disorders, 2015, 183, 31-38.	4.1	15
223	Theory of Mind in Mild Cognitive Impairment $\hat{a}\in$ Relationship with Limbic Structures and Behavioural Change. Journal of the International Neuropsychological Society, 2019, 25, 1023-1034.	1.8	15
224	A novel bedside task to tap inhibitory dysfunction and fronto-striatal atrophy in Parkinson's disease. Parkinsonism and Related Disorders, 2013, 19, 827-830.	2.2	14
225	Clinical and Cognitive Correlates of Structural Hippocampal Change in "At-Risk―Older Adults. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 67-76.	2.3	14
226	Actigraphically-defined sleep disturbance in Parkinson's disease is associated with differential aspects of cognitive functioning. Journal of Clinical Neuroscience, 2014, 21, 1112-1115.	1.5	14
227	The Beyond Ageing Project Phase 2 - a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. Trials, 2015, 16, 247.	1.6	14
228	The Relationship between Sleep-Wake Cycle and Cognitive Functioning in Young People with Affective Disorders. PLoS ONE, 2015, 10, e0124710.	2.5	14
229	Quantifying the effect of body mass index, age, and depression severity on 24-h activity patterns in persons with a lifetime history of affective disorders. BMC Psychiatry, 2016, 16, 317.	2.6	14
230	Sleep-wake, cognitive and clinical correlates of treatment outcome with repetitive transcranial magnetic stimulation for young adults with depression. Psychiatry Research, 2019, 271, 335-342.	3.3	14
231	Altered heart rate variability during sleep in mild cognitive impairment. Sleep, 2021, 44, .	1.1	14
232	The impact of gender on early ill-health retirement in people with heart disease and depression. Australian and New Zealand Journal of Psychiatry, 2012, 46, 249-256.	2.3	13
233	Delayed circadian phase is linked to glutamatergic functions in young people with affective disorders: a proton magnetic resonance spectroscopy study. BMC Psychiatry, 2014, 14, 345.	2.6	13
234	Informant―and <scp>S</scp> elfâ€ <scp>A</scp> ppraisals on the <scp>P</scp> sychosis and <scp>H</scp> allucinations <scp>Q</scp> uestionnaire (<scp>P</scp> sycHâ€ <scp>Q</scp>) <scp>E</scp> nhances <scp>D</scp> etection of <scp>V</scp> isual <scp>H</scp> allucinations in <scp>P</scp> arkinson's <scp>D</scp> isease. Movement Disorders Clinical Practice, 2018, 5, 607-613.	1.5	13

#	Article	IF	CITATIONS
235	The relationship between depression and cognitive function in adults with cardiovascular risk: Evidence from a randomised attention-controlled trial. PLoS ONE, 2018, 13, e0203343.	2.5	13
236	What is the prevalence, and what are the clinical correlates, of insulin resistance in young people presenting for mental health care? A cross-sectional study. BMJ Open, 2019, 9, e025674.	1.9	13
237	The evaluation of an online mindfulness program for people with multiple sclerosis: study protocol. BMC Neurology, 2019, 19, 129.	1.8	12
238	A data-driven transdiagnostic analysis of white matter integrity in young adults with major psychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 89, 73-83.	4.8	12
239	Feasibility and potential effects of interdisciplinary home-based reablement program (I-HARP) for people with cognitive and functional decline: a pilot trial. Aging and Mental Health, 2020, 24, 1916-1925.	2.8	12
240	Machine Learning for Differential Diagnosis Between Clinical Conditions With Social Difficulty: Autism Spectrum Disorder, Early Psychosis, and Social Anxiety Disorder. Frontiers in Psychiatry, 2020, 11, 545.	2.6	12
241	Modelling associations between neurocognition and functional course in young people with emerging mental disorders: a longitudinal cohort study. Translational Psychiatry, 2020, 10, 22.	4.8	12
242	A systematic scoping review of the effects of central nervous system active drugs on sleep spindles and sleep-dependent memory consolidation. Sleep Medicine Reviews, 2022, 62, 101605.	8.5	12
243	Variability and predictors of mental disorder rates and medical practitioner responses across Australian general practices. Medical Journal of Australia, 2001, 175, S37-41.	1.7	11
244	The Relationships Between Poor Sleep Efficiency and Mild Cognitive Impairment in Parkinson Disease. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 77-84.	2.3	11
245	Dysfunctional sleep beliefs in Parkinson's disease: Relationships with subjective and objective sleep. Journal of Clinical Neuroscience, 2014, 21, 1359-1363.	1.5	11
246	Organisational aspects and assessment practices of Australian memory clinics: an Australian Dementia Network (ADNeT) Survey. BMJ Open, 2021, 11, e038624.	1.9	11
247	Level I <scp>PDâ€MCI</scp> Using Global Cognitive Tests and the Risk for Parkinson's Disease Dementia. Movement Disorders Clinical Practice, 2022, 9, 479-483.	1.5	11
248	Elderly care recipients' perceptions of treatment helpfulness for depression and the relationship with help-seeking. Clinical Interventions in Aging, 2015, 10, 287.	2.9	10
249	Sleep Disturbance in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury. Journal of Head Trauma Rehabilitation, 2019, 34, 122-131.	1.7	10
250	Nocturnal Hypoxemia Is Associated with Altered Parahippocampal Functional Brain Connectivity in Older Adults at Risk for Dementia. Journal of Alzheimer's Disease, 2020, 73, 571-584.	2.6	10
251	Cognitive impairment and psychological state in acute coronary syndrome patients: A prospective descriptive study at cardiac rehabilitation entry, completion and follow-up. European Journal of Cardiovascular Nursing, 2021, 20, 56-63.	0.9	10
252	Continuous Positive Airway Pressure for Cognition in Sleep Apnea and Mild Cognitive Impairment: A Pilot Randomized Crossover Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 1479-1482.	5.6	10

#	Article	IF	Citations
253	Parkinson's disease in general practice: Assessing knowledge, confidence and the potential role of education. Journal of Clinical Neuroscience, 2011, 18, 1044-1047.	1.5	9
254	Health professionals' and researchers' opinions on conducting clinical deprescribing trials. Pharmacology Research and Perspectives, 2019, 7, e00476.	2.4	9
255	The Feasibility of Using N-Of-1 Trials to Investigate Deprescribing in Older Adults with Dementia: A Pilot Study. Healthcare (Switzerland), 2019, 7, 161.	2.0	9
256	Internal consistency and convergent and divergent validity of the Liverpool jetlag questionnaire. Chronobiology International, 2020, 37, 218-226.	2.0	9
257	A feasibility and acceptability study of cognitive behavioural treatment for insomnia in adolescents with traumatic brain injury: A–B with follow up design, randomized baseline, and replication across participants. Neuropsychological Rehabilitation, 2021, 31, 345-368.	1.6	9
258	Autism spectrum disorder: An examination of sex differences in neuropsychological and self-report measures of executive and non-executive cognitive function. Autism, 2021, 25, 2223-2237.	4.1	9
259	The Sleep Or Mood Novel Adjunctive therapy (SOMNA) trial: a study protocol for a randomised controlled trial evaluating an internet-delivered cognitive behavioural therapy program for insomnia on outcomes of standard treatment for depression in men. BMC Psychiatry, 2015, 15, 16.	2.6	8
260	Exploring the Phenotype in Mild Cognitive Impairment to Aid the Prediction of Those at Risk of Transitioning to Parkinson Disease and Dementia With Lewy Bodies. Journal of Geriatric Psychiatry and Neurology, 2017, 30, 196-205.	2.3	8
261	Reducing risk factors for cognitive decline through psychological interventions: a pilot randomized controlled trial. International Psychogeriatrics, 2019, 31, 1015-1025.	1.0	8
262	Fatigue in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury: Characteristics and Associated Factors. Journal of Head Trauma Rehabilitation, 2021, 36, E108-E117.	1.7	8
263	The TAS Test project: a prospective longitudinal validation of new online motor-cognitive tests to detect preclinical Alzheimer's disease and estimate 5-year risks of cognitive decline and dementia. BMC Neurology, 2022, 22, .	1.8	8
264	A Cognitive–Behavioural Therapy Training Program for General Practitioners to Manage Depression. Australasian Psychiatry, 1999, 7, 326-328.	0.7	7
265	Investigating the night-to-night variability of REM without atonia in Parkinson's disease. Sleep Medicine, 2015, 16, 190-193.	1.6	7
266	A randomized controlled trial of a web-based mindfulness programme for people with MS with and without a history of recurrent depression. Multiple Sclerosis Journal, 2022, 28, 1392-1401.	3.0	7
267	Characterising Australian memory clinics: current practice and service needs informing national service guidelines. BMC Geriatrics, 2022, 22, .	2.7	7
268	SPHERE: A National Depression Project. Medical Journal of Australia, 2002, 176, 193-194.	1.7	6
269	Comorbidity and vascular cognitive impairment-no dementia (VCI-ND). Age and Ageing, 2017, 46, 705-707.	1.6	6
270	Arterial stiffness relates to executive dysfunction in later life. Aging, Neuropsychology, and Cognition, 2020, 27, 140-151.	1,3	6

#	Article	IF	CITATIONS
271	Lower In vivo Myo-Inositol in the Anterior Cingulate Cortex Correlates with Delayed Melatonin Rhythms in Young Persons with Depression. Frontiers in Neuroscience, 2017, 11, 336.	2.8	5
272	Visual Processing of Emotional Faces is Preserved in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2018, 66, 397-405.	2.6	5
273	Associations between sleep and verbal memory in subjective cognitive decline: A role for semantic clustering. Neurobiology of Learning and Memory, 2019, 166, 107086.	1.9	5
274	The protocol of a clinical quality registry for dementia and mild cognitive impairment (MCI): the Australian dementia network (ADNeT) Registry. BMC Geriatrics, 2020, 20, 330.	2.7	5
275	Feasibility of 3-month melatonin supplementation for brain oxidative stress and sleep in mild cognitive impairment: protocol for a randomised, placebo-controlled study. BMJ Open, 2021, 11, e041500.	1.9	5
276	Development of a Web-Based Mindfulness Program for People With Multiple Sclerosis: Qualitative Co-Design Study. Journal of Medical Internet Research, 2021, 23, e19309.	4.3	5
277	Poorer Theory of Mind in Amnestic Mild Cognitive Impairment Is Associated with Decreased Functional Connectivity in the Default Mode Network. Journal of Alzheimer's Disease, 2021, 81, 1079-1091.	2.6	5
278	Association between Sleep Disordered Breathing and Nighttime Driving Performance in Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2017, 23, 502-510.	1.8	4
279	Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care., 2020,, 39-62.		4
280	Rest–activity functioning is related to white matter microarchitecture and modifiable risk factors in older adults at-risk for dementia. Sleep, 2021, 44, .	1.1	4
281	The persistence of sleep disturbance and its correlates in children with moderate to severe traumatic brain injury: A longitudinal study. Sleep Medicine, 2021, 81, 387-393.	1.6	4
282	Obesity and Oxidative Stress in Older Adults At Risk for Dementia. Alzheimer Disease and Associated Disorders, 2021, 35, 121-127.	1.3	4
283	Isolated REM sleep behaviour disorder: current diagnostic procedures and emerging new technologies. Journal of Neurology, 2022, 269, 4684-4695.	3.6	4
284	A preliminary study of aged care facility staff indicates limitations in awareness of the link between depression and physical morbidity. BMC Geriatrics, 2013, 13, 30.	2.7	3
285	White Matter Integrity According to the Stage of Mental Disorder in Youth. Psychiatry Research - Neuroimaging, 2021, 307, 111218.	1.8	3
286	Engagement in cognitively stimulating activities in individuals with Mild Cognitive Impairment: relationships with neuropsychological domains and hippocampal volume. Aging, Neuropsychology, and Cognition, 2021, , 1-22.	1.3	3
287	Identifying subtle functional change in individuals with mild cognitive impairment: development and validation of the Healthy Brain Ageing – Functional Assessment Questionnaire. Aging, Neuropsychology, and Cognition, 2023, 30, 536-554.	1.3	3
288	Rest-activity rhythms and tract specific white matter lesions in older adults at risk for cognitive decline. Molecular Psychiatry, 2022, 27, 3410-3416.	7.9	3

#	Article	IF	CITATIONS
289	More age-care staff report helping care recipients following a brief depression awareness raising intervention. BMC Nursing, 2013, 12, 10.	2.5	2
290	Modelling change in neurocognition, symptoms and functioning in young people with emerging mental disorders. Journal of Psychiatric Research, 2020, 131, 22-30.	3.1	2
291	Sex differences in predictors for cognitive decline and dementia in people with stroke or transient ischemic attack in the PROGRESS trial. International Journal of Stroke, 2021, , 174749302110592.	5.9	2
292	Comments on 'Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients': a reply. Psychological Medicine, 2014, 44, 671-672.	4.5	1
293	4 Journal of Clinical Neuroscience, 2014, 21, 2034.	1.5	1
294	Childhood Stress and Adversity is Associated with Late-Life Dementia in Aboriginal Australians. American Journal of Geriatric Psychiatry, 2017, 25, 1107-1108.	1.2	1
295	[P1–602]: MODIFYING COGNITIVE TRAJECTORIES IN INSIDIOUS COGNITIVE DECLINE USING COMPUTERISED COGNITIVE TRAINING: METHODS AND CURRENT PROGRESS OF A TWOâ€PHASE RANDOMISED CONTROLLED TRIAL. Alzheimer's and Dementia, 2017, 13, P526.	0.8	1
296	469 - A systematic review and meta-analysis of cognitive training in adults with Major Depressive Disorder. International Psychogeriatrics, 2020, 32, 191-191.	1.0	1
297	Circadian rhythms and misalignment in older adults and those  at risk' for dementia: A study examining correlates of dimâ€ight melatonin onset. Alzheimer's and Dementia, 2020, 16, e045525.	0.8	1
298	Left amygdala volume moderates the relationship between nocturnal highâ€frequency heart rate variability and verbal memory retention in older adults with amnestic mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, e044608.	0.8	1
299	Children who sustained traumatic brain injury take longer to fall asleep compared to children who sustained orthopedic injuries: actigraphy findings. Brain Injury, 2021, 35, 682-689.	1.2	1
300	Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. BMJ Open, 2021, 11, e044731.	1.9	1
301	Thalamic abnormalities in older adults with remitted early-onset depression using structural magnetic resonance imaging. Journal of Affective Disorders, 2022, 300, 150-157.	4.1	1
302	Convergent validity of the child behavior checklist sleep items in children with moderate to severe traumatic brain injury. Brain Injury, 0, , 1-9.	1,2	1
303	Principles and practice of geriatric sleep medicine - SR Pandi-Perumal, JM Monti, AA Monjan (Eds). Cambridge, UK, Cambridge University Press, 2010. Hardback: 448 pages. ISBN:978-0-521-89670-2 Acta Neuropsychiatrica, 2011, 23, 48-49.	2.1	0
304	Reply: Unified techniques are needed to diagnose REM sleep behavior disorder. Movement Disorders, 2014, 29, 1836-1836.	3.9	0
305	Moving Beyond Mood: Is it Time to Recommend Cognitive Training for Depression in Older Adults?., 2016, , 365-394.		0
306	[P3–473]: OPTIMISING INDEPENDENCE OF OLDER PERSONS WITH COGNITIVE AND FUNCTIONAL DECLINE: INTERDISCIPLINARY HOMEâ€BASED REABLEMENT PROGRAM (lâ€HARP). Alzheimer's and Dementia, 2017, 13, P1	1978.	0

#	Article	IF	CITATIONS
307	[P4–262]: THE LONGITUDINAL RELATIONSHIP BETWEEN ANTERIOR CINGULATE GLUTATHIONE AND EXECUTIVE FUNCTIONING IN INDIVIDUALS AT RISK FOR DEMENTIA: A MAGNETIC RESONANCE SPECTROSCOPY STUDY. Alzheimer's and Dementia, 2017, 13, P1383.	0.8	0
308	O3â€12â€05: DIFFERENTIAL RELATIONSHIPS BETWEEN HIPPOCAMPAL SUBFIELD VOLUME AND PERFORMANCE OF VISUOSPATIAL, VERBAL LEARNING AND RETENTION MEASURES IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT, WITH AND WITHOUT DEPRESSION HISTORY. Alzheimer's and Dementia, 2018, 14, P1053.	ON 0.8	0
309	P2â€272: REDUCED SPINDLE FREQUENCY ACTIVITY DURING SLEEP IN MILD COGNITIVE IMPAIRMENT: DISTINCT RELATIONSHIPS WITH THALAMUS AND HIPPOCAMPUS. Alzheimer's and Dementia, 2018, 14, P781.	0.8	0
310	Actigraphy-recorded sleep efficiency and hippocampal volume are related to visual and verbal rate of forgetting in older adults. Aging, Neuropsychology, and Cognition, 2021, 28, 936-958.	1.3	0
311	Sleep Disorders in Later Life. , 2021, , .		O
312	Association between lifetime depression history, hippocampal volume and memory in nonâ€amnestic mild cognitive impairment. European Journal of Neuroscience, 2021, 54, 4953-4970.	2.6	0
313	How Does Circadian Rhythmicity Relate to Neuropsychological and Neuroimaging Markers in Older People at Risk for Dementia?. Medicine and Science in Sports and Exercise, 2019, 51, 1005-1005.	0.4	0
314	344 - Study protocol for a feasibility RCT of Club Connect, a healthy brain ageing cognitive training program for older adults with depression. International Psychogeriatrics, 2020, 32, 104-104.	1.0	0
315	Sensitivity and specificity of 5 min cognitive screening tests in patients with acute coronary syndrome. European Journal of Cardiovascular Nursing, 2023, 22, 166-174.	0.9	0
316	Comparison of Different Physical Activity Measures in a Cardiac Rehabilitation Program: A Prospective Study. Sensors, 2022, 22, 1639.	3.8	0
317	A network analysis of rest-activity rhythms in young people with emerging bipolar disorders. Journal of Affective Disorders, 2022, 305, 220-226.	4.1	0
318	The crosstalk between betaâ€amyloid, retina, and sleep for the early diagnosis of Alzheimer's disease: A mini review. Alzheimer's and Dementia, 2021, 17, .	0.8	0
319	Harmonisation of assessments in Australian Memory Clinics: Challenges and opportunities. Alzheimer's and Dementia, 2021, 17, .	0.8	0
320	Clinical factors contributing to functional change over time in individuals with subjective cognitive concerns and mild cognitive impairment. Alzheimer's and Dementia, 2021, 17, .	0.8	0
321	Associations between sleep and Alzheimer's disease biomarkers within the EPAD cohort. Alzheimer's and Dementia, 2021, 17, .	0.8	0
322	Not all mentally stimulating activities are alike: insights from a 4-factor model and implications for late-life cognition. Aging, Neuropsychology, and Cognition, 0, , 1-15.	1.3	0