

Sharon Linda Naismith

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1953063/sharon-linda-naismith-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

301 papers	10,682 citations	56 h-index	86 g-index
328 ext. papers	12,770 ext. citations	4.5 avg, IF	6.35 L-index

#	Paper	IF	Citations
301	A systematic review of the impact of adherence on the effectiveness of e-therapies. <i>Journal of Medical Internet Research</i> , 2011 , 13, e52	7.6	431
300	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 197-202	5.4	337
299	Computerized Cognitive Training in Older Adults With Mild Cognitive Impairment or Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2017 , 174, 329-340	11.9	279
298	Autism spectrum disorders: a meta-analysis of executive function. <i>Molecular Psychiatry</i> , 2018 , 23, 1198-1204	12.4	236
297	The neurobiology of depression in later-life: clinical, neuropsychological, neuroimaging and pathophysiological features. <i>Progress in Neurobiology</i> , 2012 , 98, 99-143	10.9	188
296	Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. <i>Brain</i> , 2013 , 136, 3671-81	11.2	170
295	Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. <i>Brain</i> , 2013 , 136, 1204-15	11.2	156
294	The specific contributions of set-shifting to freezing of gait in Parkinson's disease. <i>Movement Disorders</i> , 2010 , 25, 1000-4	7	151
293	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013 , 7, 31-43	3.3	132
292	Targeted primary care-based mental health services for young Australians. <i>Medical Journal of Australia</i> , 2012 , 196, 136-40	4	127
291	Neuropsychological performance in patients with depression is associated with clinical, etiological and genetic risk factors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 866-77	2.1	122
290	Autonomous identification of freezing of gait in Parkinson's disease from lower-body segmental accelerometry. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013 , 10, 19	5.3	121
289	Impaired MMN/P3a complex in first-episode psychosis: cognitive and psychosocial associations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 822-9	5.5	121
288	A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. <i>Journal of Psychiatric Research</i> , 2014 , 57, 1-11	5.2	113
287	Early intervention for cognitive decline: can cognitive training be used as a selective prevention technique?. <i>International Psychogeriatrics</i> , 2010 , 22, 537-48	3.4	113
286	Neurobehavioral functioning in obstructive sleep apnea: differential effects of sleep quality, hypoxemia and subjective sleepiness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004 , 26, 43-54	2.1	113
285	Delayed sleep phase in young people with unipolar or bipolar affective disorders. <i>Journal of Affective Disorders</i> , 2013 , 145, 260-3	6.6	112

284	Development of a simple screening tool for common mental disorders in general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S10-7	4	111
283	Disability in major depression related to self-rated and objectively-measured cognitive deficits: a preliminary study. <i>BMC Psychiatry</i> , 2007 , 7, 32	4.2	109
282	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. <i>Journal of Affective Disorders</i> , 2007 , 98, 137-42	6.6	106
281	Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 2096-8	11.9	106
280	Rethinking the dose-response relationship between usage and outcome in an online intervention for depression: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e231	7.6	93
279	Sleep-wake cycle and melatonin rhythms in adolescents and young adults with mood disorders: comparison of unipolar and bipolar phenotypes. <i>European Psychiatry</i> , 2013 , 28, 412-6	6	90
278	Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2015 , 5, e555	8.6	89
277	Cognitive training in affective disorders improves memory: a preliminary study using the NEAR approach. <i>Journal of Affective Disorders</i> , 2010 , 121, 258-62	6.6	89
276	A double-blind randomized controlled trial of oxytocin nasal spray and social cognition training for young people with early psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 483-93	1.3	88
275	Differential neural activation patterns in patients with Parkinson's disease and freezing of gait in response to concurrent cognitive and motor load. <i>PLoS ONE</i> , 2013 , 8, e52602	3.7	86
274	Sleep well, think well: sleep-wake disturbance in mild cognitive impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 123-30	3.8	84
273	The role of dysfunctional attentional control networks in visual misperceptions in Parkinson's disease. <i>Human Brain Mapping</i> , 2014 , 35, 2206-19	5.9	83
272	Subjective memory complaints, vascular risk factors and psychological distress in the middle-aged: a cross-sectional study. <i>BMC Psychiatry</i> , 2011 , 11, 108	4.2	83
271	Neuropsychological and socio-occupational functioning in young psychiatric outpatients: a longitudinal investigation. <i>PLoS ONE</i> , 2013 , 8, e58176	3.7	82
270	The major impact of freezing of gait on quality of life in Parkinson's disease. <i>Journal of Neurology</i> , 2015 , 262, 108-15	5.5	80
269	Disturbances in melatonin secretion and circadian sleep-wake regulation in Parkinson disease. <i>Sleep Medicine</i> , 2014 , 15, 342-7	4.6	80
268	Circadian misalignment and sleep disruption in mild cognitive impairment. <i>Journal of Alzheimer's Disease</i> , 2014 , 38, 857-66	4.3	80
267	Glutathione relates to neuropsychological functioning in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2014 , 10, 67-75	1.2	78

266	Manipulating the sleep-wake cycle and circadian rhythms to improve clinical management of major depression. <i>BMC Medicine</i> , 2013 , 11, 79	11.4	77
265	Assessing the utility of Freezing of Gait Questionnaires in Parkinson's Disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 25-9	3.6	76
264	Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients. <i>Psychological Medicine</i> , 2013 , 43, 1161-73	6.9	76
263	Neuropsychological clustering highlights cognitive differences in young people presenting with depressive symptoms. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 267-76	3.1	72
262	Effect of the Mediterranean diet on cognition and brain morphology and function: a systematic review of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 389-404	7	71
261	Cognitive training-induced short-term functional and long-term structural plastic change is related to gains in global cognition in healthy older adults: a pilot study. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 14	5.3	71
260	A comparison of clinical and objective measures of freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 572-7	3.6	71
259	Internet-delivered cognitive behavioural therapy for adults with mild to moderate depression and high cardiovascular disease risks: a randomised attention-controlled trial. <i>PLoS ONE</i> , 2013 , 8, e59139	3.7	70
258	Ambulatory sleep-wake patterns and variability in young people with emerging mental disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 28-37	4.5	69
257	Abnormal patterns of theta frequency oscillations during the temporal evolution of freezing of gait in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2014 , 125, 569-76	4.3	69
256	Neuronal network disintegration: common pathways linking neurodegenerative diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1234-1241	5.5	69
255	Delivering youth-specific mental health services: the advantages of a collaborative, multi-disciplinary system. <i>Australasian Psychiatry</i> , 2009 , 17, 189-94	1.7	68
254	Enhancing memory in late-life depression: the effects of a combined psychoeducation and cognitive training program. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 240-8	6.5	66
253	Unmet need for recognition of common mental disorders in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S18-24	4	66
252	Sphere: A National Depression Project. <i>Australasian Psychiatry</i> , 1998 , 6, 248-250	1.7	64
251	Sleep disturbance relates to neuropsychological functioning in late-life depression. <i>Journal of Affective Disorders</i> , 2011 , 132, 139-45	6.6	60
250	Impaired implicit sequence learning in depression: a probe for frontostriatal dysfunction?. <i>Psychological Medicine</i> , 2006 , 36, 313-23	6.9	60
249	Randomized controlled trial of a healthy brain ageing cognitive training program: effects on memory, mood, and sleep. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 1181-91	4.3	58

248	The pathophysiological mechanisms underlying freezing of gait in Parkinson's Disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 1154-7	2.2	58
247	Effect of Oral Appliance Therapy on Neurobehavioral Functioning In Obstructive Sleep Apnea: A Randomized Controlled Trial. <i>Journal of Clinical Sleep Medicine</i> , 2005 , 01, 374-380	3.1	58
246	Fronto-striatal atrophy correlates of inhibitory dysfunction in Parkinson's disease versus behavioural variant frontotemporal dementia. <i>Cortex</i> , 2013 , 49, 1833-43	3.8	56
245	Clinical classification in mental health at the cross-roads: which direction next?. <i>BMC Medicine</i> , 2013 , 11, 125	11.4	55
244	Early intervention for cognitive decline: is there a role for multiple medical or behavioural interventions?. <i>Microbial Biotechnology</i> , 2009 , 3, 19-27	3.3	55
243	Deficits in episodic memory retrieval reveal impaired default mode network connectivity in amnesic mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2014 , 4, 473-80	5.3	52
242	Improving memory in Parkinson's disease: a healthy brain ageing cognitive training program. <i>Movement Disorders</i> , 2013 , 28, 1097-103	7	51
241	Circadian profiles in young people during the early stages of affective disorder. <i>Translational Psychiatry</i> , 2012 , 2, e123	8.6	51
240	Attentional set-shifting deficits correlate with the severity of freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 388-90	3.6	50
239	Psychological distress and quality of life in older persons: relative contributions of fixed and modifiable risk factors. <i>BMC Psychiatry</i> , 2013 , 13, 249	4.2	50
238	Disability is already pronounced in young people with early stages of affective disorders: data from an early intervention service. <i>Journal of Affective Disorders</i> , 2011 , 131, 84-91	6.6	50
237	Sleep-wake cycle in young and older persons with a lifetime history of mood disorders. <i>PLoS ONE</i> , 2014 , 9, e87763	3.7	50
236	Microstructural white matter changes in the corpus callosum of young people with Bipolar Disorder: a diffusion tensor imaging study. <i>PLoS ONE</i> , 2013 , 8, e59108	3.7	48
235	Using virtual reality to explore the role of conflict resolution and environmental salience in freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 937-42	3.6	47
234	Clinical correlates of chronotypes in young persons with mental disorders. <i>Chronobiology International</i> , 2015 , 32, 1183-91	3.6	46
233	Review of emotion recognition in mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 32, 257-66	2.6	45
232	Examining Internet and eHealth Practices and Preferences: Survey Study of Australian Older Adults With Subjective Memory Complaints, Mild Cognitive Impairment, or Dementia. <i>Journal of Medical Internet Research</i> , 2017 , 19, e358	7.6	45
231	Correlating anterior insula gray matter volume changes in young people with clinical and neurocognitive outcomes: an MRI study. <i>BMC Psychiatry</i> , 2012 , 12, 45	4.2	44

230	Does sleep disturbance mediate neuropsychological functioning in older people with depression?. <i>Journal of Affective Disorders</i> , 2009 , 116, 139-43	6.6	43
229	Cognitive training for freezing of gait in Parkinson's disease: a randomized controlled trial. <i>Npj Parkinsons Disease</i> , 2018 , 4, 15	9.7	43
228	In vivo glutathione levels in young persons with bipolar disorder: a magnetic resonance spectroscopy study. <i>Journal of Psychiatric Research</i> , 2013 , 47, 412-7	5.2	42
227	Modeling freezing of gait in Parkinson's disease with a virtual reality paradigm. <i>Gait and Posture</i> , 2013 , 38, 104-8	2.6	42
226	Amphetamine psychosis: a model for studying the onset and course of psychosis. <i>Medical Journal of Australia</i> , 2009 , 190, S22-5	4	42
225	Distinguishing young people with emerging bipolar disorders from those with unipolar depression. <i>Journal of Affective Disorders</i> , 2013 , 144, 208-15	6.6	41
224	Longitudinal associations between mismatch negativity and disability in early schizophrenia- and affective-spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 161-9	5.5	41
223	Impaired verbal memory in young adults with unipolar and bipolar depression. <i>Microbial Biotechnology</i> , 2010 , 4, 227-33	3.3	41
222	Sleep disturbances in Parkinson disease and their potential role in heterogeneity. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 131-7	3.8	41
221	Fronto-striatal correlates of impaired implicit sequence learning in major depression: an fMRI study. <i>Journal of Affective Disorders</i> , 2010 , 125, 256-61	6.6	41
220	Functional impairment in adolescents and young adults with emerging mood disorders. <i>British Journal of Psychiatry</i> , 2014 , 205, 362-8	5.4	40
219	Frontal lobe changes occur early in the course of affective disorders in young people. <i>BMC Psychiatry</i> , 2012 , 12, 4	4.2	40
218	Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	40
217	The relationship between thermoregulation and REM sleep behaviour disorder in Parkinson's disease. <i>PLoS ONE</i> , 2013 , 8, e72661	3.7	40
216	Caregiver burden in mild cognitive impairment. <i>Aging and Mental Health</i> , 2015 , 19, 72-8	3.5	39
215	Napping in older people 'at risk' of dementia: relationships with depression, cognition, medical burden and sleep quality. <i>Journal of Sleep Research</i> , 2015 , 24, 494-502	5.8	39
214	Prevalence and predictors of poor sleep quality in mild cognitive impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 204-11	3.8	38
213	Neuropsychological functioning in Parkinson's disease: differential relationships with self-reported sleep-wake disturbances. <i>Movement Disorders</i> , 2011 , 26, 1537-41	7	38

212	Sleep-wake changes and cognition in neurodegenerative disease. <i>Progress in Brain Research</i> , 2011 , 190, 21-52	2.9	38
211	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 211-20	2.9	38
210	Treatment of common mental disorders in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S25-30	4	38
209	Circadian rhythms and psychiatric profiles in young adults with unipolar depressive disorders. <i>Translational Psychiatry</i> , 2018 , 8, 213	8.6	38
208	Hippocampal volume in older adults at risk of cognitive decline: the role of sleep, vascular risk, and depression. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 1279-90	4.3	37
207	Anterior cingulate integrity: executive and neuropsychiatric features in Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 1262-7	7	37
206	Right care, first time: a highly personalised and measurement-based care model to manage youth mental health. <i>Medical Journal of Australia</i> , 2019 , 211 Suppl 9, S3-S46	4	36
205	Distinct neurometabolic profiles are evident in the anterior cingulate of young people with major psychiatric disorders. <i>Translational Psychiatry</i> , 2012 , 2, e110	8.6	36
204	Circadian rhythmicity in emerging mood disorders: state or trait marker?. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 3	5.4	35
203	Freezing of gait in Parkinson's disease: current treatments and the potential role for cognitive training. <i>Restorative Neurology and Neuroscience</i> , 2014 , 32, 411-22	2.8	35
202	Reduced mismatch negativity in mild cognitive impairment: associations with neuropsychological performance. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 209-19	4.3	35
201	Microstructural white matter changes are correlated with the stage of psychiatric illness. <i>Translational Psychiatry</i> , 2013 , 3, e248	8.6	34
200	A novel paradigm for modelling freezing of gait in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2010 , 17, 984-7	2.2	34
199	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. <i>Journal of Affective Disorders</i> , 2005 , 85, 327-32	6.6	34
198	Strategy-Based Cognitive Training for Improving Executive Functions in Older Adults: a Systematic Review. <i>Neuropsychology Review</i> , 2016 , 26, 252-270	7.7	34
197	Investigating visual misperceptions in Parkinson's disease: a novel behavioral paradigm. <i>Movement Disorders</i> , 2012 , 27, 500-5	7	32
196	Effects of mental health training and clinical audit on general practitioners' management of common mental disorders. <i>Medical Journal of Australia</i> , 2001 , 175, S42-7	4	32
195	Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. <i>BMC Psychiatry</i> , 2013 , 13, 303	4.2	31

194	Utilising functional MRI (fMRI) to explore the freezing phenomenon in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 807-10	2.2	31
193	How does social functioning in the early stages of psychosis relate to depression and social anxiety?. <i>Microbial Biotechnology</i> , 2011 , 5, 224-32	3.3	31
192	Structural brain correlates of obstructive sleep apnoea in older adults at risk for dementia. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	31
191	Oxidative stress and depressive symptoms in older adults: A magnetic resonance spectroscopy study. <i>Journal of Affective Disorders</i> , 2015 , 180, 29-35	6.6	30
190	Comorbidity of common mental disorders and alcohol or other substance misuse in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S31-6	4	30
189	Effect of oral appliance therapy on neurobehavioral functioning in obstructive sleep apnea: a randomized controlled trial. <i>Journal of Clinical Sleep Medicine</i> , 2005 , 1, 374-80	3.1	30
188	Is Obstructive Sleep Apnoea Related to Neuropsychological Function in Healthy Older Adults? A Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2017 , 27, 389-402	7.7	29
187	Sleep outcomes following sleep-hygiene-related interventions for individuals with traumatic brain injury: A systematic review. <i>Brain Injury</i> , 2017 , 31, 422-433	2.1	29
186	Reduced temporal mismatch negativity in late-life depression: an event-related potential index of cognitive deficit and functional disability?. <i>Journal of Affective Disorders</i> , 2012 , 138, 71-8	6.6	29
185	Internet-based treatment for older adults with depression and co-morbid cardiovascular disease: protocol for a randomised, double-blind, placebo controlled trial. <i>BMC Psychiatry</i> , 2011 , 11, 10	4.2	29
184	The role of glia in late-life depression. <i>International Psychogeriatrics</i> , 2012 , 24, 1878-90	3.4	29
183	The role of mild depression in sleep disturbance and quality of life in Parkinson's disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010 , 22, 384-9	2.7	29
182	Objective measurement of daytime napping, cognitive dysfunction and subjective sleepiness in Parkinson's disease. <i>PLoS ONE</i> , 2013 , 8, e81233	3.7	29
181	The role of rumination in illness trajectories in youth: linking trans-diagnostic processes with clinical staging models. <i>Psychological Medicine</i> , 2016 , 46, 2467-84	6.9	29
180	Antisaccade errors reveal cognitive control deficits in Parkinson's disease with freezing of gait. <i>Journal of Neurology</i> , 2015 , 262, 2745-54	5.5	28
179	Recent advances in sleep-wake cycle and biological rhythms in bipolar disorder. <i>Current Psychiatry Reports</i> , 2013 , 15, 402	9.1	28
178	Stuck in the mud: time for change in the implementation of cognitive training research in ageing?. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 43	5.3	28
177	Thoughts of death or suicidal ideation are common in young people aged 12 to 30 years presenting for mental health care. <i>BMC Psychiatry</i> , 2012 , 12, 234	4.2	28

176	The relationship between actigraphically defined sleep disturbance and REM sleep behaviour disorder in Parkinson's Disease. <i>Clinical Neurology and Neurosurgery</i> , 2010 , 112, 420-3	2	28
175	Cognitive Training in Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 207-216	4.7	27
174	Investigating rapid eye movement sleep without atonia in Parkinson's disease using the rapid eye movement sleep behavior disorder screening questionnaire. <i>Movement Disorders</i> , 2014 , 29, 736-42	7	27
173	The contribution of nocturnal sleep to the consolidation of motor skill learning in healthy ageing and Parkinson's disease. <i>Journal of Sleep Research</i> , 2013 , 22, 398-405	5.8	27
172	Sleep disturbance in mild cognitive impairment: differential effects of current and remitted depression. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 167-72	3.9	27
171	Variability of Stepping during a Virtual Reality Paradigm in Parkinson's Disease Patients with and without Freezing of Gait. <i>PLoS ONE</i> , 2013 , 8, e66718	3.7	27
170	Sleep disturbance in mild cognitive impairment: a systematic review of recent findings. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 153-159	4.9	26
169	Identifying the neural correlates of doorway freezing in Parkinson's disease. <i>Human Brain Mapping</i> , 2019 , 40, 2055-2064	5.9	26
168	Hippocampal glutamate is increased and associated with risky drinking in young adults with major depression. <i>Journal of Affective Disorders</i> , 2015 , 186, 95-8	6.6	25
167	Impaired cognitive control in Parkinson's disease patients with freezing of gait in response to cognitive load. <i>Journal of Neural Transmission</i> , 2015 , 122, 653-60	4.3	25
166	Utility and limitations of Addenbrooke's Cognitive Examination-Revised for detecting mild cognitive impairment in Parkinson's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 349-57	2.6	25
165	Cognitive training enhances pre-attentive neurophysiological responses in older adults 'at risk' of dementia. <i>Journal of Alzheimer's Disease</i> , 2014 , 41, 1095-108	4.3	24
164	"DASH" symptoms in patients with Parkinson's disease: red flags for early cognitive decline. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 352-5	2.2	24
163	Electroconvulsive therapy-induced persistent retrograde amnesia: could it be minimised by ketamine or other pharmacological approaches?. <i>Journal of Affective Disorders</i> , 2010 , 126, 39-45	6.6	24
162	Objective measurement of sleep in mild cognitive impairment: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2020 , 52, 101308	10.2	23
161	Social cognitive performance as a marker of positive psychotic symptoms in young people seeking help for mental health problems. <i>Schizophrenia Research</i> , 2013 , 149, 77-82	3.6	23
160	Sleep quality in healthy older people: relationship with ¹ H magnetic resonance spectroscopy markers of glial and neuronal integrity. <i>Behavioral Neuroscience</i> , 2013 , 127, 803-10	2.1	23
159	How well do caregivers detect mild cognitive change in Parkinson's disease?. <i>Movement Disorders</i> , 2011 , 26, 161-4	7	23

158	Managing depression across the life cycle: new strategies for clinicians and their patients. <i>Internal Medicine Journal</i> , 2009 , 39, 720-7	1.6	23
157	The effect of 12-wk EB fatty acid supplementation on in vivo thalamus glutathione concentration in patients "at risk" for major depression. <i>Nutrition</i> , 2015 , 31, 1247-54	4.8	22
156	Early phenotypic differences between Parkinson's disease patients with and without freezing of gait. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 604-7	3.6	22
155	Clinical assessment of freezing of gait in Parkinson's disease from computer-generated animation. <i>Gait and Posture</i> , 2013 , 38, 326-9	2.6	22
154	Mild Cognitive Impairment Subtypes in Older People With Depressive Symptoms: Relationship With Clinical Variables and Hippocampal Change. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015 , 28, 174-83	3.8	22
153	Mild cognitive impairment in Parkinson's disease: a review of current concepts. <i>Neurology Research International</i> , 2013 , 2013, 576091	1.7	22
152	Genetic and environmental contributions to sleep-wake behavior in 12-year-old twins. <i>Sleep</i> , 2013 , 36, 1715-22	1.1	22
151	Emotion recognition in mild cognitive impairment: relationship to psychosocial disability and caregiver burden. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 165-73	3.8	22
150	Neuropsychological profile according to the clinical stage of young persons presenting for mental health care. <i>BMC Psychology</i> , 2013 , 1, 8	2.8	21
149	Sleep-wake profiles and circadian rhythms of core temperature and melatonin in young people with affective disorders. <i>Journal of Psychiatric Research</i> , 2017 , 94, 131-138	5.2	21
148	Association between Sleep-Disordered Breathing and Neuropsychological Performance in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 157-65	4.3	21
147	Vascular risk to late-life depression: evidence from a longitudinal community study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 62-5	2.6	21
146	Assessing the utility of the Movement Disorder Society Task Force Level 1 diagnostic criteria for mild cognitive impairment in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 31-5	3.6	20
145	Efficacy of Psychosocial Interventions for People with Multiple Sclerosis: A Meta-Analysis of Specific Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 105-111	9.4	20
144	Quality of life in Parkinson's disease caregivers: the contribution of personality traits. <i>BioMed Research International</i> , 2013 , 2013, 151872	3	20
143	Mismatch negativity/P3a complex in young people with psychiatric disorders: a cluster analysis. <i>PLoS ONE</i> , 2012 , 7, e51871	3.7	20
142	An Immersive Virtual Reality Platform for Assessing Spatial Navigation Memory in Predementia Screening: Feasibility and Usability Study. <i>JMIR Mental Health</i> , 2019 , 6, e13887	6	20
141	Sleep-wake cycle phenotypes in young people with familial and non-familial mood disorders. <i>Bipolar Disorders</i> , 2016 , 18, 642-649	3.8	19

140	Freezing of Gait and its Associations in the Early and Advanced Clinical Motor Stages of Parkinson's Disease: A Cross-Sectional Study. <i>Journal of Parkinsons Disease</i> , 2015 , 5, 881-91	5.3	19
139	Sleep-wake disturbances in common neurodegenerative diseases: a closer look at selected aspects of the neural circuitry. <i>Journal of the Neurological Sciences</i> , 2011 , 307, 9-14	3.2	19
138	Conclusions about the assessment and management of common mental disorders in Australian general practice. SPHERE National Secretariat. <i>Medical Journal of Australia</i> , 2001 , 175, S52-5	4	19
137	Cluster analysis reveals abnormal hippocampal neurometabolic profiles in young people with mood disorders. <i>European Neuropsychopharmacology</i> , 2015 , 25, 836-45	1.2	18
136	Sleep disturbance in mild cognitive impairment is associated with alterations in the brain's default mode network. <i>Behavioral Neuroscience</i> , 2016 , 130, 305-15	2.1	18
135	Association of Anterior Cingulate Glutathione with Sleep Apnea in Older Adults At-Risk for Dementia. <i>Sleep</i> , 2016 , 39, 899-906	1.1	18
134	The differential yet concurrent contributions of motor, cognitive and affective disturbance to freezing of gait in Parkinson's disease. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 542-5	2	18
133	Neuropsychological functioning is compromised in binge drinking young adults with depression. <i>Psychiatry Research</i> , 2013 , 210, 256-62	9.9	18
132	Can older "at risk" adults benefit from psychoeducation targeting healthy brain aging?. <i>International Psychogeriatrics</i> , 2011 , 23, 413-24	3.4	18
131	In vivo imaging of oxidative stress and fronto-limbic white matter integrity in young adults with mood disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 145-156	5.1	17
130	Virtual reality walking and dopamine: opening new doorways to understanding freezing of gait in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2014 , 344, 182-5	3.2	17
129	The relationships between mild cognitive impairment and phenotype in Parkinson's disease. <i>Npj Parkinsons Disease</i> , 2015 , 1, 15015	9.7	17
128	Validation of the Psychosis and Hallucinations Questionnaire in Non-demented Patients with Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 175-181	2.2	17
127	Cognitive impairment with and without depression history: an analysis of white matter microstructure. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 135-43	4.5	17
126	Using informant reports to detect cognitive decline in mild cognitive impairment. <i>International Psychogeriatrics</i> , 2012 , 24, 967-73	3.4	17
125	Mild Cognitive Impairment in Parkinson's Disease: Impact on Caregiver Outcomes. <i>Journal of Parkinsons Disease</i> , 2016 , 6, 589-96	5.3	17
124	Autism, Early Psychosis, and Social Anxiety Disorder: a transdiagnostic examination of executive function cognitive circuitry and contribution to disability. <i>Translational Psychiatry</i> , 2018 , 8, 200	8.6	17
123	Functional Connectivity in the Default Mode Network is Reduced in Association with Nocturnal Awakening in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017 , 56, 1373-1384	4.3	16

122	Dementia in long-term Parkinson's disease patients: a multicentre retrospective study. <i>Npj Parkinsons Disease</i> , 2020 , 6, 2	9.7	16
121	Body mass, cardiovascular risk and metabolic characteristics of young persons presenting for mental healthcare in Sydney, Australia. <i>BMJ Open</i> , 2015 , 5, e007066	3	16
120	Sleep-wake profiles predict longitudinal changes in manic symptoms and memory in young people with mood disorders. <i>Journal of Sleep Research</i> , 2016 , 25, 549-555	5.8	16
119	Memory Performance Correlates of Hippocampal Subfield Volume in Mild Cognitive Impairment Subtype. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 259	3.5	16
118	Parallel Changes in Mood and Melatonin Rhythm Following an Adjunctive Multimodal Chronobiological Intervention With Agomelatine in People With Depression: A Proof of Concept Open Label Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 624	5	15
117	Cohort profile: the Brain and Mind Centre cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. <i>BMJ Open</i> , 2020 , 10, e030985	3	14
116	Dysregulated sleep-wake cycles in young people are associated with emerging stages of major mental disorders. <i>Microbial Biotechnology</i> , 2016 , 10, 63-70	3.3	14
115	Associations of objective and subjective sleep disturbance with cognitive function in older men with comorbid depression and insomnia. <i>Sleep Health</i> , 2017 , 3, 178-183	4	13
114	Circadian rhythm and sleep alterations in older people with lifetime depression: a case-control study. <i>BMC Psychiatry</i> , 2020 , 20, 192	4.2	13
113	The relative contributions of psychiatric symptoms and psychotropic medications on the sleep-wake profile of young persons with anxiety, depression and bipolar disorders. <i>Psychiatry Research</i> , 2016 , 243, 403-6	9.9	13
112	The Beyond Ageing Project Phase 2--a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 247	2.8	13
111	Screening for sleep apnoea in mild cognitive impairment: the utility of the multivariable apnoea prediction index. <i>Sleep Disorders</i> , 2014 , 2014, 945287	1.7	13
110	The impact of gender on early ill-health retirement in people with heart disease and depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 249-56	2.6	13
109	Social cognition deficits and psychopathic traits in young people seeking mental health treatment. <i>PLoS ONE</i> , 2013 , 8, e67753	3.7	13
108	Episodic memory in depression: the unique contribution of the anterior caudate and hippocampus. <i>Psychological Medicine</i> , 2016 , 46, 2189-99	6.9	13
107	Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008-2016). <i>BMJ Open</i> , 2018 , 8, e022659	3	13
106	Spectroscopic markers of memory impairment, symptom severity and age of onset in older people with lifetime depression: Discrete roles of N-acetyl aspartate and glutamate. <i>Journal of Affective Disorders</i> , 2015 , 183, 31-8	6.6	12
105	Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. <i>Journal of Affective Disorders</i> , 2018 , 229, 85-94	6.6	12

104	Emotion recognition deficits exist in mild cognitive impairment, but only in the amnesic subtype. <i>Psychology and Aging</i> , 2013 , 28, 840-852	3.6	12
103	Adjunctive Internet-delivered cognitive behavioural therapy for insomnia in men with depression: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 350-360	2.6	12
102	Irregular sleep-wake patterns in older adults with current or remitted depression. <i>Journal of Affective Disorders</i> , 2021 , 281, 431-437	6.6	12
101	Advanced Circadian Timing and Sleep Fragmentation Differentially Impact on Memory Complaint Subtype in Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 565-577	4.3	12
100	N-of-1 trials for assessing the effects of deprescribing medications on short-term clinical outcomes in older adults: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2018 , 93, 112-119	5.7	11
99	Actigraphically-defined sleep disturbance in Parkinson's disease is associated with differential aspects of cognitive functioning. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1112-5	2.2	11
98	Dysfunctional sleep beliefs in Parkinson's disease: relationships with subjective and objective sleep. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1359-63	2.2	11
97	A novel bedside task to tap inhibitory dysfunction and fronto-striatal atrophy in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 827-30	3.6	11
96	Clinical and Cognitive Correlates of Structural Hippocampal Change in "At-Risk" Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 67-76	3.8	11
95	Variability and predictors of mental disorder rates and medical practitioner responses across Australian general practices. <i>Medical Journal of Australia</i> , 2001 , 175, S37-41	4	11
94	Improving the social health of community-dwelling older people living with dementia through a reablement program. <i>International Psychogeriatrics</i> , 2018 , 30, 915-920	3.4	11
93	Circadian depression: A mood disorder phenotype. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 79-101	9	11
92	The evaluation of an online mindfulness program for people with multiple sclerosis: study protocol. <i>BMC Neurology</i> , 2019 , 19, 129	3.1	10
91	Relationships between sleep quality, depressive symptoms and MCI diagnosis: A path analysis. <i>Journal of Affective Disorders</i> , 2019 , 256, 26-32	6.6	10
90	Utility of the LIBRA Index in Relation to Cognitive Functioning in a Clinical Health Seeking Sample. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 373-384	4.3	10
89	Impaired Neurobehavioural Performance in Untreated Obstructive Sleep Apnea Patients Using a Novel Standardised Test Battery. <i>Frontiers in Surgery</i> , 2018 , 5, 35	2.3	10
88	Delayed circadian phase is linked to glutamatergic functions in young people with affective disorders: a proton magnetic resonance spectroscopy study. <i>BMC Psychiatry</i> , 2014 , 14, 345	4.2	10
87	The Relationships Between Poor Sleep Efficiency and Mild Cognitive Impairment in Parkinson Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 77-84	3.8	10

86	Quantifying the effect of body mass index, age, and depression severity on 24-h activity patterns in persons with a lifetime history of affective disorders. <i>BMC Psychiatry</i> , 2016 , 16, 317	4.2	10
85	Sleep-wake, cognitive and clinical correlates of treatment outcome with repetitive transcranial magnetic stimulation for young adults with depression. <i>Psychiatry Research</i> , 2019 , 271, 335-342	9.9	10
84	Disability in older adults across the continuum of cognitive decline: unique contributions of depression, sleep disturbance, cognitive deficits and medical burden. <i>International Psychogeriatrics</i> , 2019 , 31, 1611-1625	3.4	9
83	Cognitive dysfunction and functional disability in alcohol-dependent adults with or without a comorbid affective disorder. <i>Cognitive Neuropsychiatry</i> , 2015 , 20, 222-31	2	9
82	A pragmatic randomised controlled trial (RCT) and realist evaluation of the interdisciplinary home-bAsed Reablement program (I-HARP) for improving functional independence of community dwelling older people with dementia: an effectiveness-implementation hybrid design. <i>BMC Geriatrics</i> , 2019 , 19, 199	4.1	9
81	Distress and disability in young adults presenting to clinical services with mood disorders. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 23	5.4	9
80	The relationship between sleep-wake cycle and cognitive functioning in young people with affective disorders. <i>PLoS ONE</i> , 2015 , 10, e0124710	3.7	9
79	Temporal Characteristics of High-Frequency Lower-Limb Oscillation during Freezing of Gait in Parkinson's Disease. <i>Parkinsons Disease</i> , 2014 , 2014, 606427	2.6	9
78	Parkinson's disease in general practice: assessing knowledge, confidence and the potential role of education. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 1044-7	2.2	9
77	Sleep Disturbance in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2019 , 34, 122-131	3	9
76	A data-driven transdiagnostic analysis of white matter integrity in young adults with major psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 73-83	5.5	9
75	Informant- and Self-Appraisals on the Psychosis and Hallucinations Questionnaire (PsychH-Q) Enhances Detection of Visual Hallucinations in Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2018 , 5, 607-613	2.2	9
74	Modelling associations between neurocognition and functional course in young people with emerging mental disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2020 , 10, 22	8.6	8
73	Elderly care recipients' perceptions of treatment helpfulness for depression and the relationship with help-seeking. <i>Clinical Interventions in Aging</i> , 2015 , 10, 287-95	4	7
72	A Cognitive Behavioural Therapy Training Program for General Practitioners to Manage Depression. <i>Australasian Psychiatry</i> , 1999 , 7, 326-328	1.7	7
71	A feasibility and acceptability study of cognitive behavioural treatment for insomnia in adolescents with traumatic brain injury: A-B with follow up design, randomized baseline, and replication across participants. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 345-368	3.1	7
70	What is the prevalence, and what are the clinical correlates, of insulin resistance in young people presenting for mental health care? A cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e025674	3	6
69	Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. <i>BJPsych Open</i> , 2020 , 6, e31	5	6

68	The Sleep Or Mood Novel Adjunctive therapy (SOMNA) trial: a study protocol for a randomised controlled trial evaluating an internet-delivered cognitive behavioural therapy program for insomnia on outcomes of standard treatment for depression in men. <i>BMC Psychiatry</i> , 2015 , 15, 16	4.2	6
67	Investigating the night-to-night variability of REM without atonia in Parkinson's disease. <i>Sleep Medicine</i> , 2015 , 16, 190-3	4.6	6
66	Using Staged Care to Provide "Right Care First Time" to People With Common Affective Disorders. <i>Psychiatric Services</i> , 2021 , 72, 691-703	3.3	6
65	Feasibility and potential effects of interdisciplinary home-based reablement program (I-HARP) for people with cognitive and functional decline: a pilot trial. <i>Aging and Mental Health</i> , 2020 , 24, 1916-1925	3.5	6
64	The relationship between depression and cognitive function in adults with cardiovascular risk: Evidence from a randomised attention-controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0203343	3.7	6
63	Theory of Mind in Mild Cognitive Impairment - Relationship with Limbic Structures and Behavioural Change. <i>Journal of the International Neuropsychological Society</i> , 2019 , 25, 1023-1034	3.1	5
62	Health professionals' and researchers' opinions on conducting clinical deprescribing trials. <i>Pharmacology Research and Perspectives</i> , 2019 , 7, e00476	3.1	5
61	Dementia prevention: the time to act is now. <i>Medical Journal of Australia</i> , 2021 , 214, 302-304.e1	4	5
60	The Feasibility of Using N-Of-1 Trials to Investigate Deprescribing in Older Adults with Dementia: A Pilot Study. <i>Healthcare (Switzerland)</i> , 2019 , 7,	3.4	5
59	Reducing risk factors for cognitive decline through psychological interventions: a pilot randomized controlled trial. <i>International Psychogeriatrics</i> , 2019 , 31, 1015-1025	3.4	5
58	Circadian rhythm sleep-wake disturbances and depression in young people: implications for prevention and early intervention. <i>Lancet Psychiatry</i> , 2021 , 8, 813-823	23.3	5
57	Memory Compensation Strategies in Older People with Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 86-96	3.1	4
56	Internal consistency and convergent and divergent validity of the Liverpool jetlag questionnaire. <i>Chronobiology International</i> , 2020 , 37, 218-226	3.6	4
55	Lower Myo-Inositol in the Anterior Cingulate Cortex Correlates with Delayed Melatonin Rhythms in Young Persons with Depression. <i>Frontiers in Neuroscience</i> , 2017 , 11, 336	5.1	4
54	"Sleep Well, Think Well" Group Program for Mild Cognitive Impairment: A Randomized Controlled Pilot Study. <i>Behavioral Sleep Medicine</i> , 2019 , 17, 778-789	4.2	4
53	A preliminary study of aged care facility staff indicates limitations in awareness of the link between depression and physical morbidity. <i>BMC Geriatrics</i> , 2013 , 13, 30	4.1	3
52	Exploring the Phenotype in Mild Cognitive Impairment to Aid the Prediction of Those at Risk of Transitioning to Parkinson Disease and Dementia With Lewy Bodies. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017 , 30, 196-205	3.8	3
51	Brain oxidative stress and cognitive function in older adults with diabetes and pre-diabetes who are at risk for dementia.. <i>Diabetes Research and Clinical Practice</i> , 2021 , 109178	7.4	3

50	Prevalence and patterns of cognitive impairment in acute coronary syndrome patients: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 284-293	3.9	3
49	Nocturnal Hypoxemia Is Associated with Altered Parahippocampal Functional Brain Connectivity in Older Adults at Risk for Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 73, 571-584	4.3	3
48	Development of a Web-Based Mindfulness Program for People With Multiple Sclerosis: Qualitative Co-Design Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e19309	7.6	3
47	Arterial stiffness relates to executive dysfunction in later life. <i>Aging, Neuropsychology, and Cognition</i> , 2020 , 27, 140-151	2.1	3
46	Altered heart rate variability during sleep in mild cognitive impairment. <i>Sleep</i> , 2021 , 44,	1.1	3
45	Association between Sleep Disordered Breathing and Nighttime Driving Performance in Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 502-510	3.1	2
44	Associations between sleep and verbal memory in subjective cognitive decline: A role for semantic clustering. <i>Neurobiology of Learning and Memory</i> , 2019 , 166, 107086	3.1	2
43	Machine Learning for Differential Diagnosis Between Clinical Conditions With Social Difficulty: Autism Spectrum Disorder, Early Psychosis, and Social Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 545	5	2
42	More age-care staff report helping care recipients following a brief depression awareness raising intervention. <i>BMC Nursing</i> , 2013 , 12, 10	3.2	2
41	SPHERE: A National Depression Project. <i>Medical Journal of Australia</i> , 2002 , 176, 193-194	4	2
40	Fatigue in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury: Characteristics and Associated Factors. <i>Journal of Head Trauma Rehabilitation</i> , 2021 , 36, E108-E117	3	2
39	The persistence of sleep disturbance and its correlates in children with moderate to severe traumatic brain injury: A longitudinal study. <i>Sleep Medicine</i> , 2021 , 81, 387-393	4.6	2
38	Autism spectrum disorder: An examination of sex differences in neuropsychological and self-report measures of executive and non-executive cognitive function. <i>Autism</i> , 2021 , 25, 2223-2237	6.6	2
37	Rest-activity functioning is related to white matter microarchitecture and modifiable risk factors in older adults at-risk for dementia. <i>Sleep</i> , 2021 , 44,	1.1	2
36	Feasibility of 3-month melatonin supplementation for brain oxidative stress and sleep in mild cognitive impairment: protocol for a randomised, placebo-controlled study. <i>BMJ Open</i> , 2021 , 11, e041500	3	2
35	Organisational aspects and assessment practices of Australian memory clinics: an Australian Dementia Network (ADNeT) Survey. <i>BMJ Open</i> , 2021 , 11, e038624	3	2
34	Sleep-Dependent Memory in Older People With and Without MCI: The Relevance of Sleep Microarchitecture, OSA, Hippocampal Subfields, and Episodic Memory. <i>Cerebral Cortex</i> , 2021 , 31, 2993-3005	5.1	2
33	Safety of higher doses of melatonin in adults: A systematic review and meta-analysis.. <i>Journal of Pineal Research</i> , 2021 , e12782	10.4	2

32	Left amygdala volume moderates the relationship between nocturnal high-frequency heart rate variability and verbal memory retention in older adults with amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044608	1.2	1
31	[P1802]: MODIFYING COGNITIVE TRAJECTORIES IN INSIDIOUS COGNITIVE DECLINE USING COMPUTERISED COGNITIVE TRAINING: METHODS AND CURRENT PROGRESS OF A TWO-PHASE RANDOMISED CONTROLLED TRIAL 2017 , 13, P526-P526		1
30	Letter to the editor: Comments on 'Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients': a reply. <i>Psychological Medicine</i> , 2014 , 44, 671-2	6.9	1
29	Sex differences in predictors for cognitive decline and dementia in people with stroke or transient ischemic attack in the PROGRESS trial. <i>International Journal of Stroke</i> , 2021 , 17474930211059298	6.3	1
28	Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care 2020 , 39-62		1
27	Modelling change in neurocognition, symptoms and functioning in young people with emerging mental disorders. <i>Journal of Psychiatric Research</i> , 2020 , 131, 22-30	5.2	1
26	The protocol of a clinical quality registry for dementia and mild cognitive impairment (MCI): the Australian dementia network (ADNet) Registry. <i>BMC Geriatrics</i> , 2020 , 20, 330	4.1	1
25	Poorer Theory of Mind in Amnesic Mild Cognitive Impairment Is Associated with Decreased Functional Connectivity in the Default Mode Network. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 1079-1091	4.3	1
24	Cognitive impairment and psychological state in acute coronary syndrome patients: A prospective descriptive study at cardiac rehabilitation entry, completion and follow-up. <i>European Journal of Cardiovascular Nursing</i> , 2021 , 20, 56-63	3.3	1
23	Engagement in cognitively stimulating activities in individuals with Mild Cognitive Impairment: relationships with neuropsychological domains and hippocampal volume. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 1-22	2.1	1
22	Circadian rhythms and misalignment in older adults and those at risk for dementia: A study examining correlates of dim-light melatonin onset. <i>Alzheimer's and Dementia</i> , 2020 , 16, e045525	1.2	0
21	A randomized controlled trial of a web-based mindfulness programme for people with MS with and without a history of recurrent depression.. <i>Multiple Sclerosis Journal</i> , 2022 , 13524585211068002	5	0
20	'Thalamic Abnormalities in Older Adults with Remitted Early-Onset Depression Using Structural Magnetic Resonance Imaging.. <i>Journal of Affective Disorders</i> , 2021 , 300, 150-150	6.6	0
19	Children who sustained traumatic brain injury take longer to fall asleep compared to children who sustained orthopedic injuries: actigraphy findings. <i>Brain Injury</i> , 2021 , 35, 682-689	2.1	0
18	White Matter Integrity According to the Stage of Mental Disorder in Youth. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 307, 111218	2.9	0
17	Visual Processing of Emotional Faces is Preserved in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 397-405	4.3	0
16	Obesity and Oxidative Stress in Older Adults At Risk for Dementia: A Magnetic Resonance Spectroscopy Study. <i>Alzheimer Disease and Associated Disorders</i> , 2021 , 35, 121-127	2.5	0
15	A systematic scoping review of the effects of central nervous system active drugs on sleep spindles and sleep-dependent memory consolidation.. <i>Sleep Medicine Reviews</i> , 2022 , 62, 101605	10.2	0

14	Level I PD-MCI Using Global Cognitive Tests and the Risk for Parkinson's Disease Dementia.. <i>Movement Disorders Clinical Practice</i> , 2022 , 9, 479-483	2.2	O
13	Actigraphy-recorded sleep efficiency and hippocampal volume are related to visual and verbal rate of forgetting in older adults. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 28, 936-958	2.1	
12	Reply: unified techniques are needed to diagnose REM sleep behavior disorder. <i>Movement Disorders</i> , 2014 , 29, 1836	7	
11	[P3073]: OPTIMISING INDEPENDENCE OF OLDER PERSONS WITH COGNITIVE AND FUNCTIONAL DECLINE: INTERDISCIPLINARY HOME-BASED REABLEMENT PROGRAM (I-HARP) 2017 , 13, P1157-P1157		
10	[P4062]: THE LONGITUDINAL RELATIONSHIP BETWEEN ANTERIOR CINGULATE GLUTATHIONE AND EXECUTIVE FUNCTIONING IN INDIVIDUALS AT RISK FOR DEMENTIA: A MAGNETIC RESONANCE SPECTROSCOPY STUDY 2017 , 13, P1383-P1383		
9	Principles and practice of geriatric sleep medicine - SR Pandi-Perumal, JM Monti, AA Monjan (Eds). Cambridge, UK, Cambridge University Press, 2010. Hardback: 448 pages. ISBN:978-0-521-89670-2.. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 48-49	3.9	
8	Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. <i>BMJ Open</i> , 2021 , 11, e044731	3	
7	Association between lifetime depression history, hippocampal volume and memory in non-amnestic mild cognitive impairment. <i>European Journal of Neuroscience</i> , 2021 , 54, 4953-4970	3.5	
6	Moving Beyond Mood: Is it Time to Recommend Cognitive Training for Depression in Older Adults? 2016 , 365-394		
5	Sleep Disorders in Later Life 2021 ,		
4	O3-12-05: DIFFERENTIAL RELATIONSHIPS BETWEEN HIPPOCAMPAL SUBFIELD VOLUME AND PERFORMANCE ON VISUOSPATIAL, VERBAL LEARNING AND RETENTION MEASURES IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT, WITH AND WITHOUT DEPRESSION HISTORY 2018 , 14, P1053-P1053		
3	P2-272: REDUCED SPINDLE FREQUENCY ACTIVITY DURING SLEEP IN MILD COGNITIVE IMPAIRMENT: DISTINCT RELATIONSHIPS WITH THALAMUS AND HIPPOCAMPUS 2018 , 14, P781-P782		
2	Identifying subtle functional change in individuals with mild cognitive impairment: development and validation of the Healthy Brain Ageing - Functional Assessment Questionnaire.. <i>Aging, Neuropsychology, and Cognition</i> , 2022 , 1-19	2.1	
1	Convergent validity of the child behavior checklist sleep items in children with moderate to severe traumatic brain injury. <i>Brain Injury</i> , 1-9	2.1	