Sharon Linda Naismith

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1953063/sharon-linda-naismith-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 10,682 56 301 h-index g-index citations papers 6.35 328 12,770 4.5 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
301	A randomized controlled trial of a web-based mindfulness programme for people with MS with and without a history of recurrent depression <i>Multiple Sclerosis Journal</i> , 2022 , 13524585211068002	5	O
300	Identifying subtle functional change in individuals with mild cognitive impairment: development and validation of the Healthy Brain Ageing - Functional Assessment Questionnaire <i>Aging, Neuropsychology, and Cognition</i> , 2022 , 1-19	2.1	
299	A systematic scoping review of the effects of central nervous system active drugs on sleep spindles and sleep-dependent memory consolidation <i>Sleep Medicine Reviews</i> , 2022 , 62, 101605	10.2	O
298	Level I PD-MCI Using Global Cognitive Tests and the Risk for Parkinson's Disease Dementia <i>Movement Disorders Clinical Practice</i> , 2022 , 9, 479-483	2.2	0
297	Actigraphy-recorded sleep efficiency and hippocampal volume are related to visual and verbal rate of forgetting in older adults. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 28, 936-958	2.1	
296	Brain oxidative stress and cognitive function in older adults with diabetes and pre-diabetes who are at risk for dementia <i>Diabetes Research and Clinical Practice</i> , 2021 , 109178	7.4	3
295	Sex differences in predictors for cognitive decline and dementia in people with stroke or transient ischemic attack in the PROGRESS trial. <i>International Journal of Stroke</i> , 2021 , 17474930211059298	6.3	1
294	'Thalamic Abnormalities in Older Adults with Remitted Early-Onset Depression Using Structural Magnetic Resonance Imaging <i>Journal of Affective Disorders</i> , 2021 , 300, 150-150	6.6	0
293	Fatigue in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury: Characteristics and Associated Factors. <i>Journal of Head Trauma Rehabilitation</i> , 2021 , 36, E108-E117	3	2
292	Children who sustained traumatic brain injury take longer to fall asleep compared to children who sustained orthopedic injuries: actigraphy findings. <i>Brain Injury</i> , 2021 , 35, 682-689	2.1	0
291	Dementia prevention: the time to act is now. <i>Medical Journal of Australia</i> , 2021 , 214, 302-304.e1	4	5
2 90	Development of a Web-Based Mindfulness Program for People With Multiple Sclerosis: Qualitative Co-Design Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e19309	7.6	3
289	The persistence of sleep disturbance and its correlates in children with moderate to severe traumatic brain injury: A longitudinal study. <i>Sleep Medicine</i> , 2021 , 81, 387-393	4.6	2
288	Poorer Theory of Mind in Amnestic Mild Cognitive Impairment Is Associated with Decreased Functional Connectivity in the Default Mode Network. <i>Journal of Alzheimerls Disease</i> , 2021 , 81, 1079-10	94 ^{.3}	1
287	Autism spectrum disorder: An examination of sex differences in neuropsychological and self-report measures of executive and non-executive cognitive function. <i>Autism</i> , 2021 , 25, 2223-2237	6.6	2
286	Using Staged Care to Provide "Right Care First Time" to People With Common Affective Disorders. <i>Psychiatric Services</i> , 2021 , 72, 691-703	3.3	6
285	Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. <i>BMJ Open</i> , 2021 , 11, e044731	3	

284	Association between lifetime depression history, hippocampal volume and memory in non-amnestic mild cognitive impairment. <i>European Journal of Neuroscience</i> , 2021 , 54, 4953-4970	3.5	
283	Cognitive impairment and psychological state in acute coronary syndrome patients: A prospective descriptive study at cardiac rehabilitation entry, completion and follow-up. <i>European Journal of Cardiovascular Nursing</i> , 2021 , 20, 56-63	3.3	1
282	Altered heart rate variability during sleep in mild cognitive impairment. Sleep, 2021, 44,	1.1	3
281	Irregular sleep-wake patterns in older adults with current or remitted depression. <i>Journal of Affective Disorders</i> , 2021 , 281, 431-437	6.6	12
280	A feasibility and acceptability study of cognitive behavioural treatment for insomnia in adolescents with traumatic brain injury: A-B with follow up design, randomized baseline, and replication across participants. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 345-368	3.1	7
279	Rest-activity functioning is related to white matter microarchitecture and modifiable risk factors in older adults at-risk for dementia. <i>Sleep</i> , 2021 , 44,	1.1	2
278	Sleep Disorders in Later Life 2021 ,		
277	White Matter Integrity According to the Stage of Mental Disorder in Youth. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 307, 111218	2.9	O
276	Feasibility of 3-month melatonin supplementation for brain oxidative stress and sleep in mild cognitive impairment: protocol for a randomised, placebo-controlled study. <i>BMJ Open</i> , 2021 , 11, e0415	000	2
275	Organisational aspects and assessment practices of Australian memory clinics: an Australian Dementia Network (ADNeT) Survey. <i>BMJ Open</i> , 2021 , 11, e038624	3	2
274	Sleep-Dependent Memory in Older People With and Without MCI: The Relevance of Sleep Microarchitecture, OSA, Hippocampal Subfields, and Episodic Memory. <i>Cerebral Cortex</i> , 2021 , 31, 2993-	3ð √ 5	2
273	Engagement in cognitively stimulating activities in individuals with Mild Cognitive Impairment: relationships with neuropsychological domains and hippocampal volume. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 1-22	2.1	1
272	Circadian depression: A mood disorder phenotype. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 79-101	9	11
271	Circadian rhythm sleep-wake disturbances and depression in young people: implications for prevention and early intervention. <i>Lancet Psychiatry,the</i> , 2021 , 8, 813-823	23.3	5
270	Obesity and Oxidative Stress in Older Adults At Risk for Dementia: A Magnetic Resonance Spectroscopy Study. <i>Alzheimer Disease and Associated Disorders</i> , 2021 , 35, 121-127	2.5	O
269	Safety of higher doses of melatonin in adults: A systematic review and meta-analysis <i>Journal of Pineal Research</i> , 2021 , e12782	10.4	2
268	Circadian rhythms and misalignment in older adults and those at risklifor dementia: A study examining correlates of dim-light melatonin onset. <i>Alzheimerls and Dementia</i> , 2020 , 16, e045525	1.2	O
267	Left amygdala volume moderates the relationship between nocturnal high-frequency heart rate variability and verbal memory retention in older adults with amnestic mild cognitive impairment. <i>Alzheimerls and Dementia</i> , 2020 , 16, e044608	1.2	1

266	Machine Learning for Differential Diagnosis Between Clinical Conditions With Social Difficulty: Autism Spectrum Disorder, Early Psychosis, and Social Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 545	5	2
265	Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. <i>BJPsych Open</i> , 2020 , 6, e31	5	6
264	Objective measurement of sleep in mild cognitive impairment: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2020 , 52, 101308	10.2	23
263	Modelling associations between neurocognition and functional course in young people with emerging mental disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2020 , 10, 22	8.6	8
262	Dementia in long-term Parkinson's disease patients: a multicentre retrospective study. <i>Npj Parkinsonls Disease</i> , 2020 , 6, 2	9.7	16
261	Memory Compensation Strategies in Older People with Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 86-96	3.1	4
260	Internal consistency and convergent and divergent validity of the Liverpool jetlag questionnaire. <i>Chronobiology International</i> , 2020 , 37, 218-226	3.6	4
259	Circadian rhythm and sleep alterations in older people with lifetime depression: a case-control study. <i>BMC Psychiatry</i> , 2020 , 20, 192	4.2	13
258	Prevalence and patterns of cognitive impairment in acute coronary syndrome patients: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 284-293	3.9	3
257	Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care 2020 , 39-62		1
256	Nocturnal Hypoxemia Is Associated with Altered Parahippocampal Functional Brain Connectivity in Older Adults at Risk for Dementia. <i>Journal of Alzheimerls Disease</i> , 2020 , 73, 571-584	4.3	3
255	Modelling change in neurocognition, symptoms and functioning in young people with emerging mental disorders. <i>Journal of Psychiatric Research</i> , 2020 , 131, 22-30	5.2	1
254	Cohort profile: the Brain and Mind Centre cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. <i>BMJ Open</i> , 2020 , 10, e030985	3	14
253	The protocol of a clinical quality registry for dementia and mild cognitive impairment (MCI): the Australian dementia network (ADNeT) Registry. <i>BMC Geriatrics</i> , 2020 , 20, 330	4.1	1
252	Arterial stiffness relates to executive dysfunction in later life. <i>Aging, Neuropsychology, and Cognition</i> , 2020 , 27, 140-151	2.1	3
251	Feasibility and potential effects of interdisciplinary home-based reablement program (I-HARP) for people with cognitive and functional decline: a pilot trial. <i>Aging and Mental Health</i> , 2020 , 24, 1916-1925	3.5	6
250	Associations between sleep and verbal memory in subjective cognitive decline: A role for semantic clustering. <i>Neurobiology of Learning and Memory</i> , 2019 , 166, 107086	3.1	2
249	Theory of Mind in Mild Cognitive Impairment - Relationship with Limbic Structures and Behavioural Change. <i>Journal of the International Neuropsychological Society</i> , 2019 , 25, 1023-1034	3.1	5

(2018-2019)

248	The evaluation of an online mindfulness program for people with multiple sclerosis: study protocol. <i>BMC Neurology</i> , 2019 , 19, 129	3.1	10
247	Relationships between sleep quality, depressive symptoms and MCI diagnosis: A path analysis. Journal of Affective Disorders, 2019 , 256, 26-32	6.6	10
246	Health professionals' and researchers' opinions on conducting clinical deprescribing trials. <i>Pharmacology Research and Perspectives</i> , 2019 , 7, e00476	3.1	5
245	What is the prevalence, and what are the clinical correlates, of insulin resistance in young people presenting for mental health care? A cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e025674	3	6
244	Disability in older adults across the continuum of cognitive decline: unique contributions of depression, sleep disturbance, cognitive deficits and medical burden. <i>International Psychogeriatrics</i> , 2019 , 31, 1611-1625	3.4	9
243	A pragmatic randomised controlled trial (RCT) and realist evaluation of the interdisciplinary home-bAsed Reablement program (I-HARP) for improving functional independence of community dwelling older people with dementia: an effectiveness-implementation hybrid design. <i>BMC</i>	4.1	9
242	Right care, first time: a highly personalised and measurement-based care model to manage youth mental health. <i>Medical Journal of Australia</i> , 2019 , 211 Suppl 9, S3-S46	4	36
241	An Immersive Virtual Reality Platform for Assessing Spatial Navigation Memory in Predementia Screening: Feasibility and Usability Study. <i>JMIR Mental Health</i> , 2019 , 6, e13887	6	20
240	The Feasibility of Using N-Of-1 Trials to Investigate Deprescribing in Older Adults with Dementia: A Pilot Study. <i>Healthcare (Switzerland)</i> , 2019 , 7,	3.4	5
239	Sleep Disturbance in Children With Moderate or Severe Traumatic Brain Injury Compared With Children With Orthopedic Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2019 , 34, 122-131	3	9
238	Memory Performance Correlates of Hippocampal Subfield Volume in Mild Cognitive Impairment Subtype. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 259	3.5	16
237	A data-driven transdiagnostic analysis of white matter integrity in young adults with major psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 73-83	5.5	9
236	Adjunctive Internet-delivered cognitive behavioural therapy for insomnia in men with depression: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 350-360	2.6	12
235	Sleep-wake, cognitive and clinical correlates of treatment outcome with repetitive transcranial magnetic stimulation for young adults with depression. <i>Psychiatry Research</i> , 2019 , 271, 335-342	9.9	10
234	Identifying the neural correlates of doorway freezing in Parkinson's disease. <i>Human Brain Mapping</i> , 2019 , 40, 2055-2064	5.9	26
233	Reducing risk factors for cognitive decline through psychological interventions: a pilot randomized controlled trial. <i>International Psychogeriatrics</i> , 2019 , 31, 1015-1025	3.4	5
232	"Sleep Well, Think Well" Group Program for Mild Cognitive Impairment: A Randomized Controlled Pilot Study. <i>Behavioral Sleep Medicine</i> , 2019 , 17, 778-789	4.2	4
231	Efficacy of Psychosocial Interventions for People with Multiple Sclerosis: A Meta-Analysis of Specific Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 105-111	9.4	20

230	Sleep disturbance in mild cognitive impairment: a systematic review of recent findings. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 153-159	4.9	26
229	Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. <i>Journal of Affective Disorders</i> , 2018 , 229, 85-94	6.6	12
228	Utility of the LIBRA Index in Relation to Cognitive Functioning in a Clinical Health Seeking Sample. Journal of Alzheimerls Disease, 2018 , 62, 373-384	4.3	10
227	Effect of the Mediterranean diet on cognition and brain morphology and function: a systematic review of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 389-404	7	71
226	Autism spectrum disorders: a meta-analysis of executive function. <i>Molecular Psychiatry</i> , 2018 , 23, 1198-	1204	236
225	In vivo imaging of oxidative stress and fronto-limbic white matter integrity in young adults with mood disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 145-156	5.1	17
224	N-of-1 trials for assessing the effects of deprescribing medications on short-term clinical outcomes in older adults: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2018 , 93, 112-119	5.7	11
223	Impaired Neurobehavioural Performance in Untreated Obstructive Sleep Apnea Patients Using a Novel Standardised Test Battery. <i>Frontiers in Surgery</i> , 2018 , 5, 35	2.3	10
222	Improving the social health of community-dwelling older people living with dementia through a reablement program. <i>International Psychogeriatrics</i> , 2018 , 30, 915-920	3.4	11
221	O3-12-05: DIFFERENTIAL RELATIONSHIPS BETWEEN HIPPOCAMPAL SUBFIELD VOLUME AND PERFORMANCE ON VISUOSPATIAL, VERBAL LEARNING AND RETENTION MEASURES IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT, WITH AND WITHOUT DEPRESSION HISTORY		
220	P2-272: REDUCED SPINDLE FREQUENCY ACTIVITY DURING SLEEP IN MILD COGNITIVE IMPAIRMENT: DISTINCT RELATIONSHIPS WITH THALAMUS AND HIPPOCAMPUS 2018 , 14, P781-P782		
219	Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008-2016). <i>BMJ Open</i> , 2018 , 8, e022659	3	13
218	Parallel Changes in Mood and Melatonin Rhythm Following an Adjunctive Multimodal Chronobiological Intervention With Agomelatine in People With Depression: A Proof of Concept Open Label Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 624	5	15
217	Informant- and Self-Appraisals on the Psychosis and Hallucinations Questionnaire (PsycH-Q) Enhances Detection of Visual Hallucinations in Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2018 , 5, 607-613	2.2	9
216	Autism, Early Psychosis, and Social Anxiety Disorder: a transdiagnostic examination of executive function cognitive circuitry and contribution to disability. <i>Translational Psychiatry</i> , 2018 , 8, 200	8.6	17
215	Visual Processing of Emotional Faces is Preserved in Mild Cognitive Impairment. <i>Journal of Alzheimerls Disease</i> , 2018 , 66, 397-405	4.3	O
214	Advanced Circadian Timing and Sleep Fragmentation Differentially Impact on Memory Complaint Subtype in Subjective Cognitive Decline. <i>Journal of Alzheimerls Disease</i> , 2018 , 66, 565-577	4.3	12
213	Circadian rhythms and psychiatric profiles in young adults with unipolar depressive disorders. <i>Translational Psychiatry</i> , 2018 , 8, 213	8.6	38

212	The relationship between depression and cognitive function in adults with cardiovascular risk: Evidence from a randomised attention-controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0203343	3.7	6
211	Cognitive training for freezing of gait in Parkinson's disease: a randomized controlled trial. <i>Npj Parkinsonls Disease</i> , 2018 , 4, 15	9.7	43
210	Structural brain correlates of obstructive sleep apnoea in older adults at risk for dementia. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	31
209	Is Obstructive Sleep Apnoea Related to Neuropsychological Function in Healthy Older Adults? A Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2017 , 27, 389-402	7.7	29
208	Associations of objective and subjective sleep disturbance with cognitive function in older men with comorbid depression and insomnia. <i>Sleep Health</i> , 2017 , 3, 178-183	4	13
207	Cognitive Training in Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 207-216	4.7	27
206	Association between Sleep Disordered Breathing and Nighttime Driving Performance in Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 502-510	3.1	2
205	Sleep outcomes following sleep-hygiene-related interventions for individuals with traumatic brain injury: A systematic review. <i>Brain Injury</i> , 2017 , 31, 422-433	2.1	29
204	Functional Connectivity in the Default Mode Network is Reduced in Association with Nocturnal Awakening in Mild Cognitive Impairment. <i>Journal of Alzheimerls Disease</i> , 2017 , 56, 1373-1384	4.3	16
203	Exploring the Phenotype in Mild Cognitive Impairment to Aid the Prediction of Those at Risk of Transitioning to Parkinson Disease and Dementia With Lewy Bodies. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017 , 30, 196-205	3.8	3
202	Sleep-wake profiles and circadian rhythms of core temperature and melatonin in young people with affective disorders. <i>Journal of Psychiatric Research</i> , 2017 , 94, 131-138	5.2	21
201	Computerized Cognitive Training in Older Adults With Mild Cognitive Impairment or Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2017 , 174, 329-340	11.9	279
200	[P3월73]: OPTIMISING INDEPENDENCE OF OLDER PERSONS WITH COGNITIVE AND FUNCTIONAL DECLINE: INTERDISCIPLINARY HOME-BASED REABLEMENT PROGRAM (I-HARP) 2017 , 13, P1157-P1157		
199	[P4\overline{1}62]: THE LONGITUDINAL RELATIONSHIP BETWEEN ANTERIOR CINGULATE GLUTATHIONE AND EXECUTIVE FUNCTIONING IN INDIVIDUALS AT RISK FOR DEMENTIA: A MAGNETIC RESONANCE SPECTROSCOPY STUDY 2017 , 13, P1383-P1383		
198	[P1B02]: MODIFYING COGNITIVE TRAJECTORIES IN INSIDIOUS COGNITIVE DECLINE USING COMPUTERISED COGNITIVE TRAINING: METHODS AND CURRENT PROGRESS OF A TWO-PHASE RANDOMISED CONTROLLED TRIAL 2017 , 13, P526-P526		1
197	Lower Myo-Inositol in the Anterior Cingulate Cortex Correlates with Delayed Melatonin Rhythms in Young Persons with Depression. <i>Frontiers in Neuroscience</i> , 2017 , 11, 336	5.1	4
196	Examining Internet and eHealth Practices and Preferences: Survey Study of Australian Older Adults With Subjective Memory Complaints, Mild Cognitive Impairment, or Dementia. <i>Journal of Medical Internet Research</i> , 2017 , 19, e358	7.6	45
195	Sleep-wake cycle phenotypes in young people with familial and non-familial mood disorders. Bipolar Disorders, 2016 , 18, 642-649	3.8	19

194	Sleep disturbance in mild cognitive impairment is associated with alterations in the brain's default mode network. <i>Behavioral Neuroscience</i> , 2016 , 130, 305-15	2.1	18
193	Association of Anterior Cingulate Glutathione with Sleep Apnea in Older Adults At-Risk for Dementia. <i>Sleep</i> , 2016 , 39, 899-906	1.1	18
192	Circadian rhythmicity in emerging mood disorders: state or trait marker?. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 3	5.4	35
191	The relative contributions of psychiatric symptoms and psychotropic medications on the sleep-wake profile of young persons with anxiety, depression and bipolar disorders. <i>Psychiatry Research</i> , 2016 , 243, 403-6	9.9	13
190	Quantifying the effect of body mass index, age, and depression severity on 24-h activity patterns in persons with a lifetime history of affective disorders. <i>BMC Psychiatry</i> , 2016 , 16, 317	4.2	10
189	Sleep-wake profiles predict longitudinal changes in manic symptoms and memory in young people with mood disorders. <i>Journal of Sleep Research</i> , 2016 , 25, 549-555	5.8	16
188	Neuronal network disintegration: common pathways linking neurodegenerative diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1234-1241	5.5	69
187	The role of rumination in illness trajectories in youth: linking trans-diagnostic processes with clinical staging models. <i>Psychological Medicine</i> , 2016 , 46, 2467-84	6.9	29
186	Mild Cognitive Impairment in Parkinson's Disease: Impact on Caregiver Outcomes. <i>Journal of Parkinsonls Disease</i> , 2016 , 6, 589-96	5.3	17
185	Episodic memory in depression: the unique contribution of the anterior caudate and hippocampus. <i>Psychological Medicine</i> , 2016 , 46, 2189-99	6.9	13
184	Strategy-Based Cognitive Training for Improving Executive Functions in Older Adults: a Systematic Review. <i>Neuropsychology Review</i> , 2016 , 26, 252-270	7.7	34
183	Moving Beyond Mood: Is it Time to Recommend Cognitive Training for Depression in Older Adults? 2016 , 365-394		
182	Dysregulated sleep-wake cycles in young people are associated with emerging stages of major mental disorders. <i>Microbial Biotechnology</i> , 2016 , 10, 63-70	3.3	14
181	Ambulatory sleep-wake patterns and variability in young people with emerging mental disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 28-37	4.5	69
180	Hippocampal glutamate is increased and associated with risky drinking in young adults with major depression. <i>Journal of Affective Disorders</i> , 2015 , 186, 95-8	6.6	25
179	Cognitive dysfunction and functional disability in alcohol-dependent adults with or without a comorbid affective disorder. <i>Cognitive Neuropsychiatry</i> , 2015 , 20, 222-31	2	9
178	Caregiver burden in mild cognitive impairment. Aging and Mental Health, 2015, 19, 72-8	3.5	39
177	Spectroscopic markers of memory impairment, symptom severity and age of onset in older people with lifetime depression: Discrete roles of N-acetyl aspartate and glutamate. <i>Journal of Affective Disorders</i> 2015 183 31-8	6.6	12

(2015-2015)

176	Cluster analysis reveals abnormal hippocampal neurometabolic profiles in young people with mood disorders. <i>European Neuropsychopharmacology</i> , 2015 , 25, 836-45	1.2	18
175	Oxidative stress and depressive symptoms in older adults: A magnetic resonance spectroscopy study. <i>Journal of Affective Disorders</i> , 2015 , 180, 29-35	6.6	30
174	Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2015 , 5, e5	5 <mark>8</mark> .6	89
173	Antisaccade errors reveal cognitive control deficits in Parkinson's disease with freezing of gait. <i>Journal of Neurology</i> , 2015 , 262, 2745-54	5.5	28
172	The effect of 12-wk B fatty acid supplementation on in vivo thalamus glutathione concentration in patients "at risk" for major depression. <i>Nutrition</i> , 2015 , 31, 1247-54	4.8	22
171	Clinical correlates of chronotypes in young persons with mental disorders. <i>Chronobiology International</i> , 2015 , 32, 1183-91	3.6	46
170	Hippocampal volume in older adults at risk of cognitive decline: the role of sleep, vascular risk, and depression. <i>Journal of Alzheimerls Disease</i> , 2015 , 44, 1279-90	4.3	37
169	A double-blind randomized controlled trial of oxytocin nasal spray and social cognition training for young people with early psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 483-93	1.3	88
168	Assessing the utility of the Movement Disorder Society Task Force Level 1 diagnostic criteria for mild cognitive impairment in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 31-5	3.6	20
167	The major impact of freezing of gait on quality of life in Parkinson's disease. <i>Journal of Neurology</i> , 2015 , 262, 108-15	5.5	80
166	Impaired cognitive control in Parkinson's disease patients with freezing of gait in response to cognitive load. <i>Journal of Neural Transmission</i> , 2015 , 122, 653-60	4.3	25
165	The relationships between mild cognitive impairment and phenotype in Parkinson's disease. <i>Npj Parkinsonls Disease</i> , 2015 , 1, 15015	9.7	17
164	Association between Sleep-Disordered Breathing and Neuropsychological Performance in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimerls Disease</i> , 2015 , 46, 157-65	4.3	21
163	Body mass, cardiovascular risk and metabolic characteristics of young persons presenting for mental healthcare in Sydney, Australia. <i>BMJ Open</i> , 2015 , 5, e007066	3	16
162	Randomized controlled trial of a healthy brain ageing cognitive training program: effects on memory, mood, and sleep. <i>Journal of Alzheimerls Disease</i> , 2015 , 44, 1181-91	4.3	58
161	The Beyond Ageing Project Phase 2a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 247	2.8	13
160	Napping in older people 'at risk' of dementia: relationships with depression, cognition, medical burden and sleep quality. <i>Journal of Sleep Research</i> , 2015 , 24, 494-502	5.8	39
159	Validation of the Psychosis and Hallucinations Questionnaire in Non-demented Patients with Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 175-181	2.2	17

158	Elderly care recipients' perceptions of treatment helpfulness for depression and the relationship with help-seeking. <i>Clinical Interventions in Aging</i> , 2015 , 10, 287-95	4	7
157	Cognitive training-induced short-term functional and long-term structural plastic change is related to gains in global cognition in healthy older adults: a pilot study. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 14	5.3	71
156	The relationship between sleep-wake cycle and cognitive functioning in young people with affective disorders. <i>PLoS ONE</i> , 2015 , 10, e0124710	3.7	9
155	Freezing of Gait and its Associations in the Early and Advanced Clinical Motor Stages of Parkinson's Disease: A Cross-Sectional Study. <i>Journal of Parkinsonls Disease</i> , 2015 , 5, 881-91	5.3	19
154	Mild Cognitive Impairment Subtypes in Older People With Depressive Symptoms: Relationship With Clinical Variables and Hippocampal Change. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015 , 28, 174-	83 8	22
153	The Sleep Or Mood Novel Adjunctive therapy (SOMNA) trial: a study protocol for a randomised controlled trial evaluating an internet-delivered cognitive behavioural therapy program for insomnia on outcomes of standard treatment for depression in men. <i>BMC Psychiatry</i> , 2015 , 15, 16	4.2	6
152	Investigating the night-to-night variability of REM without atonia in Parkinson's disease. <i>Sleep Medicine</i> , 2015 , 16, 190-3	4.6	6
151	Glutathione relates to neuropsychological functioning in mild cognitive impairment. <i>Alzheimerls and Dementia</i> , 2014 , 10, 67-75	1.2	78
150	Actigraphically-defined sleep disturbance in Parkinson's disease is associated with differential aspects of cognitive functioning. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1112-5	2.2	11
149	A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. <i>Journal of Psychiatric Research</i> , 2014 , 57, 1-11	5.2	113
148	Virtual reality walking and dopamine: opening new doorways to understanding freezing of gait in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2014 , 344, 182-5	3.2	17
147	Abnormal patterns of theta frequency oscillations during the temporal evolution of freezing of gait in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2014 , 125, 569-76	4.3	69
146	Deficits in episodic memory retrieval reveal impaired default mode network connectivity in amnestic mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2014 , 4, 473-80	5.3	52
145	Disturbances in melatonin secretion and circadian sleep-wake regulation in Parkinson disease. <i>Sleep Medicine</i> , 2014 , 15, 342-7	4.6	80
144	Dysfunctional sleep beliefs in Parkinson's disease: relationships with subjective and objective sleep. Journal of Clinical Neuroscience, 2014 , 21, 1359-63	2.2	11
143	Early phenotypic differences between Parkinson's disease patients with and without freezing of gait. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 604-7	3.6	22
142	Cognitive training enhances pre-attentive neurophysiological responses in older adults 'at risk' of dementia. <i>Journal of Alzheimerls Disease</i> , 2014 , 41, 1095-108	4.3	24
141	Reply: unified techniques are needed to diagnose REM sleep behavior disorder. <i>Movement Disorders</i> , 2014 , 29, 1836	7	

(2013-2014)

140	Temporal Characteristics of High-Frequency Lower-Limb Oscillation during Freezing of Gait in Parkinson's Disease. <i>Parkinsonls Disease</i> , 2014 , 2014, 606427	2.6	9
139	Stuck in the mud: time for change in the implementation of cognitive training research in ageing?. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 43	5.3	28
138	Prevalence and predictors of poor sleep quality in mild cognitive impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 204-11	3.8	38
137	Delayed circadian phase is linked to glutamatergic functions in young people with affective disorders: a proton magnetic resonance spectroscopy study. <i>BMC Psychiatry</i> , 2014 , 14, 345	4.2	10
136	Functional impairment in adolescents and young adults with emerging mood disorders. <i>British Journal of Psychiatry</i> , 2014 , 205, 362-8	5.4	40
135	Cognitive impairment with and without depression history: an analysis of white matter microstructure. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 135-43	4.5	17
134	Freezing of gait in Parkinson's disease: current treatments and the potential role for cognitive training. <i>Restorative Neurology and Neuroscience</i> , 2014 , 32, 411-22	2.8	35
133	Screening for sleep apnoea in mild cognitive impairment: the utility of the multivariable apnoea prediction index. <i>Sleep Disorders</i> , 2014 , 2014, 945287	1.7	13
132	Investigating rapid eye movement sleep without atonia in Parkinson's disease using the rapid eye movement sleep behavior disorder screening questionnaire. <i>Movement Disorders</i> , 2014 , 29, 736-42	7	27
131	The role of dysfunctional attentional control networks in visual misperceptions in Parkinson's disease. <i>Human Brain Mapping</i> , 2014 , 35, 2206-19	5.9	83
130	Letter to the editor: Comments on 'Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients': a reply. <i>Psychological Medicine</i> , 2014 , 44, 671-2	6.9	1
129	Clinical and Cognitive Correlates of Structural Hippocampal Change in "At-Risk" Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 67-76	3.8	11
128	The Relationships Between Poor Sleep Efficiency and Mild Cognitive Impairment in Parkinson Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 77-84	3.8	10
127	Circadian misalignment and sleep disruption in mild cognitive impairment. <i>Journal of Alzheimerls Disease</i> , 2014 , 38, 857-66	4.3	80
126	Sleep-wake cycle in young and older persons with a lifetime history of mood disorders. <i>PLoS ONE</i> , 2014 , 9, e87763	3.7	50
125	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013 , 7, 31-43	3.3	132
124	Autonomous identification of freezing of gait in Parkinson's disease from lower-body segmental accelerometry. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013 , 10, 19	5.3	121
123	Microstructural white matter changes in the corpus callosum of young people with Bipolar Disorder: a diffusion tensor imaging study. <i>PLoS ONE</i> , 2013 , 8, e59108	3.7	48

122	A preliminary study of aged care facility staff indicates limitations in awareness of the link between depression and physical morbidity. <i>BMC Geriatrics</i> , 2013 , 13, 30	4.1	3
121	More age-care staff report helping care recipients following a brief depression awareness raising intervention. <i>BMC Nursing</i> , 2013 , 12, 10	3.2	2
120	Clinical classification in mental health at the cross-roads: which direction next?. <i>BMC Medicine</i> , 2013 , 11, 125	11.4	55
119	Manipulating the sleep-wake cycle and circadian rhythms to improve clinical management of major depression. <i>BMC Medicine</i> , 2013 , 11, 79	11.4	77
118	Neuropsychological profile according to the clinical stage of young persons presenting for mental health care. <i>BMC Psychology</i> , 2013 , 1, 8	2.8	21
117	Attentional set-shifting deficits correlate with the severity of freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 388-90	3.6	50
116	Using virtual reality to explore the role of conflict resolution and environmental salience in freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 937-42	3.6	47
115	Fronto-striatal atrophy correlates of inhibitory dysfunction in Parkinson's disease versus behavioural variant frontotemporal dementia. <i>Cortex</i> , 2013 , 49, 1833-43	3.8	56
114	Distinguishing young people with emerging bipolar disorders from those with unipolar depression. Journal of Affective Disorders, 2013 , 144, 208-15	6.6	41
113	Social cognitive performance as a marker of positive psychotic symptoms in young people seeking help for mental health problems. <i>Schizophrenia Research</i> , 2013 , 149, 77-82	3.6	23
112	Longitudinal associations between mismatch negativity and disability in early schizophrenia- and affective-spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 161-9	5.5	41
111	Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. <i>Brain</i> , 2013 , 136, 3671-81	11.2	170
110	Psychological distress and quality of life in older persons: relative contributions of fixed and modifiable risk factors. <i>BMC Psychiatry</i> , 2013 , 13, 249	4.2	50
109	Distress and disability in young adults presenting to clinical services with mood disorders. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 23	5.4	9
108	Recent advances in sleep-wake cycle and biological rhythms in bipolar disorder. <i>Current Psychiatry Reports</i> , 2013 , 15, 402	9.1	28
107	Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. <i>BMC Psychiatry</i> , 2013 , 13, 303	4.2	31
106	Clinical assessment of freezing of gait in Parkinson's disease from computer-generated animation. <i>Gait and Posture</i> , 2013 , 38, 326-9	2.6	22
105	Sleep-wake cycle and melatonin rhythms in adolescents and young adults with mood disorders: comparison of unipolar and bipolar phenotypes. <i>European Psychiatry</i> , 2013 , 28, 412-6	6	90

(2013-2013)

104	The differential yet concurrent contributions of motor, cognitive and affective disturbance to freezing of gait in Parkinson's disease. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 542-5	2	18
103	In vivo glutathione levels in young persons with bipolar disorder: a magnetic resonance spectroscopy study. <i>Journal of Psychiatric Research</i> , 2013 , 47, 412-7	5.2	42
102	Delayed sleep phase in young people with unipolar or bipolar affective disorders. <i>Journal of Affective Disorders</i> , 2013 , 145, 260-3	6.6	112
101	A novel bedside task to tap inhibitory dysfunction and fronto-striatal atrophy in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 827-30	3.6	11
100	Neuropsychological functioning is compromised in binge drinking young adults with depression. <i>Psychiatry Research</i> , 2013 , 210, 256-62	9.9	18
99	Microstructural white matter changes are correlated with the stage of psychiatric illness. <i>Translational Psychiatry</i> , 2013 , 3, e248	8.6	34
98	Improving memory in Parkinson's disease: a healthy brain ageing cognitive training program. <i>Movement Disorders</i> , 2013 , 28, 1097-103	7	51
97	Modeling freezing of gait in Parkinson's disease with a virtual reality paradigm. <i>Gait and Posture</i> , 2013 , 38, 104-8	2.6	42
96	Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	40
95	Mild cognitive impairment in Parkinson's disease: a review of current concepts. <i>Neurology Research International</i> , 2013 , 2013, 576091	1.7	22
94	Emotion recognition deficits exist in mild cognitive impairment, but only in the amnestic subtype. <i>Psychology and Aging</i> , 2013 , 28, 840-852	3.6	12
93	Sleep quality in healthy older people: relationship with IH magnetic resonance spectroscopy markers of glial and neuronal integrity. <i>Behavioral Neuroscience</i> , 2013 , 127, 803-10	2.1	23
92	Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. <i>Brain</i> , 2013 , 136, 1204-15	11.2	156
91	Genetic and environmental contributions to sleep-wake behavior in 12-year-old twins. <i>Sleep</i> , 2013 , 36, 1715-22	1.1	22
90	Quality of life in Parkinson's disease caregivers: the contribution of personality traits. <i>BioMed Research International</i> , 2013 , 2013, 151872	3	20
89	Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients. <i>Psychological Medicine</i> , 2013 , 43, 1161-73	6.9	76
88	Emotion recognition in mild cognitive impairment: relationship to psychosocial disability and caregiver burden. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 165-73	3.8	22
87	The contribution of nocturnal sleep to the consolidation of motor skill learning in healthy ageing and Parkinson's disease. <i>Journal of Sleep Research</i> , 2013 , 22, 398-405	5.8	27

86	Neuropsychological and socio-occupational functioning in young psychiatric outpatients: a longitudinal investigation. <i>PLoS ONE</i> , 2013 , 8, e58176	3.7	82
85	Internet-delivered cognitive behavioural therapy for adults with mild to moderate depression and high cardiovascular disease risks: a randomised attention-controlled trial. <i>PLoS ONE</i> , 2013 , 8, e59139	3.7	70
84	Differential neural activation patterns in patients with Parkinson's disease and freezing of gait in response to concurrent cognitive and motor load. <i>PLoS ONE</i> , 2013 , 8, e52602	3.7	86
83	Variability of Stepping during a Virtual Reality Paradigm in Parkinson's Disease Patients with and without Freezing of Gait. <i>PLoS ONE</i> , 2013 , 8, e66718	3.7	27
82	Social cognition deficits and psychopathic traits in young people seeking mental health treatment. <i>PLoS ONE</i> , 2013 , 8, e67753	3.7	13
81	The relationship between thermoregulation and REM sleep behaviour disorder in Parkinson's disease. <i>PLoS ONE</i> , 2013 , 8, e72661	3.7	40
80	Objective measurement of daytime napping, cognitive dysfunction and subjective sleepiness in Parkinson's disease. <i>PLoS ONE</i> , 2013 , 8, e81233	3.7	29
79	Rethinking the dose-response relationship between usage and outcome in an online intervention for depression: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e231	7.6	93
78	Reduced temporal mismatch negativity in late-life depression: an event-related potential index of cognitive deficit and functional disability?. <i>Journal of Affective Disorders</i> , 2012 , 138, 71-8	6.6	29
77	Investigating visual misperceptions in Parkinson's disease: a novel behavioral paradigm. <i>Movement Disorders</i> , 2012 , 27, 500-5	7	32
76	Assessing the utility of Freezing of Gait Questionnaires in Parkinson's Disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 25-9	3.6	76
75	A comparison of clinical and objective measures of freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 572-7	3.6	71
74	The neurobiology of depression in later-life: clinical, neuropsychological, neuroimaging and pathophysiological features. <i>Progress in Neurobiology</i> , 2012 , 98, 99-143	10.9	188
73	Reduced mismatch negativity in mild cognitive impairment: associations with neuropsychological performance. <i>Journal of Alzheimerls Disease</i> , 2012 , 30, 209-19	4.3	35
72	Thoughts of death or suicidal ideation are common in young people aged 12 to 30 years presenting for mental health care. <i>BMC Psychiatry</i> , 2012 , 12, 234	4.2	28
71	Correlating anterior insula gray matter volume changes in young people with clinical and neurocognitive outcomes: an MRI study. <i>BMC Psychiatry</i> , 2012 , 12, 45	4.2	44
70	Targeted primary care-based mental health services for young Australians. <i>Medical Journal of Australia</i> , 2012 , 196, 136-40	4	127
69	Frontal lobe changes occur early in the course of affective disorders in young people. <i>BMC</i> Psychiatry, 2012 , 12, 4	4.2	40

(2011-2012)

68	Anterior cingulate integrity: executive and neuropsychiatric features in Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 1262-7	7	37	
67	The impact of gender on early ill-health retirement in people with heart disease and depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 249-56	2.6	13	
66	The role of glia in late-life depression. <i>International Psychogeriatrics</i> , 2012 , 24, 1878-90	3.4	29	
65	Circadian profiles in young people during the early stages of affective disorder. <i>Translational Psychiatry</i> , 2012 , 2, e123	8.6	51	
64	Distinct neurometabolic profiles are evident in the anterior cingulate of young people with major psychiatric disorders. <i>Translational Psychiatry</i> , 2012 , 2, e110	8.6	36	
63	Using informant reports to detect cognitive decline in mild cognitive impairment. <i>International Psychogeriatrics</i> , 2012 , 24, 967-73	3.4	17	
62	Mismatch negativity/P3a complex in young people with psychiatric disorders: a cluster analysis. <i>PLoS ONE</i> , 2012 , 7, e51871	3.7	20	
61	Enhancing memory in late-life depression: the effects of a combined psychoeducation and cognitive training program. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 240-8	6.5	66	
60	Sleep-wake disturbances in common neurodegenerative diseases: a closer look at selected aspects of the neural circuitry. <i>Journal of the Neurological Sciences</i> , 2011 , 307, 9-14	3.2	19	
59	"DASH" symptoms in patients with Parkinson's disease: red flags for early cognitive decline. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 352-5	2.2	24	
58	Parkinson's disease in general practice: assessing knowledge, confidence and the potential role of education. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 1044-7	2.2	9	
57	Utilising functional MRI (fMRI) to explore the freezing phenomenon in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 807-10	2.2	31	
56	The pathophysiological mechanisms underlying freezing of gait in Parkinson's Disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 1154-7	2.2	58	
55	Can older "at risk" adults benefit from psychoeducation targeting healthy brain aging?. <i>International Psychogeriatrics</i> , 2011 , 23, 413-24	3.4	18	
54	Principles and practice of geriatric sleep medicine - SR Pandi-Perumal, JM Monti, AA Monjan (Eds). Cambridge, UK, Cambridge University Press, 2010. Hardback: 448 pages. ISBN:978-0-521-89670-2 <i>Acta Neuropsychiatrica</i> , 2011 , 23, 48-49	3.9		
53	Sleep disturbance in mild cognitive impairment: differential effects of current and remitted depression. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 167-72	3.9	27	
52	How does social functioning in the early stages of psychosis relate to depression and social anxiety?. <i>Microbial Biotechnology</i> , 2011 , 5, 224-32	3.3	31	
51	Disability is already pronounced in young people with early stages of affective disorders: data from an early intervention service. <i>Journal of Affective Disorders</i> , 2011 , 131, 84-91	6.6	50	

50	Sleep disturbance relates to neuropsychological functioning in late-life depression. <i>Journal of Affective Disorders</i> , 2011 , 132, 139-45	6.6	60
49	Internet-based treatment for older adults with depression and co-morbid cardiovascular disease: protocol for a randomised, double-blind, placebo controlled trial. <i>BMC Psychiatry</i> , 2011 , 11, 10	4.2	29
48	Subjective memory complaints, vascular risk factors and psychological distress in the middle-aged: a cross-sectional study. <i>BMC Psychiatry</i> , 2011 , 11, 108	4.2	83
47	How well do caregivers detect mild cognitive change in Parkinson's disease?. <i>Movement Disorders</i> , 2011 , 26, 161-4	7	23
46	Neuropsychological functioning in Parkinson's disease: differential relationships with self-reported sleep-wake disturbances. <i>Movement Disorders</i> , 2011 , 26, 1537-41	7	38
45	Sleep-wake changes and cognition in neurodegenerative disease. <i>Progress in Brain Research</i> , 2011 , 190, 21-52	2.9	38
44	Review of emotion recognition in mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 32, 257-66	2.6	45
43	Utility and limitations of Addenbrooke's Cognitive Examination-Revised for detecting mild cognitive impairment in Parkinson's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 349-5	2 .6	25
42	A systematic review of the impact of adherence on the effectiveness of e-therapies. <i>Journal of Medical Internet Research</i> , 2011 , 13, e52	7.6	431
41	Neuropsychological clustering highlights cognitive differences in young people presenting with depressive symptoms. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 267-76	3.1	72
40	Impaired verbal memory in young adults with unipolar and bipolar depression. <i>Microbial Biotechnology</i> , 2010 , 4, 227-33	3.3	41
39	A novel paradigm for modelling freezing of gait in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2010 , 17, 984-7	2.2	34
38	The relationship between actigraphically defined sleep disturbance and REM sleep behaviour disorder in Parkinson's Disease. <i>Clinical Neurology and Neurosurgery</i> , 2010 , 112, 420-3	2	28
37	Impaired MMN/P3a complex in first-episode psychosis: cognitive and psychosocial associations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 822-9	5.5	121
36	Early intervention for cognitive decline: can cognitive training be used as a selective prevention technique?. <i>International Psychogeriatrics</i> , 2010 , 22, 537-48	3.4	113
35	Sleep well, think well: sleep-wake disturbance in mild cognitive impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 123-30	3.8	84
34	Sleep disturbances in Parkinson disease and their potential role in heterogeneity. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 131-7	3.8	41
33	The role of mild depression in sleep disturbance and quality of life in Parkinson's disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010 , 22, 384-9	2.7	29

(2004-2010)

32	Cognitive training in affective disorders improves memory: a preliminary study using the NEAR approach. <i>Journal of Affective Disorders</i> , 2010 , 121, 258-62	6.6	89
31	Electroconvulsive therapy-induced persistent retrograde amnesia: could it be minimised by ketamine or other pharmacological approaches?. <i>Journal of Affective Disorders</i> , 2010 , 126, 39-45	6.6	24
30	Fronto-striatal correlates of impaired implicit sequence learning in major depression: an fMRI study. <i>Journal of Affective Disorders</i> , 2010 , 125, 256-61	6.6	41
29	The specific contributions of set-shifting to freezing of gait in Parkinson's disease. <i>Movement Disorders</i> , 2010 , 25, 1000-4	7	151
28	Delivering youth-specific mental health services: the advantages of a collaborative, multi-disciplinary system. <i>Australasian Psychiatry</i> , 2009 , 17, 189-94	1.7	68
27	Does sleep disturbance mediate neuropsychological functioning in older people with depression?. <i>Journal of Affective Disorders</i> , 2009 , 116, 139-43	6.6	43
26	Early intervention for cognitive decline: is there a role for multiple medical or behavioural interventions?. <i>Microbial Biotechnology</i> , 2009 , 3, 19-27	3.3	55
25	Managing depression across the life cycle: new strategies for clinicians and their patients. <i>Internal Medicine Journal</i> , 2009 , 39, 720-7	1.6	23
24	Amphetamine psychosis: a model for studying the onset and course of psychosis. <i>Medical Journal of Australia</i> , 2009 , 190, S22-5	4	42
23	Disability in major depression related to self-rated and objectively-measured cognitive deficits: a preliminary study. <i>BMC Psychiatry</i> , 2007 , 7, 32	4.2	109
22	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. <i>Journal of Affective Disorders</i> , 2007 , 98, 137-42	6.6	106
21	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 211-20	2.9	38
20	Impaired implicit sequence learning in depression: a probe for frontostriatal dysfunction?. <i>Psychological Medicine</i> , 2006 , 36, 313-23	6.9	60
19	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 197-202	5.4	337
18	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. Journal of Affective Disorders, 2005 , 85, 327-32	6.6	34
17	Effect of Oral Appliance Therapy on Neurobehavioral Functioning In Obstructive Sleep Apnea: A Randomized Controlled Trial. <i>Journal of Clinical Sleep Medicine</i> , 2005 , 01, 374-380	3.1	58
16	Effect of oral appliance therapy on neurobehavioral functioning in obstructive sleep apnea: a randomized controlled trial. <i>Journal of Clinical Sleep Medicine</i> , 2005 , 1, 374-80	3.1	30
15	Neurobehavioral functioning in obstructive sleep apnea: differential effects of sleep quality, hypoxemia and subjective sleepiness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004 , 26, 43-54	2.1	113

14	Vascular risk to late-life depression: evidence from a longitudinal community study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 62-5	2.6	21
13	Neuropsychological performance in patients with depression is associated with clinical, etiological and genetic risk factors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 866-77	2.1	122
12	Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 209	6 -1 8 ^{1.9}	106
11	SPHERE: A National Depression Project. <i>Medical Journal of Australia</i> , 2002 , 176, 193-194	4	2
10	Treatment of common mental disorders in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S25-30	4	38
9	Comorbidity of common mental disorders and alcohol or other substance misuse in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S31-6	4	30
8	Unmet need for recognition of common mental disorders in Australian general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S18-24	4	66
7	Effects of mental health training and clinical audit on general practitioners' management of common mental disorders. <i>Medical Journal of Australia</i> , 2001 , 175, S42-7	4	32
6	Development of a simple screening tool for common mental disorders in general practice. <i>Medical Journal of Australia</i> , 2001 , 175, S10-7	4	111
5	Variability and predictors of mental disorder rates and medical practitioner responses across Australian general practices. <i>Medical Journal of Australia</i> , 2001 , 175, S37-41	4	11
4	Conclusions about the assessment and management of common mental disorders in Australian general practice. SPHERE National Secretariat. <i>Medical Journal of Australia</i> , 2001 , 175, S52-5	4	19
3	A Cognitive B ehavioural Therapy Training Program for General Practitioners to Manage Depression. <i>Australasian Psychiatry</i> , 1999 , 7, 326-328	1.7	7
2	Sphere: A National Depression Project. <i>Australasian Psychiatry</i> , 1998 , 6, 248-250	1.7	64
1	Convergent validity of the child behavior checklist sleep items in children with moderate to severe	2.1	