

Jung San Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1953082/publications.pdf>

Version: 2024-02-01

34
papers

3,279
citations

361296

20
h-index

377752

34
g-index

34
all docs

34
docs citations

34
times ranked

1766
citing authors

#	ARTICLE	IF	CITATIONS
1	IGFBP β and TGF β ² inhibit growth in epithelial cells by stimulating type V TGF β receptor (T β R β) α -mediated tumor suppressor signaling. <i>FASEB BioAdvances</i> , 2021, 3, 709-729.	1.3	4
2	Development of the LYVE α gene with an acidic amino acid-rich (AAAR) domain in evolution is associated with acquisition of lymph nodes and efficient adaptive immunity. <i>Journal of Cellular Physiology</i> , 2018, 233, 2681-2692.	2.0	3
3	7 β -Dehydrocholesterol (7 β DHC), But Not Cholesterol, Causes Suppression of Canonical TGF β ² Signaling and Is Likely Involved in the Development of Atherosclerotic Cardiovascular Disease (ASCVD). <i>Journal of Cellular Biochemistry</i> , 2017, 118, 1387-1400.	1.2	14
4	Ethanol Enhances TGF β ² Activity by Recruiting TGF β ² Receptors From Intracellular Vesicles/Lipid Rafts/Caveolae to Non-Lipid Raft Microdomains. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 860-871.	1.2	16
5	DMSO Enhances TGF β ² Activity by Recruiting the Type II TGF β Receptor From Intracellular Vesicles to the Plasma Membrane. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 1568-1579.	1.2	12
6	The Ortholog of LYVE-1 Is Required for Thoracic Duct Formation in Zebrafish*. <i>CellBio</i> , 2013, 02, 228-247.	1.3	3
7	CRSBP α /LYVE α ligands stimulate contraction of the CRSBP α -associated ER network in lymphatic endothelial cells. <i>FEBS Letters</i> , 2012, 586, 1480-1487.	1.3	11
8	A mechanism by which dietary trans fats cause atherosclerosis. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 649-655.	1.9	31
9	CRSBP-1/LYVE-1 ligands disrupt lymphatic intercellular adhesion by inducing tyrosine phosphorylation and internalization of VE-cadherin. <i>Journal of Cell Science</i> , 2011, 124, 1231-1244.	1.2	30
10	Inhibitors of clathrin-dependent endocytosis enhance TGF β ² signaling and responses. <i>Journal of Cell Science</i> , 2009, 122, 1863-1871.	1.2	113
11	Cholesterol modulates cellular TGF β ² responsiveness by altering TGF β ² binding to TGF β ² receptors. <i>Journal of Cellular Physiology</i> , 2008, 215, 223-233.	2.0	67
12	Cholesterol suppresses cellular TGF β ² responsiveness: implications in atherogenesis. <i>Journal of Cell Science</i> , 2007, 120, 3509-3521.	1.2	85
13	Cellular Heparan Sulfate Negatively Modulates Transforming Growth Factor- β ² (TGF- β ²) Responsiveness in Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 11506-11514.	1.6	61
14	Identification of insulin receptor substrate proteins as key molecules for the T β R β /LRP α -mediated growth inhibitory signaling cascade in epithelial and myeloid cells. <i>FASEB Journal</i> , 2004, 18, 1719-1721.	0.2	33
15	Identification and Characterization of the Acidic pH Binding Sites for Growth Regulatory Ligands of Low Density Lipoprotein Receptor-related Protein-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 38736-38748.	1.6	12
16	Cellular growth inhibition by TGF- β ² involves IRS proteins. <i>FEBS Letters</i> , 2004, 565, 117-121.	1.3	17
17	LRP α /T β R β mediates TGF β ² -induced growth inhibition in CHO cells. <i>FEBS Letters</i> , 2004, 562, 71-78.	1.3	52
18	Fatty acids modulate transforming growth factor β ² activity and plasma clearance. <i>FASEB Journal</i> , 2003, 17, 1-20.	0.2	12

#	ARTICLE	IF	CITATIONS
19	Cellular growth inhibition by IGFBP β and TGF β 1 requires LRP β . FASEB Journal, 2003, 17, 2068-2081.	0.2	147
20	Cloning, Expression, Characterization, and Role in Autocrine Cell Growth of Cell Surface Retention Sequence Binding Protein-1. Journal of Biological Chemistry, 2003, 278, 43855-43869.	1.6	20
21	Synthetic TGF β antagonist accelerates wound healing and reduces scarring. FASEB Journal, 2002, 16, 1269-1270.	0.2	91
22	Identification of the High Affinity Binding Site in Transforming Growth Factor- β Involved in Complex Formation with α 2-Macroglobulin. Journal of Biological Chemistry, 2001, 276, 46212-46218.	1.6	28
23	Interactions of High Affinity Insulin-like Growth Factor-binding Proteins with the Type V Transforming Growth Factor- β Receptor in Mink Lung Epithelial Cells. Journal of Biological Chemistry, 1999, 274, 6711-6717.	1.6	98
24	An Active Site of Transforming Growth Factor- β 1 for Growth Inhibition and Stimulation. Journal of Biological Chemistry, 1999, 274, 27754-27758.	1.6	22
25	The Mannose 6-Phosphate/Insulin-like Growth Factor-II Receptor Is a Substrate of Type V Transforming Growth Factor- β Receptor. Journal of Biological Chemistry, 1999, 274, 20002-20010.	1.6	12
26	Cell Surface Retention Sequence Binding Protein-1 Interacts with the v-sis Gene Product and Platelet-derived Growth Factor β -Type Receptor in Simian Sarcoma Virus-transformed Cells. Journal of Biological Chemistry, 1999, 274, 10582-10589.	1.6	14
27	Function of the Type V Transforming Growth Factor β Receptor in Transforming Growth Factor β -induced Growth Inhibition of Mink Lung Epithelial Cells. Journal of Biological Chemistry, 1997, 272, 18891-18895.	1.6	38
28	The Type V Transforming Growth Factor β Receptor Is the Putative Insulin-like Growth Factor-binding Protein 3 Receptor. Journal of Biological Chemistry, 1997, 272, 20572-20576.	1.6	225
29	Transforming Growth Factor β Peptide Antagonists and Their Conversion to Partial Agonists. Journal of Biological Chemistry, 1997, 272, 27155-27159.	1.6	37
30	Suramin enters and accumulates in low pH intracellular compartments of v-sis-transformed NIH 3T3 cells. FEBS Letters, 1997, 416, 297-301.	1.3	17
31	Identification, Purification, and Characterization of Cell-surface Retention Sequence-binding Proteins from Human SK-Hep Cells and Bovine Liver Plasma Membranes. Journal of Biological Chemistry, 1995, 270, 1807-1816.	1.6	21
32	Expression of a new type high molecular weight receptor (type V receptor) of transforming growth factor β in normal and transformed cells. Biochemical and Biophysical Research Communications, 1991, 179, 378-385.	1.0	38
33	Transforming protein of simian sarcoma virus stimulates autocrine growth of SSV-transformed cells through PDGF cell-surface receptors. Cell, 1984, 39, 79-87.	13.5	266
34	Platelet-derived growth factor is structurally related to the putative transforming protein p28sis of simian sarcoma virus. Nature, 1983, 304, 35-39.	13.7	1,629