

Alessandro Paiardini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1954221/alessandro-paiardini-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

2,249
citations

28
h-index

42
g-index

115
ext. papers

2,818
ext. citations

5.3
avg, IF

5.02
L-index

#	Paper	IF	Citations
96	A conserved scaffold with heterogeneous metal ion binding site: the multifaceted example of HD-GYP proteins. <i>Coordination Chemistry Reviews</i> , 2022 , 450, 214228	23.2	3
95	PyMod 3: a complete suite for structural bioinformatics in PyMOL. <i>Bioinformatics</i> , 2021 , 37, 1471-1472	7.2	18
94	The Archaeal Elongation Factor EF-2 Induces the Release of aIF6 From 50S Ribosomal Subunit. <i>Frontiers in Microbiology</i> , 2021 , 12, 631297	5.7	0
93	Nuclear localisation of Aurora-A: its regulation and significance for Aurora-A functions in cancer. <i>Oncogene</i> , 2021 , 40, 3917-3928	9.2	9
92	Bacterial Oxidases of the Cytochrome Family: Redox Enzymes of Unique Structure, Function, and Utility As Drug Targets. <i>Antioxidants and Redox Signaling</i> , 2021 , 34, 1280-1318	8.4	14
91	SMaRT lncRNA controls translation of a G-quadruplex-containing mRNA antagonizing the DHX36 helicase. <i>EMBO Reports</i> , 2020 , 21, e49942	6.5	9
90	Structure and Function of HD-GYP Phosphodiesterases 2020 , 65-78		1
89	Intronic Determinants Coordinate Charme lncRNA Nuclear Activity through the Interaction with MATR3 and PTBP1. <i>Cell Reports</i> , 2020 , 33, 108548	10.6	5
88	Prenatal whole exome sequencing detects a new homozygous fukutin (FKTN) mutation in a fetus with an ultrasound suspicion of familial Dandy-Walker malformation. <i>Molecular Genetics & Genomic Medicine</i> , 2020 , 8, e1054	2.3	3
87	From PARP1 to TNKS2 Inhibition: A Structure-Based Approach. <i>ACS Medicinal Chemistry Letters</i> , 2020 , 11, 862-868	4.3	3
86	Cytosolic serine hydroxymethyltransferase controls lung adenocarcinoma cells migratory ability by modulating AMP kinase activity. <i>Cell Death and Disease</i> , 2020 , 11, 1012	9.8	4
85	Insights into PPAR β Phosphorylation and Its Inhibition Mechanism. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 4811-4823	8.3	11
84	Artemisinin Derivatives with Antimelanoma Activity Show Inhibitory Effect against Human DNA Topoisomerase 1. <i>ACS Medicinal Chemistry Letters</i> , 2020 , 11, 1035-1040	4.3	7
83	A novel compound heterozygous genotype associated with aromatic amino acid decarboxylase deficiency: Clinical aspects and biochemical studies. <i>Molecular Genetics and Metabolism</i> , 2019 , 127, 132-137	3.7	12
82	N-Methyladenosine (m ⁶ A): A Promising New Molecular Target in Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2019 , 9, 251	5.3	38
81	The moonlighting RNA-binding activity of cytosolic serine hydroxymethyltransferase contributes to control compartmentalization of serine metabolism. <i>Nucleic Acids Research</i> , 2019 , 47, 4240-4254	20.1	12
80	R180T variant of E3 ubiquitin ligase associated with gyrate atrophy: biochemical, computational, X-ray and NMR studies provide insight into its catalytic features. <i>FEBS Journal</i> , 2019 , 286, 2787-2798	5.7	2

79	Revisiting the "satisfaction of spatial restraints" approach of MODELLER for protein homology modeling. <i>PLoS Computational Biology</i> , 2019 , 15, e1007219	5	5
78	Heterozygosis in aromatic amino acid decarboxylase deficiency: Evidence for a positive interallelic complementation between R347Q and R358H mutations. <i>IUBMB Life</i> , 2018 , 70, 215-223	4.7	9
77	Familial hypomagnesaemia, Hypercalciuria and Nephrocalcinosis associated with a novel mutation of the highly conserved leucine residue 116 of Claudin 16 in a Chinese patient with a delayed diagnosis: a case report. <i>BMC Nephrology</i> , 2018 , 19, 181	2.7	2
76	The catalytic activity of serine hydroxymethyltransferase is essential for de novo nuclear dTMP synthesis in lung cancer cells. <i>FEBS Journal</i> , 2018 , 285, 3238-3253	5.7	11
75	Functional Characterization and Structure-Guided Mutational Analysis of the Transsulfuration Enzyme Cystathionine β -lyase from. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
74	A novel bacterial l-arginine sensor controlling c-di-GMP levels in <i>Pseudomonas aeruginosa</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2018 , 86, 1088-1096	4.2	14
73	Differential inhibitory effect of a pyrazolopyran compound on human serine hydroxymethyltransferase-amino acid complexes. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 653, 71-79	4.1	7
72	Insights into the GTP-dependent allosteric control of c-di-GMP hydrolysis from the crystal structure of PA0575 protein from <i>Pseudomonas aeruginosa</i> . <i>FEBS Journal</i> , 2018 , 285, 3815-3834	5.7	13
71	A novel germline mutation in CDK4 codon 24 associated to familial melanoma. <i>Clinical Genetics</i> , 2018 , 93, 934-935	4	3
70	Cysteine 180 Is a Redox Sensor Modulating the Activity of Human Pyridoxal 5'-Phosphate Histidine Decarboxylase. <i>Biochemistry</i> , 2018 , 57, 6336-6348	3.2	1
69	Unique substrate specificity of ornithine aminotransferase from. <i>Biochemical Journal</i> , 2017 , 474, 939-955.	8	11
68	PyMod 2.0: improvements in protein sequence-structure analysis and homology modeling within PyMOL. <i>Bioinformatics</i> , 2017 , 33, 444-446	7.2	97
67	Pyridoxine-5'-phosphate oxidase (Pnpo) deficiency: Clinical and biochemical alterations associated with the C.347g>A (P. Arg116gln) mutation. <i>Molecular Genetics and Metabolism</i> , 2017 , 122, 135-142	3.7	17
66	Radiation damage at the active site of human alanine:glyoxylate aminotransferase reveals that the cofactor position is finely tuned during catalysis. <i>Scientific Reports</i> , 2017 , 7, 11704	4.9	10
65	Betulinic acid is a PPAR α antagonist that improves glucose uptake, promotes osteogenesis and inhibits adipogenesis. <i>Scientific Reports</i> , 2017 , 7, 5777	4.9	45
64	Biochemical data from the characterization of a new pathogenic mutation of human pyridoxine-5'-phosphate oxidase (PNPO). <i>Data in Brief</i> , 2017 , 15, 868-875	1.2	9
63	Glucose Metabolism in the Progression of Prostate Cancer. <i>Frontiers in Physiology</i> , 2017 , 8, 97	4.6	61
62	Identification of small molecule inhibitors of the Aurora-A/TPX2 complex. <i>Oncotarget</i> , 2017 , 8, 32117-32133	3.3	13

61	New Insights Emerging from Recent Investigations on Human Group II Pyridoxal 5'-Phosphate Decarboxylases. <i>Current Medicinal Chemistry</i> , 2017 , 24, 226-244	4.3	9
60	Structural investigation of nucleophosmin interaction with the tumor suppressor Fbw7□ <i>Oncogenesis</i> , 2017 , 6, e379	6.6	11
59	Differential 3-bromopyruvate inhibition of cytosolic and mitochondrial human serine hydroxymethyltransferase isoforms, key enzymes in cancer metabolic reprogramming. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016 , 1864, 1506-17	4	28
58	Potent dual inhibitors of Plasmodium falciparum M1 and M17 aminopeptidases through optimization of S1 pocket interactions. <i>European Journal of Medicinal Chemistry</i> , 2016 , 110, 43-64	6.8	30
57	Molecular analysis of sarcomeric and non-sarcomeric genes in patients with hypertrophic cardiomyopathy. <i>Gene</i> , 2016 , 577, 227-35	3.8	24
56	The novel R347g pathogenic mutation of aromatic amino acid decarboxylase provides additional molecular insights into enzyme catalysis and deficiency. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016 , 1864, 676-682	4	9
55	In Silico Discovery and In Vitro Validation of Catechol-Containing Sulfonylhydrazide Compounds as Potent Inhibitors of the Diguanylate Cyclase PleD. <i>Journal of Bacteriology</i> , 2016 , 198, 147-56	3.5	25
54	A pyrazolopyran derivative preferentially inhibits the activity of human cytosolic serine hydroxymethyltransferase and induces cell death in lung cancer cells. <i>Oncotarget</i> , 2016 , 7, 4570-83	3.3	32
53	Prediction and visualization data for the interpretation of sarcomeric and non-sarcomeric DNA variants found in patients with hypertrophic cardiomyopathy. <i>Data in Brief</i> , 2016 , 7, 607-13	1.2	
52	Screening and in vitro testing of antifolate inhibitors of human cytosolic serine hydroxymethyltransferase. <i>ChemMedChem</i> , 2015 , 10, 490-7	3.7	25
51	Structural basis of functional diversification of the HD-GYP domain revealed by the Pseudomonas aeruginosa PA4781 protein, which displays an unselective bimetallic binding site. <i>Journal of Bacteriology</i> , 2015 , 197, 1525-35	3.5	23
50	Synthesis of Triazole-Linked Analogues of c-di-GMP and Their Interactions with Diguanylate Cyclase. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 8269-84	8.3	25
49	Screening the Medicines for Malaria Venture "Malaria Box" against the Plasmodium falciparum aminopeptidases, M1, M17 and M18. <i>PLoS ONE</i> , 2015 , 10, e0115859	3.7	25
48	Identification and Validation of a Potent Dual Inhibitor of the P. falciparum M1 and M17 Aminopeptidases Using Virtual Screening. <i>PLoS ONE</i> , 2015 , 10, e0138957	3.7	14
47	X-ray crystal structures of an orally available aminopeptidase inhibitor, Tosedostat, bound to anti-malarial drug targets PfA-M1 and PfA-M17. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015 , 83, 789-95	4.2	9
46	How pyridoxal 5'-phosphate differentially regulates human cytosolic and mitochondrial serine hydroxymethyltransferase oligomeric state. <i>FEBS Journal</i> , 2015 , 282, 1225-41	5.7	51
45	Two-pronged attack: dual inhibition of Plasmodium falciparum M1 and M17 metalloaminopeptidases by a novel series of hydroxamic acid-based inhibitors. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 9168-83	8.3	39
44	The phytotoxin fusicochin differently regulates 14-3-3 proteins association to mode III targets. <i>IUBMB Life</i> , 2014 , 66, 52-62	4.7	25

43	SHMT1 knockdown induces apoptosis in lung cancer cells by causing uracil misincorporation. <i>Cell Death and Disease</i> , 2014 , 5, e1525	9.8	61
42	Cofactor-dependent conformational heterogeneity of GAD65 and its role in autoimmunity and neurotransmitter homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E2524-9	11.5	25
41	On the catalytic mechanism and stereospecificity of Escherichia coli L-threonine aldolase. <i>FEBS Journal</i> , 2014 , 281, 129-45	5.7	42
40	Structural mimicry between SLA/LP and Rickettsia surface antigens as a driver of autoimmune hepatitis: insights from an in silico study. <i>Theoretical Biology and Medical Modelling</i> , 2013 , 10, 25	2.3	7
39	Alanine racemase from Tolypocladium inflatum: a key PLP-dependent enzyme in cyclosporin biosynthesis and a model of catalytic promiscuity. <i>Archives of Biochemistry and Biophysics</i> , 2013 , 529, 55-65	4.1	34
38	The immunosuppressive drug azathioprine inhibits biosynthesis of the bacterial signal molecule cyclic-di-GMP by interfering with intracellular nucleotide pool availability. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 7325-36	5.7	56
37	Crystal structure of the S187F variant of human liver alanine: glyoxylate [corrected] aminotransferase associated with primary hyperoxaluria type I and its functional implications. <i>Proteins: Structure, Function and Bioinformatics</i> , 2013 , 81, 1457-65	4.2	20
36	Synthesis and structure-activity relationships of phosphonic arginine mimetics as inhibitors of the M1 and M17 aminopeptidases from Plasmodium falciparum. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 5213-7	8.3	43
35	Glycine consumption and mitochondrial serine hydroxymethyltransferase in cancer cells: the heme connection. <i>Medical Hypotheses</i> , 2013 , 80, 633-6	3.8	50
34	Chemogenomics of pyridoxal 5'-phosphate dependent enzymes. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013 , 28, 183-94	5.6	11
33	Type I pyridoxal 5'-phosphate dependent enzymatic domains embedded within multimodular nonribosomal peptide synthetase and polyketide synthase assembly lines. <i>BMC Structural Biology</i> , 2013 , 13, 26	2.7	16
32	C-di-GMP hydrolysis by Pseudomonas aeruginosa HD-GYP phosphodiesterases: analysis of the reaction mechanism and novel roles for pGpG. <i>PLoS ONE</i> , 2013 , 8, e74920	3.7	42
31	Investigating the allosteric regulation of YfiN from Pseudomonas aeruginosa: clues from the structure of the catalytic domain. <i>PLoS ONE</i> , 2013 , 8, e81324	3.7	31
30	Molecular insights into primary hyperoxaluria type 1 pathogenesis. <i>Frontiers in Bioscience - Landmark</i> , 2012 , 17, 621-34	2.8	24
29	PyMod: sequence similarity searches, multiple sequence-structure alignments, and homology modeling within PyMOL. <i>BMC Bioinformatics</i> , 2012 , 13 Suppl 4, S2	3.6	103
28	Insight into the structure-function relationship of the nonheme iron halogenases involved in the biosynthesis of 4-chlorothreonine --Thr3 from Streptomyces sp. OH-5093 and SyrB2 from Pseudomonas syringae pv. syringae B301DR. <i>FEBS Journal</i> , 2012 , 279, 4269-82	5.7	13
27	Rapid profiling of disease alleles using a tunable reporter of protein misfolding. <i>Genetics</i> , 2012 , 192, 831-42	4	17
26	Identification by virtual screening and in vitro testing of human DOPA decarboxylase inhibitors. <i>PLoS ONE</i> , 2012 , 7, e31610	3.7	47

25	Structural adaptation of extreme halophilic proteins through decrease of conserved hydrophobic contact surface. <i>BMC Structural Biology</i> , 2011 , 11, 50	2.7	104
24	In silico and in vitro validation of serine hydroxymethyltransferase as a chemotherapeutic target of the antifolate drug pemetrexed. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 1616-21	6.8	45
23	Open conformation of human DOPA decarboxylase reveals the mechanism of PLP addition to Group II decarboxylases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 20514-9	11.5	77
22	Molecular defects of the glycine 41 variants of alanine glyoxylate aminotransferase associated with primary hyperoxaluria type I. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 2896-901	11.5	52
21	Expression of Bv8 in <i>Pichia pastoris</i> to identify structural features for receptor binding. <i>Protein Expression and Purification</i> , 2010 , 73, 10-4	2	10
20	Molecular Insight into the Synergism between the Minor Allele of Human Liver Peroxisomal Alanine:Glyoxylate Aminotransferase and the F152I Mutation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8349-58	5.4	42
19	An engineered folded PLP-bound monomer of <i>Treponema denticola</i> cystalysin reveals the effect of the dimeric structure on the catalytic properties of the enzyme. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 74, 304-17	4.2	8
18	The role of evolutionarily conserved hydrophobic contacts in the quaternary structure stability of <i>Escherichia coli</i> serine hydroxymethyltransferase. <i>FEBS Journal</i> , 2009 , 276, 132-43	5.7	14
17	Structural stability of the cofactor binding site in <i>Escherichia coli</i> serine hydroxymethyltransferase--the role of evolutionarily conserved hydrophobic contacts. <i>FEBS Journal</i> , 2009 , 276, 7319-28	5.7	3
16	Structural analysis of toxic volkensin, a type 2 ribosome inactivating protein from <i>Adenia volkensii</i> Harm (kilyambiti plant): molecular modeling and surface analysis by computational methods and limited proteolysis. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 407-13	7.9	1
15	Insights into the interaction of sortilin with proneurotrophins: a computational approach. <i>Neuropeptides</i> , 2008 , 42, 205-14	3.3	17
14	"Hot cores" in proteins: comparative analysis of the apolar contact area in structures from hyper/thermophilic and mesophilic organisms. <i>BMC Structural Biology</i> , 2008 , 8, 14	2.7	15
13	Reactions of human liver peroxisomal alanine:glyoxylate aminotransferase with beta-chloro-L-alanine and L-cysteine: spectroscopic and kinetic analysis. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008 , 1784, 1356-62	4	2
12	Human wild-type alanine:glyoxylate aminotransferase and its naturally occurring G82E variant: functional properties and physiological implications. <i>Biochemical Journal</i> , 2007 , 408, 39-50	3.8	74
11	Mutational analysis and homology modelling of SyrC, the aminoacyltransferase in the biosynthesis of syringomycin. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 364, 201-7	3.4	3
10	A 3D model of Reelin subrepeat regions predicts Reelin binding to carbohydrates. <i>Brain Research</i> , 2006 , 1116, 222-30	3.7	9
9	Dimerization and folding processes of <i>Treponema denticola</i> cystalysin: the role of pyridoxal 5'-phosphate. <i>Biochemistry</i> , 2006 , 45, 14140-54	3.2	20
8	CAMPO, SCR_FIND and CHC_FIND: a suite of web tools for computational structural biology. <i>Nucleic Acids Research</i> , 2005 , 33, W50-5	20.1	17

7	Evolutionarily conserved regions and hydrophobic contacts at the superfamily level: The case of the fold-type I, pyridoxal-5'-phosphate-dependent enzymes. <i>Protein Science</i> , 2004 , 13, 2992-3005	6.3	32
6	Site-directed mutagenesis provides insight into racemization and transamination of alanine catalyzed by <i>Treponema denticola</i> cystalysin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 36898-905	5.4	10
5	Structural plasticity of thermophilic serine hydroxymethyltransferases. <i>Proteins: Structure, Function and Bioinformatics</i> , 2003 , 50, 122-34	4.2	27
4	Threonine aldolase and alanine racemase: novel examples of convergent evolution in the superfamily of vitamin B6-dependent enzymes. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003 , 1647, 214-9	4	30
3	<i>Treponema denticola</i> cystalysin exhibits significant alanine racemase activity accompanied by transamination: mechanistic implications. <i>Biochemical Journal</i> , 2003 , 371, 473-83	3.8	16
2	l-Threonine aldolase, serine hydroxymethyltransferase and fungal alanine racemase. A subgroup of strictly related enzymes specialized for different functions. <i>FEBS Journal</i> , 2001 , 268, 6508-25		75
1	Revisiting the Satisfaction of spatial restraints: A approach of MODELLER for protein homology modeling		1