

Jan G Zijlstra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1954379/publications.pdf>

Version: 2024-02-01

183
papers

4,446
citations

94433

37
h-index

138484

58
g-index

185
all docs

185
docs citations

185
times ranked

4946
citing authors

#	ARTICLE	IF	CITATIONS
1	Renal microvascular endothelial cell responses in sepsis-induced acute kidney injury. <i>Nature Reviews Nephrology</i> , 2022, 18, 95-112.	9.6	53
2	Intra-abdominal hypertension and abdominal compartment syndrome in critically ill patients: A narrative review of past, present, and future steps. <i>Scandinavian Journal of Surgery</i> , 2022, 111, 145749692110301.	2.6	13
3	Look Back, Look Forward, but Use a Fresh Look. <i>Critical Care Medicine</i> , 2022, 50, e334-e334.	0.9	1
4	Post-Mortem Diagnostics in COVID-19 AKI, More Often but Timely. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 255.1-255.	6.1	6
5	Comparison of renal histopathology and gene expression profiles between severe COVID-19 and bacterial sepsis in critically ill patients. <i>Critical Care</i> , 2021, 25, 202.	5.8	19
6	Outcomes of ICU patients with and without perceptions of excessive care: a comparison between cancer and non-cancer patients. <i>Annals of Intensive Care</i> , 2021, 11, 120.	4.6	7
7	Plausibility Limits Imagination. <i>Critical Care Medicine</i> , 2021, 49, e1047-e1047.	0.9	1
8	Caspofungin Weight-Based Dosing Supported by a Population Pharmacokinetic Model in Critically Ill Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	3.2	15
9	Acute Kidney Injury is Associated with Lowered Plasma-Free Thiol Levels. <i>Antioxidants</i> , 2020, 9, 1135.	5.1	9
10	Design, Implementation, and Validation of a Pulsatile Heart Phantom Pump. <i>Journal of Digital Imaging</i> , 2020, 33, 1301-1305.	2.9	2
11	Bundled care in acute kidney injury in critically ill patients, a before-after educational intervention study. <i>BMC Nephrology</i> , 2020, 21, 381.	1.8	4
12	AKI: an enlightening acronym with a shadow side. <i>Kidney International</i> , 2020, 97, 1301.	5.2	1
13	Plasma neutrophil gelatinase-associated lipocalin at intensive care unit admission as a predictor of acute kidney injury progression. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 994-1002.	2.9	8
14	Intra-abdominal hypertension and abdominal compartment syndrome in patients admitted to the ICU. <i>Annals of Intensive Care</i> , 2020, 10, 130.	4.6	17
15	Identifying Sepsis Phenotypes. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1416.	7.4	5
16	Continuous versus intermittent infusion of cefotaxime in critically ill patients: a randomized controlled trial comparing plasma concentrations. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 75, 441-448.	3.0	5
17	Partial Deletion of Tie2 Affects Microvascular Endothelial Responses to Critical Illness in A Vascular Bed and Organ-Specific Way. <i>Shock</i> , 2019, 51, 757-769.	2.1	14
18	Commentary: Precision Immunotherapy for Sepsis. <i>Frontiers in Immunology</i> , 2019, 10, 20.	4.8	1

#	ARTICLE	IF	CITATIONS
19	Heterogenous Renal Injury Biomarker Production Reveals Human Sepsis-Associated Acute Kidney Injury Subtypes. , 2019, 1, e0047.		8
20	Identifying improvement opportunities for patient- and family-centered care in the ICU: Using qualitative methods to understand family perspectives. Journal of Critical Care, 2019, 49, 33-37.	2.2	26
21	Invalid methods lead to inappropriate conclusions. International Journal for Quality in Health Care, 2019, 31, 72-72.	1.8	0
22	Early Heterogenic Response of Renal Microvasculature to Hemorrhagic Shock/Resuscitation and the Influence of NF- κ B Pathway Blockade. Shock, 2019, 51, 200-212.	2.1	15
23	Quality of dying and death in the ICU. The euroQ2 project. Journal of Critical Care, 2018, 44, 376-382.	2.2	23
24	Molecular Regulation of Acute Tie2 Suppression in Sepsis. Critical Care Medicine, 2018, 46, e928-e936.	0.9	17
25	Renal Klotho is Reduced in Septic Patients and Pretreatment With Recombinant Klotho Attenuates Organ Injury in Lipopolysaccharide-Challenged Mice. Critical Care Medicine, 2018, 46, e1196-e1203.	0.9	21
26	Kidney histopathology in lethal human sepsis. Critical Care, 2018, 22, 359.	5.8	62
27	Endothelium-targeted delivery of dexamethasone by anti-VCAM-1 SAINT-O-Somes in mouse endotoxemia. PLoS ONE, 2018, 13, e0196976.	2.5	18
28	Organ-Specific Differences in Endothelial Permeability-Regulating Molecular Responses in Mouse and Human Sepsis. Shock, 2017, 48, 69-77.	2.1	47
29	Target attainment with continuous dosing of piperacillin/tazobactam in critical illness: a prospective observational study. International Journal of Antimicrobial Agents, 2017, 50, 68-73.	2.5	12
30	Naming and Blaming, SIRS-UO. Chest, 2017, 151, 723-724.	0.8	0
31	Endothelial Interferon Regulatory Factor 1 Regulates Lipopolysaccharide-Induced VCAM-1 Expression Independent of NF- κ B. Journal of Innate Immunity, 2017, 9, 546-560.	3.8	29
32	Low Caspofungin Exposure in Patients in Intensive Care Units. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	41
33	Voriconazole metabolism is influenced by severe inflammation: a prospective study. Journal of Antimicrobial Chemotherapy, 2017, 72, 261-267.	3.0	113
34	Comparing Quality of Dying and Death Perceived by Family Members and Nurses for Patients Dying in US and Dutch ICUs. Chest, 2017, 151, 298-307.	0.8	37
35	Bioavailability of voriconazole in hospitalised patients. International Journal of Antimicrobial Agents, 2017, 49, 243-246.	2.5	19
36	Satisfaction with quality of ICU care for patients and families: the euroQ2 project. Critical Care, 2017, 21, 239.	5.8	24

#	ARTICLE	IF	CITATIONS
37	The Course of Skin and Serum Biomarkers of Advanced Glycation Endproducts and Its Association with Oxidative Stress, Inflammation, Disease Severity, and Mortality during ICU Admission in Critically Ill Patients: Results from a Prospective Pilot Study. PLoS ONE, 2016, 11, e0160893.	2.5	19
38	Intracellular RIG-I Signaling Regulates TLR4-Independent Endothelial Inflammatory Responses to Endotoxin. Journal of Immunology, 2016, 196, 4681-4691.	0.8	41
39	Automatic detection of oesophageal intubation based on ventilation pressure waveforms shows high sensitivity and specificity in patients with pulmonary disease. Resuscitation, 2016, 105, 36-40.	3.0	2
40	Interhospital critical care transports: have a safe trip!. Intensive Care Medicine, 2016, 42, 1836-1836.	8.2	1
41	How central obesity influences intra-abdominal pressure: a prospective, observational study in cardiothoracic surgical patients. Annals of Intensive Care, 2016, 6, 99.	4.6	34
42	Voriconazole Therapeutic Drug Monitoring Practices in Intensive Care. Therapeutic Drug Monitoring, 2016, 38, 313-318.	2.0	9
43	Emerging pan-resistance in Trichosporon species: a case report. BMC Infectious Diseases, 2016, 16, 148.	2.9	16
44	Does night shift, stress or both make us dumber?. Intensive Care Medicine, 2016, 42, 483-483.	8.2	1
45	Comment on letter to the editor "In response to: Families' experiences of ICU quality of care: Development and validation of a European questionnaire (euroQ2)". Journal of Critical Care, 2015, 30, 1410-1411.	2.2	0
46	Histone Deacetylase Inhibition and Î² Kinase/Nuclear Factor-Î² Blockade Ameliorate Microvascular Proinflammatory Responses Associated With Hemorrhagic Shock/Resuscitation in Mice*. Critical Care Medicine, 2015, 43, e567-e580.	0.9	15
47	Angiotensin/Tie2 Dysbalance Is Associated with Acute Kidney Injury after Cardiac Surgery Assisted by Cardiopulmonary Bypass. PLoS ONE, 2015, 10, e0136205.	2.5	32
48	Real-time information on preventable death provided by email from frontline intensivists: results in high response rates with useful information. BMJ Quality and Safety, 2015, 24, 288.1-288.	3.7	3
49	Limited-Sampling Strategies for Anidulafungin in Critically Ill Patients. Antimicrobial Agents and Chemotherapy, 2015, 59, 1177-1181.	3.2	10
50	Effects of levosimendan for low cardiac output syndrome in critically ill patients: systematic review with meta-analysis and trial sequential analysis. Intensive Care Medicine, 2015, 41, 203-221.	8.2	71
51	Transferring the critically ill patient: are we there yet?. Critical Care, 2015, 19, 62.	5.8	101
52	Families' experiences of intensive care unit quality of care: Development and validation of a European questionnaire (euroQ2). Journal of Critical Care, 2015, 30, 884-890.	2.2	24
53	Low but Sufficient Anidulafungin Exposure in Critically Ill Patients. Antimicrobial Agents and Chemotherapy, 2014, 58, 304-308.	3.2	24
54	Fatal unsuspected iron ingestion. EMA - Emergency Medicine Australasia, 2014, 26, 204-205.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Oxygen therapy for sepsis patients in the emergency department. <i>European Journal of Emergency Medicine</i> , 2014, 21, 233-235.	1.1	28
56	Abrupt Reflow Enhances Cytokine-Induced Proinflammatory Activation of Endothelial Cells During Simulated Shock and Resuscitation. <i>Shock</i> , 2014, 42, 356-364.	2.1	18
57	Off-Pump CABG Surgery Reduces Systemic Inflammation Compared With On-Pump Surgery but Does Not Change Systemic Endothelial Responses. <i>Shock</i> , 2014, 42, 121-128.	2.1	56
58	Arterial blood pressure changes induced by acceleration during mobile intensive care unit patient transport are not patient related: beware of misinterpretation. <i>Intensive Care Medicine</i> , 2014, 40, 460-461.	8.2	1
59	Response to Tenner et al.. <i>American Journal of Gastroenterology</i> , 2014, 109, 443.	0.4	0
60	The renal angiotensin/Tie2 system in lethal human sepsis. <i>Critical Care</i> , 2014, 18, 423.	5.8	20
61	The flow dependency of Tie2 expression in endotoxemia. <i>Intensive Care Medicine</i> , 2013, 39, 1262-1271.	8.2	39
62	Pleiotropic effects of angiotensin-2 deficiency do not protect mice against endotoxin-induced acute kidney injury. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 567-575.	0.7	18
63	A human model of intra-abdominal hypertension: even slightly elevated pressures lead to increased acute systemic inflammation and signs of acute kidney injury. <i>Critical Care</i> , 2013, 17, 425.	5.8	19
64	Letter by Aries et al Regarding Article, "Autoregulation of Cerebral Blood Flow is Preserved in Primary Intracerebral Hemorrhage". <i>Stroke</i> , 2013, 44, e114.	2.0	1
65	Burnout Exists: Cut the Fuel and Use the Fire Hose. <i>JAMA Internal Medicine</i> , 2013, 173, 709.	5.1	1
66	Simulator-Based Crew Resource Management Training for Interhospital Transfer of Critically Ill Patients by a Mobile ICU. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2012, 38, 554-AP6.	0.7	9
67	Adiponectin Diminishes Organ-Specific Microvascular Endothelial Cell Activation Associated With Sepsis. <i>Shock</i> , 2012, 37, 392-398.	2.1	22
68	Inter-hospital transport of critically ill patients; expect surprises. <i>Critical Care</i> , 2012, 16, R26.	5.8	72
69	A prolonged ICU stay after interhospital transport?. <i>Critical Care</i> , 2012, 16, 465.	5.8	2
70	Indoleamine-2,3-dioxygenase activity in experimental human endotoxemia. <i>Experimental & Translational Stroke Medicine</i> , 2012, 4, 24.	3.2	11
71	Intra-arterial blood pressure reading in intensive care unit patients in the lateral position. <i>Journal of Clinical Nursing</i> , 2012, 21, 1825-1830.	3.0	5
72	Age-dependent Role of Microvascular Endothelial and Polymorphonuclear Cells in Lipopolysaccharide-induced Acute Kidney Injury. <i>Anesthesiology</i> , 2012, 117, 126-136.	2.5	22

#	ARTICLE	IF	CITATIONS
73	Quality of interhospital transport of the critically ill: impact of a Mobile Intensive Care Unit with a specialized retrieval team. <i>Critical Care</i> , 2011, 15, R75.	5.8	105
74	Acute administration of recombinant Angiopoietin-1 ameliorates multiple-organ dysfunction syndrome and improves survival in murine sepsis. <i>Cytokine</i> , 2011, 55, 251-259.	3.2	84
75	Hemorrhagic Shock-induced Endothelial Cell Activation in a Spontaneous Breathing and a Mechanical Ventilation Hemorrhagic Shock Model Is Induced by a Proinflammatory Response and Not by Hypoxia. <i>Anesthesiology</i> , 2011, 115, 474-482.	2.5	16
76	Validation of a Transcutaneous CO ₂ Monitor in Adult Patients with Chronic Respiratory Failure. <i>Respiration</i> , 2011, 81, 242-246.	2.6	21
77	"Acute liver failure": the heart may be the matter. <i>Acta Clinica Belgica</i> , 2011, 66, 236-9.	1.2	5
78	Morning Rounds Becoming Mourning Rounds?. <i>Chest</i> , 2010, 137, 1253-1254.	0.8	0
79	Severity scoring abuse. <i>Critical Care Medicine</i> , 2010, 38, 1502.	0.9	1
80	Abdominal abscesses with <i>Streptococcus milleri</i> group after laparoscopic chromopertubation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 982-983.	2.8	1
81	Subcutaneous glucose measurements and glucose regulation (?). <i>Intensive Care Medicine</i> , 2010, 36, 897-898.	8.2	2
82	Impact of digestive and oropharyngeal decontamination on the intestinal microbiota in ICU patients. <i>Intensive Care Medicine</i> , 2010, 36, 1394-1402.	8.2	61
83	Dying at Whose Expense?. <i>Journal of Pain and Symptom Management</i> , 2010, 40, e14.	1.2	0
84	Can we afford open-ended ICU care? Yes we can, but <i>Critical Care</i> , 2010, 14, 447.	5.8	0
85	Acute Management of Atrial Fibrillation. <i>Chest</i> , 2009, 136, 651-652.	0.8	1
86	Physician Staffing Models and Patient Safety in the ICU. <i>Chest</i> , 2009, 136, 1443.	0.8	25
87	Shock-induced stress induces loss of microvascular endothelial Tie2 in the kidney which is not associated with reduced glomerular barrier function. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F272-F281.	2.7	55
88	Cardiac assessment of patients with late stage Duchenne muscular dystrophy. <i>Netherlands Heart Journal</i> , 2009, 17, 232-237.	0.8	27
89	Bench-to-bedside review: Angiopoietin signalling in critical illness – a future target?. <i>Critical Care</i> , 2009, 13, 207.	5.8	101
90	Time course of angiopoietin-2 release during experimental human endotoxemia and sepsis. <i>Critical Care</i> , 2009, 13, R64.	5.8	90

#	ARTICLE	IF	CITATIONS
91	Disseminated <i>Rhodococcus equi</i> infection in a kidney transplant patient without initial pulmonary involvement. <i>Diagnostic Microbiology and Infectious Disease</i> , 2009, 65, 427-430.	1.8	15
92	Haemodialysis followed by continuous veno-venous haemodiafiltration in lithium intoxication; a model and a case. <i>European Journal of Internal Medicine</i> , 2009, 20, e70-e73.	2.2	23
93	Lung Transplantation for Ventilator-Dependent Respiratory Failure. <i>Journal of Heart and Lung Transplantation</i> , 2009, 28, 347-351.	0.6	34
94	Spend Time on Patients and Families or on Documentation?. <i>Anesthesia and Analgesia</i> , 2009, 109, 691-692.	2.2	1
95	Recombinant human activated factor VII in postpartum hemorrhagic shock: the dark side. <i>Intensive Care Medicine</i> , 2008, 34, 211-212.	8.2	7
96	Nocturnal non-invasive ventilation in addition to rehabilitation in hypercapnic patients with COPD. <i>Thorax</i> , 2008, 63, 1052-1057.	5.6	128
97	Efficacy of Magnesium-Amiodarone Step-Up Scheme in Critically Ill Patients With New-Onset Atrial Fibrillation: A Prospective Observational Study. <i>Journal of Intensive Care Medicine</i> , 2008, 23, 61-66.	2.8	40
98	Inclusion of patients who overdose with dihydropyridine calcium channel blockers would potentially increase clinical utility of hyperglycemia. <i>Critical Care Medicine</i> , 2008, 36, 662-663.	0.9	3
99	It is the time, not the ratio. <i>Critical Care Medicine</i> , 2008, 36, 3123-3124.	0.9	0
100	Severe Hypoglycemia Following Venlafaxine Intoxication. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 414-415.	1.4	17
101	Tight glucose control and hypoglycemia: Should we bother?. <i>Critical Care Medicine</i> , 2007, 35, 1218.	0.9	12
102	Increased circulating endothelial progenitor cells in septic patients: Correlation with survival. <i>Critical Care Medicine</i> , 2007, 35, 1677-1684.	0.9	110
103	Clinical review: Treatment of new-onset atrial fibrillation in medical intensive care patients: a clinical framework. <i>Critical Care</i> , 2007, 11, 233.	5.8	37
104	Inconsistencies in new Advanced Life Support guidelines: The sequence of drug and shock delivery. <i>Resuscitation</i> , 2007, 72, 496-497.	3.0	2
105	The ACTH test should not be used in the decision to start low dose steroids in catecholamine-dependent septic shock. <i>Intensive Care Medicine</i> , 2007, 33, 551-551.	8.2	1
106	Towards a feasible algorithm for tight glycaemic control in critically ill patients: a systematic review of the literature. <i>Critical Care</i> , 2006, 10, R19.	5.8	157
107	Hyperglycaemia in critically ill patients: marker or mediator of mortality?. <i>Critical Care</i> , 2006, 10, 216.	5.8	50
108	Accuracy and feasibility of point-of-care and continuous blood glucose analysis in critically ill ICU patients. <i>Critical Care</i> , 2006, 10, R135.	5.8	144

#	ARTICLE	IF	CITATIONS
109	Automated erythrocytapheresis in severe falciparum malaria: A critical appraisal. <i>Acta Tropica</i> , 2006, 98, 201-206.	2.0	30
110	Bleeding non-cirrhotic fundus (æœ downhillæ) varices in a patient on chronic intermittent hemodialysis. <i>European Journal of Internal Medicine</i> , 2006, 17, 586.	2.2	6
111	An 18-Year-Old Man With Rapidly Progressive Multiorgan Failure After a Positive Mononucleosis Spot Test Result. <i>Chest</i> , 2006, 130, 291-295.	0.8	2
112	Closed-format intensive care: Time to act now. <i>Critical Care Medicine</i> , 2006, 34, 2513.	0.9	1
113	Brugada electrocardiographic pattern elicited by cyclic antidepressants overdose. <i>Intensive Care Medicine</i> , 2006, 32, 281-285.	8.2	24
114	Mean glucose level is not an independent risk factor for mortality in mixed ICU patients. <i>Intensive Care Medicine</i> , 2006, 32, 435-438.	8.2	31
115	A good death. <i>Intensive Care Medicine</i> , 2006, 32, 752-753.	8.2	43
116	Reply to the comment by Dr. Tayek. <i>Intensive Care Medicine</i> , 2006, 32, 1660-1660.	8.2	0
117	Diagnosis and treatment of relative adrenal insufficiency: confusing but at a higher level?. <i>Journal of Critical Care</i> , 2006, 21, 77-78.	2.2	1
118	Walking with continuous positive airway pressure. <i>European Respiratory Journal</i> , 2006, 27, 853-855.	6.7	5
119	Troponin in Septic and Critically Ill Patients. <i>Chest</i> , 2005, 127, 687-688.	0.8	11
120	Recombinant Factor VIIa for Refractory Hemorrhage after Lung Transplantation. <i>Transplantation</i> , 2005, 79, 741-742.	1.0	1
121	Mixing Up All the Results. <i>Critical Care Medicine</i> , 2005, 33, 701-702.	0.9	0
122	Lung transplantation for acute respiratory failure in rapidly progressive idiopathic pulmonary fibrosis. <i>Transplant International</i> , 2005, 18, 890-891.	1.6	2
123	Relationship of Baseline Glucose and Mortality During Medical Critical Illness?. <i>Chest</i> , 2005, 127, 2283.	0.8	8
124	Quality of interhospital transport of critically ill patients: a prospective audit. <i>Critical Care</i> , 2005, 9, R446.	5.8	123
125	p38-MAPK inhibition and endotoxin induced tubular dysfunction in men. <i>Journal of Endotoxin Research</i> , 2004, 10, 402-405.	2.5	4
126	Ultrasound of the lung: just imagine. <i>Intensive Care Medicine</i> , 2004, 30, 183-184.	8.2	43

#	ARTICLE	IF	CITATIONS
127	Ventilator-associated pneumonia: caveats for benchmarking. <i>Intensive Care Medicine</i> , 2004, 30, 996-997.	8.2	25
128	Unraveling the Mystery of Adrenal Failure in the Critically Ill. <i>Critical Care Medicine</i> , 2004, 32, 1447-1448.	0.9	3
129	The relative adrenal insufficiency syndrome revisited: which patients will benefit from low-dose steroids?. <i>Current Opinion in Critical Care</i> , 2004, 10, 456-460.	3.2	32
130	ENDOTOXIN INCREASES PLASMA SOLUBLE TUMOR NECROSIS FACTOR-RELATED APOPTOSIS-INDUCING LIGAND LEVEL MEDIATED BY THE p38 MITOGEN-ACTIVATED PROTEIN KINASE SIGNALING PATHWAY. <i>Shock</i> , 2004, 22, 186-188.	2.1	23
131	Cardiac troponin I release and cytokine response during experimental human endotoxaemia. <i>Intensive Care Medicine</i> , 2003, 29, 1598-1600.	8.2	41
132	Cerebral perfusion and metabolism in resuscitated patients with severe post-hypoxic encephalopathy. <i>Journal of the Neurological Sciences</i> , 2003, 210, 23-30.	0.6	61
133	Hospital Mortality Rate and Length of Stay in Patients Admitted at Night to the Intensive Care Unit. <i>Critical Care Medicine</i> , 2003, 31, 2715.	0.9	5
134	Corticosteroids for Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 42.	7.4	0
135	Suppression of the clinical and cytokine response to endotoxin by RWJ-67657, a p38 mitogen-activated protein-kinase inhibitor, in healthy human volunteers. <i>Clinical and Experimental Immunology</i> , 2002, 124, 16-20.	2.6	95
136	Inhibition of p38 mitogen-activated protein kinase: Dose-dependent suppression of leukocyte and endothelial response after endotoxin challenge in humans*. <i>Critical Care Medicine</i> , 2002, 30, 841-845.	0.9	29
137	Monocyte intracellular cytokine production during human endotoxaemia with or without a second in vitro LPS challenge: effect of RWJ-67657, a p38 MAP-kinase inhibitor, on LPS-hyporesponsiveness. <i>Clinical and Experimental Immunology</i> , 2002, 127, 337-343.	2.6	41
138	Stridor and trismus: safe airway by oral awake emergency intubation. <i>Intensive Care Medicine</i> , 2001, 27, 450-451.	8.2	0
139	Hormones in the critically ill patient: to intervene or not to intervene?. <i>Intensive Care Medicine</i> , 2001, 27, 1567-1577.	8.2	40
140	Fulminant necrotizing fasciitis and nonsteroidal antiinflammatory drugs. <i>Intensive Care Medicine</i> , 2001, 27, 1831-1831.	8.2	27
141	The Influence of Tumor Necrosis Factor α and Interleukin β Gene Promoter Polymorphism on the Inflammatory Response in Experimental Human Endotoxemia. <i>Clinical Infectious Diseases</i> , 2001, 33, 1601-1603.	5.8	15
142	Soluble L-selectin Levels in Experimental Human Endotoxemia. <i>Critical Care Medicine</i> , 2001, 29, 1652.	0.9	0
143	A 17-yr old boy with productive cough and progressive dyspnoea. <i>European Respiratory Journal</i> , 2000, 16, 1023-1024.	6.7	1
144	Blunted rise in platelet count in critically ill patients is associated with worse outcome. <i>Critical Care Medicine</i> , 2000, 28, 3843-3846.	0.9	115

#	ARTICLE	IF	CITATIONS
145	Antidepressants self-poisoning and ICU admissions in a university hospital in The Netherlands. <i>International Journal of Clinical Pharmacy</i> , 2000, 22, 92-95.	1.4	23
146	Leukocyte activation in sepsis; correlations with disease state and mortality. <i>Intensive Care Medicine</i> , 2000, 26, 883-892.	8.2	180
147	A new therapy for a new syndrome. <i>Intensive Care Medicine</i> , 2000, 26, 1013-1013.	8.2	2
148	A narrow escape: surviving massive pulmonary thromboembolism due to a persistently patent foramen ovale. <i>Intensive Care Medicine</i> , 2000, 26, 1400-1400.	8.2	4
149	Noradrenaline in meningococcal septic shock. <i>Intensive Care Medicine</i> , 2000, 26, 1588-1588.	8.2	3
150	Catecholamine dependency in a polytrauma patient: relative adrenal insufficiency?. <i>Intensive Care Medicine</i> , 2000, 26, 125-127.	8.2	30
151	Hemolytic Uremic Syndrome in a Patient Treated with Clopidogrel. <i>Annals of Internal Medicine</i> , 2000, 132, 1006.	3.9	12
152	Pneumomediastinum and Severe Subcutaneous Emphysema. <i>New England Journal of Medicine</i> , 2000, 342, 1333-1333.	27.0	6
153	Toxicity of old and new antidepressant drugs. <i>Lancet, The</i> , 2000, 355, 1554.	13.7	1
154	Semirecumbent position in intensive care patients. <i>Lancet, The</i> , 2000, 355, 1013-1014.	13.7	5
155	Condition on arrival of transferred critically ill patients. <i>Netherlands Journal of Medicine</i> , 2000, 57, 180-184.	0.5	9
156	Fatal haemorrhage from Dieulafoy's disease of the bronchus. <i>Thorax</i> , 1999, 54, 184-185.	5.6	51
157	Pharmacokinetics of cefpirome in critically ill patients with renal failure treated by continuous veno-venous hemofiltration. <i>Intensive Care Medicine</i> , 1999, 25, 1427-1431.	8.2	11
158	Prone position in a spontaneously breathing near-drowning patient. <i>Intensive Care Medicine</i> , 1999, 25, 1469-1470.	8.2	14
159	Hemolytic uremic syndrome due to <i>Campylobacter jejuni</i> bacteremia after a dog bite. <i>American Journal of Kidney Diseases</i> , 1999, 33, e5.1-e5.3.	1.9	20
160	Lessons from an unusual case: malignancy associated hypercalcemia, pancreatitis and respiratory failure due to ARDS. <i>Netherlands Journal of Medicine</i> , 1999, 54, 27-30.	0.5	5
161	Diffuse pulmonary infiltrates in immunocompromised patients. <i>Netherlands Journal of Medicine</i> , 1999, 55, 23-28.	0.5	1
162	Non-surgical treatment of purulent pericarditis, due to non-encapsulated <i>Haemophilus influenzae</i> , in an immunocompromised patient. <i>Netherlands Journal of Medicine</i> , 1999, 55, 151-154.	0.5	6

#	ARTICLE	IF	CITATIONS
163	Diagnosis of relative adrenal insufficiency in critically ill patients. <i>Lancet, The</i> , 1999, 354, 774-775.	13.7	12
164	Inhaled nitric oxide in patients with pulmonary embolism. <i>Intensive Care Medicine</i> , 1998, 24, 399-400.	8.2	47
165	A lethal complication of psychogenic polydipsia: cerebral edema and herniation. <i>Intensive Care Medicine</i> , 1998, 24, 644-645.	8.2	9
166	Levels of soluble Fc γ RIII correlate with disease severity in sepsis. <i>Clinical and Experimental Immunology</i> , 1998, 114, 220-227.	2.6	25
167	Non-conventional mechanical ventilation in severe ARDS, illustrated by a complicated case. <i>Netherlands Journal of Medicine</i> , 1998, 53, 201-206.	0.5	3
168	Interleukin 10 in febrile patients and patients with sepsis. <i>Lancet, The</i> , 1998, 351, 1587.	13.7	6
169	Failure of Sengstaken Balloon Tamponade for Rebleeding after Tissue Adhesive Injection in a Fundic Varix. <i>Scandinavian Journal of Gastroenterology</i> , 1998, 33, 890-892.	1.5	0
170	The vanishing heart--deterioration on chest radiography with clinical improvement during prone position ventilation.. <i>British Journal of Radiology</i> , 1998, 71, 447-449.	2.2	4
171	Early-onset phenytoin toxicity mimicking a renopulmonary syndrome. <i>European Respiratory Journal</i> , 1998, 11, 501-503.	6.7	17
172	Oxygen Desaturation After Treatment With Inhaled Nitric Oxide for Obstructive Shock due to Massive Pulmonary Embolism-To the Editor. <i>Chest</i> , 1997, 112, 296-297.	0.8	52
173	Ibopamine and survival in severe congestive heart failure: PRIME II. <i>Lancet, The</i> , 1997, 350, 147-148.	13.7	8
174	Hepatitis-E-associated fulminant hepatic failure in non-pregnant young women. <i>Lancet, The</i> , 1997, 350, 289-290.	13.7	8
175	Dog-bite induced sepsis: a report of four cases. <i>Intensive Care Medicine</i> , 1997, 23, 1179-1180.	8.2	20
176	Pharmacokinetics of piperacillin and tazobactam in critically ill patients with renal failure, treated with continuous veno-venous hemofiltration (CVVH). <i>Intensive Care Medicine</i> , 1997, 23, 873-877.	8.2	61
177	Methaemoglobinaemia after inhalation of nitric oxide for treatment of hydrochlorothiazide-induced pulmonary oedema. <i>Lancet, The</i> , 1996, 348, 1035-1036.	13.7	29
178	The effects of ibopamine on glomerular filtration rate and plasma norepinephrine remain preserved during prolonged treatment in patients with congestive heart failure. <i>European Heart Journal</i> , 1995, 16, 937-942.	2.2	4
179	Renal and Systemic Hemodynamic Effects of Ibopamine in Patients with Mild to Moderate Congestive Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 25, 361-367.	1.9	11
180	In vitro and in vivo studies on the action of BW502U83, an arylmethylaminopropanediol. <i>Anti-Cancer Drugs</i> , 1995, 6, 34-39.	1.4	2

#	ARTICLE	IF	CITATIONS
181	Concurrent Presentation of Hemolytic Uremic Syndrome in Two Adult Siblings: Effects of Plasma Therapy on Hemolysis and Renal Function. <i>American Journal of Nephrology</i> , 1994, 14, 67-71.	3.1	3
182	Lack of cross-resistance to fostriecin in a human small-cell lung carcinoma cell line showing topoisomerase II-related drug resistance. <i>Cancer Chemotherapy and Pharmacology</i> , 1991, 28, 461-464.	2.3	29
183	Bilateral Renal Vein Thrombosis. <i>Clinical Nuclear Medicine</i> , 1990, 15, 437-438.	1.3	3