

Tsukasa Kamitani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1954732/publications.pdf>

Version: 2024-02-01

40
papers

252
citations

1163117

8
h-index

1125743

13
g-index

41
all docs

41
docs citations

41
times ranked

333
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical frailty predicts the development of social frailty: a prospective cohort study. <i>BMC Geriatrics</i> , 2020, 20, 403.	2.7	42
2	Longitudinal association of fatty pancreas with the incidence of type-2 diabetes in lean individuals: a 6-year computed tomography-based cohort study. <i>Journal of Gastroenterology</i> , 2020, 55, 712-721.	5.1	26
3	Decline in the Functional Status and Mortality in Patients on Hemodialysis: Results from the Japan Dialysis Outcome and Practice Patterns Study. , 2019, 29, 504-510.		18
4	Influence of the severity of knee osteoarthritis on the association between leg muscle mass and quadriceps strength: the SPSS-OK study. <i>Clinical Rheumatology</i> , 2019, 38, 719-725.	2.2	14
5	Disentangling Associations Between Serum Muscle Biomarkers and Sarcopenia in the Presence of Pain and Inflammation Among Patients With Osteoarthritis. <i>Journal of Clinical Rheumatology</i> , 2021, 27, 56-63.	0.9	14
6	Association of low alanine aminotransferase with loss of independence or death: A 5-year population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1793-1799.	2.8	13
7	Extracellular-to-intracellular water ratios are associated with functional disability levels in patients with knee osteoarthritis: results from the Nagahama Study. <i>Clinical Rheumatology</i> , 2021, 40, 2889-2896.	2.2	12
8	Inverse Association Between Fatty Liver at Baseline Ultrasonography and Remission of Type 2 Diabetes Over a 2-Year Follow-up Period. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 556-564.e5.	4.4	11
9	Development and validation of a prediction model for loss of physical function in elderly hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1452-1458.	0.7	9
10	Association Between the Discrepancy in Self-Reported and Performance-Based Physical Functioning Levels and Risk of Future Falls Among Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 195-200.e1.	2.5	9
11	Effects of an Intervention to Improve Life-Space Mobility and Self-Efficacy in Patients following Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2019, 32, 966-971.	1.6	9
12	Association between disease-specific anxiety at discharge and functional outcome in patients after total knee arthroplasty. <i>Knee</i> , 2019, 26, 477-483.	1.6	8
13	Longitudinal Effects of Active Learning Education on Lifestyle Behavior and Physical Function in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 459-463.	2.5	7
14	Implications of evaluating leg muscle mass and fat mass separately for quadriceps strength in knee osteoarthritis: the SPSS-OK study. <i>Clinical Rheumatology</i> , 2020, 39, 1655-1661.	2.2	6
15	Efficacy of Exercise Therapy Initiated in the Early Phase After Kidney Transplantation: A Pilot Study. , 2020, 30, 518-525.		5
16	Sagittal imbalance and symptoms of depression in adults: Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). <i>European Spine Journal</i> , 2021, 30, 2450-2456.	2.2	5
17	Intraoperative end-tidal carbon dioxide and postoperative mortality in major abdominal surgery: a historical cohort study. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1601-1610.	1.6	5
18	Development and internal validation of a clinical prediction model for acute adjacent vertebral fracture after vertebral augmentation. <i>Bone and Joint Journal</i> , 2022, 104-B, 97-102.	4.4	5

#	ARTICLE	IF	CITATIONS
19	Poor oral function is associated with loss of independence or death in functionally independent older adults. PLoS ONE, 2021, 16, e0253559.	2.5	4
20	Comparison of recovery of mobility and self-efficacy after total knee arthroplasty based on two different protocols: A prospective cohort study. Modern Rheumatology, 2020, 30, 197-203.	1.8	3
21	Quality of Life and Disability-free Survival in the Elderly: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. Journal of Aging and Health, 2021, 33, 197-204.	1.7	3
22	U-TEST, a simple decision support tool for the diagnosis of sarcopenia in orthopaedic patients: the Screening for People Suffering Sarcopenia in Orthopedic cohort of Kobe study (SPSS-OK). British Journal of Nutrition, 2021, 126, 1323-1330.	2.3	3
23	Association of occupational direct radiation exposure to the hands with longitudinal melanonychia and hand eczema in spine surgeons: a survey by the society for minimally invasive spinal treatment (MIST). European Spine Journal, 2021, 30, 3702-3708.	2.2	3
24	Association of Lumbar Spinal Stenosis With Severe Disability and Mortality Among Community-Dwelling Older Adults. Spine, 2020, Publish Ahead of Print, E784-E790.	2.0	3
25	The associations of phase angle with the structural severity and quadriceps strength among patients with hip osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2021, 40, 1539-1546.	2.2	3
26	Impact of Vonoprazan Triple-Drug Blister Packs on H.Âpylori Eradication Rates in Japan: Interrupted Time Series Analysis. Advances in Therapy, 2021, 38, 3937-3947.	2.9	2
27	Decline in oral antimicrobial prescription in the outpatient setting after nationwide implementation of financial incentives and provider education: An interrupted time-series analysis. Infection Control and Hospital Epidemiology, 2023, 44, 253-259.	1.8	2
28	Length of hospital stay is associated with a decline in activities of daily living in hemodialysis patients: a prospective cohort study. BMC Nephrology, 2020, 21, 9.	1.8	1
29	Coexistence of low back pain and lumbar kyphosis is associated with increased functional disability in knee osteoarthritis: the Nagahama Study. Arthritis Care and Research, 2021, , .	3.4	1
30	Alcohol abuse as a potential risk factor of solitary death among people living alone: a cross-sectional study in Kyoto, Japan. BMC Public Health, 2022, 22, 545.	2.9	1
31	Resting respiration rate predicts all-cause mortality in older outpatients. Aging Clinical and Experimental Research, 2022, , 1.	2.9	1
32	Bacterial susceptibility change post national shortage of first cephalosporin in Japan; a longitudinal retrospective database study using interrupted time series analysis. Journal of Global Antimicrobial Resistance, 2022, , .	2.2	1
33	Longitudinal association between mental health and future antibiotic prescriptions in healthy adults: Results from the LOHAS. PLoS ONE, 2020, 15, e0240236.	2.5	0
34	Feasibility of active learning health education by video conferencing among older adults. Geriatrics and Gerontology International, 2021, 21, 1064-1066.	1.5	0
35	Title is missing!. , 2020, 15, e0240236.		0
36	Title is missing!. , 2020, 15, e0240236.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0240236.		0
38	Title is missing!. , 2020, 15, e0240236.		0
39	Title is missing!.. , 2020, 15, e0240236.		0
40	Title is missing!.. , 2020, 15, e0240236.		0