

Christopher K. Fairley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1955390/christopher-k-fairley-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

433
papers

13,050
citations

55
h-index

96
g-index

479
ext. papers

15,466
ext. citations

5.2
avg, IF

6.37
L-index

#	Paper	IF	Citations
433	Sexual Activities and Changes in Condom Use in Group Sex Events Among Female Sex Workers in Melbourne, Australia.. <i>Frontiers in Public Health</i> , 2022 , 10, 834901	6	
432	Is SMS text or email more effective for recruitment into sexual health research?. <i>Sexually Transmitted Infections</i> , 2022 ,	2.8	0
431	Preferences for HIV Testing Services and HIV Self-Testing Distribution Among Migrant Gay, Bisexual, and Other Men Who Have Sex With Men in Australia.. <i>Frontiers in Medicine</i> , 2022 , 9, 839479	4.9	1
430	Preferences of men who have sex with men for performing anal self-examination for the detection of anal syphilis in Australia: A discrete choice experiment.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 21, 100401	5	0
429	Modelling the contribution that different sexual practices involving the oropharynx and saliva have on infections at multiple anatomical sites in men who have sex with men. <i>Sexually Transmitted Infections</i> , 2021 , 97, 183-189	2.8	5
428	Diagnostic accuracy of pooling urine, anorectal, and oropharyngeal specimens for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2021 , 19, 285	11.4	0
427	Critical timing and extent of public health interventions to control outbreaks dominated by SARS-CoV-2 variants in Australia: a mathematical modelling study. <i>International Journal of Infectious Diseases</i> , 2021 ,	10.5	1
426	Drug and Alcohol Use with Condomless Anal Sex among Men Who Have Sex with Men in Melbourne, Australia: A Retrospective Data Analysis from 2011 to 2017. <i>Archives of Sexual Behavior</i> , 2021 , 1	3.5	1
425	Human Papillomavirus Vaccine Course Completion Among Gay and Bisexual Men Who Have Sex With Men From a Time-Limited HPV Vaccination Catch-Up Program in Victoria, Australia. <i>Frontiers in Public Health</i> , 2021 , 9, 754112	6	2
424	Potential effect of antiseptic mouthwash on the incidence of among men who have sex with men: a mathematical modelling study. <i>BMJ Open</i> , 2021 , 11, e052823	3	0
423	Sexually Transmitted Infection Diagnoses and Access to a Sexual Health Service Before and After the National Lockdown for COVID-19 in Melbourne, Australia. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofaa536	1	16
422	HIV, Immune Dysfunction, and the Natural History of Anal High-Risk Human Papillomavirus Infection in Gay and Bisexual Men. <i>Journal of Infectious Diseases</i> , 2021 , 224, 246-257	7	1
421	Incidence and duration of incident oropharyngeal gonorrhoea and chlamydia infections among men who have sex with men: prospective cohort study. <i>Sexually Transmitted Infections</i> , 2021 , 97, 452-457	2.8	6
420	Age pattern of sexual activities with the most recent partner among men who have sex with men in Melbourne, Australia: a cross-sectional study. <i>BMJ Sexual and Reproductive Health</i> , 2021 , 47, e4	1.9	2
419	Effects of New York's Executive Order on Face Mask Use on COVID-19 Infections and Mortality: A Modeling Study. <i>Journal of Urban Health</i> , 2021 , 98, 197-204	5.8	9
418	Paying for Sex Among Males and Females: A Cross-Sectional Survey in Melbourne, Australia. <i>Sexually Transmitted Diseases</i> , 2021 , 48, 195-199	2.4	1
417	Timing of primary syphilis treatment and impact on the development of treponemal antibodies: a cross-sectional clinic-based study. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	1

416	Projected COVID-19 epidemic in the United States in the context of the effectiveness of a potential vaccine and implications for social distancing and face mask use. <i>Vaccine</i> , 2021 , 39, 2295-2302	4.1	37
415	Spatial and Temporal Epidemiology of Infectious Syphilis in Victoria, Australia, 2015-2018. <i>Sexually Transmitted Diseases</i> , 2021 , 48, e178-e182	2.4	2
414	HIV Testing and Diagnoses During the COVID-19 Pandemic in Melbourne, Australia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, e114-e115	3.1	4
413	Modelling the multiple anatomical site transmission of <i>Mycoplasma genitalium</i> among men who have sex with men in Australia. <i>Scientific Reports</i> , 2021 , 11, 11087	4.9	
412	Oropharyngeal gonorrhoea infections among heterosexual women and heterosexual men with urogenital gonorrhoea attending a sexual health clinic in Melbourne, Australia. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1799-1804	9.5	0
411	Antiseptic mouthwash for gonorrhoea prevention (OMEGA): a randomised, double-blind, parallel-group, multicentre trial. <i>Lancet Infectious Diseases</i> , 2021 , 21, 647-656	25.5	15
410	Azithromycin or Doxycycline for Asymptomatic Rectal. <i>New England Journal of Medicine</i> , 2021 , 384, 2418-2427	5.27	11
409	What do young people in high-income countries want from STI testing services? A systematic review. <i>Sexually Transmitted Infections</i> , 2021 , 97, 574-583	2.8	1
408	Is it the end of mouthwash as an intervention for gonorrhoea?. <i>Lancet Infectious Diseases</i> , 2021 , 21, 763-764	25.5	0
407	Associations Between Methods of Meeting Sexual Partners and Sexual Practices Among Heterosexuals: Cross-sectional Study in Melbourne, Australia. <i>JMIR Formative Research</i> , 2021 , 5, e26202	2.5	0
406	Sex is associated with the persistence of non-optimal vaginal microbiota following treatment for bacterial vaginosis: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 756-767	3.7	4
405	Predicting the diagnosis of HIV and sexually transmitted infections among men who have sex with men using machine learning approaches. <i>Journal of Infection</i> , 2021 , 82, 48-59	18.9	3
404	Modeling the epidemiological impact and cost-effectiveness of a combined schoolgirl HPV vaccination and cervical cancer screening program among Chinese women. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 17, 1073-1082	4.4	2
403	Associations between oral sex practices and frequent mouthwash use in heterosexuals: a cross-sectional survey in Melbourne, Australia. <i>BMJ Open</i> , 2021 , 11, e041782	3	
402	Comparison of the patterns of chlamydia and gonorrhoea at the oropharynx, anorectum and urethra among men who have sex with men. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	6
401	Elevated glucose level leads to rapid COVID-19 progression and high fatality. <i>BMC Pulmonary Medicine</i> , 2021 , 21, 64	3.5	11
400	Brief Report: Changes in PrEP Use, Sexual Practice, and Use of Face Mask During Sex Among MSM During the Second Wave of COVID-19 in Melbourne, Australia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 153-156	3.1	4
399	Culture obtained from urethral swab of asymptomatic men who screen positive for by urine nucleic acid amplification testing. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	1

398	Sexual health service adaptations to the coronavirus disease 2019 (COVID-19) pandemic in Australia: a nationwide online survey. <i>Australian and New Zealand Journal of Public Health</i> , 2021 , 45, 622-627	2.3	2
397	The longer-term effects of access to HIV self-tests on HIV testing frequency in high-risk gay and bisexual men: follow-up data from a randomised controlled trial. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 14, 100214	5	0
396	<i>Treponema pallidum</i> detection in lesion and non-lesion sites in men who have sex with men with early syphilis: a prospective, cross-sectional study. <i>Lancet Infectious Diseases</i> , 2021 , 21, 1324-1331	25.5	8
395	Exploring the attitudes of men who have sex with men on anal self-examination for early detection of primary anorectal syphilis: a qualitative study. <i>BMC Infectious Diseases</i> , 2021 , 21, 982	4	1
394	Investigating the relationship between reopening the economy and implementing control measures during the COVID-19 pandemic. <i>Public Health</i> , 2021 , 200, 15-21	4	4
393	Prevalence of human papillomavirus in young men who have sex with men after the implementation of gender-neutral HPV vaccination: a repeated cross-sectional study. <i>Lancet Infectious Diseases</i> , 2021 , 21, 1448-1457	25.5	15
392	Self-reported anal symptoms and their association with anal pathology among gay and bisexual men: a cross-sectional observational analysis. <i>Sexual Health</i> , 2021 , 18, 123-129	2	1
391	Human papillomavirus antibody levels following vaccination or natural infection among young men who have sex with men.. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
390	Accuracy of Self-reported Human Papillomavirus Vaccination Status Among Gay and Bisexual Adolescent Males: Cross-sectional Study. <i>JMIR Public Health and Surveillance</i> , 2021 , 7, e32407	11.4	1
389	Clinical presentation of asymptomatic and symptomatic women who tested positive for genital gonorrhoea at a sexual health service in Melbourne, Australia. <i>Epidemiology and Infection</i> , 2020 , 148, e240	4.3	3
388	Early characteristics of the COVID-19 outbreak predict the subsequent epidemic scope. <i>International Journal of Infectious Diseases</i> , 2020 , 97, 219-224	10.5	9
387	Clinical presentation of asymptomatic and symptomatic heterosexual men who tested positive for urethral gonorrhoea at a sexual health clinic in Melbourne, Australia. <i>BMC Infectious Diseases</i> , 2020 , 20, 486	4	6
386	Sexual practices of female sex workers in Melbourne, Australia: an anonymous cross-sectional questionnaire study in 2017-18. <i>Sexual Health</i> , 2020 , 17, 53-60	2	12
385	Estimation of the impact of changing drug-use trend on HIV, hepatitis C and syphilis epidemics among people who use synthetic drug-only, polydrug and heroin-only during 2005-2035 in China: modelling study. <i>Sexually Transmitted Infections</i> , 2020 , 96, 608-614	2.8	6
384	Seasonal variations in kissing and sexual activities among men who have sex with men in Melbourne, Australia: implications for seasonal sexually transmissible infection preventions and interventions. <i>Sexual Health</i> , 2020 , 17, 149-154	2	1
383	Prevalence and associations of larger burden of intra-anal high-grade squamous intraepithelial lesions at baseline in an Australian cohort of gay and bisexual men: The Study of the Prevention of Anal Cancer. <i>Cancer Epidemiology</i> , 2020 , 64, 101661	2.8	1
382	Prevalence and Association of Perianal and Intra-Anal Warts with Composite High-Grade Squamous Intraepithelial Lesions Among Gay and Bisexual Men: Baseline Data from the Study of the Prevention of Anal Cancer. <i>AIDS Patient Care and STDs</i> , 2020 , 34, 436-443	5.8	1
381	Chlamydia trachomatis transmission between the oropharynx, urethra and anorectum in men who have sex with men: a mathematical model. <i>BMC Medicine</i> , 2020 , 18, 326	11.4	8

380	Can self-imposed prevention measures mitigate the COVID-19 epidemic?. <i>PLoS Medicine</i> , 2020 , 17, e1003240	16
379	Domestic HPV vaccine price and economic returns for cervical cancer prevention in China: a cost-effectiveness analysis. <i>The Lancet Global Health</i> , 2020 , 8, e1335-e1344	13.6 22
378	A Nationwide Spatiotemporal Analysis of Syphilis Over 21 Years and Implications for Prevention and Control in China. <i>Clinical Infectious Diseases</i> , 2020 , 70, 136-139	11.6 17
377	Resistance-Guided Antimicrobial Therapy Using Doxycycline-Moxifloxacin and Doxycycline-2.5 g Azithromycin for the Treatment of Mycoplasma genitalium Infection: Efficacy and Tolerability. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1461-1468	11.6 35
376	Getting to the Bottom of It: Sexual Positioning and Stage of Syphilis at Diagnosis, and Implications for Syphilis Screening. <i>Clinical Infectious Diseases</i> , 2020 , 71, 318-322	11.6 9
375	Sexually transmissible infections among transgender men and women attending Australian sexual health clinics. <i>Medical Journal of Australia</i> , 2019 , 211, 406-411	4 10
374	Recruiting people with HIV to an online self-management support randomised controlled trial: barriers and facilitators. <i>Sexual Health</i> , 2019 , 16, 340-347	2
373	Prevalence of human papillomavirus in teenage heterosexual males following the implementation of female and male school-based vaccination in Australia: 2014-2017. <i>Vaccine</i> , 2019 , 37, 6907-6914	4.1 7
372	Anal human papillomavirus infections in young unvaccinated men who have sex with men attending a sexual health clinic for HPV vaccination in Melbourne, Australia. <i>Vaccine</i> , 2019 , 37, 6271-6275	4.1 9
371	Estimates of the national trend of drugs use during 2000-2030 in China: A population-based mathematical model. <i>Addictive Behaviors</i> , 2019 , 93, 65-71	4.2 10
370	Population-level impact and herd effects following the introduction of human papillomavirus vaccination programmes: updated systematic review and meta-analysis. <i>Lancet, The</i> , 2019 , 394, 497-509 ⁴⁰	338
369	Prevalence of genital and oropharyngeal chlamydia and gonorrhoea among female sex workers in Melbourne, Australia, 2015-2017: need for oropharyngeal testing. <i>Sexually Transmitted Infections</i> , 2019 , 95, 398-401	2.8 24
368	Kissing may be an important and neglected risk factor for oropharyngeal gonorrhoea: a cross-sectional study in men who have sex with men. <i>Sexually Transmitted Infections</i> , 2019 , 95, 516-521	2.8 31
367	Epidemiology and prevention of sexually transmitted infections in men who have sex with men at risk of HIV. <i>Lancet HIV,the</i> , 2019 , 6, e396-e405	7.8 60
366	Evidence for a new paradigm of gonorrhoea transmission: cross-sectional analysis of infections by anatomical site in both partners in 60 male couples. <i>Sexually Transmitted Infections</i> , 2019 , 95, 437-442	2.8 16
365	Symptoms, Sites, and Significance of Mycoplasma genitalium in Men Who Have Sex with Men. <i>Emerging Infectious Diseases</i> , 2019 , 25, 719-727	10.2 36
364	Association of HIV Preexposure Prophylaxis With Incidence of Sexually Transmitted Infections Among Individuals at High Risk of HIV Infection. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1380-1390	27.4 141
363	Outcomes of Resistance-guided Sequential Treatment of Mycoplasma genitalium Infections: A Prospective Evaluation. <i>Clinical Infectious Diseases</i> , 2019 , 68, 554-560	11.6 98

362	Models of gonorrhoea transmission from the mouth and saliva. <i>Lancet Infectious Diseases, The</i> , 2019 , 19, e360-e366	25.5	40
361	Risk factors for urethral gonorrhoea infection among heterosexual males in Melbourne, Australia: 2007-17. <i>Sexual Health</i> , 2019 , 16, 508-513	2	12
360	Estimating the syphilis epidemic among gay, bisexual and other men who have sex with men in Australia following changes in HIV care and prevention. <i>Sexual Health</i> , 2019 , 16, 254-262	2	1
359	A Systematic Literature Review of Reviews on the Effectiveness of Chlamydia Testing. <i>Epidemiologic Reviews</i> , 2019 , 41, 168-175	4.1	3
358	The role of saliva in gonorrhoea and chlamydia transmission to extragenital sites among men who have sex with men: new insights into transmission. <i>Journal of the International AIDS Society</i> , 2019 , 22 Suppl 6, e25354	5.4	22
357	International travel as risk factor for infections among young heterosexuals attending a sexual health clinic in Melbourne, Australia, 2007 to 2017. <i>Eurosurveillance</i> , 2019 , 24,	19.8	5
356	Post-test comparison of HIV test knowledge and changes in sexual risk behaviour between clients accessing HIV testing online versus in-clinic. <i>Sexually Transmitted Infections</i> , 2019 , 95, 102-107	2.8	4
355	Bacterial Load of Chlamydia trachomatis in the Posterior Oropharynx, Tonsillar Fossae, and Saliva among Men Who Have Sex with Men with Untreated Oropharyngeal Chlamydia. <i>Journal of Clinical Microbiology</i> , 2019 , 58,	9.7	9
354	Oropharyngeal and Genital Gonorrhea Infections Among Women and Heterosexual Men Reporting Sexual Contact With Partners With Gonorrhea: Implication for Oropharyngeal Testing of Heterosexual Gonorrhea Contacts. <i>Sexually Transmitted Diseases</i> , 2019 , 46, 743-747	2.4	12
353	Clinical Features and Therapeutic Response in Women Meeting Criteria for Presumptive Treatment for Pelvic Inflammatory Disease Associated With Mycoplasma genitalium. <i>Sexually Transmitted Diseases</i> , 2019 , 46, 73-79	2.4	10
352	Incidence, Clearance, and Persistence of Anal Human Papillomavirus in Men Who Have Sex With Men Living With Human Immunodeficiency Virus: Implications for Human Papillomavirus Vaccination. <i>Sexually Transmitted Diseases</i> , 2019 , 46, 229-233	2.4	11
351	Human papillomavirus vaccine uptake among young gay and bisexual men who have sex with men with a time-limited targeted vaccination programme through sexual health clinics in Melbourne in 2017. <i>Sexually Transmitted Infections</i> , 2019 , 95, 181-186	2.8	17
350	Association of anal symptoms with anal high grade squamous intraepithelial lesions (HSIL) among men who have sex with men: Baseline data from the study of the prevention of anal cancer (SPANC). <i>Cancer Epidemiology</i> , 2019 , 58, 12-16	2.8	4
349	Co-circulation of Multidrug-resistant Shigella Among Men Who Have Sex With Men in Australia. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1535-1544	11.6	41
348	Differences in experiences of barriers to STI testing between clients of the internet-based diagnostic testing service GetCheckedOnline.com and an STI clinic in Vancouver, Canada. <i>Sexually Transmitted Infections</i> , 2019 , 95, 151-156	2.8	16
347	Risk factors for oropharyngeal gonorrhoea in men who have sex with men: an age-matched case-control study. <i>Sexually Transmitted Infections</i> , 2018 , 94, 359-364	2.8	17
346	Age-Specific Pattern of Anogenital Wart in Men Who Have Sex With Men. <i>Sexually Transmitted Diseases</i> , 2018 , 45, 186-188	2.4	2
345	Should Asymptomatic Men Who Have Sex With Men Be Screened for Oropharyngeal Chlamydia? Clinical Outcomes From a Cross-Sectional Study. <i>Sexually Transmitted Diseases</i> , 2018 , 45, 103-106	2.4	11

344	Clinical factors associated with syphilis concordance in men in sexual partnerships: a cross-sectional couples study. <i>Sexually Transmitted Infections</i> , 2018 , 94, 571-573	2.8	5
343	Concordance of gonorrhoea of the rectum, pharynx and urethra in same-sex male partnerships attending a sexual health service in Melbourne, Australia. <i>BMC Infectious Diseases</i> , 2018 , 18, 95	4	16
342	Getting the terminology right in sexual health research: the importance of accurately classifying fuck buddies among men who have sex with men. <i>Sexually Transmitted Infections</i> , 2018 , 94, 487-489	2.8	6
341	The efficacy of azithromycin and doxycycline treatment for rectal chlamydial infection: a retrospective cohort study in South Australia. <i>Internal Medicine Journal</i> , 2018 , 48, 259-264	1.6	12
340	Only recent sexual partners contribute to oropharyngeal gonorrhoea positivity: the number of sexual partners over different time periods as an indicator of gonorrhoea and chlamydia infection duration among men who have sex with men. <i>Sexual Health</i> , 2018 , 15, 342-349	2	6
339	Association between recreational drug use and sexual practices among people who inject drugs in Southwest China: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e019730	3	4
338	Should human papillomavirus vaccination target women over age 26, heterosexual men and men who have sex with men? A targeted literature review of cost-effectiveness. <i>Human Vaccines and Immunotherapeutics</i> , 2018 , 14, 3010-3018	4.4	10
337	Doxycycline post-exposure prophylaxis: let the debate begin. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, 233-234	25.5	5
336	Incorporating digital anorectal examinations for anal cancer screening into routine HIV care for men who have sex with men living with HIV: a prospective cohort study. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25192	5.4	7
335	The systematic development of a complex intervention: HealthMap, an online self-management support program for people with HIV. <i>BMC Infectious Diseases</i> , 2018 , 18, 615	4	3
334	Population effectiveness of opportunistic chlamydia testing in primary care in Australia: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 1413-1422	40	33
333	Prevalence of human papillomavirus by geographical regions, sexual orientation and HIV status in China: a systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2018 , 94, 434-442	2.8	26
332	Quadrivalent vaccine-targeted human papillomavirus genotypes in heterosexual men after the Australian female human papillomavirus vaccination programme: a retrospective observational study. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 68-77	25.5	58
331	Provision of HIV test results by telephone is both safe and efficient for men who have sex with men. <i>International Journal of STD and AIDS</i> , 2017 , 28, 39-44	1.4	
330	Human papillomavirus vaccination in men who have sex with men - what will be required by 2020 for the same dramatic changes seen in heterosexuals. <i>Sexual Health</i> , 2017 , 14, 123-125	2	13
329	Characteristics of pelvic inflammatory disease where no sexually transmitted infection is identified: a cross-sectional analysis of routinely collected sexual health clinic data. <i>Sexually Transmitted Infections</i> , 2017 , 93, 68-70	2.8	7
328	Effect of availability of HIV self-testing on HIV testing frequency in gay and bisexual men at high risk of infection (FORTH): a waiting-list randomised controlled trial. <i>Lancet HIV,the</i> , 2017 , 4, e241-e250	7.8	89
327	DNA bacterial load in men with symptomatic and asymptomatic gonococcal urethritis. <i>Sexually Transmitted Infections</i> , 2017 , 93, 478-481	2.8	30

326	Treatment Outcomes for Rectal Lymphogranuloma Venereum in Men Who Have Sex with Men Using Doxycycline, Azithromycin, or Both: A Review of Clinical Cases. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 245-248	2.4	7
325	Increased Detection of Pharyngeal and Rectal Gonorrhoea in Men Who Have Sex With Men After Transition From Culture To Nucleic Acid Amplification Testing. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 114-117	2.4	65
324	Asymptomatic and symptomatic urethral gonorrhoea in men who have sex with men attending a sexual health service. <i>Clinical Microbiology and Infection</i> , 2017 , 23, 555-559	9.5	30
323	Vaccine-preventable anal human papillomavirus in Australian gay and bisexual men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 3, 80-84	4.6	20
322	Human papillomavirus vaccination and genital warts in young Indigenous Australians: national sentinel surveillance data. <i>Medical Journal of Australia</i> , 2017 , 206, 204-209	4	25
321	Concordance of chlamydia infections of the rectum and urethra in same-sex male partnerships: a cross-sectional analysis. <i>BMC Infectious Diseases</i> , 2017 , 17, 22	4	9
320	Trends and predictors of recent HIV testing over 22 years among a clinic sample of men who have sex with men in South Australia. <i>Sexual Health</i> , 2017 , 14, 164-169	2	2
319	Frequent Transmission of Gonorrhoea in Men Who Have Sex with Men. <i>Emerging Infectious Diseases</i> , 2017 , 23, 102-104	10.2	65
318	HIV testing self-efficacy is associated with higher HIV testing frequency and perceived likelihood to self-test among gay and bisexual men. <i>Sexual Health</i> , 2017 , 14, 170-178	2	10
317	Neisseria gonorrhoeae Transmission Among Men Who Have Sex With Men: An Anatomical Site-Specific Mathematical Model Evaluating the Potential Preventive Impact of Mouthwash. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 586-592	2.4	43
316	Opportunities and barriers to STI testing in community health centres in China: a nationwide survey. <i>Sexually Transmitted Infections</i> , 2017 , 93, 566-571	2.8	2
315	Targeted human papillomavirus vaccination for young men who have sex with men in Australia yields significant population benefits and is cost-effective. <i>Vaccine</i> , 2017 , 35, 4923-4929	4.1	31
314	The medical care of the neovagina of transgender women: a review. <i>Sexual Health</i> , 2017 , 14, 442-450	2	8
313	Sexually transmitted infections: challenges ahead. <i>Lancet Infectious Diseases</i> , 2017 , 17, e235-e279	25.5	331
312	A multicentre double-blind randomised controlled trial evaluating the efficacy of daily use of antibacterial mouthwash against oropharyngeal gonorrhoea among men who have sex with men: the OMEGA (Oral Mouthwash use to Eradicate GonorrhoeA) study protocol. <i>BMC Infectious Diseases</i> , 2017 , 17, 456	4	38
311	Use of GetCheckedOnline, a Comprehensive Web-based Testing Service for Sexually Transmitted and Blood-Borne Infections. <i>Journal of Medical Internet Research</i> , 2017 , 19, e81	7.6	20
310	Sexually Transmitted Infections in Melbourne, Australia from 1918 to 2016: nearly a century of data. <i>Communicable Diseases Intelligence</i> , 2017 , 41, E212-E222		13
309	Anal HPV detection in men who have sex with men living with HIV who report no recent anal sexual behaviours: baseline analysis of the Anal Cancer Examination (ACE) study. <i>Sexually Transmitted Infections</i> , 2016 , 92, 368-70	2.8	13

308	Painful and multiple anogenital lesions are common in men with <i>Treponema pallidum</i> PCR-positive primary syphilis without herpes simplex virus coinfection: a cross-sectional clinic-based study. <i>Sexually Transmitted Infections</i> , 2016 , 92, 110-5	2.8	27
307	A 'test and treat' prevention strategy in Australia requires innovative HIV testing models: a cohort study of repeat testing among 'high-risk' men who have sex with men. <i>Sexually Transmitted Infections</i> , 2016 , 92, 464-6	2.8	19
306	Population attributable fraction of pelvic inflammatory disease associated with chlamydia and gonorrhoea: a cross-sectional analysis of Australian sexual health clinic data. <i>Sexually Transmitted Infections</i> , 2016 , 92, 525-531	2.8	6
305	Baseline findings from the Anal Cancer Examination (ACE) study: screening using digital ano-rectal examination in HIV-positive men who have sex with men. <i>Journal of Medical Screening</i> , 2016 , 23, 70-6	1.4	13
304	Polymorphisms in the CD14 and TLR4 genes independently predict CD4+ T-cell recovery in HIV-infected individuals on antiretroviral therapy. <i>Aids</i> , 2016 , 30, 2159-68	3.5	7
303	Is there a role for the thinprep imaging system in reporting anal cytology?. <i>Diagnostic Cytopathology</i> , 2016 , 44, 384-8	1.4	
302	Risk Practices in the Era of Smartphone Apps for Meeting Partners: A Cross-Sectional Study Among Men Who Have Sex with Men in Melbourne, Australia. <i>AIDS Patient Care and STDs</i> , 2016 , 30, 151-4	5.8	28
301	The Impact of a Social Marketing Campaign on HIV and Sexually Transmissible Infection Testing Among Men Who Have Sex With Men in Australia. <i>Sexually Transmitted Diseases</i> , 2016 , 43, 49-56	2.4	26
300	Detection of <i>Neisseria gonorrhoeae</i> in the pharynx and saliva: implications for gonorrhoea transmission. <i>Sexually Transmitted Infections</i> , 2016 , 92, 347-9	2.8	38
299	Reply to Deguchi et al. <i>Clinical Infectious Diseases</i> , 2016 , 62, 406-7	11.6	
298	Trends in gonorrhoea positivity by nucleic acid amplification test versus culture among Australian heterosexual men with a low prevalence of gonorrhoea, 2007-2014. <i>Sexually Transmitted Infections</i> , 2016 , 92, 625-628	2.8	7
297	Duration of gonorrhoea and chlamydia infection at the pharynx and rectum among men who have sex with men: a systematic review. <i>Sexual Health</i> , 2016 , 13, 199-204	2	43
296	HealthMap: a cluster randomised trial of interactive health plans and self-management support to prevent coronary heart disease in people with HIV. <i>BMC Infectious Diseases</i> , 2016 , 16, 114	4	10
295	Was an epidemic of gonorrhoea among heterosexuals attending an Adelaide sexual health services associated with variations in sex work policing policy?. <i>Sexually Transmitted Infections</i> , 2016 , 92, 377-9	2.8	6
294	Characteristics of adenovirus urethritis among heterosexual men and men who have sex with men: a review of clinical cases. <i>Sexually Transmitted Infections</i> , 2016 , 92, 172-4	2.8	9
293	Vitamin D deficiency is common in HIV-infected southern Australian adults. <i>Antiviral Therapy</i> , 2016 , 21, 117-25	1.6	12
292	Sustained high prevalence of viral hepatitis and sexually transmissible infections among female sex workers in China: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2016 , 16, 2	4	25
291	HIV Incidence and Predictors of Incident HIV among Men Who Have Sex with Men Attending a Sexual Health Clinic in Melbourne, Australia. <i>PLoS ONE</i> , 2016 , 11, e0156160	3.7	23

290	Multiplex Assay for Simultaneous Detection of <i>Mycoplasma genitalium</i> and Macrolide Resistance Using PlexZyme and PlexPrime Technology. <i>PLoS ONE</i> , 2016 , 11, e0156740	3.7	59
289	Pharyngeal Gonorrhoea: The Willingness of Australian Men Who Have Sex with Men to Change Current Sexual Practices to Reduce Their Risk of Transmission-A Qualitative Study. <i>PLoS ONE</i> , 2016 , 11, e0164033	3.7	17
288	Socio-demographic and structural barriers to being tested for chlamydia in general practice. <i>Medical Journal of Australia</i> , 2016 , 204, 112.e1-5	4	11
287	Cost-effectiveness of screening for anal cancer using regular digital ano-rectal examinations in men who have sex with men living with HIV. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20514	5.4	21
286	Systematic Review and Meta-Analysis of Doxycycline Efficacy for Rectal Lymphogranuloma Venereum in Men Who Have Sex with Men. <i>Emerging Infectious Diseases</i> , 2016 , 22, 1778-84	10.2	18
285	Assortative sexual mixing among heterosexuals in Australia: implications for herd protection in males from a female human papillomavirus vaccination program. <i>Sexual Health</i> , 2016 ,	2	6
284	Views of HIV-negative partners in heterosexual serodiscordant relationships regarding HIV pre-exposure prophylaxis: a qualitative study. <i>Sexual Health</i> , 2016 ,	2	3
283	Effects of long-term tenofovir-based combination antiretroviral therapy in HIV-hepatitis B virus coinfection on persistent hepatitis B virus viremia and the role of hepatitis B virus quasispecies diversity. <i>Aids</i> , 2016 , 30, 1597-606	3.5	13
282	Sensitivity of HIV rapid tests compared with fourth-generation enzyme immunoassays or HIV RNA tests. <i>Aids</i> , 2016 , 30, 1951-60	3.5	19
281	Chlamydia screening for pregnant women aged 16-25 years attending an antenatal service: a cost-effectiveness study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1194-202	3.7	20
280	Antibody responses following incident anal and penile infection with human papillomavirus in teenage men who have sex with men. <i>International Journal of Cancer</i> , 2016 , 139, 639-46	7.5	7
279	The performance of anal cytology as a screening test for anal HSILs in homosexual men. <i>Cancer Cytopathology</i> , 2016 , 124, 415-24	3.9	32
278	Risk factors associated with incident sexually transmitted infections in HIV-positive patients in the Australian HIV Observational Database: a prospective cohort study. <i>HIV Medicine</i> , 2016 , 17, 623-30	2.7	4
277	Summer heat: a cross-sectional analysis of seasonal differences in sexual behaviour and sexually transmissible diseases in Melbourne, Australia. <i>Sexually Transmitted Infections</i> , 2016 , 92, 286-91	2.8	11
276	Saliva use as a lubricant for anal sex is a risk factor for rectal gonorrhoea among men who have sex with men, a new public health message: a cross-sectional survey. <i>Sexually Transmitted Infections</i> , 2016 , 92, 532-536	2.8	39
275	Seasonal variation in gonorrhoea incidence among men who have sex with men. <i>Sexual Health</i> , 2016 , 13, 589-592	2	3
274	Prevalence of chlamydia, gonorrhoea, syphilis and trichomonas in Aboriginal and Torres Strait Islander Australians: a systematic review and meta-analysis. <i>Sexual Health</i> , 2016 , 13, 99-113	2	9
273	Herd protection from the female HPV vaccination programme - Authors' reply. <i>Lancet Infectious Diseases</i> , 2016 , 16, 1334-1335	25.5	2

272	Prevalence and risk factors associated with high-grade anal squamous intraepithelial lesions (HSIL)-AIN2 and HSIL-AIN3 in homosexual men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 97-105	4.6	23
271	A Composite Cytology-Histology Endpoint Allows a More Accurate Estimate of Anal High-Grade Squamous Intraepithelial Lesion Prevalence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1134-43	4	24
270	The contribution of <i>Mycoplasma genitalium</i> to the aetiology of sexually acquired infectious proctitis in men who have sex with men. <i>Clinical Microbiology and Infection</i> , 2016 , 22, 260-5	9.5	51
269	<i>Neisseria gonorrhoeae</i> Bacterial DNA Load in the Pharynges and Saliva of Men Who Have Sex with Men. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 2485-90	9.7	40
268	Macrolide resistance and azithromycin failure in a <i>Mycoplasma genitalium</i> -infected cohort and response of azithromycin failures to alternative antibiotic regimens. <i>Clinical Infectious Diseases</i> , 2015 , 60, 1228-36	11.6	123
267	Dual Intervention to Increase Chlamydia Retesting: A Randomized Controlled Trial in Three Populations. <i>American Journal of Preventive Medicine</i> , 2015 , 49, 1-11	6.1	19
266	An evaluation of a novel dual treponemal/nontreponemal point-of-care test for syphilis as a tool to distinguish active from past treated infection. <i>Clinical Infectious Diseases</i> , 2015 , 61, 184-91	11.6	32
265	Understanding Gay Community Subcultures: Implications for HIV Prevention. <i>AIDS and Behavior</i> , 2015 , 19, 2224-33	4.3	22
264	Do Australian general practitioners believe practice nurses can take a role in chlamydia testing? A qualitative study of attitudes and opinions. <i>BMC Infectious Diseases</i> , 2015 , 15, 31	4	6
263	Why are we not screening for anal cancer routinely - HIV physicians' perspectives on anal cancer and its screening in HIV-positive men who have sex with men: a qualitative study. <i>BMC Public Health</i> , 2015 , 15, 67	4.1	17
262	Substantial increases in chlamydia and gonorrhoea positivity unexplained by changes in individual-level sexual behaviors among men who have sex with men in an Australian sexual health service from 2007 to 2013. <i>Sexually Transmitted Diseases</i> , 2015 , 42, 81-7	2.4	54
261	Population-level impact and herd effects following human papillomavirus vaccination programmes: a systematic review and meta-analysis. <i>Lancet Infectious Diseases, The</i> , 2015 , 15, 565-80	25.5	450
260	Chlamydia infection in individuals reporting contact with sexual partners with chlamydia: a cross-sectional study of sexual health clinic attendees. <i>Sexually Transmitted Infections</i> , 2015 , 91, 434-9	2.8	9
259	Human papillomavirus in young women with <i>Chlamydia trachomatis</i> infection 7 years after the Australian human papillomavirus vaccination programme: a cross-sectional study. <i>Lancet Infectious Diseases, The</i> , 2015 , 15, 1314-23	25.5	47
258	The Efficacy of Azithromycin for the Treatment of Genital <i>Mycoplasma genitalium</i> : A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2015 , 61, 1389-99	11.6	102
257	High prevalence of rectal gonorrhoea among men reporting contact with men with gonorrhoea: Implications for epidemiological treatment. <i>BMC Public Health</i> , 2015 , 15, 658	4.1	8
256	Site-specific human papillomavirus infection in adolescent men who have sex with men (HYPER): an observational cohort study. <i>Lancet Infectious Diseases, The</i> , 2015 , 15, 65-73	25.5	33
255	Persistence of <i>Neisseria gonorrhoeae</i> DNA following treatment for pharyngeal and rectal gonorrhoea is influenced by antibiotic susceptibility and reinfection. <i>Clinical Infectious Diseases</i> , 2015 , 60, 557-63	11.6	27

254	Routine CD4 cell count monitoring seldom contributes to clinical decision-making on antiretroviral therapy in virologically suppressed HIV-infected patients. <i>HIV Medicine</i> , 2015 , 16, 196-200	2.7	11
253	Chlamydia and gonorrhoea point-of-care testing in Australia: where should it be used?. <i>Sexual Health</i> , 2015 , 12, 51-8	2	3
252	High reproducibility of histological diagnosis of human papillomavirus-related intraepithelial lesions of the anal canal. <i>Pathology</i> , 2015 , 47, 308-13	1.6	13
251	Rate of repeat diagnoses in men who have sex with men for Chlamydia trachomatis and Neisseria gonorrhoeae: a retrospective cohort study. <i>Sexual Health</i> , 2015 , 12, 418-24	2	6
250	Testing for HIV among men who have sex with men needs a paradigm shift in Australia, given the minimal increase between 2003 and 2013 in Melbourne, Australia. <i>Sexual Health</i> , 2015 , 12, 373-82	2	7
249	Increasing trends of syphilis among men who have sex with men in high income countries. <i>Sexual Health</i> , 2015 , 12, 155-63	2	57
248	Exposing the gaps in awareness, knowledge and estimation of risk for anal cancer in men who have sex with men living with HIV: a cross-sectional survey in Australia. <i>Journal of the International AIDS Society</i> , 2015 , 18, 19895	5.4	10
247	Rationale and design of FORTH: a randomised controlled trial assessing the effectiveness of HIV self-testing in increasing HIV testing frequency among gay and bisexual men. <i>BMC Infectious Diseases</i> , 2015 , 15, 561	4	9
246	Ultraviolet index and location are important determinants of vitamin D status in people with human immunodeficiency virus. <i>Photochemistry and Photobiology</i> , 2015 , 91, 431-7	3.6	5
245	Early presentation of symptomatic individuals is critical in controlling sexually transmissible infections. <i>Sexual Health</i> , 2015 , 12, 181-2	2	19
244	P04.07 Summer loving: an analysis of seasonal differences in sexual behaviour and sexually transmissible infections. <i>Sexually Transmitted Infections</i> , 2015 , 91, A98.1-A98	2.8	
243	P04.05 High prevalence of rectal gonorrhoea among men reporting contact with men with gonorrhoea: implications for epidemiological treatment. <i>Sexually Transmitted Infections</i> , 2015 , 91, A97.2-A97	2.8	
242	P09.26 Trends in gonorrhoea positivity by nucleic acid amplification testing versus culture in heterosexual men in victoria, australia, 2007-2014. <i>Sexually Transmitted Infections</i> , 2015 , 91, A157.3-A158	2.8	
241	The HIV care cascade: a systematic review of data sources, methodology and comparability. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20634	5.4	75
240	Exploring the Benefits of Molecular Testing for Gonorrhoea Antibiotic Resistance Surveillance in Remote Settings. <i>PLoS ONE</i> , 2015 , 10, e0133202	3.7	9
239	The Impact of Sex Work on Women's Personal Romantic Relationships and the Mental Separation of Their Work and Personal Lives: A Mixed-Methods Study. <i>PLoS ONE</i> , 2015 , 10, e0141575	3.7	21
238	Gonorrhoea notifications and nucleic acid amplification testing in a very low-prevalence Australian female population. <i>Medical Journal of Australia</i> , 2015 , 202, 321-3	4	20
237	A second peak in genital warts in later life suggests that behavioural factors explain a second peak in human papillomavirus prevalence in older women. <i>Sexual Health</i> , 2015 , 12, 277-8	2	2

236	Human papillomavirus 16-specific T-cell responses and spontaneous regression of anal high-grade squamous intraepithelial lesions. <i>Journal of Infectious Diseases</i> , 2015 , 211, 405-15	7	20
235	Ongoing decline in genital warts among young heterosexuals 7 years after the Australian human papillomavirus (HPV) vaccination programme. <i>Sexually Transmitted Infections</i> , 2015 , 91, 214-9	2.8	76
234	Incidence of curable sexually transmissible infections among adolescents and young adults in remote Australian Aboriginal communities: analysis of longitudinal clinical service data. <i>Sexually Transmitted Infections</i> , 2015 , 91, 135-41	2.8	24
233	Incident bacterial vaginosis (BV) in women who have sex with women is associated with behaviors that suggest sexual transmission of BV. <i>Clinical Infectious Diseases</i> , 2015 , 60, 1042-53	11.6	53
232	The efficacy of azithromycin and doxycycline for the treatment of rectal chlamydia infection: a systematic review and meta-analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1290-7	5.1	89
231	Factors Associated with Bacterial Vaginosis among Women Who Have Sex with Women: A Systematic Review. <i>PLoS ONE</i> , 2015 , 10, e0141905	3.7	27
230	Improving oral human papillomavirus detection using toothbrush sampling in HIV-positive men who have sex with men. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 2206-9	9.7	10
229	The influence of behaviors and relationships on the vaginal microbiota of women and their female partners: the WOW Health Study. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1562-72	7	52
228	The effects of oral garlic on vaginal candida colony counts: a randomised placebo controlled double-blind trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 498-506	3.7	10
227	Regional and national guideline recommendations for digital ano-rectal examination as a means for anal cancer screening in HIV positive men who have sex with men: a systematic review. <i>BMC Cancer</i> , 2014 , 14, 557	4.8	36
226	Molecular approaches to enhance surveillance of gonococcal antimicrobial resistance. <i>Nature Reviews Microbiology</i> , 2014 , 12, 223-9	22.2	79
225	Rationale and design of REACT: a randomised controlled trial assessing the effectiveness of home-collection to increase chlamydia retesting and detect repeat positive tests. <i>BMC Infectious Diseases</i> , 2014 , 14, 223	4	9
224	Early acquisition of anogenital human papillomavirus among teenage men who have sex with men. <i>Journal of Infectious Diseases</i> , 2014 , 209, 642-51	7	53
223	Sexual behaviors and risk for sexually transmitted infections among teenage men who have sex with men. <i>Journal of Adolescent Health</i> , 2014 , 55, 247-53	5.8	15
222	How very young men who have sex with men view vaccination against human papillomavirus. <i>Vaccine</i> , 2014 , 32, 3936-41	4.1	22
221	Latent Tuberculosis screening using interferon-gamma release assays in an Australian HIV-infected cohort: is routine testing worthwhile?. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 66, 48-54	3.1	13
220	High rates of sexually transmissible infections in HIV-positive patients in the Australian HIV Observational Database: a prospective cohort study. <i>Sexual Health</i> , 2014 , 11, 291-7	2	5
219	Chlamydia detection during the menstrual cycle: a cross-sectional study of women attending a sexual health service. <i>PLoS ONE</i> , 2014 , 9, e85263	3.7	6

218	A laboratory-based evaluation of four rapid point-of-care tests for syphilis. <i>PLoS ONE</i> , 2014 , 9, e91504	3.7	25
217	Detection of oral human papillomavirus in HIV-positive men who have sex with men 3 years after baseline: a follow up cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e102138	3.7	20
216	Factors associated with participation and attrition in a longitudinal study of bacterial vaginosis in Australian women who have sex with women. <i>PLoS ONE</i> , 2014 , 9, e113452	3.7	11
215	An evaluation of an express testing service for sexually transmissible infections in low-risk clients without complications. <i>Sexual Health</i> , 2014 , 11, 37-41	2	7
214	Trends in chlamydia positivity among heterosexual patients from the Victorian Primary Care Network for Sentinel Surveillance, 2007-2011. <i>Medical Journal of Australia</i> , 2014 , 200, 166-9	4	9
213	High chlamydia positivity rates in Indigenous people attending Australian sexual health services. <i>Medical Journal of Australia</i> , 2014 , 200, 595-8	4	7
212	Chlamydia prevalence in young attenders of rural and regional primary care services in Australia: a cross-sectional survey. <i>Medical Journal of Australia</i> , 2014 , 200, 170-5	4	25
211	Improving chlamydia knowledge should lead to increased chlamydia testing among Australian general practitioners: a cross-sectional study of chlamydia testing uptake in general practice. <i>BMC Infectious Diseases</i> , 2014 , 14, 584	4	10
210	Exploring anal self-examination as a means of screening for anal cancer in HIV positive men who have sex with men: a qualitative study. <i>BMC Public Health</i> , 2014 , 14, 1257	4.1	12
209	Cross-sectional study of hepatitis B immunity in MSM between 2002 and 2012. <i>Sexually Transmitted Infections</i> , 2014 , 90, 41-5	2.8	5
208	Reply to Sadlier et al. <i>Journal of Infectious Diseases</i> , 2014 , 210, 1680	7	1
207	What are seasonal and meteorological factors are associated with the number of attendees at a sexual health service? An observational study between 2002-2012. <i>Sexually Transmitted Infections</i> , 2014 , 90, 635-40	2.8	6
206	Women's experiences of pelvic inflammatory disease: implications for health-care professionals. <i>Journal of Health Psychology</i> , 2014 , 19, 618-28	3.1	8
205	Exploring the acceptability of online sexually transmissible infection testing for rural young people in Victoria. <i>Australian Journal of Rural Health</i> , 2014 , 22, 40-4	1.3	13
204	Characteristics of acute nongonococcal urethritis in men differ by sexual preference. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 2971-6	9.7	22
203	HIV treatment outcomes among people who inject drugs in Victoria, Australia. <i>BMC Infectious Diseases</i> , 2014 , 14, 707	4	8
202	Eradicating syphilis, hepatitis C and HIV in MSM through frequent testing strategies. <i>Current Opinion in Infectious Diseases</i> , 2014 , 27, 56-61	5.4	23
201	High-throughput informative single nucleotide polymorphism-based typing of <i>Neisseria gonorrhoeae</i> using the Sequenom MassARRAY iPLEX platform. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 1526-32	5.1	47

200	Contribution of sexual practices (other than anal sex) to bacterial sexually transmitted infection transmission in men who have sex with men: a cross-sectional analysis using electronic health records. <i>Sexually Transmitted Infections</i> , 2014 , 90, 55-7	2.8	14
199	Testing commercial sex workers for sexually transmitted infections in Victoria, Australia: an evaluation of the impact of reducing the frequency of testing. <i>PLoS ONE</i> , 2014 , 9, e103081	3.7	36
198	Introduction of a sexual health practice nurse is associated with increased STI testing of men who have sex with men in primary care. <i>BMC Infectious Diseases</i> , 2013 , 13, 298	4	13
197	Decline in in-patient treatments of genital warts among young Australians following the national HPV vaccination program. <i>BMC Infectious Diseases</i> , 2013 , 13, 140	4	62
196	Size of anal squamous cell carcinomas at diagnosis: a retrospective case series. <i>International Journal of STD and AIDS</i> , 2013 , 24, 879-82	1.4	21
195	Human papillomavirus types 6 and 11 seropositivity: risk factors and association with ano-genital warts among homosexual men. <i>Journal of Infection</i> , 2013 , 66, 503-11	18.9	7
194	A randomised trial of point-of-care tests for chlamydia and gonorrhoea infections in remote Aboriginal communities: Test, Treat AND GO- the "TTANGO" trial protocol. <i>BMC Infectious Diseases</i> , 2013 , 13, 485	4	33
193	The Study of the Prevention of Anal Cancer (SPANC): design and methods of a three-year prospective cohort study. <i>BMC Public Health</i> , 2013 , 13, 946	4.1	73
192	STI in remote communities: improved and enhanced primary health care (STRIVE) study protocol: a cluster randomised controlled trial comparing 'usual practice' STI care to enhanced care in remote primary health care services in Australia. <i>BMC Infectious Diseases</i> , 2013 , 13, 425	4	22
191	Gay and bisexual men's views on rapid self-testing for HIV. <i>AIDS and Behavior</i> , 2013 , 17, 2093-9	4.3	66
190	The chlamydia knowledge, awareness and testing practices of Australian general practitioners and practice nurses: survey findings from the Australian chlamydia control effectiveness pilot (ACCEPT). <i>BMC Family Practice</i> , 2013 , 14, 169	2.6	12
189	Acceptability of digital anal cancer screening examinations in HIV-positive homosexual men. <i>HIV Medicine</i> , 2013 , 14, 491-6	2.7	23
188	Associations with asymptomatic colonization with <i>Candida</i> in women reporting past vaginal candidiasis: an observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 169, 376-9	2.4	8
187	Genital warts in young Australians five years into national human papillomavirus vaccination programme: national surveillance data. <i>BMJ, The</i> , 2013 , 346, f2032	5.9	293
186	Sex workers talk about sex work: six contradictory characteristics of legalised sex work in Melbourne, Australia. <i>Culture, Health and Sexuality</i> , 2013 , 15, 85-100	2.5	22
185	Anal cancers attributed to human papillomavirus are more common in areas in Victoria, Australia, with higher HIV notifications. <i>Sexual Health</i> , 2013 , 10, 220-3	2	
184	Provision of rapid HIV tests within a health service and frequency of HIV testing among men who have sex with men: randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f5086	5.9	28
183	Increasing access by priority populations to Australian sexual health clinics. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 819-21	2.4	6

182	The etiology of infectious proctitis in men who have sex with men differs according to HIV status. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 768-70	2.4	36
181	Recurrence of bacterial vaginosis is significantly associated with posttreatment sexual activities and hormonal contraceptive use. <i>Clinical Infectious Diseases</i> , 2013 , 56, 777-86	11.6	83
180	Mycoplasma genitalium incidence, organism load, and treatment failure in a cohort of young Australian women. <i>Clinical Infectious Diseases</i> , 2013 , 56, 1094-100	11.6	47
179	The prevalence of sexually transmissible infections among female sex workers from countries with low and high prevalences in Melbourne. <i>Sexual Health</i> , 2013 , 10, 142-5	2	6
178	Are Australian sexual health clinics attracting priority populations?. <i>Sexual Health</i> , 2013 , 10, 456-9	2	7
177	What do young women think about having a chlamydia test? Views of women who tested positive compared with women who tested negative. <i>Sexual Health</i> , 2013 , 10, 39-42	2	9
176	Legislate for patient-delivered partner therapy for chlamydia. <i>Medical Journal of Australia</i> , 2013 , 199, 387	4	2
175	Facilitating partner notification through an online messaging service: Let Them Know. <i>Sexual Health</i> , 2013 , 10, 377-9	2	9
174	Prevalent and incident bacterial vaginosis are associated with sexual and contraceptive behaviours in young Australian women. <i>PLoS ONE</i> , 2013 , 8, e57688	3.7	43
173	Opt-out and opt-in testing increases syphilis screening of HIV-positive men who have sex with men in Australia. <i>PLoS ONE</i> , 2013 , 8, e71436	3.7	19
172	The burden of bacterial vaginosis: women's experience of the physical, emotional, sexual and social impact of living with recurrent bacterial vaginosis. <i>PLoS ONE</i> , 2013 , 8, e74378	3.7	90
171	Is rectal gonorrhoea a lead indicator of HIV transmission among men who have sex with men in Victoria, Australia?. <i>Sexual Health</i> , 2013 , 10, 188-9	2	
170	Evaluation of Electronic Medical Record (EMR) at large urban primary care sexual health centre. <i>PLoS ONE</i> , 2013 , 8, e60636	3.7	12
169	Automated, computer generated reminders and increased detection of gonorrhoea, chlamydia and syphilis in men who have sex with men. <i>PLoS ONE</i> , 2013 , 8, e61972	3.7	43
168	Hormonal contraception is associated with a reduced risk of bacterial vaginosis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e73055	3.7	85
167	The potential of metatranscriptomics for identifying screening targets for bacterial vaginosis. <i>PLoS ONE</i> , 2013 , 8, e76892	3.7	19
166	Factors associated with intention to use internet-based testing for sexually transmitted infections among men who have sex with men. <i>Journal of Medical Internet Research</i> , 2013 , 15, e254	7.6	35
165	Key informant perceptions of youth-focussed sexual health promotion programs in Australia. <i>Sexual Health</i> , 2013 , 10, 47-56	2	11

164	Nonoccupational post-exposure prophylaxis source tracing: is it really feasible in Australia?. <i>HIV Medicine</i> , 2012 , 13, 436-8	2.7	
163	Anal human papillomavirus infection and associated neoplastic lesions in men who have sex with men: a systematic review and meta-analysis. <i>Lancet Oncology</i> , 2012 , 13, 487-500	21.7	663
162	Anal cancer screening [Authors' reply]. <i>Lancet Oncology</i> , 2012 , 13, e280	21.7	
161	Immunity to hepatitis A when outbreaks of infection in men who have sex with men (MSM) are rare. <i>Vaccine</i> , 2012 , 30, 3430-4	4.1	18
160	The prevalence of Chlamydia trachomatis infection in Australia: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2012 , 12, 113	4	62
159	The prevalence of anal human papillomavirus among young HIV negative men who have sex with men. <i>BMC Infectious Diseases</i> , 2012 , 12, 341	4	9
158	Premenstrual vaginal colonization of Candida and symptoms of vaginitis. <i>Journal of Medical Microbiology</i> , 2012 , 61, 1580-1583	3.2	4
157	Time for a strategic research response to anal cancer. <i>Sexual Health</i> , 2012 , 9, 628-31	2	11
156	Bacterial vaginosis (BV) candidate bacteria: associations with BV and behavioural practices in sexually-experienced and inexperienced women. <i>PLoS ONE</i> , 2012 , 7, e30633	3.7	56
155	Transmission and selection of macrolide resistant Mycoplasma genitalium infections detected by rapid high resolution melt analysis. <i>PLoS ONE</i> , 2012 , 7, e35593	3.7	81
154	Oral human papillomavirus in men having sex with men: risk-factors and sampling. <i>PLoS ONE</i> , 2012 , 7, e49324	3.7	63
153	Understanding trends in genital Chlamydia trachomatis can benefit from enhanced surveillance: findings from Australia. <i>Sexually Transmitted Infections</i> , 2012 , 88, 552-7	2.8	25
152	Vaccination against sexually transmitted infections. <i>Current Opinion in Infectious Diseases</i> , 2012 , 25, 66-73	3.4	11
151	Incidence and risk factors associated with chlamydia in men who have sex with men: a cohort analysis of Victorian Primary Care Network for Sentinel Surveillance data. <i>Sexually Transmitted Infections</i> , 2012 , 88, 319-24	2.8	22
150	Impact of text and email messaging on the sexual health of young people: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 69-74	5.1	144
149	Efficacy of oral metronidazole with vaginal clindamycin or vaginal probiotic for bacterial vaginosis: randomised placebo-controlled double-blind trial. <i>PLoS ONE</i> , 2012 , 7, e34540	3.7	64
148	Risk-based HIV testing of men who have sex with men would result in missed HIV diagnoses. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 492	2.4	6
147	Syphilis infection among homosexual men reporting contact with syphilis: a case control study. <i>BMJ Open</i> , 2012 , 2,	3	3

146	Clients' views on a piloted telemedicine sexual health service for rural youth. <i>Sexual Health</i> , 2012 , 9, 192-3		8
145	Prevalence, incidence, and risk factors for human papillomavirus 16 seropositivity in Australian homosexual men. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 726-32	2.4	28
144	The efficacy of clinic-based interventions aimed at increasing screening for bacterial sexually transmitted infections among men who have sex with men: a systematic review. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 382-7	2.4	38
143	Chlamydia trachomatis incidence and re-infection among young women--behavioural and microbiological characteristics. <i>PLoS ONE</i> , 2012 , 7, e37778	3.7	81
142	Correlates of Chlamydia trachomatis infection in a primary care sentinel surveillance network. <i>Sexual Health</i> , 2012 , 9, 247-53	2	13
141	Symptomatic and asymptomatic early neurosyphilis in HIV-infected men who have sex with men: a retrospective case series from 2000 to 2007. <i>Sexual Health</i> , 2011 , 8, 207-13	2	14
140	Quadrivalent human papillomavirus vaccination and trends in genital warts in Australia: analysis of national sentinel surveillance data. <i>Lancet Infectious Diseases</i> , 2011 , 11, 39-44	25.5	285
139	Assessment of herd immunity from human papillomavirus vaccination [Authors' reply]. <i>Lancet Infectious Diseases</i> , 2011 , 11, 896-897	25.5	1
138	Re-testing for chlamydia at sexual health services in Australia, 2004-08. <i>Sexual Health</i> , 2011 , 8, 242-7	2	23
137	Effects of periodic presumptive treatment on three bacterial sexually transmissible infections and HIV among female sex workers in Port Moresby, Papua New Guinea. <i>Sexual Health</i> , 2011 , 8, 222-8	2	5
136	HIV knowledge, risk perception, and safer sex practices among female sex workers in Port Moresby, Papua New Guinea. <i>International Journal of Women's Health</i> , 2011 , 3, 53-61	2.8	11
135	Low incidence of bacterial vaginosis in cohort of young Australian women. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 124-6	2.4	13
134	Risk factors for HIV seroconversion in men who have sex with men in Victoria, Australia: results from a sentinel surveillance system. <i>Sexual Health</i> , 2011 , 8, 319-29	2	35
133	Advertising sexual health services that provide sexually transmissible infection screening for rural young people - what works and what doesn't. <i>Sexual Health</i> , 2011 , 8, 407-11	2	10
132	The incidence of induced abortion in a prospective cohort study of 16- to 25-year-old Australian women. <i>Sexual Health</i> , 2011 , 8, 439-41	2	2
131	The importance of striving for greater efficiency. <i>Sexual Health</i> , 2011 , 8, 3-4	2	7
130	Should we start screening for anal squamous intra-epithelial lesions in HIV-infected homosexual men?. <i>Sexual Health</i> , 2011 , 8, 140-2	2	2
129	Evaluation of Health Map: a patient-centred web-based service for supporting HIV-infected patients. <i>Sexual Health</i> , 2011 , 8, 194-8	2	4

128	The job satisfaction of female sex workers working in licensed brothels in Victoria, Australia. <i>Journal of Sexual Medicine</i> , 2011 , 8, 116-22	1.1	12
127	Trends in chlamydia and gonorrhoea positivity among heterosexual men and men who have sex with men attending a large urban sexual health service in Australia, 2002-2009. <i>BMC Infectious Diseases</i> , 2011 , 11, 158	4	35
126	Young people's views on the potential use of telemedicine consultations for sexual health: results of a national survey. <i>BMC Infectious Diseases</i> , 2011 , 11, 285	4	14
125	'The difference in determinants of Chlamydia trachomatis and Mycoplasma genitalium in a sample of young Australian women'. <i>BMC Infectious Diseases</i> , 2011 , 11, 35	4	64
124	Incidence of hepatitis-C among HIV infected men who have sex with men (MSM) attending a sexual health service: a cohort study. <i>BMC Infectious Diseases</i> , 2011 , 11, 39	4	42
123	Maximising retention in a longitudinal study of genital Chlamydia trachomatis among young women in Australia. <i>BMC Public Health</i> , 2011 , 11, 156	4.1	16
122	Use of a computer alert increases detection of early, asymptomatic syphilis among higher-risk men who have sex with men. <i>Clinical Infectious Diseases</i> , 2011 , 53, 57-8	11.6	33
121	Comparison of two Mycoplasma genitalium real-time PCR detection methodologies. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 1140-2	9.7	28
120	The near disappearance of genital warts in young women 4 years after commencing a national human papillomavirus (HPV) vaccination programme. <i>Sexually Transmitted Infections</i> , 2011 , 87, 544-7	2.8	172
119	Replacement of conventional HIV testing with rapid testing: mathematical modelling to predict the impact on further HIV transmission between men. <i>Sexually Transmitted Infections</i> , 2011 , 87, 588-93	2.8	10
118	Using information technology to control STIs. <i>Sexually Transmitted Infections</i> , 2011 , 87 Suppl 2, ii25-7	2.8	10
117	Computer assisted self interviewing in a sexual health clinic as part of routine clinical care; impact on service and patient and clinician views. <i>PLoS ONE</i> , 2011 , 6, e18456	3.7	28
116	Impact evaluation of a youth sexually transmissible infection awareness campaign using routinely collected data sources. <i>Sexual Health</i> , 2011 , 8, 234-41	2	13
115	Chlamydia trachomatis genotypes among men who have sex with men in Australia. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 279-85	2.4	29
114	Chlamydia trends in men who have sex with men attending sexual health services in Australia, 2004-2008. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 339-46	2.4	12
113	Estimating the number of unlicensed brothels operating in Melbourne. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 67-71	2.3	5
112	The decriminalization of prostitution is associated with better coverage of health promotion programs for sex workers. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 482-6	2.3	55
111	Development and evaluation of an ompA quantitative real-time PCR assay for Chlamydia trachomatis serovar determination. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2060-5	9.7	44

110	Let Them Know: evaluation of an online partner notification service for chlamydia that offers E-mail and SMS messaging. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 563-5	2.4	37
109	Frequent screening for syphilis as part of HIV monitoring increases the detection of early asymptomatic syphilis among HIV-positive homosexual men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 55, 211-6	3.1	63
108	Computer-assisted self interviewing in sexual health clinics. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 665-84	2.4	42
107	Knowledge, attitudes, practices and behaviour of female sex workers in Port Moresby, Papua New Guinea. <i>Sexual Health</i> , 2010 , 7, 85-9	2	4
106	A cross-sectional study of reported symptoms for sexually transmissible infections among female sex workers in Papua New Guinea. <i>Sexual Health</i> , 2010 , 7, 71-6	2	11
105	What can surveillance of genital warts tell us?. <i>Sexual Health</i> , 2010 , 7, 325-7	2	19
104	Pelvic examination leads to changed clinical management in very few women diagnosed with asymptomatic chlamydia infection. <i>Sexual Health</i> , 2010 , 7, 498-9	2	1
103	HIV is rare among low-risk heterosexual men and significant potential savings could occur through phone results. <i>Sexual Health</i> , 2010 , 7, 495-7	2	3
102	Establishing a linked sentinel surveillance system for blood-borne viruses and sexually transmissible infections: methods, system attributes and early findings. <i>Sexual Health</i> , 2010 , 7, 425-33	2	28
101	Chlamydia at an inner metropolitan sexual health service in Sydney, NSW: Australian Collaboration for Chlamydia Enhanced Sentinel Surveillance (ACCESS) Project. <i>Sexual Health</i> , 2010 , 7, 478-83	2	2
100	Incentive payments to general practitioners aimed at increasing opportunistic testing of young women for chlamydia: a pilot cluster randomised controlled trial. <i>BMC Public Health</i> , 2010 , 10, 70	4.1	20
99	Better than nothing? Patient-delivered partner therapy and partner notification for chlamydia: the views of Australian general practitioners. <i>BMC Infectious Diseases</i> , 2010 , 10, 274	4	20
98	Telling partners about chlamydia: how acceptable are the new technologies?. <i>BMC Infectious Diseases</i> , 2010 , 10, 58	4	12
97	Definitions of antiretroviral treatment failure for measuring quality outcomes. <i>HIV Medicine</i> , 2010 , 11, 427-31	2.7	5
96	Computer reminders for Chlamydia screening in general practice: a randomized controlled trial. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 445-50	2.4	33
95	Experiences and outcomes of partner notification among men and women recently diagnosed with Chlamydia and their views on innovative resources aimed at improving notification rates. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 253-8	2.4	27
94	Sampling technique and detection rates for pharyngeal gonorrhoea using culture. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 522-4	2.4	12
93	Sexual health consultation for men who have sex with men. <i>BMJ, The</i> , 2010 , 340, c958	5.9	0

92	The experience of providing young people attending general practice with an online risk assessment tool to assess their own sexual health risk. <i>BMC Infectious Diseases</i> , 2009 , 9, 29	4	17
91	Lymphogranuloma venereum becomes an established infection among men who have sex with men in Melbourne. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 94	2.3	8
90	Early sexual experiences and risk factors for bacterial vaginosis. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1662-70	7	91
89	Patterns of treatment of external genital warts in Australian sexual health clinics. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 375-9	2.4	16
88	Innovative resources could help improve partner notification for chlamydia in primary care. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 779-83	2.4	18
87	Evaluation of self-collected urine dip swab method for detection of Chlamydia trachomatis. <i>Sexual Health</i> , 2009 , 6, 213-6	2	8
86	Access to sexual health advice using an automated, internet-based risk assessment service. <i>Sexual Health</i> , 2009 , 6, 63-6	2	8
85	Trends in Chlamydia positivity over time among women in Melbourne Australia, 2003 to 2007. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 763-7	2.4	19
84	A randomized controlled trial of the safety of candidate microbicide SPL7013 gel when applied to the penis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 50, 375-80	3.1	28
83	What needs to change to increase chlamydia screening in general practice in Australia? The views of general practitioners. <i>BMC Public Health</i> , 2008 , 8, 425	4.1	43
82	What is the "true" prevalence of female sexual dysfunctions and does the way we assess these conditions have an impact?. <i>Journal of Sexual Medicine</i> , 2008 , 5, 777-787	1.1	207
81	Risk factors for female sexual dysfunction in the general population: exploring factors associated with low sexual function and sexual distress. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1681-93	1.1	259
80	Are aspects of study design associated with the reported prevalence of female sexual difficulties?. <i>Fertility and Sterility</i> , 2008 , 90, 497-505	4.8	21
79	Testing rates for sexually transmitted infections among HIV-infected men who have sex with men attending two different HIV services. <i>International Journal of STD and AIDS</i> , 2008 , 19, 200-2	1.4	18
78	Sexual risk factors and bacterial vaginosis: a systematic review and meta-analysis. <i>Clinical Infectious Diseases</i> , 2008 , 47, 1426-35	11.6	221
77	Azithromycin treatment failure in Mycoplasma genitalium-positive patients with nongonococcal urethritis is associated with induced macrolide resistance. <i>Clinical Infectious Diseases</i> , 2008 , 47, 1546-53	11.6	231
76	Clinical significance of questionnaire-elicited or clinically reported anorectal symptoms for rectal Neisseria gonorrhoeae and Chlamydia trachomatis amongst men who have sex with men. <i>Sexual Health</i> , 2008 , 5, 77-82	2	10
75	Sexually transmissible infection and HIV management among men who have sex with men with and without HIV: survey of medical practitioners who are members of the Australasian Society for HIV Medicine. <i>Sexual Health</i> , 2008 , 5, 155-9	2	1

74	Temporal associations with declining <i>Trichomonas vaginalis</i> diagnosis rates among women in the state of Victoria, Australia, 1947 to 2005. <i>Sexually Transmitted Diseases</i> , 2008 , 35, 572-6	2.4	13
73	Take the sex out of STI screening! Views of young women on implementing chlamydia screening in General Practice. <i>BMC Infectious Diseases</i> , 2008 , 8, 62	4	37
72	Persistence of <i>Mycoplasma genitalium</i> following azithromycin therapy. <i>PLoS ONE</i> , 2008 , 3, e3618	3.7	90
71	HIV prevention during a sexual health consultation; a suggested quality audit. <i>Sexual Health</i> , 2008 , 5, 309	2	
70	Incidence of putative HIV superinfection and sexual practices among HIV-infected men who have sex with men. <i>Sexual Health</i> , 2008 , 5, 61-7	2	12
69	General Practitioners' Use of Internet-Based Patient Materials for Partner Notification. <i>Sexually Transmitted Diseases</i> , 2007 , 34, 613-616	2.4	8
68	Evaluation of PorB variable region typing of <i>Neisseria gonorrhoeae</i> using PCR-ELISA in samples collected from men who have sex with men. <i>Journal of Clinical Laboratory Analysis</i> , 2007 , 21, 237-43	3	6
67	Comparisons of trends in antiretroviral use and HIV notification rates between three Australian states. <i>Australian and New Zealand Journal of Public Health</i> , 2007 , 31, 131-4	2.3	8
66	Interventions for increasing chlamydia screening in primary care: a review. <i>BMC Public Health</i> , 2007 , 7, 95	4.1	25
65	Evidence for the effectiveness of a chlamydia awareness campaign: increased population rates of chlamydia testing and detection. <i>International Journal of STD and AIDS</i> , 2007 , 18, 239-43	1.4	21
64	"Doctor, how long has my Chlamydia been there?" Answer: "... years". <i>Sexually Transmitted Diseases</i> , 2007 , 34, 727-8	2.4	4
63	Human adenoviruses types associated with non-gonococcal urethritis. <i>Sexual Health</i> , 2007 , 4, 41-4	2	22
62	Prevalence of sexual difficulties among female sex workers and clients attending a sexual health service. <i>International Journal of STD and AIDS</i> , 2007 , 18, 613-6	1.4	3
61	A plea for more research on access to sexual health services. <i>International Journal of STD and AIDS</i> , 2007 , 18, 75-6	1.4	11
60	Recommendations for chaperoning in sexual health settings. <i>Sexual Health</i> , 2007 , 4, 207	2	2
59	Australian sexual health practitioners' use of chaperones for genital examinations: a survey of attitudes and practice. <i>Sexual Health</i> , 2007 , 4, 95-7	2	16
58	Rising HIV notifications in Australia: accounting for the increase in people living with HIV and implications for the HIV transmission rate. <i>Sexual Health</i> , 2007 , 4, 31-3	2	12
57	The differing views of male and female patients toward chaperones for genital examinations in a sexual health setting. <i>Sexually Transmitted Diseases</i> , 2007 , 34, 1004-7	2.4	13

56	What can prevalence studies tell us about female sexual difficulty and dysfunction?. <i>Journal of Sexual Medicine</i> , 2006 , 3, 589-595	1.1	233
55	Implementing chlamydia screening: what do women think? A systematic review of the literature. <i>BMC Public Health</i> , 2006 , 6, 221	4.1	71
54	Etiologies of nongonococcal urethritis: bacteria, viruses, and the association with orogenital exposure. <i>Journal of Infectious Diseases</i> , 2006 , 193, 336-45	7	195
53	Use of the Delphi sorting technique to establish a core sexual history. <i>International Journal of STD and AIDS</i> , 2006 , 17, 170-2	1.4	10
52	High recurrence rates of bacterial vaginosis over the course of 12 months after oral metronidazole therapy and factors associated with recurrence. <i>Journal of Infectious Diseases</i> , 2006 , 193, 1478-86	7	413
51	Associations between condom use and rectal or urethral chlamydia infection in men. <i>Sexually Transmitted Diseases</i> , 2006 , 33, 256-8	2.4	13
50	Prevalence of Gardnerella vaginalis and Atopobium vaginae in virginal women. <i>Sexually Transmitted Diseases</i> , 2006 , 33, 663-5	2.4	18
49	A chlamydia prevalence survey of young women living in Melbourne, Victoria. <i>Sexual Health</i> , 2006 , 3, 235-40	2	47
48	Antibiotic consumption and chlamydia prevalence in international studies. <i>Sexual Health</i> , 2006 , 3, 221-4	2	8
47	A survey of partner notification practices among general practitioners and their use of an internet resource for partner notification for Chlamydia trachomatis. <i>Sexual Health</i> , 2006 , 3, 217-20	2	12
46	Changes in the diagnosis and management of bacterial vaginosis following clinical research. <i>Sexual Health</i> , 2006 , 3, 183-5	2	1
45	Anorectal lymphogranuloma venereum in a Melbourne man. <i>Sexual Health</i> , 2006 , 3, 189-90	2	14
44	Long-term utility of measuring adherence by self-report compared with pharmacy record in a routine clinic setting. <i>HIV Medicine</i> , 2005 , 6, 366-9	2.7	64
43	The re-emergence of syphilis among homosexually active men in Melbourne. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 390-1	2.3	14
42	No correlation between clinical symptoms and Blastocystis hominis in immunocompetent individuals. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1390-4	4	63
41	Pathogens causing community gastroenteritis in Australia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1685-90	4	29
40	Introduction of screening guidelines for men who have sex with men at an STD clinic, the Melbourne Sexual Health Centre, Australia. <i>Sexual Health</i> , 2005 , 2, 241-4	2	14
39	Comprehensive clinical care on-site in men-only saunas: confidential STI/HIV screening outreach clinic. <i>International Journal of STD and AIDS</i> , 2005 , 16, 794-8	1.4	16

38	An audit of completeness of clinical histories: before and after introduction of a pro forma. <i>International Journal of STD and AIDS</i> , 2005 , 16, 822-4	1.4	8
37	Protective immunity associated with a strong serological response to a <i>Cryptosporidium</i> -specific antigen group, in HIV-infected individuals. <i>Journal of Infectious Diseases</i> , 2005 , 192, 618-21	7	22
36	<i>Chlamydia trachomatis</i> serovars causing urogenital infections in women in Melbourne, Australia. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2546-7	9.7	11
35	Do all women attending urban sexual health services need testing for gonorrhoea?. <i>Sexual Health</i> , 2005 , 2, 259-60	2	5
34	Variability of the <i>Chlamydia trachomatis</i> omp1 gene detected in samples from men tested in male-only saunas in Melbourne, Australia. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 2596-601	9.7	30
33	HIV partner notification: a 2002 Victorian audit. <i>International Journal of STD and AIDS</i> , 2004 , 15, 629-31	1.4	8
32	Failure to detect norovirus in a large group of asymptomatic individuals. <i>Public Health</i> , 2004 , 118, 230-3	4	15
31	Case-control Studies of Sporadic Cryptosporidiosis in Melbourne and Adelaide 2003 , 303-306		
30	Incidence and characteristics of endemic Norwalk-like virus-associated gastroenteritis. <i>Journal of Medical Virology</i> , 2003 , 69, 568-78	19.7	70
29	Cost of community gastroenteritis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 322-8	4	31
28	Acquisition of methicillin-resistant <i>Staphylococcus aureus</i> in a large intensive care unit. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 322-6	2	70
27	Bacteraemia due to <i>Stenotrophomonas maltophilia</i> : an analysis of 45 episodes. <i>Journal of Infection</i> , 2002 , 45, 47-53	18.9	111
26	The rate of gastroenteritis in a large city before and after chlorination. <i>International Journal of Environmental Health Research</i> , 2002 , 12, 355-60	3.6	3
25	Psychosocial factors are associated with prolonged hospitalization in a population with advanced HIV. <i>International Journal of STD and AIDS</i> , 2001 , 12, 302-6	1.4	10
24	Time trends in HIV incidence among homosexually active men seen at sexual health clinics in Australia, 1993-1999. <i>Journal of Clinical Virology</i> , 2001 , 22, 297-303	14.5	3
23	Changes in the incidence of gastroenteritis and the implementation of public water treatment. <i>International Journal of Environmental Health Research</i> , 2001 , 11, 299-303	3.6	5
22	Prevalence of enteric pathogens among community based asymptomatic individuals. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 290-3	4	73
21	Monitoring not the answer to cryptosporidium in water. <i>Lancet, The</i> , 1999 , 354, 967-9	40	12

20	Prevalence and genotyping of HPV in cervical cancer among Australian women. <i>International Journal of Gynecology and Obstetrics</i> , 1999 , 67, 163-8	4	12
19	Hospital admissions in children due to pneumococcal pneumonia in England. <i>Journal of Infection</i> , 1998 , 37, 54-8	18.9	34
18	Comparison of tampon and urine as self-administered methods of specimen collection in the detection of Chlamydia trachomatis, Neisseria gonorrhoeae and Trichomonas vaginalis in women. <i>International Journal of STD and AIDS</i> , 1998 , 9, 347-9	1.4	34
17	Cryptosporidiosis in patients with AIDS. <i>International Journal of STD and AIDS</i> , 1997 , 8, 339-41	1.4	
16	Safe drinking water. <i>Medical Journal of Australia</i> , 1997 , 166, 670	4	
15	AIDS defining diseases in the UK: the impact of PCP prophylaxis and twelve years of change. <i>International Journal of STD and AIDS</i> , 1996 , 7, 252-7	1.4	10
14	The organisms reported to cause infective myocarditis and pericarditis in England and Wales. <i>Journal of Infection</i> , 1996 , 32, 223-5	18.9	42
13	A randomized clinical trial of beta carotene vs placebo for the treatment of cervical HPV infection. <i>International Journal of Gynecological Cancer</i> , 1996 , 6, 225-230	3.5	28
12	Antibody responses and symptoms after DTP and either tetanus or diphtheria Haemophilus influenzae type B conjugate vaccines given for primary immunisation by separate or mixed injection. <i>Vaccine</i> , 1995 , 13, 1547-50	4.1	21
11	Observational study of effect of intrauterine transfusions on outcome of fetal hydrops after parvovirus B19 infection. <i>Lancet, The</i> , 1995 , 346, 1335-7	40	135
10	CD4 lymphocyte numbers after splenectomy in patients infected with the human immunodeficiency virus. <i>International Journal of STD and AIDS</i> , 1994 , 5, 177-81	1.4	7
9	Augmentin-associated jaundice. <i>Medical Journal of Australia</i> , 1994 , 160, 733-734	4	10
8	The public health problem of environmental lead exposure. <i>Medical Journal of Australia</i> , 1994 , 160, 173-174	4	
7	Southern blot and dot blot hybridisation compared to PCR for the detection of human papillomavirus DNA in biopsies of the uterine cervix from women with dysplasia. <i>Clinical and Diagnostic Virology</i> , 1993 , 1, 187-94		1
6	Is HPV always sexually acquired?. <i>Medical Journal of Australia</i> , 1993 , 159, 724-6	4	4
5	Spinal cord toxoplasmosis in a patient with human immunodeficiency virus infection. <i>International Journal of STD and AIDS</i> , 1992 , 3, 366-8	1.4	10
4	Influence of quartile of menstrual cycle on pellet volume of specimens from tampons and isolation of human papillomavirus. <i>Journal of Infectious Diseases</i> , 1992 , 166, 1199-200	7	5
3	Tampons: a novel patient-administered method for the assessment of genital human papillomavirus infection. <i>Journal of Infectious Diseases</i> , 1992 , 165, 1103-6	7	60

- 2 Hepatitis C antibody testing: problems associated with non-specific binding. *Journal of Virological Methods*, **1991**, 33, 311-7 2.6 10
- 1 Role of saliva use during masturbation in the transmission of *Chlamydia trachomatis* in men who have sex with men. *Epidemiology and Infection*, 1-21 4.3 0