

Nicolas Rodondi, Mas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1956575/nicolas-rodondi-mas-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

12,378
citations

54
h-index

102
g-index

362
ext. papers

15,190
ext. citations

6.2
avg, IF

5.86
L-index

#	Paper	IF	Citations
338	Subclinical hypothyroidism and the risk of coronary heart disease and mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1365-74	27.4	670
337	Comparison of 2 frailty indexes for prediction of falls, disability, fractures, and death in older women. <i>Archives of Internal Medicine</i> , 2008 , 168, 382-9		602
336	Frailty and risk of falls, fracture, and mortality in older women: the study of osteoporotic fractures. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 744-51	6.4	461
335	Subclinical hyperthyroidism and the risk of coronary heart disease and mortality. <i>Archives of Internal Medicine</i> , 2012 , 172, 799-809		331
334	Subclinical hypothyroidism and the risk of heart failure, other cardiovascular events, and death. <i>Archives of Internal Medicine</i> , 2005 , 165, 2460-6		321
333	Subclinical thyroid dysfunction and the risk of heart failure events: an individual participant data analysis from 6 prospective cohorts. <i>Circulation</i> , 2012 , 126, 1040-9	16.7	315
332	Meta-analysis: subclinical thyroid dysfunction and the risk for coronary heart disease and mortality. <i>Annals of Internal Medicine</i> , 2008 , 148, 832-45	8	311
331	Inflammatory markers and incident heart failure risk in older adults: the Health ABC (Health, Aging, and Body Composition) study. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2129-37	15.1	284
330	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016 , 37, 1967-76	9.5	279
329	Individualised nutritional support in medical inpatients at nutritional risk: a randomised clinical trial. <i>Lancet, The</i> , 2019 , 393, 2312-2321	40	246
328	Adjunct prednisone therapy for patients with community-acquired pneumonia: a multicentre, double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015 , 385, 1511-8	40	244
327	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. <i>New England Journal of Medicine</i> , 2017 , 376, 2534-2544	59.2	238
326	Gut microbiota-dependent trimethylamine N-oxide in acute coronary syndromes: a prognostic marker for incident cardiovascular events beyond traditional risk factors. <i>European Heart Journal</i> , 2017 , 38, 814-824	9.5	226
325	Subclinical thyroid dysfunction and fracture risk: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 2055-65	27.4	190
324	Premature atherosclerosis in HIV-infected individuals--focus on protease inhibitor therapy. <i>Aids</i> , 2001 , 15, 329-34	3.5	189
323	Subclinical thyroid dysfunction, cardiac function, and the risk of heart failure. The Cardiovascular Health study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1152-9	15.1	187
322	Incident heart failure prediction in the elderly: the health ABC heart failure score. <i>Circulation: Heart Failure</i> , 2008 , 1, 125-33	7.6	182

3 ²¹	Metabolic syndrome and the risk of cardiovascular disease in older adults. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1595-602	15.1	152
3 ²⁰	Subclinical thyroid dysfunction and the risk of heart failure in older persons at high cardiovascular risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 852-61	5.6	145
3 ¹⁹	Subclinical hypothyroidism and the risk of coronary heart disease: a meta-analysis. <i>American Journal of Medicine</i> , 2006 , 119, 541-51	2.4	145
3 ¹⁸	Therapy modifications in response to poorly controlled hypertension, dyslipidemia, and diabetes mellitus. <i>Annals of Internal Medicine</i> , 2006 , 144, 475-84	8	145
3 ¹⁷	Risk of falls and major bleeds in patients on oral anticoagulation therapy. <i>American Journal of Medicine</i> , 2012 , 125, 773-8	2.4	139
3 ¹⁶	Marijuana use, diet, body mass index, and cardiovascular risk factors (from the CARDIA study). <i>American Journal of Cardiology</i> , 2006 , 98, 478-84	3	138
3 ¹⁵	Epidemiology of incident heart failure in a contemporary elderly cohort: the health, aging, and body composition study. <i>Archives of Internal Medicine</i> , 2009 , 169, 708-15		135
3 ¹⁴	Comparing impact and cost-effectiveness of primary prevention strategies for lipid-lowering. <i>Annals of Internal Medicine</i> , 2009 , 150, 243-54	8	129
3 ¹³	Association of major and minor ECG abnormalities with coronary heart disease events. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 1497-505	27.4	122
3 ¹²	Association of Thyroid Hormone Therapy With Quality of Life and Thyroid-Related Symptoms in Patients With Subclinical Hypothyroidism: A Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1349-1359	27.4	113
3 ¹¹	Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2181-91	5.6	112
3 ¹⁰	Frailty and risk for heart failure in older adults: the health, aging, and body composition study. <i>American Heart Journal</i> , 2013 , 166, 887-94	4.9	104
3 ⁰⁹	Thyroid function and prevalent and incident metabolic syndrome in older adults: the Health, Ageing and Body Composition Study. <i>Clinical Endocrinology</i> , 2012 , 76, 911-8	3.4	97
3 ⁰⁸	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. <i>Circulation</i> , 2017 , 136, 2100-2116	16.7	95
3 ⁰⁷	Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2015 , 36, 2438-45	9.5	91
3 ⁰⁶	Prognostic value of PCSK9 levels in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2016 , 37, 546-53	9.5	89
3 ⁰⁵	Subclinical hypothyroidism and functional mobility in older adults. <i>Archives of Internal Medicine</i> , 2009 , 169, 2011-7		86
3 ⁰⁴	Alcohol drinking and cardiovascular risk in a population with high mean alcohol consumption. <i>American Journal of Cardiology</i> , 2009 , 103, 361-8	3	84

303	Subclinical Thyroid Dysfunction and the Risk of Cognitive Decline: a Meta-Analysis of Prospective Cohort Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4945-4954	5.6	84
302	Relationships of Overt and Silent Brain Lesions With Cognitive Function in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 989-999	15.1	80
301	Overdiagnosis and overtreatment of thyroid cancer: A population-based temporal trend study. <i>PLoS ONE</i> , 2017 , 12, e0179387	3.7	80
300	Prognosis of Patients With Familial Hypercholesterolemia After Acute Coronary Syndromes. <i>Circulation</i> , 2016 , 134, 698-709	16.7	79
299	Markers of atherosclerosis and inflammation for prediction of coronary heart disease in older adults. <i>American Journal of Epidemiology</i> , 2010 , 171, 540-9	3.8	73
298	Scores to predict major bleeding risk during oral anticoagulation therapy: a prospective validation study. <i>American Journal of Medicine</i> , 2012 , 125, 1095-102	2.4	72
297	High risk for hyperlipidemia and the metabolic syndrome after an episode of hypertriglyceridemia during 13-cis retinoic acid therapy for acne: a pharmacogenetic study. <i>Annals of Internal Medicine</i> , 2002 , 136, 582-9	8	72
296	Electrocardiographic PR interval and adverse outcomes in older adults: the Health, Aging, and Body Composition study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 84-90	6.4	70
295	The Lausanne cohort Lc65+: a population-based prospective study of the manifestations, determinants and outcomes of frailty. <i>BMC Geriatrics</i> , 2008 , 8, 20	4.1	70
294	Framingham risk score and alternatives for prediction of coronary heart disease in older adults. <i>PLoS ONE</i> , 2012 , 7, e34287	3.7	68
293	Subclinical thyroid dysfunction and cardiovascular diseases: 2016 update. <i>European Heart Journal</i> , 2018 , 39, 503-507	9.5	67
292	Subclinical thyroid dysfunction and the risk for fractures: a systematic review and meta-analysis. <i>Annals of Internal Medicine</i> , 2014 , 161, 189-99	8	63
291	Serum resistin concentrations and risk of new onset heart failure in older persons: the health, aging, and body composition (Health ABC) study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1144-9	9.4	62
290	Treatment intensification and risk factor control: toward more clinically relevant quality measures. <i>Medical Care</i> , 2009 , 47, 395-402	3.1	61
289	Association between aortic calcification and total and cardiovascular mortality in older women. <i>Journal of Internal Medicine</i> , 2007 , 261, 238-44	10.8	60
288	Normal Thyroid Function and the Risk of Atrial Fibrillation: the Rotterdam Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3718-24	5.6	58
287	Prospective, multicenter validation of prediction scores for major bleeding in elderly patients with venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 435-43	15.4	58
286	Thyroid hormone use, hyperthyroidism and mortality in older women. <i>American Journal of Medicine</i> , 2007 , 120, 343-9	2.4	58

285	Thyroid function within the normal range and risk of coronary heart disease: an individual participant data analysis of 14 cohorts. <i>JAMA Internal Medicine</i> , 2015 , 175, 1037-47	11.5	55
284	Profiling and validation of circulating microRNAs for cardiovascular events in patients presenting with ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2017 , 38, 511-515	9.5	53
283	Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 129-138	4.3	52
282	International core outcome set for clinical trials of medication review in multi-morbid older patients with polypharmacy. <i>BMC Medicine</i> , 2018 , 16, 21	11.4	52
281	Thyroid antibody status, subclinical hypothyroidism, and the risk of coronary heart disease: an individual participant data analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3353-62	5.6	52
280	Predictors and Causes of Long-Term Mortality in Elderly Patients with Acute Venous Thromboembolism: A Prospective Cohort Study. <i>American Journal of Medicine</i> , 2017 , 130, 198-206	2.4	51
279	Impact of electronic monitoring of drug adherence on blood pressure control in primary care: a cluster 12-month randomised controlled study. <i>European Journal of Internal Medicine</i> , 2008 , 19, 427-34	3.9	51
278	The Swiss cohort of elderly patients with venous thromboembolism (SWITCO65+): rationale and methodology. <i>Journal of Thrombosis and Thrombolysis</i> , 2013 , 36, 475-83	5.1	50
277	Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4270-4282	5.6	50
276	Polypharmacy is associated with an increased risk of bleeding in elderly patients with venous thromboembolism. <i>Journal of General Internal Medicine</i> , 2015 , 30, 17-24	4	49
275	The association between subclinical thyroid dysfunction and dementia: The Health, Aging and Body Composition (Health ABC) Study. <i>Clinical Endocrinology</i> , 2017 , 87, 617-626	3.4	49
274	Subclinical hypothyroidism: summary of evidence in 2014. <i>Swiss Medical Weekly</i> , 2014 , 144, w14058	3.1	49
273	Nutritional risk screening (NRS 2002) is a strong and modifiable predictor risk score for short-term and long-term clinical outcomes: secondary analysis of a prospective randomised trial. <i>Clinical Nutrition</i> , 2020 , 39, 2720-2729	5.9	49
272	Association Between Levothyroxine Treatment and Thyroid-Related Symptoms Among Adults Aged 80 Years and Older With Subclinical Hypothyroidism. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1977-1986	27.4	47
271	Plasminogen activator inhibitor type 1 gene polymorphisms and haplotypes are associated with plasma plasminogen activator inhibitor type 1 levels but not with myocardial infarction or stroke. <i>American Heart Journal</i> , 2006 , 152, 1109-15	4.9	46
270	Subclinical Thyroid Dysfunction and Depressive Symptoms among the Elderly: A Prospective Cohort Study. <i>Neuroendocrinology</i> , 2016 , 103, 291-9	5.6	44
269	Resting heart rate and incident heart failure and cardiovascular mortality in older adults: role of inflammation and endothelial dysfunction: the PROSPER study. <i>European Journal of Heart Failure</i> , 2013 , 15, 581-8	12.3	44
268	Subclinical thyroid dysfunction and cognitive decline in old age. <i>PLoS ONE</i> , 2013 , 8, e59199	3.7	44

267	Subclinical thyroid dysfunction and cardiovascular outcomes among prospective cohort studies. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013 , 13, 4-12	2.2	44
266	Association between subclinical thyroid dysfunction and change in bone mineral density in prospective cohorts. <i>Journal of Internal Medicine</i> , 2018 , 283, 56-72	10.8	43
265	Hypertriglyceridemia: a potential side effect of propofol sedation in critical illness. <i>Intensive Care Medicine</i> , 2012 , 38, 1990-8	14.5	43
264	Microalbuminuria, but not cystatin C, is associated with carotid atherosclerosis in middle-aged adults. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 1107-14	4.3	43
263	Association between resistin levels and cardiovascular disease events in older adults: The health, aging and body composition study. <i>Atherosclerosis</i> , 2016 , 245, 181-6	3.1	41
262	Counselling overweight and obese patients in primary care: a prospective cohort study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 222-8		41
261	Lung function and risk for heart failure among older adults: the Health ABC Study. <i>American Journal of Medicine</i> , 2011 , 124, 334-41	2.4	39
260	Impact of inflammation on the relationship among alcohol consumption, mortality, and cardiac events: the health, aging, and body composition study. <i>Archives of Internal Medicine</i> , 2006 , 166, 1490-7		39
259	De-implementing wisely: developing the evidence base to reduce low-value care. <i>BMJ Quality and Safety</i> , 2020 , 29, 409-417	5.4	37
258	Subclinical thyroid dysfunction and the risk of stroke: a systematic review and meta-analysis. <i>European Journal of Epidemiology</i> , 2014 , 29, 791-800	12.1	36
257	Efficacy of in-hospital multidimensional interventions of secondary prevention after acute coronary syndrome: a systematic review and meta-analysis. <i>Circulation</i> , 2008 , 117, 3109-17	16.7	36
256	Polypharmacy and specific comorbidities in university primary care settings. <i>European Journal of Internal Medicine</i> , 2016 , 35, 35-42	3.9	36
255	Association of Baseline Inflammation With Effectiveness of Nutritional Support Among Patients With Disease-Related Malnutrition: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e200663	10.4	35
254	Decreased phosphatidylcholine plasmalogens--A putative novel lipid signature in patients with stable coronary artery disease and acute myocardial infarction. <i>Atherosclerosis</i> , 2016 , 246, 130-40	3.1	35
253	Safety profile of prasugrel and clopidogrel in patients with acute coronary syndromes in Switzerland. <i>Heart</i> , 2015 , 101, 854-63	5.1	34
252	Alcohol drinking, the metabolic syndrome and diabetes in a population with high mean alcohol consumption. <i>Diabetic Medicine</i> , 2010 , 27, 1241-9	3.5	34
251	Associations of obesity and body fat distribution with incident atrial fibrillation in the biracial health aging and body composition cohort of older adults. <i>American Heart Journal</i> , 2015 , 170, 498-505.e2	4.9	33
250	Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. <i>European Heart Journal</i> , 2017 , 38, 3493-3502	9.5	33

249	Study protocol; Thyroid hormone Replacement for Untreated older adults with Subclinical hypothyroidism - a randomised placebo controlled Trial (TRUST). <i>BMC Endocrine Disorders</i> , 2017 , 17, 6	3.3	32
248	Prefrailty and chronic morbidity in the youngest old: an insight from the Lausanne cohort Lc65+. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1687-94	5.6	32
247	Predicting recurrence after unprovoked venous thromboembolism: prospective validation of the updated Vienna Prediction Model. <i>Blood</i> , 2015 , 126, 1949-51	2.2	31
246	Reasons for discontinuation of recommended therapies according to the patients after acute coronary syndromes. <i>European Journal of Internal Medicine</i> , 2015 , 26, 56-62	3.9	31
245	Predictive accuracy and usefulness of calibration of the ESC SCORE in Switzerland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 402-8		31
244	Design of the Swiss Atrial Fibrillation Cohort Study (Swiss-AF): structural brain damage and cognitive decline among patients with atrial fibrillation. <i>Swiss Medical Weekly</i> , 2017 , 147, w14467	3.1	30
243	Circulating FABP4 is a prognostic biomarker in patients with acute coronary syndrome but not in asymptomatic individuals. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1872-9	9.4	29
242	Subclinical thyroid dysfunction and functional capacity among elderly. <i>Thyroid</i> , 2014 , 24, 208-14	6.2	28
241	Contribution of major cardiovascular risk factors to familial premature coronary artery disease: the GENECARD project. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 676-84	15.1	28
240	Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2719-2728	5.6	27
239	Loss of Sirt3 accelerates arterial thrombosis by increasing formation of neutrophil extracellular traps and plasma tissue factor activity. <i>Cardiovascular Research</i> , 2018 , 114, 1178-1188	9.9	27
238	Impact of Thyroid Hormone Therapy on Atherosclerosis in the Elderly With Subclinical Hypothyroidism: A Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2988-2997	5.6	27
237	Subclinical Thyroid Dysfunction and Frailty Among Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4524-32	5.6	26
236	Improvement of cardiovascular risk prediction: time to review current knowledge, debates, and fundamentals on how to assess test characteristics. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 18-23		26
235	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. <i>New England Journal of Medicine</i> , 2017 , 377, e20	59.2	25
234	Expected impact of applying new 2013 AHA/ACC cholesterol guidelines criteria on the recommended lipid target achievement after acute coronary syndromes. <i>Atherosclerosis</i> , 2015 , 239, 118-124	3.1	25
233	Quality of care after acute coronary syndromes in a prospective cohort with reasons for non-prescription of recommended medications. <i>PLoS ONE</i> , 2014 , 9, e93147	3.7	25
232	Impact of carotid plaque screening on smoking cessation and other cardiovascular risk factors: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2012 , 172, 344-52		24

231	Aspirin use for the primary prevention of coronary heart disease: a population-based study in Switzerland. <i>Preventive Medicine</i> , 2008 , 46, 137-44	4.3	24
230	Thyroid dysfunction and anaemia in a large population-based study. <i>Clinical Endocrinology</i> , 2016 , 84, 627-31	3.4	24
229	Design and rationale of the effect of early nutritional therapy on frailty, functional outcomes and recovery of malnourished medical inpatients trial (EFFORT): a pragmatic, multicenter, randomized-controlled trial. <i>International Journal of Clinical Trials</i> , 2018 , 5, 142	2.7	23
228	Screening and treatment of hypertension in older adults: less is more?. <i>Public Health Reviews</i> , 2018 , 39, 26	4.3	23
227	Association between conventional risk factors and different ultrasound-based markers of atherosclerosis at carotid and femoral levels in a middle-aged population. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 589-99	2.5	22
226	Prospective comparison of clinical prognostic scores in elder patients with a pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 2270-6	15.4	22
225	Defining Optimal Health Range for Thyroid Function Based on the Risk of Cardiovascular Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2853-2861	5.6	21
224	Eligibility for PCSK9 Inhibitors According to American College of Cardiology (ACC) and European Society of Cardiology/European Atherosclerosis Society (ESC/EAS) Guidelines After Acute Coronary Syndromes. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	21
223	Rationale and design of OPTimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e026769 ³		21
222	Abdominal aortic calcification and risk of fracture among older women - The SOF study. <i>Bone</i> , 2015 , 81, 16-23	4.7	20
221	Sex differences in the prevalence and clinical outcomes of subclinical peripheral artery disease in the Health, Aging, and Body Composition (Health ABC) study. <i>Vascular</i> , 2014 , 22, 142-8	1.3	20
220	Predictive accuracy of original and recalibrated Framingham risk score in the Swiss population. <i>International Journal of Cardiology</i> , 2009 , 133, 346-53	3.2	20
219	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 650-659	4.3	20
218	Optimizing Therapy to Prevent Avoidable Hospital Admissions in Multimorbid Older Adults (OPERAM): cluster randomised controlled trial. <i>BMJ, The</i> , 2021 , 374, n1585	5.9	20
217	Physical activity and risk of bleeding in elderly patients taking anticoagulants. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 197-205	15.4	19
216	Domains of importance to the quality of life of older people from two Swiss regions. <i>Age and Ageing</i> , 2015 , 44, 979-85	3	19
215	Individualized Nutritional Support for Hospitalized Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 2307-2319	15.1	19
214	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3658-3667	5.6	19

213	Prevalence of potentially inappropriate prescribing in a subpopulation of older European clinical trial participants: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e019003	3	18
212	Multimorbidity in adult asylum seekers: a first overview. <i>PLoS ONE</i> , 2013 , 8, e82671	3.7	18
211	Aspirin use for the primary prevention of coronary heart disease in older adults. <i>American Journal of Medicine</i> , 2005 , 118, 1288	2.4	18
210	Initial evaluation of thyroid dysfunction - Are simultaneous TSH and FT4 tests necessary?. <i>PLoS ONE</i> , 2018 , 13, e0196631	3.7	18
209	Development of a standardized chart review method to identify drug-related hospital admissions in older people. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2600-2614	3.8	17
208	Blood pressure in relation to frailty in older adults: A population-based study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1895-1904	2.3	17
207	Variation in GP decisions on antihypertensive treatment in oldest-old and frail individuals across 29 countries. <i>BMC Geriatrics</i> , 2017 , 17, 93	4.1	17
206	Using stress testing to guide primary prevention of coronary heart disease among intermediate-risk patients: a cost-effectiveness analysis. <i>Circulation</i> , 2012 , 125, 260-70	16.7	17
205	Heart Rate Variability Triangular Index as a Predictor of Cardiovascular Mortality in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2020 , 9, e016075	6	17
204	Omega-3 fatty acids predict recurrent venous thromboembolism or total mortality in elderly patients with acute venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 47-56	15.4	16
203	Intervention protocol: OPTimising thERapy to prevent avoidable hospital Admission in the Multi-morbid elderly (OPERAM): a structured medication review with support of a computerised decision support system. <i>BMC Health Services Research</i> , 2020 , 20, 220	2.9	16
202	Change in physical activity after smoking cessation: the Coronary Artery Risk Development in Young Adults (CARDIA) study. <i>Addiction</i> , 2014 , 109, 1172-83	4.6	16
201	Obesity and overweight associated with lower rates of colorectal cancer screening in Switzerland. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 425-30	2	16
200	The quality of primary care in a country with universal health care coverage. <i>Journal of General Internal Medicine</i> , 2011 , 26, 724-30	4	16
199	Physician response to "by-the-way" syndrome in primary care. <i>Journal of General Internal Medicine</i> , 2009 , 24, 739-41	4	16
198	Multimorbidity and quality of preventive care in Swiss university primary care cohorts. <i>PLoS ONE</i> , 2014 , 9, e96142	3.7	16
197	Patient and physician gender concordance in preventive care in university primary care settings. <i>Preventive Medicine</i> , 2014 , 67, 242-7	4.3	15
196	Creating a list of low-value health care activities in Swiss primary care. <i>JAMA Internal Medicine</i> , 2015 , 175, 640-2	11.5	15

195	Gut microbiota-dependent trimethylamine-N-oxide (TMAO) shows a U-shaped association with mortality but not with recurrent venous thromboembolism. <i>Thrombosis Research</i> , 2019 , 174, 40-47	8.2	15
194	How general practitioners would deprescribe in frail oldest-old with polypharmacy - the LESS study. <i>BMC Family Practice</i> , 2018 , 19, 169	2.6	15
193	Chronic symptoms in a representative sample of community-dwelling older people: a cross-sectional study in Switzerland. <i>BMJ Open</i> , 2017 , 7, e014485	3	14
192	What do older adults with multimorbidity and polypharmacy think about deprescribing? The LESS study - a primary care-based survey. <i>BMC Geriatrics</i> , 2020 , 20, 435	4.1	14
191	The Impact of Levothyroxine on Cardiac Function in Older Adults With Mild Subclinical Hypothyroidism: A Randomized Clinical Trial. <i>American Journal of Medicine</i> , 2020 , 133, 848-856.e5	2.4	14
190	Corticosteroid treatment for community-acquired pneumonia--the STEP trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 257	2.8	14
189	Potentially inappropriate medication and attitudes of older adults towards deprescribing. <i>PLoS ONE</i> , 2020 , 15, e0240463	3.7	14
188	How to prevent overdiagnosis. <i>Swiss Medical Weekly</i> , 2015 , 145, w14060	3.1	14
187	Six-month outcomes after individualized nutritional support during the hospital stay in medical patients at nutritional risk: Secondary analysis of a prospective randomized trial. <i>Clinical Nutrition</i> , 2021 , 40, 812-819	5.9	14
186	Medication review interventions to reduce hospital readmissions in older people. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1646-1658	5.6	14
185	Prognosis of cardiovascular and non-cardiovascular multimorbidity after acute coronary syndrome. <i>PLoS ONE</i> , 2018 , 13, e0195174	3.7	14
184	Thyroid Dysfunction and Anemia: A Prospective Cohort Study and a Systematic Review. <i>Thyroid</i> , 2018 , 28, 575-582	6.2	13
183	Value of handgrip strength to predict clinical outcomes and therapeutic response in malnourished medical inpatients: Secondary analysis of a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 731-740	7	13
182	Health-related quality of life in patients with atrial fibrillation: The role of symptoms, comorbidities, and the type of atrial fibrillation. <i>PLoS ONE</i> , 2019 , 14, e0226730	3.7	13
181	Vitamin D deficiency is highly prevalent in malnourished inpatients and associated with higher mortality: A prospective cohort study. <i>Medicine (United States)</i> , 2019 , 98, e18113	1.8	13
180	Inflammation during acute coronary syndromes - Risk of cardiovascular events and bleeding. <i>International Journal of Cardiology</i> , 2019 , 287, 13-18	3.2	12
179	Prognostic value of elevated lipoprotein(a) in patients with acute coronary syndromes. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13117	4.6	12
178	Association between computed tomography obstruction index and mortality in elderly patients with acute pulmonary embolism: A prospective validation study. <i>PLoS ONE</i> , 2017 , 12, e0179224	3.7	12

177	Uptake and efficacy of a systematic intensive smoking cessation intervention using motivational interviewing for smokers hospitalised for an acute coronary syndrome: a multicentre before-after study with parallel group comparisons. <i>BMJ Open</i> , 2016 , 6, e011520	3	12
176	International variation in GP treatment strategies for subclinical hypothyroidism in older adults: a case-based survey. <i>British Journal of General Practice</i> , 2015 , 65, e121-32	1.6	12
175	Risk of falls and bleeding in elderly patients with acute venous thromboembolism. <i>Journal of Internal Medicine</i> , 2014 , 276, 378-86	10.8	12
174	Prevalence, treatment and control of dyslipidaemia in Switzerland: still a long way to go. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 682-7		12
173	Frailty to predict unplanned hospitalization, stroke, bleeding, and death in atrial fibrillation. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 42-51	4.6	12
172	Interventions for preventing falls and fall-related fractures in community-dwelling older adults: A systematic review and network meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2973-2984	5.6	12
171	An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. <i>Scientific Reports</i> , 2020 , 10, 19111	4.9	11
170	Prognostic value of pulse pressure after an acute coronary syndrome. <i>Atherosclerosis</i> , 2018 , 277, 219-226	9.1	11
169	Association of electrocardiogram abnormalities and incident heart failure events. <i>American Heart Journal</i> , 2014 , 167, 869-75.e3	4.9	11
168	Low statin use in adults hospitalized with acute coronary syndrome. <i>Preventive Medicine</i> , 2015 , 77, 131-6	4.3	11
167	The impact of carotid plaque screening on motivation for smoking cessation. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 541-6	4.9	11
166	Prediction of short-term prognosis in elderly patients with acute pulmonary embolism: validation of the RIETE score. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 1313-1320	15.4	11
165	Predictors and Outcomes of Recurrent Venous Thromboembolism in Elderly Patients. <i>American Journal of Medicine</i> , 2018 , 131, 703.e7-703.e16	2.4	10
164	The Dilemma of Treating Subclinical Hypothyroidism: Risk that Current Guidelines Do More Harm than Good. <i>European Thyroid Journal</i> , 2014 , 3, 137-8	4.2	10
163	The lower quality of preventive care among forced migrants in a country with universal healthcare coverage. <i>Preventive Medicine</i> , 2014 , 59, 19-24	4.3	10
162	Physician's Prescribing Preference as an Instrumental Variable: Exploring Assumptions Using Survey Data. <i>Epidemiology</i> , 2016 , 27, 276-83	3.1	10
161	Skeletal Effects of Levothyroxine for Subclinical Hypothyroidism in Older Adults: A TRUST Randomized Trial Nested Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10
160	Admission kidney function is a strong predictor for the response to nutritional support in patients at nutritional risk. <i>Clinical Nutrition</i> , 2021 , 40, 2762-2771	5.9	10

159	Association between thyroid dysfunction and venous thromboembolism in the elderly: a prospective cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 685-94	15.4	10
158	Patient Characteristics and General Practitioners' Advice to Stop Statins in Oldest-Old Patients: a Survey Study Across 30 Countries. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1751-1757	4	10
157	Eligibility for PCSK9 inhibitors based on the 2019 ESC/EAS and 2018 ACC/AHA guidelines. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 59-65	3.9	10
156	Effect of nutritional support in patients with lower respiratory tract infection: Secondary analysis of a randomized clinical trial. <i>Clinical Nutrition</i> , 2021 , 40, 1843-1850	5.9	10
155	Unwarranted regional variation in vertebroplasty and kyphoplasty in Switzerland: A population-based small area variation analysis. <i>PLoS ONE</i> , 2018 , 13, e0208578	3.7	10
154	Recent incidence and surgery trends for prostate cancer: Towards an attenuation of overdiagnosis and overtreatment?. <i>PLoS ONE</i> , 2019 , 14, e0210434	3.7	9
153	Echocardiography does not predict mortality in hemodynamically stable elderly patients with acute pulmonary embolism. <i>Thrombosis Research</i> , 2016 , 145, 67-71	8.2	9
152	Exercise Capacity, Heart Failure Risk, and Mortality in Older Adults: The Health ABC Study. <i>American Journal of Preventive Medicine</i> , 2017 , 52, 144-153	6.1	9
151	Derivation and validation of a novel bleeding risk score for elderly patients with venous thromboembolism on extended anticoagulation. <i>Thrombosis and Haemostasis</i> , 2017 , 117,	7	9
150	The Impact of CAROTid plaque Screening on Smoking (CAROSS) cessation and control of other cardiovascular risk factors: Rationale and design of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2008 , 29, 767-73	2.3	9
149	Health utility indexes in patients with acute coronary syndromes. <i>Open Heart</i> , 2016 , 3, e000419	3	9
148	Associations Between Cardiovascular Risk Factors, Inflammation, and Progression of Carotid Atherosclerosis Among Smokers. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1533-8	4.9	8
147	Atherosclerosis screening by noninvasive imaging for cardiovascular prevention: a systematic review. <i>Journal of General Internal Medicine</i> , 2012 , 27, 220-31	4	8
146	The joint influence of gender and amount of smoking on weight gain one year after smoking cessation. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 8443-55	4.6	8
145	Cardiovascular risk estimation and eligibility for statins in primary prevention comparing different strategies. <i>American Journal of Cardiology</i> , 2009 , 103, 1089-95	3	8
144	Aspirin for the primary prevention of cardiovascular disease: a comprehensive review. <i>Comprehensive Therapy</i> , 2005 , 31, 186-93		8
143	Anticoagulation Management Practices and Outcomes in Elderly Patients with Acute Venous Thromboembolism: A Clinical Research Study. <i>PLoS ONE</i> , 2016 , 11, e0148348	3.7	8
142	Serum neurofilament light in atrial fibrillation: clinical, neuroimaging and cognitive correlates. <i>Brain Communications</i> , 2020 , 2, fcaa166	4.5	8

141	L-Thyroxine Therapy for Older Adults With Subclinical Hypothyroidism and Hypothyroid Symptoms: Secondary Analysis of a Randomized Trial. <i>Annals of Internal Medicine</i> , 2020 , 172, 709-716	8	8
140	General practitioners' deprescribing decisions in older adults with polypharmacy: a case vignette study in 31 countries. <i>BMC Geriatrics</i> , 2021 , 21, 19	4.1	8
139	Effect of Levothyroxine Therapy on the Development of Depressive Symptoms in Older Adults With Subclinical Hypothyroidism: An Ancillary Study of a Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2036645	10.4	8
138	The Effects of Time-Restricted Eating versus Standard Dietary Advice on Weight, Metabolic Health and the Consumption of Processed Food: A Pragmatic Randomised Controlled Trial in Community-Based Adults. <i>Nutrients</i> , 2021 , 13,	6.7	8
137	An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2121-2133.e24	5.9	8
136	Burden of cardiovascular disease across 29 countries and GPs' decision to treat hypertension in oldest-old. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 89-98	2.7	7
135	Non-Linear Relationship between Anti-Apolipoprotein A-1 IgGs and Cardiovascular Outcomes in Patients with Acute Coronary Syndromes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
134	Association of biomarkers of lipid modification with functional and morphological indices of coronary stenosis severity in stable coronary artery disease. <i>Journal of Cardiovascular Translational Research</i> , 2013 , 6, 536-44	3.3	7
133	HDL cholesterol and cardiovascular risk. <i>BMJ, The</i> , 2009 , 338, a3065	5.9	7
132	Measurement properties of EQ-5D-3L and EQ-5D-5L in recording self-reported health status in older patients with substantial multimorbidity and polypharmacy. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 317	3	7
131	Nutritional risk is a predictor for long-term mortality: 5-Year follow-up of the EFFORT trial. <i>Clinical Nutrition</i> , 2021 , 40, 1546-1554	5.9	7
130	Levothyroxine Treatment and Cardiovascular Outcomes in Older People With Subclinical Hypothyroidism: Pooled Individual Results of Two Randomised Controlled Trials. <i>Frontiers in Endocrinology</i> , 2021 , 12, 674841	5.7	7
129	Regional variation of hysterectomy for benign uterine diseases in Switzerland. <i>PLoS ONE</i> , 2020 , 15, e0233082	3.9	6
128	Effect of Thyroid Hormone Therapy on Fatigability in Older Adults With Subclinical Hypothyroidism: A Nested Study Within a Randomized Placebo-Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, e89-e94	6.4	6
127	Clinical presentation and outcomes in elderly patients with symptomatic isolated subsegmental pulmonary embolism. <i>Thrombosis Research</i> , 2019 , 184, 24-30	8.2	6
126	Development of a core outcome set for medication review in older patients with multimorbidity and polypharmacy: a study protocol. <i>Clinical Interventions in Aging</i> , 2017 , 12, 1379-1389	4	6
125	Subclinical thyroid disorders. <i>Lancet, The</i> , 2012 , 380, 335-6; author reply 336-7	4.0	6
124	Statins for cardiovascular prevention according to different strategies: a cost analysis. <i>American Journal of Cardiovascular Drugs</i> , 2011 , 11, 33-44	4	6

123	'Optimising Pharmacotherapy In the multimorbid elderly in primary CARE' (OPTICA) to improve medication appropriateness: study protocol of a cluster randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e031080	3	6
122	Prognostic values of fasting hyperglycaemia in non-diabetic patients with acute coronary syndrome: A prospective cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 589-598	4.3	6
121	The impact of nutritional support on malnourished inpatients with aging-related vulnerability. <i>Nutrition</i> , 2021 , 89, 111279	4.8	6
120	Comparison of self-perceived cardiovascular disease risk among smokers with Framingham and PROCAM scores: a cross-sectional analysis of baseline data from a randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e012063	3	5
119	Do Factor V Leiden and Prothrombin G20210A Mutations Predict Recurrent Venous Thromboembolism in Older Patients?. <i>American Journal of Medicine</i> , 2017 , 130, 1220.e17-1220.e22	2.4	5
118	Thrombus aspiration in acute coronary syndromes: prevalence, procedural success, change in serial troponin T levels and clinical outcomes in a contemporary Swiss cohort. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 522-531	4.3	5
117	Public health impact of statin prescribing strategies based on JUPITER. <i>Preventive Medicine</i> , 2011 , 52, 159-63	4.3	5
116	Mortality associated with diabetes and cardiovascular disease in older women. <i>PLoS ONE</i> , 2012 , 7, e488187	3.7	5
115	Regional variation in hip and knee arthroplasty rates in Switzerland: A population-based small area analysis. <i>PLoS ONE</i> , 2020 , 15, e0238287	3.7	5
114	Improving inappropriate medication and information transfer at hospital discharge: study protocol for a cluster RCT. <i>Implementation Science</i> , 2018 , 13, 155	8.4	5
113	Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. <i>Cardiology Research and Practice</i> , 2018 , 2018, 9762176	1.9	5
112	Frequency and Acceptance of Clinical Decision Support System-Generated STOPP/START Signals for Hospitalised Older Patients with Polypharmacy and Multimorbidity. <i>Drugs and Aging</i> , 2021 , 39, 59	4.7	5
111	Agenda Setting During Follow-Up Encounters in a University Primary Care Outpatient Clinic. <i>Health Communication</i> , 2017 , 32, 714-720	3.2	4
110	Safety of Prasugrel Loading Doses in Patients Pre-Loaded With Clopidogrel in the Setting of Primary Percutaneous Coronary Intervention: Results of a Nonrandomized Observational Study. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1064-1074	5	4
109	Elevated HbA1c is not associated with recurrent venous thromboembolism in the elderly, but with all-cause mortality- the SWEETCO 65+ study. <i>Scientific Reports</i> , 2020 , 10, 2495	4.9	4
108	Statin therapy and recurrent venous thromboembolism in the elderly: a prospective cohort study. <i>Scientific Reports</i> , 2019 , 9, 14804	4.9	4
107	Lessons from the Swiss Medical Board recommendation against mammography screening programs. <i>JAMA Internal Medicine</i> , 2014 , 174, 1541-2	11.5	4
106	Prevalence of drug-drug interactions in older people before and after hospital admission: analysis from the OPERAM trial. <i>BMC Geriatrics</i> , 2021 , 21, 571	4.1	4

105	Sex-related electrocardiographic differences in patients with different types of atrial fibrillation: Results from the SWISS-AF study. <i>International Journal of Cardiology</i> , 2020 , 307, 63-70	3.2	4
104	Intensified lipid lowering using ezetimibe after publication of the IMPROVE-IT trial: A contemporary analysis from the SPUM-ACS cohort. <i>International Journal of Cardiology</i> , 2020 , 303, 8-13	3.2	4
103	Educational Level, Anticoagulation Quality, and Clinical Outcomes in Elderly Patients with Acute Venous Thromboembolism: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0162108	3.7	4
102	Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data Analysis. <i>JAMA Internal Medicine</i> , 2021 , 181, 1440-1450	11.5	4
101	Usefulness of D-Dimer Testing in Predicting Recurrence in Elderly Patients with Unprovoked Venous Thromboembolism. <i>American Journal of Medicine</i> , 2017 , 130, 1221-1224	2.4	3
100	Prognosis in patients with cancer-associated venous thromboembolism: Comparison of the RIETE-VTE and modified Ottawa score. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1154-1161	15.4	3
99	Obesity is not associated with recurrent venous thromboembolism in elderly patients: Results from the prospective SWITCO65+ cohort study. <i>PLoS ONE</i> , 2017 , 12, e0184868	3.7	3
98	Subclinical thyroid dysfunction and depressive symptoms: protocol for a systematic review and individual participant data meta-analysis of prospective cohort studies. <i>BMJ Open</i> , 2019 , 9, e029716	3	3
97	Long-term outcomes of elderly patients with CYP2C9 and VKORC1 variants treated with vitamin K antagonists. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 2165-2175	15.4	3
96	Major bleeding risk in anticoagulated patients receiving concomitant antiplatelet therapy: a prospective study. <i>Thrombosis Research</i> , 2013 , 131, 502-7	8.2	3
95	Alcohol consumption and morning rise in blood pressure in men from a population-based study. <i>American Journal of Hypertension</i> , 2009 , 22, 1134	2.3	3
94	Association between subclinical hypothyroidism and coronary heart disease in 2006. <i>International Journal of Cardiology</i> , 2009 , 132, 127-8; author reply 128-9	3.2	3
93	Silent brain infarcts impact on cognitive function in atrial fibrillation.. <i>European Heart Journal</i> , 2022 ,	9.5	3
92	Biomarkers of Inflammation and Risk of Hospitalization for Heart Failure in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2021 , 10, e019168	6	3
91	Baseline characteristics and comparability of older multimorbid patients with polypharmacy and general practitioners participating in a randomized controlled primary care trial. <i>BMC Family Practice</i> , 2021 , 22, 123	2.6	3
90	Anticoagulation quality and clinical outcomes in multimorbid elderly patients with acute venous thromboembolism. <i>Thrombosis Research</i> , 2019 , 177, 10-16	8.2	3
89	Association between insurance status, anticoagulation quality, and clinical outcomes in patients with acute venous thromboembolism. <i>Thrombosis Research</i> , 2019 , 173, 124-130	8.2	3
88	Cosyntropin testing does not predict response to glucocorticoids in community-acquired pneumonia in a randomized controlled trial. <i>Clinical Endocrinology</i> , 2019 , 91, 374-382	3.4	3

87	Blood Pressure and Brain Lesions in Patients With Atrial Fibrillation. <i>Hypertension</i> , 2021 , 77, 662-671	8.5	3
86	PCSK9 inhibitors and ezetimibe with or without statin therapy for cardiovascular risk reduction: a systematic review and network meta-analysis.. <i>BMJ, The</i> , 2022 , 377, e069116	5.9	3
85	Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. <i>PLoS ONE</i> , 2019 , 14, e0211464	3.7	2
84	Prognostic role of plasma galectin-3 levels in acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 869-878	4.3	2
83	High-value, data-informed, and team-based care for multimorbidity. <i>Lancet Public Health, The</i> , 2020 , 5, e84	22.4	2
82	Risk stratification of elderly patients with acute pulmonary embolism. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13154	4.6	2
81	Clinically relevant quality measures for risk factor control in primary care: a retrospective cohort study. <i>BMC Health Services Research</i> , 2014 , 14, 306	2.9	2
80	Admission serum albumin concentrations and response to nutritional therapy in hospitalised patients at malnutrition risk: Secondary analysis of a randomised clinical trial.. <i>EClinicalMedicine</i> , 2022 , 45, 101301	11.3	2
79	Hospital revascularisation capability and quality of care after an acute coronary syndrome in Switzerland. <i>Swiss Medical Weekly</i> , 2016 , 146, w14275	3.1	2
78	Participants' perspectives and preferences on clinical trial result dissemination: The TRUST Thyroid Trial experience. <i>HRB Open Research</i> , 1, 14	1.2	2
77	Prognosis of Patients with Chronic and Hospital-Acquired Anaemia After Acute Coronary Syndromes. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 618-628	3.3	2
76	Novel Blood Biomarkers for a Diagnostic Workup of Acute Aortic Dissection. <i>Diagnostics</i> , 2021 , 11,	3.8	2
75	Heart rate and adverse outcomes in patients with prevalent atrial fibrillation. <i>Open Heart</i> , 2021 , 8,	3	2
74	Insulin-like growth factor-binding protein 7 and risk of congestive heart failure hospitalization in patients with atrial fibrillation. <i>Heart Rhythm</i> , 2021 , 18, 512-519	6.7	2
73	Improving 1-year mortality prediction in ACS patients using machine learning. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 855-865	4.3	2
72	Clinical outcomes of modifying hypertension treatment intensity in older adults treated to low blood pressure. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2831-2841	5.6	2
71	Influence of Prednisone on Inflammatory Biomarkers in Community-Acquired Pneumonia: Secondary Analysis of a Randomized Trial. <i>Journal of Clinical Pharmacology</i> , 2021 , 61, 1406-1414	2.9	2
70	A high Gas6 level in plasma predicts venous thromboembolism recurrence, major bleeding and mortality in the elderly: a prospective multicenter cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 306-318	15.4	2

69	Associations of symptoms and quality of life with outcomes in patients with atrial fibrillation. <i>Heart</i> , 2020 , 106, 1847-1852	5.1	2
68	The Admit-AF risk score: A clinical risk score for predicting hospital admissions in patients with atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320915350	3.9	2
67	Blood pressure control and complex health conditions in older adults: impact of recent hypertension management guidelines. <i>Journal of Human Hypertension</i> , 2021 , 35, 280-289	2.6	2
66	Barriers and potential solutions in the recruitment and retention of older patients in clinical trials-lessons learned from six large multicentre randomized controlled trials. <i>Age and Ageing</i> , 2021 , 50, 1988-1996	3	2
65	Alcohol consumption and risk of cardiovascular outcomes and bleeding in patients with established atrial fibrillation. <i>Cmaj</i> , 2021 , 193, E117-E123	3.5	2
64	The Omega-3 Fatty Acid Eicosapentaenoic Acid (EPA) Correlates Inversely with Ischemic Brain Infarcts in Patients with Atrial Fibrillation. <i>Nutrients</i> , 2021 , 13,	6.7	2
63	Novel bleeding risk score for patients with atrial fibrillation on oral anticoagulants, including direct oral anticoagulants. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 931-940	15.4	2
62	Validation of modified GLIM criteria to predict adverse clinical outcome and response to nutritional treatment: A secondary analysis of a randomized clinical trial.. <i>Clinical Nutrition</i> , 2022 , 41, 795-804	5.9	2
61	Bone geometry in older adults with subclinical hypothyroidism upon levothyroxine therapy: A nested study within a randomized placebo controlled trial.. <i>Bone</i> , 2022 , 116404	4.7	2
60	Cost-effectiveness of a structured medication review approach for multimorbid older adults: Within-trial analysis of the OPERAM study.. <i>PLoS ONE</i> , 2022 , 17, e0265507	3.7	2
59	Frequency of use and acceptability of clinical prediction rules for pulmonary embolism among Swiss general internal medicine residents. <i>Thrombosis Research</i> , 2017 , 160, 9-13	8.2	1
58	Response to "Electrocardiographic sexual differences in patients with atrial fibrillation". <i>International Journal of Cardiology</i> , 2020 , 308, 50-51	3.2	1
57	Symptoms and quality of life in patients with coexistent atrial fibrillation and atrial flutter. <i>IJC Heart and Vasculature</i> , 2020 , 29, 100556	2.4	1
56	Optimal Timing of Invasive Coronary Angiography following NSTEMI. <i>Journal of Interventional Cardiology</i> , 2020 , 2020, 8513257	1.8	1
55	Pre-hospital alarm activation for STEMI patients undergoing primary percutaneous coronary intervention in the era of transradial procedures. <i>European Journal of Internal Medicine</i> , 2016 , 35, 83-88	3.9	1
54	Weight gain according to gum use in participants in the intervention groups: comment on Ferguson et al. 2011. <i>Addiction</i> , 2011 , 106, 1708; author reply 1708-9	4.6	1
53	Thyrotropin levels and coronary heart disease mortality. <i>Archives of Internal Medicine</i> , 2008 , 168, 2498-9; author reply 2499		1
52	Association of Diabetes With Atrial Fibrillation Phenotype and Cardiac and Neurological Comorbidities: Insights From the Swiss-AF Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021800	6	1

51	Challenges in the Management of Atrial Fibrillation With Subclinical Hyperthyroidism.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 795492	5.7	1
50	Recommandations suisses pour le bilan de santé au cabinet médical : prévention et dépistage. <i>Swiss Medical Forum = Forum Médical Suisse</i> , 2015 , 15,		1
49	Cysteine-Rich Angiogenic Inducer 61 Improves Prognostic Accuracy of GRACE (Global Registry of Acute Coronary Events) 2.0 Risk Score in Patients With Acute Coronary Syndromes. <i>Journal of the American Heart Association</i> , 2021 , 10, e020488	6	1
48	Participants' perspectives and preferences on clinical trial result dissemination: The TRUST Thyroid Trial experience. <i>HRB Open Research</i> , 2018 , 1, 14	1.2	1
47	Comparison of Bleeding Risk Scores in Elderly Patients Receiving Extended Anticoagulation with Vitamin K Antagonists for Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1512-1522	7	1
46	Validation of the 2019 European Society of Cardiology Risk Stratification Algorithm for Pulmonary Embolism in Normotensive Elderly Patients. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1660-1667	7	1
45	Cardiac autonomic function and cognitive performance in patients with atrial fibrillation. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	1
44	Prognostic value of total testosterone levels in patients with acute coronary syndromes. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 235-242	3.9	1
43	Association of psychosocial factors with all-cause hospitalizations in patients with atrial fibrillation. <i>Clinical Cardiology</i> , 2021 , 44, 51-57	3.3	1
42	Prognostic value of inflammatory biomarkers and GRACE score for cardiac death and acute kidney injury after acute coronary syndromes. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 445-452	4.3	1
41	High regional variation in prostate surgery for benign prostatic hyperplasia in Switzerland. <i>PLoS ONE</i> , 2021 , 16, e0254143	3.7	1
40	Development and validation of a life expectancy estimator for multimorbid older adults: a cohort study protocol. <i>BMJ Open</i> , 2021 , 11, e048168	3	1
39	No effect of levothyroxine on hemoglobin in older adults with subclinical hypothyroidism: pooled results from two RCTs.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	1
38	Renal Function and Body Mass Index Contribute to Serum Neurofilament Light Chain Levels in Elderly Patients With Atrial Fibrillation.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 819010	5.1	1
37	Prospective validation of five malnutrition screening and assessment instruments among medical inpatients: Secondary analysis of a randomized clinical trial.. <i>Clinical Nutrition</i> , 2022 , 41, 1307-1315	5.9	1
36	The adherence to initial processes of care in elderly patients with acute venous thromboembolism. <i>PLoS ONE</i> , 2014 , 9, e100164	3.7	0
35	Long-term risk of adverse outcomes according to atrial fibrillation type.. <i>Scientific Reports</i> , 2022 , 12, 22089	4.9	0
34	Thrombin Generation to Predict the Risk of Venous Thromboembolism Recurrence, Major Bleeding and Death in the Elderly: A Prospective Multicenter Cohort Study. <i>Blood</i> , 2021 , 138, 3222-3222	2.2	0

33	Control of cardiovascular risk factors and health behaviors in patients post acute coronary syndromes eligible for protein convertase subtilisin/kexin-9 inhibitors. <i>International Journal of Cardiology</i> , 2020 , 299, 289-295	3.2	0
32	Residual inflammatory risk at 12 months after acute coronary syndromes is frequent and associated with combined adverse events. <i>Atherosclerosis</i> , 2021 , 320, 31-37	3.1	0
31	The SilenT AtRial FIBrillation (STAR-FIB) study programme - design and rationale. <i>Swiss Medical Weekly</i> , 2021 , 151, w20421	3.1	0
30	Biomarkers, Clinical Variables, and the CHA2DS2-VASc Score to Detect Silent Brain Infarcts in Atrial Fibrillation Patients. <i>Journal of Stroke</i> , 2021 , 23, 449-452	5.6	0
29	CCN family member 1 (CCN1) is an early marker of infarct size and left ventricular dysfunction in STEMI patients. <i>Atherosclerosis</i> , 2021 , 335, 77-83	3.1	0
28	MRI Shows Lung Perfusion Changes after Vaping and Smoking.. <i>Radiology</i> , 2022 , 211327	20.5	0
27	Association of pulmonary vein isolation and major cardiovascular events in patients with atrial fibrillation.. <i>Clinical Research in Cardiology</i> , 2022 , 1	6.1	0
26	Response to the Letter by Choy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1409-1410	5.6	
25	Thyroid Hormone Therapy for Subclinical Hypothyroidism-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 804-805	27.4	
24	Subklinische schildklierafwijkingen bij ouderen. <i>Huisarts En Wetenschap</i> , 2015 , 58, 12-15	0.1	
23	Carotid plaque screening as a motivational tool for healthy behavior. <i>American Heart Journal</i> , 2008 , 155, e37; author reply e39	4.9	
22	Cross-sectional study on the prevalence of influenza and pneumococcal vaccination and its association with health conditions and risk factors among hospitalized multimorbid older patients. <i>PLoS ONE</i> , 2021 , 16, e0260112	3.7	
21	Association between self-reported motivation to quit smoking with effectiveness of smoking cessation intervention among patients hospitalized for acute coronary syndromes in Switzerland.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101583	2.6	
20	Association between income and control of cardiovascular risk factors after acute coronary syndromes: an observational study. <i>Swiss Medical Weekly</i> , 2019 , 149, w20049	3.1	
19	Appropriateness of Screening of Angiopathic Complications Prevention in Ambulatory Patients with Diabetes. <i>Open Journal of Preventive Medicine</i> , 2015 , 05, 244-258	0.3	
18	Variation in treatment strategies of Swiss general practitioners for subclinical hypothyroidism in older adults. <i>Swiss Medical Weekly</i> , 2015 , 145, w14156	3.1	
17	New concepts in the management of dyslipidaemia. <i>Swiss Medical Weekly</i> , 2016 , 146, w14378	3.1	
16	Relationship Between Subclinical Thyroid Dysfunction and Heart Failure and Mortality 2009 , 167-177		

15	Evidence and controversies regarding the screening for subclinical hypothyroidism in patients with cardiovascular disease. <i>Journal of Thoracic Disease</i> , 2016 , 8, E446-50	2.6
14	Response to Tomoyuki Kawada, MD: Smoking, Systolic Blood Pressure, Fasting Plasma Glucose and Progression of Carotid Atherosclerosis. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1681	4.9
13	The Reply. <i>American Journal of Medicine</i> , 2021 , 134, e71	2.4
12	Association of the CHAD(S)-VASc Score and Its Components With Overt and Silent Ischemic Brain Lesions in Patients With Atrial Fibrillation. <i>Frontiers in Neurology</i> , 2020 , 11, 609234	4.1
11	Letter by Liu et al Regarding Article, "Low-Density Lipoprotein Cholesterol Lowering for the Primary Prevention of Cardiovascular Disease Among Men With Primary Elevations of Low-Density Lipoprotein Cholesterol Levels of 190 mg/dL or Above: Analyses From the WOSCOPS (West of Scotland Coronary Prevention Study) 5-Year Randomized Trial and 20-Year Observational Incorporating Baseline Outcome Data in Individual Participant Data Meta-Analysis of Non-randomized Studies.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 774251	16.7
10	Variation in regional implantation patterns of cardiac implantable electronic device in Switzerland.. <i>PLoS ONE</i> , 2022 , 17, e0262959	5
9	HOSPITAL Score and LACE Index to Predict Mortality in Multimorbid Older Patients.. <i>Drugs and Aging</i> , 2022 , 39, 223	3.7
8	Prevalence and factors associated with chronic use of levothyroxine: A cohort study.. <i>PLoS ONE</i> , 2021 , 16, e0261160	4.7
7	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	3.7
6	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	
5	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	
4	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	
3	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	
2	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	
1	Potentially inappropriate medication and attitudes of older adults towards deprescribing 2020 , 15, e0240463	