Hiroyuki Noda

List of Publications by Year
in descending order

65 papers	2,245 citations	257101 24 h-index	223531 46 g-index
72 all docs	72 docs citations	72 times ranked	4301 citing authors

#	Article	IF	Citations
1	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. International Journal of Epidemiology, 2012, 41, 1419-1433.	0.9	230
2	The joint impact on being overweight of self reported behaviours of eating quickly and eating until full : cross sectional survey. BMJ: British Medical Journal, 2008, 337, a2002-a2002.	2.4	196
3	Global Cardiovascular and Renal Outcomes of Reduced GFR. Journal of the American Society of Nephrology: JASN, 2017, 28, 2167-2179.	3.0	194
4	Low-Density Lipoprotein Cholesterol Concentrations and Death Due to Intraparenchymal Hemorrhage. Circulation, 2009, 119, 2136-2145.	1.6	144
5	Walking and Sports Participation and Mortality From Coronary Heart Disease and Stroke. Journal of the American College of Cardiology, 2005, 46, 1761-1767.	1.2	139
6	Trends for Blood Pressure and Its Contribution to Stroke Incidence in the Middle-Aged Japanese Population. Stroke, 2009, 40, 1571-1577.	1.0	104
7	The impact of the metabolic syndrome and its components on the incidence of ischemic heart disease and stroke: the Japan public health center-based study. Hypertension Research, 2009, 32, 289-298.	1.5	100
8	Fasting and non-fasting triglycerides and risk of ischemic cardiovascular disease in Japanese men and women: The Circulatory Risk in Communities Study (CIRCS). Atherosclerosis, 2014, 237, 361-368.	0.4	83
9	Low-density lipoprotein cholesterol and risk of coronary heart disease among Japanese men and women: The Circulatory Risk in Communities Study (CIRCS). Preventive Medicine, 2011, 52, 381-386.	1.6	79
10	Perceived Level of Life Enjoyment and Risks of Cardiovascular Disease Incidence and Mortality. Circulation, 2009, 120, 956-963.	1.6	72
11	Cigarette Smoking and Risk of Disabling Dementia in a Japanese Rural Community: A Nested Case-Control Study. Cerebrovascular Diseases, 2008, 25, 324-331.	0.8	53
12	Identification of dementia using standard clinical assessments by primary care physicians in Japan. Geriatrics and Gerontology International, 2018, 18, 738-744.	0.7	51
13	Frequency of Food Intake and Estimated Nutrient Intake among Men and Women: The JACC Study.. Journal of Epidemiology, 2005, 15, S24-S42.	1.1	50
14	Association between Non-High-Density Lipoprotein Cholesterol Levels and the Incidence of Coronary Heart Disease among Japanese: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2011, 18, 454-463.	0.9	46
15	Physician–Pharmacist Cooperation Program for Blood Pressure Control in Patients With Hypertension: A Randomized-Controlled Trial. American Journal of Hypertension, 2010, 23, 1144-1152.	1.0	44
16	Associations Between Metabolic Syndrome and Mortality From Cardiovascular Disease in Japanese General Population, Findings on Overweight and Non-Overweight Individuals Ibaraki Prefectural Health Study. Circulation Journal, 2009, 73, 1635-1642.	0.7	39
17	Serum coenzyme Q10 and risk of disabling dementia: The Circulatory Risk in Communities Study (CIRCS). Atherosclerosis, 2014, 237, 400-403.	0.4	34
18	Towards the elimination of HTLV-1 infection in Japan. Lancet Infectious Diseases, The, 2019, 19, 15-16.	4.6	33

#	Article	IF	Citations
19	Serum î±-linolenic and other ï‰-3 fatty acids, and risk of disabling dementia: Community-based nested caseâ€"control study. Clinical Nutrition, 2017, 36, 793-797.	2.3	30
20	Association between Non-High-Density Lipoprotein Cholesterol Concentrations and Mortality from Coronary Heart Disease Among Japanese Men and Women: The Ibaraki Prefectural Health Study. Journal of Atherosclerosis and Thrombosis, 2010, 17, 30-36.	0.9	29
21	Risk factors of early spontaneous abortions among Japanese: a matched case-control study. Human Reproduction, 2011, 26, 466-472.	0.4	29
22	Serum vitamin C concentration and hs-CRP level in middle-aged Japanese men and women. Atherosclerosis, 2010, 208, 496-500.	0.4	27
23	The Impact of C-Reactive Protein on Risk of Stroke, Stroke Subtypes, and Ischemic Heart Disease in Middle-Aged Japanese: the Japan Public Health Center-Based Study. Journal of Atherosclerosis and Thrombosis, 2012, 19, .	0.9	27
24	Incidence and survival trends for childhood cancer in Osaka, Japan, 1973â€"2001. Cancer Science, 2010, 101, 787-792.	1.7	25
25	Trends in sudden cardiac death and its risk factors in Japan from 1981 to 2005: the Circulatory Risk in Communities Study (CIRCS). BMJ Open, 2012, 2, e000573.	0.8	24
26	Non-fasting blood glucose and risk of incident coronary heart disease in middle-aged general population: The Circulatory Risk in Communities Study (CIRCS). Preventive Medicine, 2012, 55, 603-607.	1.6	22
27	Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. Annals of Clinical Biochemistry, 2016, 53, 632-639.	0.8	22
28	Plasma Fibrinogen Concentrations and Risk of Stroke and Its Subtypes Among Japanese Men and Women. Stroke, 2006, 37, 2488-2492.	1.0	19
29	Associations between Blood Lipid Profiles and Risk of Myocardial Infarction Among Japanese Male Workers: 3M Study. Journal of Atherosclerosis and Thrombosis, 2009, 16, 714-721.	0.9	19
30	Risk factors for sudden cardiac death among Japanese. Journal of Hypertension, 2012, 30, 1137-1143.	0.3	19
31	LDL cholesterol performance of beta quantification reference measurement procedure. Clinica Chimica Acta, 2014, 431, 288-293.	0.5	19
32	Towards rubella elimination in Japan. Lancet Infectious Diseases, The, 2018, 18, 713-714.	4.6	17
33	Sleep-Disordered Breathing and Blood Pressure Levels Among Shift and Day Workers. American Journal of Hypertension, 2006, 19, 346-351.	1.0	14
34	Prospective cohort study on television viewing time and incidence of lung cancer: findings from the Japan Collaborative Cohort Study. Cancer Causes and Control, 2013, 24, 1547-1553.	0.8	14
35	Trends in prevalence and management of diabetes and related vascular risks in Japanese adults: Japan National Health and Nutrition Surveys 2003â€"2012. Diabetes Research and Clinical Practice, 2017, 127, 115-122.	1.1	14
36	HDL cholesterol performance using an ultracentrifugation reference measurement procedure and the designated comparison method. Clinica Chimica Acta, 2015, 439, 185-190.	0.5	13

#	Article	IF	Citations
37	Dietary fiber intake and risk of incident disabling dementia: the Circulatory Risk in Communities Study. Nutritional Neuroscience, 2023, 26, 148-155.	1.5	13
38	Validity of brief food frequency questionnaire for estimation of dietary intakes of folate, vitamins B6and B12, and their associations with plasma homocysteine concentrations. International Journal of Food Sciences and Nutrition, 2010, 61, 61-67.	1.3	12
39	Revised System to Evaluate Measurement of Blood Chemistry Data From the Japanese National Health and Nutrition Survey and Prefectural Health and Nutrition Surveys. Journal of Epidemiology, 2013, 23, 28-34.	1.1	12
40	C-reactive protein levels and risk of disabling dementia with and without stroke in Japanese: The Circulatory Risk in Communities Study (CIRCS). Atherosclerosis, 2014, 236, 438-443.	0.4	11
41	The relationship between sodium concentrations in spot urine and blood pressure increases: a prospective study of Japanese general population: the Circulatory Risk in Communities Study (CIRCS). BMC Cardiovascular Disorders, 2016, 16, 55.	0.7	10
42	Long‐Term Prognosis of Brugada‐Type ECG and ECG With Atypical ST‐Segment Elevation in the Right Precordial Leads Over 20 Years: Results From the Circulatory Risk in Communities Study (CIRCS). Journal of the American Heart Association, 2016, 5, .	1.6	9
43	Trends in Policy on the Prevention and Control of Non-Communicable Diseases in Japan. Health Systems and Reform, 2017, 3, 268-277.	0.6	9
44	First Major Practical Step toward Appropriate Antimicrobial Use by the Government of Japan. Japanese Journal of Infectious Diseases, 2019, 72, 56-57.	0.5	9
45	Prediction of Myocardial Infarction Using Coronary Risk Scores Among Japanese Male Workers: 3M Study. Journal of Atherosclerosis and Thrombosis, 2010, 17, 452-459.	0.9	8
46	Factors Associated with Untreated Diabetes: Analysis of Data from 20,496 Participants in the Japanese National Health and Nutrition Survey. PLoS ONE, 2015, 10, e0118749.	1.1	8
47	Effective coverage of medical treatment for hypertension, diabetes and dyslipidaemia in Japan: An analysis of National Health and Nutrition Surveys 2003–2017. Journal of Health Services Research and Policy, 2021, 26, 106-114.	0.8	8
48	Urea Nitrogen Concentrations in Spot Urine, Estimated Protein Intake and Blood Pressure Levels in a Japanese General Population. American Journal of Hypertension, 2010, 23, 852-858.	1.0	7
49	The Japanese Government’s “Good Sleep” Challenge: Sleep Guidelines for Health Promotion 2014. Journal of Epidemiology, 2015, 25, 339-340.	1.1	7
50	Nippon AMR One Health Report: the first step towards multisectoral collaboration. Lancet Infectious Diseases, The, 2018, 18, 1179-1180.	4.6	6
51	Risk Stratification Based on Metabolic Syndrome as well as Non- Metabolic Risk Factors in the Assessment of Carotid Atherosclerosis. Journal of Atherosclerosis and Thrombosis, 2011, 18, 504-512.	0.9	6
52	Health Disparities in Ischaemic Heart Disease Mortality in Hungary From 1970 to 2010: An Age-Period-Cohort Analysis. Journal of Epidemiology, 2015, 25, 399-406.	1.1	5
53	New Challenges in Cancer Control in Japan. Journal of Epidemiology, 2013, 23, 153-154.	1.1	4
54	Body Mass Index and Serum γ‐glutamyltransferase Level as Risk Factors for Injuries Related to Professional Horse Racing: A Prospective Study. Journal of Occupational Health, 2009, 51, 323-331.	1.0	4

#	Article	IF	Citations
55	A Model to Estimate the Effect of International Traffic on Malaria Cases: The Case of Japan from 1999 to 2021. International Journal of Environmental Research and Public Health, 2022, 19, 880.	1.2	4
56	Usefulness of Skinfold Thickness Measurements for Determining Body Fat Distribution and Disease Risk for Japanese Men and Women. , 2012, , 2667-2678.		2
57	Response to Letter Regarding Article, â€œLow-Density Lipoprotein Cholesterol Concentrations and Death Due to Intraparenchymal Hemorrhage: The Ibaraki Prefectural Health Studyâ€• Circulation, 2009, 120, .	1.6	1
58	Letter by Noda and Iso Regarding Article, â€œLow-Density Lipoprotein Cholesterol Concentrations and Death Due to Intraparenchymal Hemorrhage: The Ibaraki Prefectural Health Studyâ€• Circulation, 2009, 120, e280; author reply e281.	1.6	1
59	Progress of public health policy regarding global infectious diseases over the past decade in Japan. Journal of Infection and Chemotherapy, 2021, 27, 555-561.	0.8	1
60	Infectious Disease Emergency Specialist (IDES) Training Program in Japan: an innovative governmental challenge to respond to global public health emergencies. Global Health & Medicine, 2020, 2, 44-47.	0.6	1
61	Monitoring progress towards planetary health. BMJ: British Medical Journal, 2017, 359, j5279.	2.4	0
62	The recent trend of MRSA surveillance in Japanese health care facilities. International Journal of Infectious Diseases, 2019, 79, 49.	1.5	0
63	Reader response: Low-density lipoprotein cholesterol and risk of intracerebral hemorrhage: A prospective study. Neurology, 2020, 95, 98.2-99.	1.5	0
64	Revise of Program for Standard Health Check-ups and Standard Health Guidance. Trends in the Sciences, 2014, 19, 5_50-5_53.	0.0	0
65	A Macro-Level Association of Vaccination Rate with the Number of Confirmed COVID-19 Cases in the United States and Japan. International Journal of Environmental Research and Public Health, 2022, 19, 7435.	1.2	0