

Peymane Adab

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1958331/peyman-adab-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166 papers	4,776 citations	34 h-index	62 g-index
198 ext. papers	5,719 ext. citations	6.2 avg, IF	6.33 L-index

#	Paper	IF	Citations
166	Prioritising primary care respiratory research needs: results from the 2020 International Primary Care Respiratory Group (IPCRG) global e-Delphi exercise.. <i>Npj Primary Care Respiratory Medicine</i> , 2022 , 32, 6	3.2	0
165	Investigating primary healthcare practitioners' barriers and enablers to referral of patients with COPD to pulmonary rehabilitation: a mixed-methods study using the Theoretical Domains Framework.. <i>BMJ Open</i> , 2022 , 12, e046875	3	0
164	Relationship Between Weight Status and Health-Related Quality of Life in School-age Children in China.. <i>Journal of Health Economics and Outcomes Research</i> , 2022 , 9, 75-81	1.6	1
163	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-148	1.5	
162	Evaluating an Intervention to Increase Cereal Fiber Intake in Children: A Randomized Controlled Feasibility Trial. <i>Journal of Nutrition</i> , 2021 , 151, 379-386	4.1	1
161	Delivering a childhood obesity prevention intervention using Islamic religious settings in the UK: What is most important to the stakeholders?. <i>Preventive Medicine Reports</i> , 2021 , 22, 101387	2.6	2
160	Effectiveness of school-based interventions to prevent obesity among children aged 4 to 12 years old in middle-income countries: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22, e13105	10.6	4
159	Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWEL trial. <i>Clinical Obesity</i> , 2021 , 11, e12418	3.6	
158	Performance of the EQ-5D-5L Plus Respiratory Bolt-On in the Birmingham Chronic Obstructive Pulmonary Disease Cohort Study. <i>Value in Health</i> , 2021 , 24, 1667-1675	3.3	
157	Cost-Effectiveness of a School-and Family-Based Childhood Obesity Prevention Programme in China: The "CHIRPY DRAGON" Cluster-Randomised Controlled Trial. <i>International Journal of Public Health</i> , 2021 , 66, 1604025	4	0
156	An assessment of the construct validity of the Child Health Utility 9D-CHN instrument in school-aged children: evidence from a Chinese trial. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 205	3	0
155	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (≥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. <i>BMJ Open</i> , 2021 , 11, e051811	3	1
154	Who is most likely to be infected with SARS-CoV-2?. <i>Lancet Infectious Diseases</i> , 2020 , 20, 995-996	25.5	27
153	Effectiveness and cost-effectiveness of The Daily Mile on childhood weight outcomes and wellbeing: a cluster randomised controlled trial. <i>International Journal of Obesity</i> , 2020 , 44, 812-822	5.5	11
152	Referral of patients with chronic obstructive pulmonary disease to pulmonary rehabilitation: a qualitative study of barriers and enablers for primary healthcare practitioners. <i>British Journal of General Practice</i> , 2020 , 70, e274-e284	1.6	6
151	Relationship between primary school healthy eating and physical activity promoting environments and children's dietary intake, physical activity and weight status: a longitudinal study in the West Midlands, UK. <i>BMJ Open</i> , 2020 , 10, e040833	3	3
150	A weight management programme for fathers of children aged 4-11 years: cultural adaptation and the Healthy Dads, Healthy Kids UK feasibility RCT. <i>Public Health Research</i> , 2020 , 8, 1-166	1.7	2

149	Accuracy of Vitalograph lung monitor as a screening test for COPD in primary care. <i>Npj Primary Care Respiratory Medicine</i> , 2020 , 30, 2	3.2	7
148	Impact of COPD case finding on clinical care: a prospective analysis of the TargetCOPD trial. <i>BMJ Open</i> , 2020 , 10, e038286	3	0
147	Development and validation of a prediction model for airflow obstruction in older Chinese: Guangzhou Biobank Cohort Study. <i>Respiratory Medicine</i> , 2020 , 173, 106158	4.6	1
146	Study to evaluate the effectiveness and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among residents (≥0 years) in four cities in China: protocol for a multicentre cross-sectional study on behalf of the Breathe Well group. <i>BMJ Open</i> , 2020 , 10, e035738	3	1
145	The Food provision, cUlture and Environment in secondary schools (FUEL) study: protocol of a mixed methods evaluation of national School Food Standards implementation in secondary schools and their impact on pupils' Dietary intake and dental health. <i>BMJ Open</i> , 2020 , 10, e042931	3	1
144	The stability of the ADO score among UK COPD patients from The Health Improvement Network. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
143	A scoping review and systematic mapping of health promotion interventions associated with obesity in Islamic religious settings in the UK. <i>Obesity Reviews</i> , 2019 , 20, 1231-1261	10.6	9
142	The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. <i>BMC Medicine</i> , 2019 , 17, 51	11.4	4
141	A Systematic Review of Methods, Study Quality, and Results of Economic Evaluation for Childhood and Adolescent Obesity Intervention. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	15
140	All-cause and cause-specific mortality from restrictive and obstructive spirometric patterns in Chinese adults with and without dyspnea: Guangzhou Biobank Cohort Study. <i>Respiratory Medicine</i> , 2019 , 151, 66-80	4.6	2
139	Economic evaluation of a childhood obesity prevention programme for children: Results from the WAVES cluster randomised controlled trial conducted in schools. <i>PLoS ONE</i> , 2019 , 14, e0219500	3.7	10
138	Cultural adaptation of a children's weight management programme: Child weight mANaGement for Ethnically diverse communities (CHANGE) study. <i>BMC Public Health</i> , 2019 , 19, 848	4.1	3
137	External Validation Of The Updated ADO Score In COPD Patients From The Birmingham COPD Cohort. <i>International Journal of COPD</i> , 2019 , 14, 2395-2407	3	4
136	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. <i>Thorax</i> , 2019 , 74, 730-739	7.3	7
135	Cultural adaptation of an existing children's weight management programme: the CHANGE intervention and feasibility RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-166	4.4	4
134	Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. <i>International Journal of Obesity</i> , 2019 , 43, 2066-2075	5.5	9
133	Healthy Dads, Healthy Kids UK, a weight management programme for fathers: feasibility RCT. <i>BMJ Open</i> , 2019 , 9, e033534	3	7
132	The CHIRPY DRAGON intervention in preventing obesity in Chinese primary-school-aged children: A cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002971	11.6	19

131	How does age affect the relationship between weight and health utility during the middle years of childhood?. <i>Quality of Life Research</i> , 2018 , 27, 1455-1462	3.7	6
130	Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study). <i>BMJ, The</i> , 2018 , 360, k211	5.9	71
129	Systematic review: chronic obstructive pulmonary disease and work-related outcomes. <i>Occupational Medicine</i> , 2018 , 68, 99-108	2.1	11
128	A cluster randomised controlled trial evaluating the effectiveness and cost-effectiveness of the daily mile on childhood obesity and wellbeing; the Birmingham daily mile protocol. <i>BMC Public Health</i> , 2018 , 18, 126	4.1	13
127	Protocol for a systematic review of methods and cost-effectiveness findings of economic evaluations of obesity prevention and/or treatment interventions in children and adolescents. <i>Systematic Reviews</i> , 2018 , 7, 54	3	3
126	Relationship between pulmonary function and peripheral vascular function in older Chinese: Guangzhou biobank cohort study-CVD. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 74	3.5	6
125	Self management of patients with mild COPD in primary care: randomised controlled trial. <i>BMJ, The</i> , 2018 , 361, k2241	5.9	36
124	The West Midlands Active lifestyle and healthy Eating in School children (WAVES) study: a cluster randomised controlled trial testing the clinical effectiveness and cost-effectiveness of a multifaceted obesity prevention intervention programme targeted at children aged 6-7 years. <i>Health Technology Assessment</i> , 2018 , 22, 1-103	4.4	10
123	An exploration of the longitudinal relation between parental feeding practices and child anthropometric adiposity measures from the West Midlands Active Lifestyle and Healthy Eating in Schoolchildren (WAVES) Study. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1316-1323	7	1
122	A cluster-randomised feasibility trial of a children@ weight management programme: the Child weight mANaGement for Ethnically diverse communities (CHANGE) study. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 175	1.9	3
121	Independent determinants of disease-related quality of life in COPD - scope for nonpharmacologic interventions?. <i>International Journal of COPD</i> , 2018 , 13, 247-256	3	14
120	Clinical characteristics of patients newly diagnosed with COPD by the fixed ratio and lower limit of normal criteria: a cross-sectional analysis of the TargetCOPD trial. <i>International Journal of COPD</i> , 2018 , 13, 1979-1986	3	7
119	Case-finding for COPD in primary care: a qualitative study of patients' perspectives. <i>International Journal of COPD</i> , 2018 , 13, 1623-1632	3	7
118	Are babies conceived during Ramadan born smaller and sooner than babies conceived at other times of the year? A Born in Bradford Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 722-728	5.1	6
117	Factors associated with work productivity among people with COPD: Birmingham COPD Cohort. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 859-867	2.1	12
116	Interventions to promote referral, uptake and adherence to pulmonary rehabilitation for people with chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2017 ,	5.2	5
115	Barriers and enablers of physical activity engagement for patients with COPD in primary care. <i>International Journal of COPD</i> , 2017 , 12, 1019-1031	3	39
114	Differences in perceived causes of childhood obesity between migrant and local communities in China: A qualitative study. <i>PLoS ONE</i> , 2017 , 12, e0177505	3.7	3

113	Process evaluation results of a cluster randomised controlled childhood obesity prevention trial: the WAVES study. <i>BMC Public Health</i> , 2017 , 17, 681	4.1	10
112	Birmingham COPD Cohort: a cross-sectional analysis of the factors associated with the likelihood of being in paid employment among people with COPD. <i>International Journal of COPD</i> , 2017 , 12, 233-242	3	12
111	Self-management behaviour and support among primary care COPD patients: cross-sectional analysis of data from the Birmingham Chronic Obstructive Pulmonary Disease Cohort. <i>Npj Primary Care Respiratory Medicine</i> , 2017 , 27, 46	3.2	21
110	Cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of an obesity prevention programme for Chinese primary school-aged children: the CHIRPY DRAGON study protocol. <i>BMJ Open</i> , 2017 , 7, e018415	3	12
109	Association of adiposity with pulmonary function in older Chinese: Guangzhou Biobank Cohort Study. <i>Respiratory Medicine</i> , 2017 , 132, 102-108	4.6	14
108	Predicting risk of undiagnosed COPD: development and validation of the TargetCOPD score. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	17
107	Prevalence of adiposity and its association with sleep duration, quality, and timing among 9-12-year-old children in Guangzhou, China. <i>Journal of Epidemiology</i> , 2017 , 27, 531-537	3.4	11
106	Weight status, cardiorespiratory fitness and high blood pressure relationship among 5-12-year-old Chinese primary school children. <i>Journal of Human Hypertension</i> , 2017 , 31, 808-814	2.6	1
105	Obesity prevention in English primary schools: headteacher perspectives. <i>Health Promotion International</i> , 2017 , 32, 490-499	3	9
104	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. <i>International Journal of Epidemiology</i> , 2017 , 46, 23	7.8	15
103	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 720-730	35.1	42
102	Development of the theory-based Chinese primary school children physical activity and dietary behaviour changes intervention (CHIRPY DRAGON): development of a cluster-randomised controlled trial. <i>Lancet, The</i> , 2016 , 388, S51	40	6
101	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. <i>Lancet, The</i> , 2016 , 388, 2492-2500	40	167
100	The Association between Obstructive Sleep Apnea on Diabetic Kidney Disease: A Systematic Review and Meta-Analysis. <i>Sleep</i> , 2016 , 39, 301-8	1.1	35
99	Adiposity and response to an obesity prevention intervention in Pakistani and Bangladeshi primary school boys and girls: a secondary analysis using the BEACHEs feasibility study. <i>BMJ Open</i> , 2016 , 6, e007907	3	3
98	Cultural adaptation of a children's weight management programme for Bangladeshi and Pakistani families in the UK: a cluster-randomised feasibility study protocol. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 48	1.9	3
97	Self-management of health care behaviors for COPD: a systematic review and meta-analysis. <i>International Journal of COPD</i> , 2016 , 11, 305-26	3	40
96	Effect of obstructive sleep apnoea on diabetic retinopathy and maculopathy: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2016 , 33, 158-68	3.5	46

95	Relationship between weight status and health-related quality of life in Chinese primary school children in Guangzhou: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 166	3	11
94	Socioeconomic determinants of childhood obesity among primary school children in Guangzhou, China. <i>BMC Public Health</i> , 2016 , 16, 482	4.1	34
93	Post-sanctions era in Iran: opportunity for science and publication. <i>Lancet, The</i> , 2016 , 388, 28-9	40	4
92	COPD case finding: effective, but also cost-effective? - AuthorsReply. <i>Lancet Respiratory Medicine, the</i> , 2016 , 4, e50	35.1	2
91	Changes in adiposity in an older Chinese population in rapid economic transition. <i>Obesity</i> , 2016 , 24, 2217823	5	
90	Patient self-management in primary care patients with mild COPD - protocol of a randomised controlled trial of telephone health coaching. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 16	3.5	19
89	Body size dissatisfaction among young Chinese children in Hong Kong: a cross-sectional study. <i>Public Health Nutrition</i> , 2015 , 18, 1067-74	3.3	10
88	Diagnostic accuracy of screening tests for COPD: a systematic review and meta-analysis. <i>BMJ Open</i> , 2015 , 5, e008133	3	41
87	A cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6-7 year old children: the WAVES study protocol. <i>BMC Public Health</i> , 2015 , 15, 488	4.1	26
86	Effectiveness of case finding strategies for COPD in primary care: a systematic review and meta-analysis. <i>Npj Primary Care Respiratory Medicine</i> , 2015 , 25, 15056	3.2	26
85	Musculoskeletal dysfunction in chronic obstructive pulmonary disease (COPD): An observational study. <i>International Journal of Therapy and Rehabilitation</i> , 2015 , 22, 119-128	0.4	13
84	Parent and child perceptions of school-based obesity prevention in England: a qualitative study. <i>BMC Public Health</i> , 2015 , 15, 1224	4.1	19
83	Is utility-based quality of life associated with overweight in children? Evidence from the UK WAVES randomised controlled study. <i>BMC Pediatrics</i> , 2015 , 15, 211	2.6	18
82	The role of grandparents in childhood obesity in China - evidence from a mixed methods study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 91	8.4	72
81	Health allowance for improving the nutritional status and development of 3-5-year-old left-behind children in poor rural areas of China: study protocol for a cluster randomised trial. <i>Trials</i> , 2015 , 16, 361	2.8	7
80	Case finding for COPD in primary care: a qualitative study of the views of health professionals. <i>International Journal of COPD</i> , 2015 , 10, 1711-8	3	15
79	AuthorsReply to letter to the editor by Engel and Vemulpad. <i>International Journal of Therapy and Rehabilitation</i> , 2015 , 22, 260-260	0.4	
78	Supported self-management for patients with COPD who have recently been discharged from hospital: a systematic review and meta-analysis. <i>International Journal of COPD</i> , 2015 , 10, 853-67	3	24

77	Predicting risk of COPD in primary care: development and validation of a clinical risk score. <i>BMJ Open Respiratory Research</i> , 2015 , 2, e000060	5.6	9
76	Teacher experiences of delivering an obesity prevention programme (The WAVES study intervention) in a primary school setting. <i>Health Education Journal</i> , 2015 , 74, 655-667	1.5	17
75	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. <i>Health Technology Assessment</i> , 2015 , 19, 1-516	4.4	52
74	Are school physical activity characteristics associated with weight status in primary school children? A multilevel cross-sectional analysis of routine surveillance data. <i>Archives of Disease in Childhood</i> , 2014 , 99, 135-41	2.2	13
73	Family and neighborhood correlates of overweight and obesogenic behaviors among Chinese children. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 700-9	2.6	29
72	Aldehyde dehydrogenase 2-a potential genetic risk factor for lung function among southern Chinese: evidence from the Guangzhou Biobank Cohort Study. <i>Annals of Epidemiology</i> , 2014 , 24, 606-11	6.4	3
71	Preventing childhood obesity, phase II feasibility study focusing on South Asians: BEACHes. <i>BMJ Open</i> , 2014 , 4, e004579	3	21
70	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versus routine practice in primary care: protocol. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 157	3.5	14
69	Hypoxemia and glycemic control in type 2 diabetes mellitus with extreme obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1650-4	5.6	15
68	Process evaluation design in a cluster randomised controlled childhood obesity prevention trial: the WAVES study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 112	8.4	34
67	Breastfeeding practice, oral contraceptive use and risk of rheumatoid arthritis among Chinese women: the Guangzhou Biobank Cohort Study. <i>Rheumatology</i> , 2014 , 53, 860-6	3.9	22
66	Cost-effectiveness of a community-based physical activity programme for adults (Be Active) in the UK: an economic analysis within a natural experiment. <i>British Journal of Sports Medicine</i> , 2014 , 48, 207-12	10.3	35
65	Contributors to childhood obesity in Iran: the views of parents and school staff. <i>Public Health</i> , 2014 , 128, 83-90	4	7
64	The impact of hypoxemia on nephropathy in extremely obese patients with type 2 diabetes mellitus. <i>Journal of Clinical Sleep Medicine</i> , 2014 , 10, 773-8	3.1	25
63	Mental health and asthma in China: the Guangzhou Biobank Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 259-64	2.6	9
62	Development of a childhood obesity prevention programme with a focus on UK South Asian communities. <i>Preventive Medicine</i> , 2013 , 57, 948-54	4.3	19
61	A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 393	2.8	18
60	Physical activity and blood pressure in primary school children: a longitudinal study. <i>Hypertension</i> , 2013 , 61, 70-5	8.5	34

59	The views of stakeholders on the role of the primary school in preventing childhood obesity: a qualitative systematic review. <i>Obesity Reviews</i> , 2013 , 14, 975-88	10.6	59
58	Case finding for chronic obstructive pulmonary disease in primary care: a pilot randomised controlled trial. <i>British Journal of General Practice</i> , 2013 , 63, e55-62	1.6	17
57	Contextual influences on the development of obesity in children: a case study of UK South Asian communities. <i>Preventive Medicine</i> , 2012 , 54, 205-11	4.3	33
56	Past dust and GAS/FUME exposure and COPD in Chinese: the Guangzhou Biobank Cohort Study. <i>Respiratory Medicine</i> , 2012 , 106, 1421-8	4.6	20
55	COPD and depressive symptoms: findings from the Guangzhou Biobank Cohort Study. <i>Annals of Behavioral Medicine</i> , 2012 , 44, 408-15	4.5	5
54	Manual therapy for chronic obstructive airways disease: a systematic review of current evidence. <i>Manual Therapy</i> , 2012 , 17, 507-18		31
53	Sex, susceptibility to smoking and chronic obstructive pulmonary disease: the effect of different diagnostic criteria. Analysis of the Health Survey for England. <i>Thorax</i> , 2012 , 67, 600-5	7.3	26
52	Case finding for COPD in primary care: a systematic review. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012 , 21, 354-7		4
51	Body image, body dissatisfaction and weight status in South Asian children: a cross-sectional study. <i>BMC Public Health</i> , 2011 , 11, 21	4.1	37
50	An evaluation of Birmingham Own Health telephone care management service among patients with poorly controlled diabetes. A retrospective comparison with the General Practice Research Database. <i>BMC Public Health</i> , 2011 , 11, 707	4.1	22
49	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: lighten Up randomised controlled trial. <i>BMJ, The</i> , 2011 , 343, d6500	5.9	261
48	Gender differences in COPD: are women more susceptible to smoking effects than men?. <i>Thorax</i> , 2011 , 66, 921-2; author reply 922	7.3	6
47	Passive smoking and chronic obstructive pulmonary disease: cross-sectional analysis of data from the Health Survey for England. <i>BMJ Open</i> , 2011 , 1, e000153	3	22
46	Napping is associated with increased risk of type 2 diabetes: the Guangzhou Biobank Cohort Study. <i>Sleep</i> , 2010 , 33, 402-7	1.1	75
45	Airflow obstruction and metabolic syndrome: the Guangzhou Biobank Cohort Study. <i>European Respiratory Journal</i> , 2010 , 35, 317-23	13.6	67
44	Case finding for chronic obstructive pulmonary disease: a model for optimising a targeted approach. <i>Thorax</i> , 2010 , 65, 492-8	7.3	35
43	Prior TB, smoking, and airflow obstruction: a cross-sectional analysis of the Guangzhou Biobank Cohort Study. <i>Chest</i> , 2010 , 137, 593-600	5.3	77
42	Obesity, high-sensitive C-reactive protein and snoring in older Chinese: the Guangzhou Biobank Cohort Study. <i>Respiratory Medicine</i> , 2010 , 104, 1750-6	4.6	9

41	A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. <i>BMC Public Health</i> , 2010 , 10, 439	4.1	29
40	Leg length and age of puberty among men and women from a developing population: the Guangzhou Biobank Cohort study. <i>American Journal of Human Biology</i> , 2010 , 22, 683-7	2.7	11
39	Childhood growth and adulthood cognition in a rapidly developing population. <i>Epidemiology</i> , 2009 , 20, 91-9	3.1	16
38	Alcohol sensitivity, alcohol use and hypertension in an older Chinese population: the Guangzhou Biobank Cohort Study. <i>Hypertension Research</i> , 2009 , 32, 741-7	4.7	9
37	Smoking, smoking cessation and aortic arch calcification in older Chinese: the Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2009 , 202, 529-34	3.1	25
36	Smoking, smoking cessation and inflammatory markers in older Chinese men: The Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2009 , 203, 304-10	3.1	45
35	Are longer legs associated with enhanced fertility in Chinese women??. <i>Evolution and Human Behavior</i> , 2008 , 29, 434-443	4	17
34	Implications of increased weight and waist circumference on vascular risk in an older Chinese population: the Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2008 , 196, 682-8	3.1	9
33	White blood cell count and the metabolic syndrome in older Chinese: the Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2008 , 201, 418-24	3.1	42
32	Passive smoking exposure and risk of COPD in China [AuthorsReply]. <i>Lancet, The</i> , 2008 , 371, 201-202	4.0	3
31	Is leg length a biomarker of childhood conditions in older Chinese women? The Guangzhou Biobank Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 160-6	5.1	24
30	Effect of social factors on winter hospital admission for respiratory disease: a case-control study of older people in the UK. <i>British Journal of General Practice</i> , 2008 , 58, 400-2	1.6	27
29	Are height and leg length universal markers of childhood conditions? The Guangzhou Biobank cohort study. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 607-14	5.1	23
28	Age of menarche and the metabolic syndrome in China. <i>Epidemiology</i> , 2007 , 18, 740-6	3.1	126
27	Advertising of food to children: is brand logo recognition related to their food knowledge, eating behaviours and food preferences?. <i>Journal of Public Health</i> , 2007 , 29, 358-67	3.5	35
26	Relationship between walking levels and perceptions of the local neighbourhood environment. <i>Archives of Disease in Childhood</i> , 2007 , 92, 29-33	2.2	49
25	Height, its components, and cardiovascular risk among older Chinese: a cross-sectional analysis of the Guangzhou Biobank Cohort Study. <i>American Journal of Public Health</i> , 2007 , 97, 1834-41	5.1	31
24	A case-control study of elderly patients with acute respiratory illness: effect of influenza vaccination on admission to hospital in winter 2003-2004. <i>Vaccine</i> , 2007 , 25, 7909-13	4.1	11

23	c-Reactive protein and the metabolic syndrome in older Chinese: Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2007 , 194, 483-9	3.1	21
22	Passive smoking exposure and risk of COPD among adults in China: the Guangzhou Biobank Cohort Study. <i>Lancet, The</i> , 2007 , 370, 751-7	4.0	206
21	Cohort profile: The Guangzhou Biobank Cohort Study, a Guangzhou-Hong Kong-Birmingham collaboration. <i>International Journal of Epidemiology</i> , 2006 , 35, 844-52	7.8	161
20	Obesity prevention: life course approach vs continuing environmental detoxification. <i>International Journal of Epidemiology</i> , 2006 , 35, 1100-1; author reply 1102	7.8	2
19	Association of vascular risk factors with increasing glycemia even in normoglycemic subjects in an older Chinese population: the Guangzhou Biobank Cohort Study. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 1035-41	12.7	15
18	Association of the metabolic syndrome with vascular disease in an older Chinese population: Guangzhou Biobank Cohort Study. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 989-96	5.2	26
17	Snoring and vascular risk factors and disease in a low-risk Chinese population: the Guangzhou Biobank Cohort Study. <i>Sleep</i> , 2006 , 29, 896-900	1.1	34
16	Parity and the metabolic syndrome in older Chinese women: the Guangzhou Biobank Cohort Study. <i>Clinical Endocrinology</i> , 2006 , 65, 460-9	3.4	58
15	Smoking, respiratory disease and health service utilisation: the paradox. <i>Social Science and Medicine</i> , 2005 , 60, 483-90	5.1	6
14	Secondhand smoke and respiratory ill health in current smokers. <i>Tobacco Control</i> , 2005 , 14, 307-14	5.3	31
13	Use of a corporate needs assessment to define the information requirements of an arthritis resource centre in Birmingham: comparison of patients and professionals views. <i>British Journal of Rheumatology</i> , 2004 , 43, 1513-8		15
12	Socio-cultural influences on Chinese women's attendance for cervical screening. <i>Journal of Advanced Nursing</i> , 2004 , 46, 42-52	3.1	57
11	Effectiveness and efficiency of opportunistic cervical cancer screening: comparison with organized screening. <i>Medical Care</i> , 2004 , 42, 600-9	3.1	29
10	Age-specific relevance of usual blood pressure to vascular mortality. <i>Lancet, The</i> , 2003 , 361, 1389; author reply 1391-2	4.0	4
9	Age-specific relevance of usual blood pressure to vascular mortality. <i>Lancet, The</i> , 2003 , 361, 1391; author reply 1391-2	4.0	9
8	Informed consent for breast screening: what should we tell women?. <i>Journal of Medical Screening</i> , 2003 , 10, 22-6	1.4	12
7	Randomised controlled trial of the effect of evidence based information on women's willingness to participate in cervical cancer screening. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 589-93	5.1	33
6	Does smoking status influence the prognosis of bladder cancer? A systematic review. <i>BJU International</i> , 2002 , 90, 228-39	5.6	82

5	Performance league tables: the NHS deserves better. <i>BMJ: British Medical Journal</i> , 2002 , 324, 95-8		74
4	Passive smoking at work: the short-term cost. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 673-6	5.1	26
3	Environmental tobacco smoke exposure among police officers in Hong Kong. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 756-63	27.4	27
2	Screening and mortality from cervical cancer 1999 , 319, 642-642		3
1	Screening for sight threatening eye disease. Cost effectiveness of screening modalities must be determined. <i>BMJ: British Medical Journal</i> , 1996 , 312, 440; author reply 440-1		1