

# Philippe Amouyel

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1958730/philippe-amouyel-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

625  
papers

64,333  
citations

105  
h-index

240  
g-index

709  
ext. papers

77,965  
ext. citations

9.4  
avg, IF

6.53  
L-index

#	Paper	IF	Citations
625	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , <b>2017</b> , 390, 2627-2642	40	2980
624	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 1452-8	36.3	2714
623	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , <b>2015</b> , 518, 197-206	50.4	2687
622	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , <b>2016</b> , 387, 1513-1530	40	2039
621	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer's disease. <i>Nature Genetics</i> , <b>2009</b> , 41, 1094-9	36.3	1819
620	TREM2 variants in Alzheimer's disease. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 117-27	59.2	1805
619	Myocardial infarction and coronary deaths in the World Health Organization MONICA Project. Registration procedures, event rates, and case-fatality rates in 38 populations from 21 countries in four continents. <i>Circulation</i> , <b>1994</b> , 90, 583-612	16.7	1777
618	Deletion polymorphism in the gene for angiotensin-converting enzyme is a potent risk factor for myocardial infarction. <i>Nature</i> , <b>1992</b> , 359, 641-4	50.4	1670
617	Alpha-synuclein locus duplication as a cause of familial Parkinson's disease. <i>Lancet, The</i> , <b>2004</b> , 364, 1167-70	40	1579
616	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , <b>2011</b> , 43, 429-35	36.3	1421
615	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , <b>2014</b> , 46, 1173-86	36.3	1339
614	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 25-33	36.3	1172
613	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , <b>2017</b> , 389, 37-55	40	1100
612	Contribution of trends in survival and coronary-event rates to changes in coronary heart disease mortality: 10-year results from 37 WHO MONICA project populations. Monitoring trends and determinants in cardiovascular disease. <i>Lancet, The</i> , <b>1999</b> , 353, 1547-57	40	1065
611	Defeating Alzheimer's disease and other dementias: a priority for European science and society. <i>Lancet Neurology, The</i> , <b>2016</b> , 15, 455-532	24.1	921
610	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , <b>2015</b> , 518, 187-196	50.4	920
609	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates APOE, tau, immunity and lipid processing. <i>Nature Genetics</i> , <b>2019</b> , 51, 414-430	36.3	917

608	Genome-wide analysis of genetic loci associated with Alzheimer disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 1832-40	27.4	888
607	Fruit and vegetable consumption and risk of coronary heart disease: a meta-analysis of cohort studies. <i>Journal of Nutrition</i> , <b>2006</b> , 136, 2588-93	4.1	789
606	Plasma fibrinogen level and the risk of major cardiovascular diseases and nonvascular mortality: an individual participant meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 294, 1799-809	27.4	770
605	C-reactive protein, fibrinogen, and cardiovascular disease prediction. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1310-20	59.2	750
604	EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 636-48	3.9	549
603	Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , <b>2018</b> , 50, 524-537	36.3	536
602	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , <b>2017</b> , 49, 1373-1384	36.3	508
601	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , <b>2013</b> , 45, 501-12	36.3	437
600	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , <b>2017</b> , 542, 186-190	50.4	412
599	APOE and Alzheimer disease: a major gene with semi-dominant inheritance. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 903-7	15.1	391
598	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , <b>2018</b> , 50, 1412-1425	36.3	386
597	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 314, 52-60	27.4	365
596	Apolipoprotein E, epsilon 4 allele as a major risk factor for sporadic early and late-onset forms of Alzheimer's disease: analysis of the 19q13.2 chromosomal region. <i>Human Molecular Genetics</i> , <b>1994</b> , 3, 569-74	5.6	344
595	Unhealthy effects of atmospheric temperature and pressure on the occurrence of myocardial infarction and coronary deaths. A 10-year survey: the Lille-World Health Organization MONICA project (Monitoring trends and determinants in cardiovascular disease). <i>Circulation</i> , <b>1999</b> , 100, E1-7	16.7	340
594	Genome-wide association analyses identify new risk variants and the genetic architecture of amyotrophic lateral sclerosis. <i>Nature Genetics</i> , <b>2016</b> , 48, 1043-8	36.3	328
593	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , <b>2016</b> , 351, 1166-71	33.3	325
592	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , <b>2017</b> , 49, 1758-1766	36.3	310
591	Risk factors for coronary heart disease in patients treated for human immunodeficiency virus infection compared with the general population. <i>Clinical Infectious Diseases</i> , <b>2003</b> , 37, 292-8	11.6	302

590	C-reactive protein, interleukin-6, and fibrinogen as predictors of coronary heart disease: the PRIME Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2003</b> , 23, 1255-61	9.4	296
589	Cigarette smoking is associated with unhealthy patterns of nutrient intake: a meta-analysis. <i>Journal of Nutrition</i> , <b>1998</b> , 128, 1450-7	4.1	284
588	Interleukin-18 and the risk of coronary heart disease in European men: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>Circulation</i> , <b>2003</b> , 108, 2453-9	16.7	273
587	A polymorphism in CALHM1 influences Ca <sup>2+</sup> homeostasis, Aβ levels, and Alzheimer's disease risk. <i>Cell</i> , <b>2008</b> , 133, 1149-61	56.2	263
586	Fruit and vegetable consumption and risk of stroke: a meta-analysis of cohort studies. <i>Neurology</i> , <b>2005</b> , 65, 1193-7	6.5	257
585	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , <b>2018</b> , 9, 2098	17.4	254
584	Increased expression of BIN1 mediates Alzheimer genetic risk by modulating tau pathology. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 1225-34	15.1	251
583	Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53949). <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 183-92	15.1	250
582	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e1332-e1345	13.6	239
581	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. <i>Nature Genetics</i> , <b>2013</b> , 45, 76-82	36.3	232
580	The epsilon4 allele of the apolipoprotein E gene as a potential protective factor for exudative age-related macular degeneration. <i>American Journal of Ophthalmology</i> , <b>1998</b> , 125, 353-9	4.9	232
579	A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease. <i>Nature Neuroscience</i> , <b>2017</b> , 20, 1052-1061	25.5	228
578	Common polygenic variation enhances risk prediction for Alzheimer's disease. <i>Brain</i> , <b>2015</b> , 138, 3673-84	11.2	227
577	Deletion polymorphism in angiotensin-converting enzyme gene associated with parental history of myocardial infarction. <i>Lancet, The</i> , <b>1993</b> , 341, 991-2	4.0	226
576	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , <b>2018</b> , 50, 559-571	36.3	221
575	A case-control study of lipoprotein particles in two populations at contrasting risk for coronary heart disease. The ECTIM Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1992</b> , 12, 701-7		214
574	Predictors of restenosis after coronary stent implantation. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 1291-8	15.1	205
573	Fruits, vegetables and coronary heart disease. <i>Nature Reviews Cardiology</i> , <b>2009</b> , 6, 599-608	14.8	204

572	High frequency of potentially pathogenic SORL1 mutations in autosomal dominant early-onset Alzheimer disease. <i>Molecular Psychiatry</i> , <b>2012</b> , 17, 875-9	15.1	197
571	Contributions of depressive mood and circulating inflammatory markers to coronary heart disease in healthy European men: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>Circulation</i> , <b>2005</b> , 111, 2299-305	16.7	196
570	APOE genotype, cholesterol level, lipid-lowering treatment, and dementia: the Three-City Study. <i>Neurology</i> , <b>2005</b> , 64, 1531-8	6.5	189
569	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , <b>2018</b> , 50, 26-41	36.3	186
568	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , <b>2016</b> , 48, 1151-1161	36.3	181
567	Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9 and MMP-12 genes as determinants of aneurysmal coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 40, 43-8	15.1	181
566	Endothelial cell markers and the risk of coronary heart disease: the Prospective Epidemiological Study of Myocardial Infarction (PRIME) study. <i>Circulation</i> , <b>2004</b> , 109, 1343-8	16.7	177
565	Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002091	6	176
564	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 108-17	15.1	175
563	Common variants at 12q14 and 12q24 are associated with hippocampal volume. <i>Nature Genetics</i> , <b>2012</b> , 44, 545-51	36.3	175
562	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , <b>2017</b> , 8, 13624	17.4	173
561	Impact of apolipoprotein E polymorphism on lipoproteins and risk of myocardial infarction. The ECTIM Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1994</b> , 14, 1412-9		172
560	Genome-wide analysis of multi-ancestry cohorts identifies new loci influencing intraocular pressure and susceptibility to glaucoma. <i>Nature Genetics</i> , <b>2014</b> , 46, 1126-1130	36.3	171
559	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , <b>2002</b> , 163, 377-84	3.1	170
558	Associations of Fibrinogen, Factor VII and PAI-1 with Baseline Findings among 10,500 Male Participants in a Prospective Study of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , <b>1998</b> , 80, 749-756		170
557	A genetic polymorphism of the peroxisome proliferator-activated receptor gamma gene influences plasma leptin levels in obese humans. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 435-40	5.6	164
556	Meta-analysis of 65,734 individuals identifies TSPAN15 and SLC44A2 as two susceptibility loci for venous thromboembolism. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 532-42	11	163
555	Are the Framingham and PROCAM coronary heart disease risk functions applicable to different European populations? The PRIME Study. <i>European Heart Journal</i> , <b>2003</b> , 24, 1903-11	9.5	161

554	Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. <i>Lancet Neurology, The</i> , <b>2016</b> , 15, 174-184	24.1	159
553	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , <b>2021</b> , 398, 957-980	40	154
552	Trans-ethnic association study of blood pressure determinants in over 750,000 individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 51-62	36.3	152
551	Common variation in PHACTR1 is associated with susceptibility to cervical artery dissection. <i>Nature Genetics</i> , <b>2015</b> , 47, 78-83	36.3	149
550	Alzheimer risk associated with a copy number variation in the complement receptor 1 increasing C3b/C4b binding sites. <i>Molecular Psychiatry</i> , <b>2012</b> , 17, 223-33	15.1	149
549	Overall alcohol intake, beer, wine, and systemic markers of inflammation in western Europe: results from three MONICA samples (Augsburg, Glasgow, Lille). <i>European Heart Journal</i> , <b>2004</b> , 25, 2092-100	9.5	148
548	CYP2D6 polymorphism, pesticide exposure, and Parkinson's disease. <i>Annals of Neurology</i> , <b>2004</b> , 55, 430-4	9.4	148
547	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , <b>2016</b> , 19, 1569-1582	25.5	147
546	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , <b>2015</b> , 11, 658-71	1.2	146
545	Genome-wide association studies of cerebral white matter lesion burden: the CHARGE consortium. <i>Annals of Neurology</i> , <b>2011</b> , 69, 928-39	9.4	146
544	The role of adiposity in cardiometabolic traits: a Mendelian randomization analysis. <i>PLoS Medicine</i> , <b>2013</b> , 10, e1001474	11.6	144
543	Value of HDL cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I/A-II in prediction of coronary heart disease: the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 1155-61	9.4	144
542	Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 1004-16	15.1	141
541	Genome-wide association study confirms BST1 and suggests a locus on 12q24 as the risk loci for Parkinson's disease in the European population. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 615-27	5.6	139
540	Household income is associated with the risk of metabolic syndrome in a sex-specific manner. <i>Diabetes Care</i> , <b>2005</b> , 28, 409-15	14.6	135
539	A new polymorphism in the APOE promoter associated with risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 533-40	5.6	135
538	Single nucleotide polymorphisms in the FADS gene cluster are associated with delta-5 and delta-6 desaturase activities estimated by serum fatty acid ratios. <i>Journal of Lipid Research</i> , <b>2010</b> , 51, 2325-33	6.3	134
537	Impact of the Peroxisome Proliferator Activated Receptor gamma2 Pro12Ala polymorphism on adiposity, lipids and non-insulin-dependent diabetes mellitus. <i>International Journal of Obesity</i> , <b>2000</b> , 24, 195-9	5.5	131

536	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , <b>2003</b> , 170, 169-76	3.1	127
535	Excessive daytime sleepiness is an independent risk indicator for cardiovascular mortality in community-dwelling elderly: the three city study. <i>Stroke</i> , <b>2009</b> , 40, 1219-24	6.7	122
534	The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. <i>European Journal of Epidemiology</i> , <b>2007</b> , 22, 839-69	12.1	121
533	Beta2-adrenoceptor gene polymorphism, body weight, and physical activity. <i>Lancet, The</i> , <b>1999</b> , 353, 896-900	4.0	121
532	Multiethnic genome-wide association study of cerebral white matter hyperintensities on MRI. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 398-409		119
531	Impact of genetic variation of PPARgamma in humans. <i>Molecular Genetics and Metabolism</i> , <b>2004</b> , 83, 93-102	3.7	119
530	The apolipoprotein E alleles as major susceptibility factors for Creutzfeldt-Jakob disease. The French Research Group on Epidemiology of Human Spongiform Encephalopathies. <i>Lancet, The</i> , <b>1994</b> , 344, 1315-8	4.0	115
529	Tau deletion promotes brain insulin resistance. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 2257-2269	16.6	114
528	Association of plasma amyloid beta with risk of dementia: the prospective Three-City Study. <i>Neurology</i> , <b>2009</b> , 73, 847-53	6.5	111
527	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology</i> , <b>2015</b> , 3, 624-37	18.1	109
526	Implication of the immune system in Alzheimer's disease: evidence from genome-wide pathway analysis. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 20, 1107-18	4.3	109
525	Independent association of an APOE gene promoter polymorphism with increased risk of myocardial infarction and decreased APOE plasma concentrations-the ECTIM study. <i>Human Molecular Genetics</i> , <b>2000</b> , 9, 57-61	5.6	107
524	Whole exome sequencing study identifies novel rare and common Alzheimer's-Associated variants involved in immune response and transcriptional regulation. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1859-1875	15.1	106
523	Ischemic stroke is associated with the ABO locus: the EuroCLOT study. <i>Annals of Neurology</i> , <b>2013</b> , 73, 16-31	9.4	105
522	Association of vascular risk factors with cervical artery dissection and ischemic stroke in young adults. <i>Circulation</i> , <b>2011</b> , 123, 1537-44	16.7	105
521	Genetics of venous thrombosis: insights from a new genome wide association study. <i>PLoS ONE</i> , <b>2011</b> , 6, e25581	3.7	105
520	ApoE immunoreactivity and microglial cells in Alzheimer's disease brain. <i>Neuroscience Letters</i> , <b>1995</b> , 195, 5-8	3.3	102
519	Fish consumption is associated with lower heart rates. <i>Circulation</i> , <b>2003</b> , 108, 820-5	16.7	101

518	Pronounced impact of Th1/E47cs mutation compared with -491 AT mutation on neural APOE gene expression and risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 1511-6	5.6	101
517	A genome-wide association study identifies LIPA as a susceptibility gene for coronary artery disease. <i>Circulation: Cardiovascular Genetics</i> , <b>2011</b> , 4, 403-12		98
516	The pursuit of susceptibility genes for Alzheimer's disease: progress and prospects. <i>Trends in Genetics</i> , <b>2010</b> , 26, 84-93	8.5	98
515	Leisure-time physical activity and regular walking or cycling to work are associated with adiposity and 5 y weight gain in middle-aged men: the PRIME Study. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 940-8	5.5	98
514	Low-frequency and common genetic variation in ischemic stroke: The METASTROKE collaboration. <i>Neurology</i> , <b>2016</b> , 86, 1217-26	6.5	98
513	Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 578-86	7.8	97
512	Characterization of a unique genetic variant in the beta1-adrenoceptor gene and evaluation of its role in idiopathic dilated cardiomyopathy. CARDIGENE Group. <i>Journal of Molecular and Cellular Cardiology</i> , <b>1999</b> , 31, 1025-32	5.8	97
511	Influence of apolipoprotein E genotype on the risk of cognitive deterioration in moderate drinkers and smokers. <i>Epidemiology</i> , <b>2000</b> , 11, 280-4	3.1	97
510	Contribution of APOE promoter polymorphisms to Alzheimer's disease risk. <i>Neurology</i> , <b>2002</b> , 59, 59-66	6.5	96
509	The angiotensin II type 1 receptor gene polymorphism is associated with coronary artery vasoconstriction. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 486-90	15.1	95
508	Alcohol intake and diet in France, the prominent role of lifestyle. <i>European Heart Journal</i> , <b>2004</b> , 25, 1153-62	6.2	95
507	Genetics of Alzheimer's disease: new evidences for an old hypothesis?. <i>Current Opinion in Genetics and Development</i> , <b>2011</b> , 21, 295-301	4.9	94
506	Patterns of alcohol consumption and ischaemic heart disease in culturally divergent countries: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>BMJ, The</i> , <b>2010</b> , 341, c6077	5.9	93
505	Association between beta-1 and beta-2 adrenergic receptor gene polymorphisms and the response to beta-blockade in patients with stable congestive heart failure. <i>Pharmacogenetics and Genomics</i> , <b>2005</b> , 15, 137-42	1.9	93
504	D allele of the angiotensin I-converting enzyme is a major risk factor for restenosis after coronary stenting. <i>Circulation</i> , <b>1997</b> , 96, 56-60	16.7	92
503	Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e94661	3.7	90
502	Mosaic Loss of Chromosome Y in Blood Is Associated with Alzheimer Disease. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 1208-1219	11	90
501	Association between the low density lipoprotein receptor-related protein (LRP) and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1997</b> , 227, 68-70	3.3	88



500	Association at LRP gene locus with sporadic late-onset Alzheimer's disease. <i>Lancet, The</i> , <b>1998</b> , 351, 1787-89	4.8	88
499	The proteome and secretome of human arterial smooth muscle cells. <i>Proteomics</i> , <b>2005</b> , 5, 585-96	4.8	88
498	Alpha-2 macroglobulin gene and Alzheimer disease. <i>Nature Genetics</i> , <b>1999</b> , 22, 17-9; author reply 21-2	36.3	88
497	High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. <i>Journal of Epidemiology and Community Health</i> , <b>2007</b> , 61, 810-7	5.1	87
496	Frequency of fruit and vegetable consumption and coronary heart disease in France and Northern Ireland: the PRIME study. <i>British Journal of Nutrition</i> , <b>2004</b> , 92, 963-72	3.6	87
495	Multiple coronary heart disease risk factors are associated with menopause and influenced by substitutive hormonal therapy in a cohort of French women. <i>Atherosclerosis</i> , <b>1995</b> , 118, 123-33	3.1	87
494	Plasma cystatin-C and development of coronary heart disease: The PRIME Study. <i>Atherosclerosis</i> , <b>2006</b> , 185, 375-80	3.1	86
493	Apolipoprotein E and Alzheimer disease: genotype-specific risks by age and sex. <i>American Journal of Human Genetics</i> , <b>1997</b> , 60, 439-46	11	86
492	C-reactive protein, interleukin 6, fibrinogen and risk of sudden death in European middle-aged men: the PRIME study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2010</b> , 30, 2047-52	9.4	85
491	Association between Parkinson's disease and polymorphisms in the nNOS and iNOS genes in a community-based case-control study. <i>Human Molecular Genetics</i> , <b>2003</b> , 12, 79-86	5.6	85
490	A functional polymorphism in a STAT5B site of the human PPAR gamma 3 gene promoter affects height and lipid metabolism in a French population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2003</b> , 23, 289-94	9.4	85
489	Missense variant in TREML2 protects against Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 1510.e19-2684	5.6	84
488	Contribution to Alzheimer's disease risk of rare variants in TREM2, SORL1, and ABCA7 in 1779 cases and 1273 controls. <i>Neurobiology of Aging</i> , <b>2017</b> , 59, 220.e1-220.e9	5.6	83
487	Genome-wide association analysis identifies a susceptibility locus for pulmonary arterial hypertension. <i>Nature Genetics</i> , <b>2013</b> , 45, 518-21	36.3	82
486	Effect of ACE inhibitors on angiographic restenosis after coronary stenting (PARIS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , <b>2001</b> , 357, 1321-4	40	82
485	Confirmation of the epsilon 4 allele of the apolipoprotein E gene as a risk factor for late-onset Alzheimer's disease. <i>Neurology</i> , <b>1994</b> , 44, 342-4	6.5	82
484	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 1624-1636	46.36	81
483	A genome-wide association study for venous thromboembolism: the extended cohorts for heart and aging research in genomic epidemiology (CHARGE) consortium. <i>Genetic Epidemiology</i> , <b>2013</b> , 37, 512-521	2.6	80

482	Bilirubin and coronary heart disease risk in the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 79-84		78
481	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , <b>2016</b> , 8, 341ra76	17.5	77
480	Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 461-70	15.1	77
479	Association of occurrence of aneurysmal bleeding with meteorologic variations in the north of France. <i>Stroke</i> , <b>1994</b> , 25, 338-41	6.7	77
478	Association between nutrition knowledge and nutritional intake in middle-aged men from Northern France. <i>Public Health Nutrition</i> , <b>2001</b> , 4, 27-33	3.3	76
477	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. <i>Lancet, The</i> , <b>2019</b> , 394, 2173-2183	40	75
476	Patients with coronary artery disease and diabetes need improved management: a report from the EUROASPIRE IV survey: a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 133	8.7	74
475	Distortion of allelic expression of apolipoprotein E in Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1997</b> , 6, 2151-4	5.6	74
474	Depressed mood and dietary fish intake: direct relationship or indirect relationship as a result of diet and lifestyle?. <i>Journal of Affective Disorders</i> , <b>2007</b> , 104, 217-23	6.6	74
473	Evidence of a role for lactadherin in Alzheimer's disease. <i>American Journal of Pathology</i> , <b>2007</b> , 170, 921-938		74
472	Two-dimensional maps and databases of the human macrophage proteome and secretome. <i>Proteomics</i> , <b>2004</b> , 4, 1761-78	4.8	74
471	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , <b>2020</b> , 396, 1511-1524	40	73
470	Gender differences in the implementation of cardiovascular prevention measures after an acute coronary event. <i>Heart</i> , <b>2010</b> , 96, 1744-9	5.1	73
469	Education, socioeconomic and lifestyle factors, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , <b>2005</b> , 34, 268-75	7.8	73
468	Apolipoprotein E allele epsilon 4 is linked to increased deposition of the amyloid beta-peptide (A-beta) in cases with or without Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1994</b> , 178, 221-4	3.3	73
467	Functional screening of Alzheimer risk loci identifies PTK2B as an in vivo modulator and early marker of Tau pathology. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 874-883	15.1	72
466	Evidence of the association of BIN1 and PICALM with the AD risk in contrasting European populations. <i>Neurobiology of Aging</i> , <b>2011</b> , 32, 756.e11-5	5.6	72
465	SORL1 rare variants: a major risk factor for familial early-onset Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 831-6	15.1	71

464	APOE genotyping and response to drug treatment in Alzheimer's disease. <i>Lancet, The</i> , <b>1997</b> , 349, 539	4.0	71
463	The transcriptional factor LBP-1c/CP2/LSF gene on chromosome 12 is a genetic determinant of Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>2000</b> , 9, 2275-80	5.6	71
462	High blood pressure prevalence and control in a middle-aged French population and their associated factors: the MONA LISA study. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 43-50	1.9	70
461	Prognostic impact of matrix metalloproteinase gene polymorphisms in patients with heart failure according to the aetiology of left ventricular systolic dysfunction. <i>European Heart Journal</i> , <b>2004</b> , 25, 688-93	9.5	70
460	An uncoupling protein 3 gene polymorphism associated with a lower risk of developing Type II diabetes and with atherogenic lipid profile in a French cohort. <i>Diabetologia</i> , <b>2000</b> , 43, 1424-8	10.3	70
459	Impact of polymorphisms of the human beta2-adrenoceptor gene on obesity in a French population. <i>International Journal of Obesity</i> , <b>2000</b> , 24, 382-7	5.5	69
458	Association between peroxisome proliferator-activated receptor gamma haplotypes and the metabolic syndrome in French men and women. <i>Diabetes</i> , <b>2005</b> , 54, 3043-8	0.9	68
457	Influence of alcohol consumption and various beverages on waist girth and waist-to-hip ratio in a sample of French men and women. <i>International Journal of Obesity</i> , <b>1998</b> , 22, 1178-83	5.5	68
456	Distension of the carotid artery and risk of coronary events: the three-city study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 1392-7	9.4	67
455	Both common variations and rare non-synonymous substitutions and small insertion/deletions in CLU are associated with increased Alzheimer risk. <i>Molecular Neurodegeneration</i> , <b>2012</b> , 7, 3	19	66
454	Early effect of ApoE-epsilon 4 allele on cognitive results in a group of highly performing subjects: the EVA study. Etude sur le Vieillessement Artificiel. <i>Neuroscience Letters</i> , <b>1996</b> , 218, 9-12	3.3	66
453	Five frequent polymorphisms of the PAI-1 gene: lack of association between genotypes, PAI activity, and triglyceride levels in a healthy population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 17, 851-8	9.4	66
452	Genetic susceptibility factors for Alzheimer's disease. <i>European Journal of Pharmacology</i> , <b>2001</b> , 412, 1-12	5.3	65
451	Cystatin C and Cardiovascular Disease: A Mendelian Randomization Study. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 934-45	15.1	65
450	Association between the T-381C polymorphism of the brain natriuretic peptide gene and risk of type 2 diabetes in human populations. <i>Human Molecular Genetics</i> , <b>2007</b> , 16, 1343-50	5.6	64
449	TLR4/Asp299Gly, CD14/C-260T, plasma levels of the soluble receptor CD14 and the risk of coronary heart disease: The PRIME Study. <i>European Journal of Human Genetics</i> , <b>2004</b> , 12, 1041-9	5.3	64
448	The deletion allele of the angiotensin I converting enzyme gene as a genetic susceptibility factor for cognitive impairment. <i>Neuroscience Letters</i> , <b>1996</b> , 217, 203-205	3.3	64
447	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , <b>2018</b> , 9, 5141	17.4	64

446	Association of Alzheimer's disease GWAS loci with MRI markers of brain aging. <i>Neurobiology of Aging</i> , <b>2015</b> , 36, 1765.e7-1765.e16	5.6	63
445	Independent contribution of dairy products and calcium intake to blood pressure variations at a population level. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 671-81	1.9	63
444	The Gly16-->Arg16 and Gln27-->Glu27 polymorphisms of beta2-adrenergic receptor are associated with metabolic syndrome in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 4862-6	5.6	63
443	Association between TAFI antigen and Ala147Thr polymorphism of the TAFI gene and the angina pectoris incidence. <i>Thrombosis and Haemostasis</i> , <b>2003</b> , 89, 554-560	7	63
442	Time Trends in Lifestyle, Risk Factor Control, and Use of Evidence-Based Medications in Patients With Coronary Heart Disease in Europe: Results From 3 EUROASPIRE Surveys, 1999-2013. <i>Global Heart</i> , <b>2017</b> , 12, 315-322.e3	2.9	62
441	CADISP-genetics: an International project searching for genetic risk factors of cervical artery dissections. <i>International Journal of Stroke</i> , <b>2009</b> , 4, 224-30	6.3	60
440	Total ApoE and ApoE4 isoform assays in an Alzheimer's disease case-control study by targeted mass spectrometry (n=669): a pilot assay for methionine-containing proteotypic peptides. <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, 1389-403	7.6	59
439	Measures of abdominal adiposity and the risk of stroke: the MONICA Risk, Genetics, Archiving and Monograph (MORGAM) study. <i>Stroke</i> , <b>2011</b> , 42, 2872-7	6.7	58
438	Polymorphism of the prion protein is associated with cognitive impairment in the elderly: the EVA study. <i>Neurology</i> , <b>1998</b> , 51, 734-7	6.5	58
437	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , <b>2021</b> , 42, 2439-2454	9.5	58
436	Residual cardiovascular risk in treated hypertension and hyperlipidaemia: the PRIME Study. <i>Journal of Human Hypertension</i> , <b>2010</b> , 24, 19-26	2.6	57
435	Genetic heterogeneity of Alzheimer's disease: complexity and advances. <i>Psychoneuroendocrinology</i> , <b>2007</b> , 32 Suppl 1, S62-70	5	57
434	Effect of an FTO polymorphism on fat mass, obesity, and type 2 diabetes mellitus in the French MONICA Study. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> , 58, 971-5	12.7	56
433	Sedentary behaviour, physical activity and dietary patterns are independently associated with the metabolic syndrome. <i>Diabetes and Metabolism</i> , <b>2012</b> , 38, 428-35	5.4	55
432	Sex hormone-binding globulin is a major determinant of the lipid profile: the PRIME study. <i>Atherosclerosis</i> , <b>2005</b> , 179, 369-73	3.1	55
431	Genetic determinants of risk in pulmonary arterial hypertension: international genome-wide association studies and meta-analysis. <i>Lancet Respiratory Medicine</i> , <b>2019</b> , 7, 227-238	35.1	55
430	Role of proinflammatory CD68(+) mannose receptor(-) macrophages in peroxiredoxin-1 expression and in abdominal aortic aneurysms in humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 431-8	9.4	54
429	Anthropometric assessment of abdominal obesity and coronary heart disease risk in men: the PRIME study. <i>Heart</i> , <b>2010</b> , 96, 136-40	5.1	54

428	Systematic analysis of candidate genes for Alzheimer's disease in a French, genome-wide association study. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 20, 1181-8	4.3	54
427	S18Y polymorphism in the UCH-L1 gene and Parkinson's disease: evidence for an age-dependent relationship. <i>Movement Disorders</i> , <b>2003</b> , 18, 130-7	7	54
426	Testing for association between disease and linked marker loci: a log-linear-model analysis. <i>American Journal of Human Genetics</i> , <b>1991</b> , 48, 926-34	11	54
425	Evaluation of a Genetic Risk Score to Improve Risk Prediction for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 53, 921-32	4.3	54
424	Trends in plasma lipids, lipoproteins and dyslipidaemias in French adults, 1996-2007. <i>Archives of Cardiovascular Diseases</i> , <b>2009</b> , 102, 293-301	2.7	53
423	Genome-Wide Association Study for Incident Myocardial Infarction and Coronary Heart Disease in Prospective Cohort Studies: The CHARGE Consortium. <i>PLoS ONE</i> , <b>2016</b> , 11, e0144997	3.7	53
422	Multiple biomarkers for the prediction of ischemic stroke: the PRIME study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 659-66	9.4	52
421	The renin angiotensin system and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , <b>2000</b> , 903, 437-41	6.5	52
420	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , <b>2019</b> , 40, 621-631	9.5	52
419	Is the urea cycle involved in Alzheimer's disease?. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 21, 1013-21	4.3	51
418	TAFI gene haplotypes, TAFI plasma levels and future risk of coronary heart disease: the PRIME Study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2005</b> , 3, 1503-10	15.4	51
417	Age- and sex-specific causal effects of adiposity on cardiovascular risk factors. <i>Diabetes</i> , <b>2015</b> , 64, 1841-52	5.9	50
416	Apolipoprotein E (APOE) $\epsilon$ 4 and episodic memory decline in Alzheimer's disease: A review. <i>Ageing Research Reviews</i> , <b>2016</b> , 27, 15-22	12	49
415	Genome-wide association interaction analysis for Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 2436-2443	5.6	49
414	Meta-analysis of gene-level associations for rare variants based on single-variant statistics. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 236-48	11	49
413	Genome-wide studies of verbal declarative memory in nondemented older people: the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 749-63	7.9	48
412	Excessive daytime sleepiness and vascular events: the Three City Study. <i>Annals of Neurology</i> , <b>2012</b> , 71, 661-7	9.4	48
411	The CALHM1 P86L polymorphism is a genetic modifier of age at onset in Alzheimer's disease: a meta-analysis study. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 22, 247-55	4.3	48

410	Cognitive decline and survival in Alzheimer's disease according to education level. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2008</b> , 25, 74-80	2.6	48
409	Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study. <i>European Heart Journal</i> , <b>2008</b> , 29, 1966-74	9.5	48
408	Variations in the APP gene promoter region and risk of Alzheimer disease. <i>Neurology</i> , <b>2007</b> , 68, 684-7	6.5	48
407	Plasma fibrinogen explains much of the difference in risk of coronary heart disease between France and Northern Ireland. The PRIME study. <i>Atherosclerosis</i> , <b>2003</b> , 166, 103-9	3.1	48
406	The impact of beta-adrenoreceptor gene polymorphisms on survival in patients with congestive heart failure. <i>European Journal of Heart Failure</i> , <b>2005</b> , 7, 966-73	12.3	48
405	The 5A6A polymorphism in the promoter of the stromelysin-1 (MMP3) gene as a risk factor for restenosis. <i>European Heart Journal</i> , <b>2002</b> , 23, 721-5	9.5	48
404	Short-term exposure to air pollution: Associations with lung function and inflammatory markers in non-smoking, healthy adults. <i>Environment International</i> , <b>2018</b> , 121, 610-619	12.9	48
403	Abdominal obesity and lower gray matter volume: a Mendelian randomization study. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 378-86	5.6	47
402	Systemic chemokine levels, coronary heart disease, and ischemic stroke events: the PRIME study. <i>Neurology</i> , <b>2011</b> , 77, 1165-73	6.5	47
401	Endothelin-converting enzyme-1 is expressed in human cerebral cortex and protects against Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2004</b> , 9, 1122-8, 1059	15.1	47
400	Association between coding variability in the LRP gene and the risk of late-onset Alzheimer's disease. <i>Human Genetics</i> , <b>1999</b> , 104, 432-4	6.3	47
399	ABCA7 rare variants and Alzheimer disease risk. <i>Neurology</i> , <b>2016</b> , 86, 2134-7	6.5	47
398	PLD3 and sporadic Alzheimer's disease risk. <i>Nature</i> , <b>2015</b> , 520, E1	50.4	46
397	Tau phosphorylation regulates the interaction between BIN1's SH3 domain and Tau's proline-rich domain. <i>Acta Neuropathologica Communications</i> , <b>2015</b> , 3, 58	7.3	46
396	Adipocytokines and the risk of ischemic stroke: the PRIME Study. <i>Annals of Neurology</i> , <b>2012</b> , 71, 478-86	9.4	46
395	Cholesterol 25-hydroxylase on chromosome 10q is a susceptibility gene for sporadic Alzheimer's disease. <i>Neurodegenerative Diseases</i> , <b>2005</b> , 2, 233-41	2.3	46
394	Usefulness of circulating biomarkers for the prediction of left ventricular remodeling after myocardial infarction. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 277-83	3	45
393	Relative contribution of lipids and apolipoproteins to incident coronary heart disease and ischemic stroke: the PRIME Study. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 30, 252-9	3.2	45

392	Impact of APOA5/A4/C3 genetic polymorphisms on lipid variables and cardiovascular disease risk in French men. <i>International Journal of Cardiology</i> , <b>2006</b> , 106, 152-6	3.2	45
391	No association between the alpha-2 macroglobulin I1000V polymorphism and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 262, 137-9	3.3	45
390	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2392-2409	15.1	45
389	The association of metabolic disorders with the metabolic syndrome is different in men and women. <i>Annals of Nutrition and Metabolism</i> , <b>2004</b> , 48, 43-50	4.5	44
388	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , <b>2019</b> , 51, 452-469	36.3	44
387	Burden of Dilated Perivascular Spaces, an Emerging Marker of Cerebral Small Vessel Disease, Is Highly Heritable. <i>Stroke</i> , <b>2018</b> , 49, 282-287	6.7	43
386	KNG1 Ile581Thr and susceptibility to venous thrombosis. <i>Blood</i> , <b>2011</b> , 117, 3692-4	2.2	43
385	Genome-wide pathway analysis implicates intracellular transmembrane protein transport in Alzheimer disease. <i>Journal of Human Genetics</i> , <b>2010</b> , 55, 707-9	4.3	43
384	Different alcohol drinking and blood pressure relationships in France and Northern Ireland: The PRIME Study. <i>Hypertension</i> , <b>2001</b> , 38, 1361-6	8.5	43
383	Angiotensin II type 1 receptor gene polymorphism is associated with an increased vascular reactivity in the human mammary artery in vitro. <i>Journal of Vascular Research</i> , <b>1998</b> , 35, 356-62	1.9	43
382	Genome-wide association study of intracranial aneurysms identifies 17 risk loci and genetic overlap with clinical risk factors. <i>Nature Genetics</i> , <b>2020</b> , 52, 1303-1313	36.3	43
381	PNPLA3 and TM6SF2 variants as risk factors of hepatocellular carcinoma across various etiologies and severity of underlying liver diseases. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 533-544	7.5	43
380	Incidence, case fatality, risk factors of acute coronary heart disease and occupational categories in men aged 30-59 in France. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26, 47-57	7.8	42
379	Proteomic analysis of left ventricular remodeling in an experimental model of heart failure. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 5004-16	5.6	42
378	Change in cardiovascular risk factors in France, 1985-1997. <i>European Journal of Epidemiology</i> , <b>2004</b> , 19, 25-32	12.1	42
377	Shared genetic contribution to Ischaemic Stroke and Alzheimer's Disease. <i>Annals of Neurology</i> , <b>2016</b> , 79, 739-747	9.4	42
376	Fish Intake, Genetic Predisposition to Alzheimer Disease, and Decline in Global Cognition and Memory in 5 Cohorts of Older Persons. <i>American Journal of Epidemiology</i> , <b>2018</b> , 187, 933-940	3.8	41
375	Joint genome-wide association study of progressive supranuclear palsy identifies novel susceptibility loci and genetic correlation to neurodegenerative diseases. <i>Molecular Neurodegeneration</i> , <b>2018</b> , 13, 41	19	41

374	Transethnic, Genome-Wide Analysis Reveals Immune-Related Risk Alleles and Phenotypic Correlates in Pediatric Steroid-Sensitive Nephrotic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 2000-2013	12.7	41
373	Types of alcoholic beverages and blood lipids in a French population. <i>Journal of Epidemiology and Community Health</i> , <b>2002</b> , 56, 24-8	5.1	41
372	Genome-wide, high-content siRNA screening identifies the Alzheimer's genetic risk factor FERMT2 as a major modulator of APP metabolism. <i>Acta Neuropathologica</i> , <b>2017</b> , 133, 955-966	14.3	40
371	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 872-883i	7.8	40
370	Educational class inequalities in the incidence of coronary heart disease in Europe. <i>Heart</i> , <b>2016</b> , 102, 958-965	5.5	40
369	The Val158Met COMT polymorphism is a modifier of the age at onset in Parkinson's disease with a sexual dimorphism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2013</b> , 84, 666-73	5.5	40
368	Identification of a genetic risk factor for idiopathic dilated cardiomyopathy. Involvement of a polymorphism in the endothelin receptor type A gene. CARDIGENE group. <i>European Heart Journal</i> , <b>1999</b> , 20, 1587-91	9.5	40
367	17q21.31 duplication causes prominent tau-related dementia with increased MAPT expression. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 1119-1125	15.1	39
366	Genome-Wide Association Analysis of Young-Onset Stroke Identifies a Locus on Chromosome 10q25 Near HABP2. <i>Stroke</i> , <b>2016</b> , 47, 307-16	6.7	39
365	Associations of complement factor H and smoking with early age-related macular degeneration: the ALIENOR study <b>2011</b> , 52, 5955-62		39
364	Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1078-84	1.9	39
363	Lack of association between certain candidate gene polymorphisms and the metabolic syndrome. <i>Molecular Genetics and Metabolism</i> , <b>2005</b> , 86, 293-9	3.7	39
362	The Road Ahead to Cure Alzheimer's Disease: Development of Biological Markers and Neuroimaging Methods for Prevention Trials Across all Stages and Target Populations. <i>journal of prevention of Alzheimer's disease, The</i> , <b>2014</b> , 1, 181-202	3.8	39
361	Association between the frequency of fruit and vegetable consumption and cardiovascular disease in male smokers and non-smokers. <i>European Journal of Clinical Nutrition</i> , <b>2010</b> , 64, 578-86	5.2	38
360	Adipocytokines and the risk of coronary heart disease in healthy middle aged men: the PRIME Study. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 118-26	5.5	38
359	Systematically missing confounders in individual participant data meta-analysis of observational cohort studies. <i>Statistics in Medicine</i> , <b>2009</b> , 28, 1218-37	2.3	38
358	Effect of the APOE promoter polymorphisms on cerebral amyloid peptide deposition in Alzheimer's disease. <i>Lancet, The</i> , <b>2001</b> , 357, 608-9	40	38
357	Apolipoprotein E-epsilon 4 allele and Alzheimer's disease. <i>Lancet, The</i> , <b>1993</b> , 342, 1308-9	40	38



356	Exclusion of CYP46 and APOM as candidate genes for Alzheimer's disease in a French population. <i>Neuroscience Letters</i> , <b>2004</b> , 363, 139-43	3.3	37
355	No genetic association of the ubiquitin carboxy-terminal hydrolase-L1 gene S18Y polymorphism with familial Parkinson's disease. <i>Journal of Neural Transmission</i> , <b>2001</b> , 108, 979-84	4.3	37
354	Relationships between alcoholic beverages and cardiovascular risk factor levels in middle-aged men, the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction Study. <i>Atherosclerosis</i> , <b>2001</b> , 157, 431-40	3.1	37
353	Prevalence and underdiagnosis of airway obstruction among middle-aged adults in northern France: The ELISABET study 2011-2013. <i>Respiratory Medicine</i> , <b>2015</b> , 109, 1553-61	4.6	36
352	Assessing risk prediction models using individual participant data from multiple studies. <i>American Journal of Epidemiology</i> , <b>2014</b> , 179, 621-32	3.8	36
351	Is there a relation between APOE expression and brain amyloid load in Alzheimer's disease?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2005</b> , 76, 928-33	5.5	36
350	Impact of sulfonylurea receptor 1 genetic variability on non-insulin-dependent diabetes mellitus prevalence and treatment: a population study. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 101, 4-8		36
349	Psychosocial risk factors for heart disease in France and Northern Ireland: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>International Journal of Epidemiology</i> , <b>2002</b> , 31, 1227-34	7.8	36
348	Evidence for induction of the ornithine transcarbamylase expression in Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 106-16	15.1	35
347	FADS1 genetic variability interacts with dietary linolenic acid intake to affect serum non-HDL-cholesterol concentrations in European adolescents. <i>Journal of Nutrition</i> , <b>2011</b> , 141, 1247-53	4.1	35
346	Sex differences in awareness and control of hypertension in France. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 1205-10	1.9	35
345	Effect of the angiotensin I-converting enzyme I/D polymorphism on cognitive decline. The EVA Study Group. <i>Neurobiology of Aging</i> , <b>2000</b> , 21, 75-80	5.6	35
344	Gender related association between genetic variations of APOC-III gene and lipid and lipoprotein variables in northern France. <i>Atherosclerosis</i> , <b>2000</b> , 150, 149-57	3.1	35
343	Lack of association between genetic variations of apo A-I-C-III-A-IV gene cluster and myocardial infarction in a sample of European male: ECTIM study. <i>Atherosclerosis</i> , <b>1999</b> , 145, 187-95	3.1	35
342	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 946-955	7.9	35
341	Association Between Depressive Symptoms and Incident Cardiovascular Diseases. <i>JAMA - Journal of the American Medical Association</i> , <b>2020</b> , 324, 2396-2405	27.4	35
340	Impact of REV-ERB alpha gene polymorphisms on obesity phenotypes in adult and adolescent samples. <i>International Journal of Obesity</i> , <b>2013</b> , 37, 666-72	5.5	34
339	A possible role for the PPARG Pro12Ala polymorphism in preterm birth. <i>Diabetes</i> , <b>2007</b> , 56, 494-8	0.9	34

338	Association study of the vascular endothelial growth factor gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2006</b> , 27, 1212-5	5.6	34
337	Islet-brain1/C-Jun N-terminal kinase interacting protein-1 (IB1/JIP-1) promoter variant is associated with Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2003</b> , 8, 413-22, 363	15.1	34
336	Parental history of early myocardial infarction is associated with decreased levels of lipoparticle AI in adolescents. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1993</b> , 13, 1640-4		34
335	Associations between long-term exposure to air pollution, glycosylated hemoglobin, fasting blood glucose and diabetes mellitus in northern France. <i>Environment International</i> , <b>2018</b> , 120, 121-129	12.9	33
334	Combinatorial peptide ligand library plasma treatment: Advantages for accessing low-abundance proteins. <i>Electrophoresis</i> , <b>2010</b> , 31, 2697-704	3.6	33
333	Association of angiotensin converting enzyme and angiotensin II type 1 receptor genotypes with left ventricular function and mass in patients with angiographically normal coronary arteries. <i>Heart</i> , <b>1997</b> , 77, 502-5	5.1	33
332	Association of arginase 1 gene polymorphisms with the risk of myocardial infarction and common carotid intima media thickness. <i>Journal of Medical Genetics</i> , <b>2007</b> , 44, 526-31	5.8	33
331	Family history, longevity, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , <b>2003</b> , 32, 71-7	7.8	33
330	Profile of macrophages in human abdominal aortic aneurysms: a transcriptomic, proteomic, and antibody protein array study. <i>Journal of Proteome Research</i> , <b>2010</b> , 9, 3720-9	5.6	32
329	Association of 3'-UTR polymorphisms of the oxidised LDL receptor 1 (OLR1) gene with Alzheimer's disease. <i>Journal of Medical Genetics</i> , <b>2003</b> , 40, 424-30	5.8	32
328	Linkage exclusion in French families with probable Parkinson's disease. <i>Movement Disorders</i> , <b>2000</b> , 15, 1075-83	7	32
327	Intronic polymorphism in the fatty acid transport protein 1 gene is associated with increased plasma triglyceride levels in a French population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2000</b> , 20, 1330-4	9.4	32
326	Association of HDL-related loci with age-related macular degeneration and plasma lutein and zeaxanthin: the Alienor study. <i>PLoS ONE</i> , <b>2013</b> , 8, e79848	3.7	32
325	Effects of insulin-like growth factor 1 in preventing acute coronary syndromes: the PRIME study. <i>Atherosclerosis</i> , <b>2011</b> , 218, 464-9	3.1	31
324	Depressive symptoms, a time-dependent risk factor for coronary heart disease and stroke in middle-aged men: the PRIME Study. <i>Stroke</i> , <b>2012</b> , 43, 1761-7	6.7	31
323	Effect of smoking cessation on lipoprotein A-I and lipoprotein A-I:A-II levels. <i>Metabolism: Clinical and Experimental</i> , <b>1997</b> , 46, 711-5	12.7	31
322	Association study of the GAB2 gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Disease</i> , <b>2008</b> , 30, 103-6	7.5	31
321	Patterns of alcohol consumption in middle-aged men from France and Northern Ireland. The PRIME study. <i>European Journal of Clinical Nutrition</i> , <b>2000</b> , 54, 321-8	5.2	31

320	How obesity relates to socio-economic status: identification of eating behavior mediators. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 1794-1801	5.5	31
319	Associations of fibrinogen, factor VII and PAI-1 with baseline findings among 10,500 male participants in a prospective study of myocardial infarction--the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , <b>1998</b> , 80, 749-56	7	31
318	Low-fat and high-fat dairy products are differently related to blood lipids and cardiovascular risk score. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 1557-67	3.9	30
317	Relation between the deletion polymorphism of the angiotensin-converting enzyme gene and late luminal narrowing after coronary angioplasty. <i>Circulation</i> , <b>1995</b> , 92, 296-9	16.7	30
316	Quantitative mass spectrometry analysis using PACIFIC for the identification of plasma diagnostic biomarkers for abdominal aortic aneurysm. <i>PLoS ONE</i> , <b>2011</b> , 6, e28698	3.7	30
315	Association of Alzheimer's related genotypes with cognitive decline in multiple domains: results from the Three-City Dijon study. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 1173-8	15.1	29
314	Genetic and molecular insights into the role of PROX1 in glucose metabolism. <i>Diabetes</i> , <b>2013</b> , 62, 1738-45	9.9	29
313	Paraoxonase 1 gene polymorphisms and dementia in humans. <i>Neuroscience Letters</i> , <b>2004</b> , 358, 41-4	3.3	29
312	A FE65 polymorphism associated with risk of developing sporadic late-onset alzheimer's disease but not with Aβeta loading in brains. <i>Neuroscience Letters</i> , <b>2000</b> , 293, 29-32	3.3	29
311	ADAM30 Downregulates APP-Linked Defects Through Cathepsin D Activation in Alzheimer's Disease. <i>EBioMedicine</i> , <b>2016</b> , 9, 278-292	8.8	28
310	Associations between common genetic polymorphisms in angiotensin-like proteins 3 and 4 and lipid metabolism and adiposity in European adolescents and adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 5070-7	5.6	28
309	Deep plasma proteomic analysis of patients with left ventricular remodeling after a first myocardial infarction. <i>Proteomics - Clinical Applications</i> , <b>2010</b> , 4, 654-73	3.1	28
308	Paraoxonase activity and coronary heart disease risk in healthy middle-aged males: the PRIME study. <i>Atherosclerosis</i> , <b>2008</b> , 197, 556-63	3.1	28
307	The human G-protein beta3 subunit C825T polymorphism is associated with coronary artery vasoconstriction. <i>European Heart Journal</i> , <b>2001</b> , 22, 845-8	9.5	28
306	BIN1 recovers tauopathy-induced long-term memory deficits in mice and interacts with Tau through Thr phosphorylation. <i>Acta Neuropathologica</i> , <b>2019</b> , 138, 631-652	14.3	27
305	A genome-wide association meta-analysis of plasma Aβpeptides concentrations in the elderly. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 1326-35	15.1	27
304	Interplay between troponin T phosphorylation and O-N-acetylglucosaminylation in ischaemic heart failure. <i>Cardiovascular Research</i> , <b>2015</b> , 107, 56-65	9.9	27
303	Angiotensin I-converting enzyme I/D polymorphism and suicidal behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2009</b> , 150B, 290-4	3.5	27

302	Association between liver X receptor alpha gene polymorphisms and risk of metabolic syndrome in French populations. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 421-8	5.5	27
301	Predicting left ventricular remodeling after a first myocardial infarction by plasma proteome analysis. <i>Proteomics</i> , <b>2008</b> , 8, 1798-808	4.8	27
300	Apolipoprotein E phenotypes in demented and cognitively impaired patients with and without cerebrovascular disease. <i>European Journal of Neurology</i> , <b>1999</b> , 6, 415-21	6	27
299	Interactions between apolipoprotein E and apolipoprotein(a) in patients with late-onset Alzheimer disease. <i>Annals of Internal Medicine</i> , <b>2000</b> , 132, 533-7	8	27
298	New insights into the genetic etiology of Alzheimer's disease and related dementias.. <i>Nature Genetics</i> , <b>2022</b> ,	36.3	27
297	Adventitial Tertiary Lymphoid Organs as Potential Source of MicroRNA Biomarkers for Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 11276-93	6.3	26
296	Serum MMP-8: a novel indicator of left ventricular remodeling and cardiac outcome in patients after acute myocardial infarction. <i>PLoS ONE</i> , <b>2013</b> , 8, e71280	3.7	26
295	Low plasma retinol predicts coronary events in healthy middle-aged men: the PRIME Study. <i>Atherosclerosis</i> , <b>2010</b> , 208, 270-4	3.1	26
294	Ten-year all-cause mortality in presumably healthy subjects on lipid-lowering drugs (from the Prospective Epidemiological Study of Myocardial Infarction [PRIME] prospective cohort). <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 381-6	3	26
293	Evidence for caveolin-1 as a new susceptibility gene regulating tissue fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 1034-41	2.4	26
292	Dual determination of angiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 79-81	3	26
291	Tea consumption is inversely associated with carotid plaques in women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 353-9	9.4	26
290	A prospective evaluation of left ventricular remodeling after inaugural anterior myocardial infarction as a function of gene polymorphisms in the renin-angiotensin-aldosterone, adrenergic, and metalloproteinase systems. <i>American Heart Journal</i> , <b>2007</b> , 153, 641-8	4.9	26
289	Blood lipid concentrations and risk of myocardial infarction. <i>Lancet, The</i> , <b>2001</b> , 358, 1064-5	40	26
288	Heart tumors specifically induced in young avian embryos by the v-myc oncogene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1987</b> , 84, 7982-6	11.5	26
287	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , <b>2020</b> , 52, 1314-1332	36.3	26
286	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 437-445	3.9	25
285	A regulatory variant in CCR6 is associated with susceptibility to antitopoisomerase-positive systemic sclerosis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 3202-8		25

284	Association study of the Ubiquilin gene with Alzheimer's disease. <i>Neurobiology of Disease</i> , <b>2006</b> , 22, 691-705	3.5	25
283	Joint use of clinical parameters, biological markers and CAGE questionnaire for the identification of heavy drinkers in a large population-based sample. <i>Alcohol and Alcoholism</i> , <b>2003</b> , 38, 121-7	3.5	25
282	No pathogenic mutations in the beta-synuclein gene in Parkinson's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 269, 107-9	3.3	25
281	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 173-192	7.8	25
280	Prevalence of type 2 diabetes and impaired fasting glucose in the middle-aged population of three French regions - The MONICA study 1995-97. <i>Diabetes and Metabolism</i> , <b>2001</b> , 27, 347-58	5.4	25
279	Impact of APOE gene polymorphisms on the lipid profile in an Algerian population. <i>Lipids in Health and Disease</i> , <b>2013</b> , 12, 155	4.4	24
278	Evidence for the association of the S100beta gene with low cognitive performance and dementia in the elderly. <i>Molecular Psychiatry</i> , <b>2007</b> , 12, 870-80	15.1	24
277	The APOA5 Trp19 allele is associated with metabolic syndrome via its association with plasma triglycerides. <i>BMC Medical Genetics</i> , <b>2008</b> , 9, 84	2.1	24
276	Beta-adrenergic receptor blockade and the angiotensin-converting enzyme deletion polymorphism in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , <b>2004</b> , 6, 17-21	12.3	24
275	The North-East-South gradient of coronary heart disease mortality and case fatality rates in France is consistent with a similar gradient in risk factor clusters. <i>European Journal of Epidemiology</i> , <b>2000</b> , 16, 317-22	12.1	24
274	Overweight and obesity: a major challenge for coronary heart disease secondary prevention in clinical practice in Europe. <i>European Heart Journal</i> , <b>2000</b> , 21, 808-13	9.5	24
273	Is the LDL receptor-related protein involved in Alzheimer's disease?. <i>Neurogenetics</i> , <b>1999</b> , 2, 109-13	3	24
272	The angiotensin I converting enzyme gene as a susceptibility factor for dementia. <i>Neurology</i> , <b>2001</b> , 56, 1593-5	6.5	24
271	Common Genetic Variation Indicates Separate Causes for Periventricular and Deep White Matter Hyperintensities. <i>Stroke</i> , <b>2020</b> , 51, 2111-2121	6.7	23
270	A genome-wide search for common SNP x SNP interactions on the risk of venous thrombosis. <i>BMC Medical Genetics</i> , <b>2013</b> , 14, 36	2.1	23
269	MicroRNAs regulating superoxide dismutase 2 are new circulating biomarkers of heart failure. <i>Scientific Reports</i> , <b>2017</b> , 7, 14747	4.9	23
268	Association study of the CFH Y402H polymorphism with Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2010</b> , 31, 165-6	5.6	23
267	INR variability in atrial fibrillation: a risk model for cerebrovascular events. <i>European Journal of Internal Medicine</i> , <b>2009</b> , 20, 63-9	3.9	23

266	Association study of the paraoxonase 1 gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 152-6	5.6	23
265	Decreased serine207 phosphorylation of troponin T as a biomarker for left ventricular remodelling after myocardial infarction. <i>European Heart Journal</i> , <b>2011</b> , 32, 115-23	9.5	23
264	Suggestive evidence of associations between liver X receptor $\beta$ polymorphisms with type 2 diabetes mellitus and obesity in three cohort studies: HUNT2 (Norway), MONICA (France) and HELENA (Europe). <i>BMC Medical Genetics</i> , <b>2010</b> , 11, 144	2.1	23
263	Response: CALHM1 Association with Alzheimer's Disease Risk. <i>Cell</i> , <b>2008</b> , 135, 994-996	56.2	23
262	Association between the metabolic syndrome and parental history of premature cardiovascular disease. <i>European Heart Journal</i> , <b>2006</b> , 27, 722-8	9.5	23
261	New insight into the association of apolipoprotein E genetic variants with carotid plaques and intima-media thickness. <i>Stroke</i> , <b>2006</b> , 37, 2917-23	6.7	23
260	Polymorphisms of the tissue factor pathway inhibitor gene and the risk of restenosis after coronary angioplasty. <i>Blood Coagulation and Fibrinolysis</i> , <b>2001</b> , 12, 317-23	1	23
259	Influence of parental history of hypertension on blood pressure. <i>Journal of Human Hypertension</i> , <b>1999</b> , 13, 631-6	2.6	23
258	The deletion genotype of the angiotensin I-converting enzyme is associated with an increased vascular reactivity in vivo and in vitro. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 34, 830-6	15.1	23
257	Inconstant apolipoprotein E (ApoE)-like immunoreactivity in amyloid beta protein deposits: relationship with APOE genotype in aging brain and Alzheimer's disease. <i>Acta Neuropathologica</i> , <b>1996</b> , 92, 180-5	14.3	23
256	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , <b>2021</b> , 12, 3417	17.4	23
255	Cerebral small vessel disease genomics and its implications across the lifespan. <i>Nature Communications</i> , <b>2020</b> , 11, 6285	17.4	22
254	Study of a new PPARgamma2 promoter polymorphism and haplotype analysis in a French population. <i>Molecular Genetics and Metabolism</i> , <b>2005</b> , 85, 140-8	3.7	22
253	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure: a study in 686 consecutive patients. <i>American Heart Journal</i> , <b>2006</b> , 152, 736-41	4.9	22
252	Association study of the PIN1 gene with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2006</b> , 402, 259-61	3.3	22
251	Alcohol consumption and cardiovascular disease: differential effects in France and Northern Ireland. The PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2004</b> , 11, 336-43		22
250	Polymorphism of the codon 129 of the prion protein (PrP) gene and neuropathology of cerebral ageing. <i>Acta Neuropathologica</i> , <b>2003</b> , 106, 71-4	14.3	22
249	Mutation in the 3'untranslated region of APP as a genetic determinant of cerebral amyloid angiopathy. <i>European Journal of Human Genetics</i> , <b>2016</b> , 24, 92-8	5.3	21

248	Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 567-78	7	21
247	Genome-wide and gene-based association implicates FRMD6 in Alzheimer disease. <i>Human Mutation</i> , <b>2012</b> , 33, 521-9	4.7	21
246	Peroxisome proliferator-activated receptor gamma polymorphisms and coronary heart disease. <i>PPAR Research</i> , <b>2009</b> , 2009, 543746	4.3	21
245	The role of matrix metalloproteinase-9 in dementia. <i>Neuroscience Letters</i> , <b>2003</b> , 350, 181-3	3.3	21
244	Residual coronary risk in men aged 50-59 years treated for hypertension and hyperlipidaemia in the population: the PRIME study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 415-23	1.9	21
243	Paraoxonase polymorphism (Gln192Arg) as a determinant of the response of human coronary arteries to serotonin. <i>Circulation</i> , <b>2000</b> , 101, 740-3	16.7	21
242	Association between IgM anti-herpes simplex virus and plasma amyloid-beta levels. <i>PLoS ONE</i> , <b>2011</b> , 6, e29480	3.7	20
241	An age effect on the association of common variants of ACE with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2009</b> , 461, 181-4	3.3	20
240	Application of saturation dye 2D-DIGE proteomics to characterize proteins modulated by oxidized low density lipoprotein treatment of human macrophages. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 3572-82	5.6	20
239	Calf circumference is inversely associated with carotid plaques. <i>Stroke</i> , <b>2008</b> , 39, 2958-65	6.7	20
238	Trends in coronary heart disease in France during the second half of the 1990s. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 209-15		20
237	VLDL receptor polymorphism, cognitive impairment, and dementia. <i>Neurology</i> , <b>2001</b> , 56, 1183-8	6.5	20
236	Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30-64. <i>Journal of Epidemiology and Community Health</i> , <b>1998</b> , 52, 665-71	5.1	20
235	Cost-effectiveness of optimized adherence to prevention guidelines in European patients with coronary heart disease: Results from the EUROASPIRE IV survey. <i>International Journal of Cardiology</i> , <b>2018</b> , 272, 20-25	3.2	19
234	Functional complementation in Drosophila to predict the pathogenicity of TARDBP variants: evidence for a loss-of-function mechanism. <i>Neurobiology of Aging</i> , <b>2015</b> , 36, 1121-9	5.6	19
233	Cardiovascular proteomics: translational studies to develop novel biomarkers in heart failure and left ventricular remodeling. <i>Proteomics - Clinical Applications</i> , <b>2011</b> , 5, 57-66	3.1	19
232	Modifying effect of arterial hypertension on amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2012</b> , 13, 194-201		19
231	Impact of the matrix metalloproteinase MMP-3 on dementia. <i>Neurobiology of Aging</i> , <b>2007</b> , 28, 1215-20	5.6	19

230	Assessment of Nurr1 nucleotide variations in familial Parkinson's disease. <i>Neuroscience Letters</i> , <b>2004</b> , 366, 135-8	3.3	19
229	Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 1636-1648	36.3	19
228	Association of plasma A $\beta$ peptides with blood pressure in the elderly. <i>PLoS ONE</i> , <b>2011</b> , 6, e18536	3.7	19
227	Trends in coronary heart disease in France during the second half of the 1990s. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 209-215		19
226	Cigarette smoking is associated with differences in nutritional habits and related to lipoprotein alterations independently of food and alcohol intake. <i>European Journal of Clinical Nutrition</i> , <b>1996</b> , 50, 647-54	5.2	19
225	White Matter Lesion Progression: Genome-Wide Search for Genetic Influences. <i>Stroke</i> , <b>2015</b> , 46, 3048-57	7	18
224	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , <b>2020</b> , 139, 1025-1044	14.3	18
223	Attainment of low-density lipoprotein cholesterol target in the French general population according to levels of cardiovascular risk: Insights from the MONA LISA study. <i>Archives of Cardiovascular Diseases</i> , <b>2013</b> , 106, 93-102	2.7	18
222	Profiling of membrane proteins from human macrophages: comparison of two approaches. <i>Proteomics</i> , <b>2006</b> , 6, 2365-75	4.8	18
221	No association of the HLA-A2 allele with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2002</b> , 335, 75-8	3.3	18
220	The relationship between apolipoprotein AI-containing lipoprotein fractions and environmental factors: the prospective epidemiological study of myocardial infarction (PRIME study). <i>Atherosclerosis</i> , <b>2000</b> , 152, 399-405	3.1	18
219	The very low density lipoprotein (VLDL) receptor is a genetic susceptibility factor for Alzheimer disease in a European Caucasian population. <i>Alzheimer Disease and Associated Disorders</i> , <b>1998</b> , 12, 368-77	2.5	18
218	Expression of ETS proto-oncogenes in astrocytes in human cortex. <i>Brain Research</i> , <b>1988</b> , 447, 149-53	3.7	18
217	The TCF7L2 rs7903146 polymorphism, dietary intakes and type 2 diabetes risk in an Algerian population. <i>BMC Genetics</i> , <b>2014</b> , 15, 134	2.6	17
216	From genes to stroke subtypes. <i>Lancet Neurology</i> , <i>The</i> , <b>2012</b> , 11, 931-3	24.1	17
215	Characteristics of current smokers, former smokers, and second-hand exposure and evolution between 1985 and 2007. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 730-6		17
214	Breast-feeding modulates the influence of the peroxisome proliferator-activated receptor-gamma (PPARG2) Pro12Ala polymorphism on adiposity in adolescents: The Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) cross-sectional study. <i>Diabetes Care</i> , <b>2010</b> , 33, 190-6	14.6	17
213	Characterization of arginase 1 gene polymorphisms in the Algerian population and association with blood pressure. <i>Clinical Biochemistry</i> , <b>2009</b> , 42, 1178-82	3.5	17



212	Efficacy of indapamide SR compared with enalapril in elderly hypertensive patients with type 2 diabetes. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 90-7	2.3	17
211	Genetic analysis of synphilin-1 in familial Parkinson's disease. <i>Neurobiology of Disease</i> , <b>2001</b> , 8, 317-23	7.5	17
210	Trends and geographical disparities in coronary heart disease in France: are results concordant when different definitions of events are used?. <i>International Journal of Epidemiology</i> , <b>1999</b> , 28, 1050-8	7.8	17
209	Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , <b>2019</b> ,	6.5	17
208	Genetic invalidation of Lp-PLA as a therapeutic target: Large-scale study of five functional Lp-PLA-lowering alleles. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 492-504	3.9	16
207	Both exhaled nitric oxide and blood eosinophil count were associated with mild allergic asthma only in non-smokers. <i>Clinical and Experimental Allergy</i> , <b>2016</b> , 46, 543-54	4.1	16
206	Effects of occupational and educational changes on obesity trends in France: the results of the MONICA-France survey 1986-2006. <i>Preventive Medicine</i> , <b>2011</b> , 52, 305-9	4.3	16
205	Associations between common genetic polymorphisms in the liver X receptor alpha and its target genes with the serum HDL-cholesterol concentration in adolescents of the HELENA Study. <i>Atherosclerosis</i> , <b>2011</b> , 216, 166-9	3.1	16
204	Regional factors interact with educational and income tax levels to influence food intake in France. <i>European Journal of Clinical Nutrition</i> , <b>2011</b> , 65, 1067-75	5.2	16
203	Disability and incident coronary heart disease in older community-dwelling adults: the Three-City Study. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 636-42	5.6	16
202	Association study of the NEDD9 gene with the risk of developing Alzheimer's and Parkinson's disease. <i>Human Molecular Genetics</i> , <b>2008</b> , 17, 2863-7	5.6	16
201	Very low density lipoprotein receptor in Alzheimer disease. <i>Microscopy Research and Technique</i> , <b>2000</b> , 50, 273-7	2.8	16
200	Caution in interpreting results from imputation analysis when linkage disequilibrium extends over a large distance: a case study on venous thrombosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e38538	3.7	16
199	Genetic correlations and genome-wide associations of cortical structure in general population samples of 22,824 adults. <i>Nature Communications</i> , <b>2020</b> , 11, 4796	17.4	16
198	Genome-wide survey of copy number variants finds MAPT duplications in progressive supranuclear palsy. <i>Movement Disorders</i> , <b>2019</b> , 34, 1049-1059	7	15
197	Study of estrogen receptor- $\beta$ and receptor- $\alpha$ gene polymorphisms on Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2011</b> , 26, 431-9	4.3	15
196	Higher level of systemic C-reactive protein is independently predictive of coronary heart disease in older community-dwelling adults: the three-city study. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 129-35	5.6	15
195	Neuropathological epidemiology of cerebral aging: a study of two genetic polymorphisms. <i>Neurobiology of Aging</i> , <b>2001</b> , 22, 227-35	5.6	15

194	Molecular typing of neolithic human bones. <i>Journal of Archaeological Science</i> , <b>1995</b> , 22, 649-658	2.9	15
193	Two nuclear oncogenic proteins, P135gag-myb-ets and p61/63myc, cooperate to induce transformation of chicken neuroretina cells. <i>Journal of Virology</i> , <b>1989</b> , 63, 3382-8	6.6	15
192	A Role for Behavior in the Relationships Between Depression and Hostility and Cardiovascular Disease Incidence, Mortality, and All-Cause Mortality: the Prime Study. <i>Annals of Behavioral Medicine</i> , <b>2016</b> , 50, 582-91	4.5	15
191	Incidence of cardiovascular events in patients with stabilized coronary heart disease: the EUROASPIRE IV Follow-up study. <i>European Journal of Epidemiology</i> , <b>2019</b> , 34, 247-258	12.1	15
190	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , <b>2017</b> , 71, 1210-1216	5.1	14
189	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1910915	10.4	14
188	A genome-wide association study identifies genetic loci associated with specific lobar brain volumes. <i>Communications Biology</i> , <b>2019</b> , 2, 285	6.7	14
187	A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. <i>Blood</i> , <b>2014</b> , 123, 777-85	2.2	14
186	External validation of the 2008 Framingham cardiovascular risk equation for CHD and stroke events in a European population of middle-aged men. The PRIME study. <i>Preventive Medicine</i> , <b>2013</b> , 57, 49-54	4.3	14
185	Lipoprotein(a) plasma levels and the risk of cancer: the PRIME study. <i>European Journal of Cancer Prevention</i> , <b>2013</b> , 22, 286-93	2	14
184	Ten-year risk of all-cause mortality: assessment of a risk prediction algorithm in a French general population. <i>European Journal of Epidemiology</i> , <b>2011</b> , 26, 359-68	12.1	14
183	Influence of maternal educational level on the association between the rs3809508 neuromedin B gene polymorphism and the risk of obesity in the HELENA study. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 478-86	5.5	14
182	Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 625-30		14
181	Alzheimer disease is not associated with polymorphisms in the angiotensinogen and renin genes. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 105, 761-4		14
180	Myocardial infarction case-fatality gradient in three French regions: the influence of acute coronary care. <i>International Journal of Epidemiology</i> , <b>1994</b> , 23, 700-9	7.8	14
179	Male-specific epistasis between WWC1 and TLN2 genes is associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2018</b> , 72, 188.e3-188.e12	5.6	13
178	Association of macronutrient intake patterns with being overweight in a population-based random sample of men in France. <i>Diabetes and Metabolism</i> , <b>2009</b> , 35, 129-36	5.4	13
177	An apolipoprotein A-I gene promoter polymorphism associated with cognitive decline, but not with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2008</b> , 25, 97-102	2.6	13

176	Homocysteine and coronary heart disease risk in the PRIME study. <i>Atherosclerosis</i> , <b>2007</b> , 191, 90-7	3.1	13
175	The serotonin transporter promoter polymorphism and suicide. <i>Neuroscience Letters</i> , <b>2006</b> , 400, 13-5	3.3	13
174	Significant impact of the highly informative (CA) <sub>n</sub> repeat polymorphism of the APOA-II gene on the plasma APOA-II concentrations and HDL subfractions: The ECTIM study. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 110, 19-24		13
173	Characteristics of male vitamin supplement users aged 50-59 years in France and Northern Ireland: the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>International Journal for Vitamin and Nutrition Research</i> , <b>2000</b> , 70, 102-9	1.7	13
172	Associations between classical cardiovascular risk factors and coronary artery disease in two countries at contrasting risk for myocardial infarction: the PRIME study. <i>International Journal of Cardiology</i> , <b>2000</b> , 74, 191-8	3.2	13
171	Ambulatory heart failure management in private practice in France. <i>European Journal of Heart Failure</i> , <b>2001</b> , 3, 503-7	12.3	13
170	No pathogenic mutations in the persyn gene in Parkinson's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 259, 65-6	3.3	13
169	ACE polymorphism, a genetic predictor of occlusion after coronary angioplasty. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 679-81	3	13
168	Expression and Implication of Clusterin in Left Ventricular Remodeling After Myocardial Infarction. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004838	7.6	12
167	Gene-based analysis in HRC imputed genome wide association data identifies three novel genes for Alzheimer's disease. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218111	3.7	12
166	Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene-diet interactions. <i>International Journal of Obesity</i> , <b>2013</b> , 37, 1499-505	5.5	12
165	Alcohol consumption patterns and body weight. <i>Annals of Nutrition and Metabolism</i> , <b>2013</b> , 62, 91-7	4.5	12
164	Study of thyroid hormone receptor alpha gene polymorphisms on Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2011</b> , 32, 624-30	5.6	12
163	ARMS2 A69S polymorphism and the risk for age-related maculopathy: the ALIENOR study. <i>JAMA Ophthalmology</i> , <b>2012</b> , 130, 1077-8		12
162	Association study of Notch 4 polymorphisms with Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2004</b> , 75, 377-81	5.5	12
161	Familial defective apolipoprotein B-100 and myocardial infarction. The ECTIM study. Etude Cas-Témoins de l'Infarctus du Myocarde. <i>Atherosclerosis</i> , <b>1995</b> , 116, 269-71	3.1	12
160	Rearrangement of chromosome 21 in Alzheimer's disease. <i>Annales De Génétique</i> , <b>1986</b> , 29, 226-8		12
159	Low-grade systemic inflammation: a partial mediator of the relationship between diabetes and lung function. <i>Annals of Epidemiology</i> , <b>2018</b> , 28, 26-32	6.4	12

158	Adverse Lifestyle Trends Counter Improvements in Cardiovascular Risk Factor Management in Coronary Patients. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 1634-1636	15.1	11
157	Sex Differences in Stroke Attack, Incidence, and Mortality Rates in Northern France. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 1368-1374	2.8	11
156	Recurrent in-frame insertion in C/EBPalpha TAD2 region is a polymorphism without prognostic value in AML. <i>Leukemia</i> , <b>2008</b> , 22, 655-7	10.7	11
155	Haplotypes across ACE and the risk of Alzheimer's disease: the three-city study. <i>Journal of Alzheimer's Disease</i> , <b>2008</b> , 13, 333-9	4.3	11
154	Efficacy of very low dose perindopril 2 mg/indapamide 0.625 mg combination on left ventricular hypertrophy in hypertensive patients: the P.I.C.X.E.L. study rationale and design. <i>Journal of Human Hypertension</i> , <b>2002</b> , 16, 653-9	2.6	11
153	The APOA4 Thr347->Ser347 polymorphism is not a major risk factor of obesity. <i>Obesity</i> , <b>2005</b> , 13, 2132-8		11
152	Polymorphisms in the insulin response element of APOC-III gene promoter influence the correlation between insulin and triglycerides or triglyceride-rich lipoproteins in humans. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 1012-7	5.5	11
151	Association of hypertensive status and its drug treatment with lipid and haemostatic factors in middle-aged men: the PRIME study. <i>Journal of Human Hypertension</i> , <b>2000</b> , 14, 511-8	2.6	11
150	Absence of relationship between plasma Lp(a), Lp-AI, anti-oxidized LDL autoantibodies, LDL immune complexes concentrations and restenosis after percutaneous transluminal coronary angioplasty. <i>Clinica Chimica Acta</i> , <b>2000</b> , 299, 129-40	6.2	11
149	Characterization of a MH2 mutant lacking the v-myc oncogene. <i>Virology</i> , <b>1986</b> , 153, 272-9	3.6	11
148	Ideal Cardiovascular Health and Incident Cardiovascular Disease: Heterogeneity Across Event Subtypes and Mediating Effect of Blood Biomarkers: The PRIME Study. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	10
147	The association between blood cadmium and glycated haemoglobin among never-, former, and current smokers: A cross-sectional study in France. <i>Environmental Research</i> , <b>2019</b> , 178, 108673	7.9	10
146	Residential exposure to outdoor air pollution and adult lung function, with focus on small airway obstruction. <i>Environmental Research</i> , <b>2020</b> , 183, 109161	7.9	10
145	Dietary linoleic acid interacts with FADS1 genetic variability to modulate HDL-cholesterol and obesity-related traits. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1683-1689	5.9	10
144	Increased level of phosphorylated desmin and its degradation products in heart failure. <i>Biochemistry and Biophysics Reports</i> , <b>2016</b> , 6, 54-62	2.2	10
143	Do lifestyle behaviours explain socioeconomic differences in all-cause mortality, and fatal and non-fatal cardiovascular events? Evidence from middle aged men in France and Northern Ireland in the PRIME Study. <i>Preventive Medicine</i> , <b>2012</b> , 54, 247-53	4.3	10
142	Multimarker proteomic profiling for the prediction of cardiovascular mortality in patients with chronic heart failure. <i>PLoS ONE</i> , <b>2015</b> , 10, e0119265	3.7	10
141	The major element of 1-year prognosis in acute coronary syndromes is severity of initial clinical presentation: Results from the French MONICA registries. <i>Archives of Cardiovascular Diseases</i> , <b>2012</b> , 105, 478-88	2.7	10

140	A study of the association between the ADAM12 and SH3PXD2A (SH3MD1) genes and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2010</b> , 468, 1-2	3.3	10
139	Strategy for purification and mass spectrometry identification of SELDI peaks corresponding to low-abundance plasma and serum proteins. <i>Journal of Proteomics</i> , <b>2011</b> , 74, 420-30	3.9	10
138	Impact of a CART promoter genetic variation on plasma lipid profile in a general population. <i>Molecular Genetics and Metabolism</i> , <b>2007</b> , 90, 199-204	3.7	10
137	Induction of proliferation of neuroretina cells by long terminal repeat activation of the carboxy-terminal part of c-mil. <i>Molecular and Cellular Biology</i> , <b>1987</b> , 7, 1995-1998	4.8	10
136	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , <b>2021</b> , 10,	8.9	10
135	Genome-wide association study of rate of cognitive decline in Alzheimer's disease patients identifies novel genes and pathways. <i>Alzheimer's and Dementia</i> , <b>2020</b> , 16, 1134-1145	1.2	9
134	Sources of household air pollution: The association with lung function and respiratory symptoms in middle-aged adult. <i>Environmental Research</i> , <b>2018</b> , 164, 140-148	7.9	9
133	Fractalkine receptor/ligand genetic variants and carotid intima-media thickness. <i>Stroke</i> , <b>2009</b> , 40, 2212-46.7		9
132	Association between a thyroid hormone receptor- $\beta$ gene polymorphism and blood pressure but not with coronary heart disease risk. <i>American Journal of Hypertension</i> , <b>2011</b> , 24, 1027-34	2.3	9
131	Proteomic analysis in cardiovascular diseases. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2008</b> , 35, 362-6	3	9
130	Do cardiovascular risk factors in men depend on their spouses' occupational category?. <i>European Journal of Epidemiology</i> , <b>2001</b> , 17, 347-56	12.1	9
129	Common variants in Alzheimer's disease: Novel association of six genetic variants with AD and risk stratification by polygenic risk scores		9
128	Circulating proteomic signature of early death in heart failure patients with reduced ejection fraction. <i>Scientific Reports</i> , <b>2019</b> , 9, 19202	4.9	9
127	The deletion allele of the angiotensin I converting enzyme gene as a genetic susceptibility factor for cognitive impairment. <i>Neuroscience Letters</i> , <b>1996</b> , 217, 203-5	3.3	9
126	Changes over time in the prevalence and treatment of cardiovascular risk factors, and contributions to time trends in coronary mortality over 25 years in the Lille urban area (northern France). <i>Archives of Cardiovascular Diseases</i> , <b>2017</b> , 110, 689-699	2.7	8
125	Exposure to multiple air pollutants and the incidence of coronary heart disease: A fine-scale geographic analysis. <i>Science of the Total Environment</i> , <b>2020</b> , 714, 136608	10.2	8
124	Let-7f: A New Potential Circulating Biomarker Identified by miRNA Profiling of Cells Isolated from Human Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
123	Single polymorphism nucleotide rs1333049 on chromosome 9p21 is associated with carotid plaques but not with common carotid intima-media thickness in older adults. A combined analysis of the Three-City and the EVA studies. <i>Atherosclerosis</i> , <b>2012</b> , 222, 187-90	3.1	8

122	Fruit and vegetable intake and smoking cessation. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 1247-53	5.3	8
121	Circulating plasma serine208-phosphorylated troponin T levels are indicator of cardiac dysfunction. <i>Journal of Cellular and Molecular Medicine</i> , <b>2013</b> , 17, 1335-44	5.6	8
120	Common polymorphisms in six genes of the methyl group metabolism pathway and obesity in European adolescents. <i>Pediatric Obesity</i> , <b>2011</b> , 6, e336-44		8
119	No association between polymorphisms in the INSIG1 gene and the risk of type 2 diabetes and related traits. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 252-7	7	8
118	Influence of cholesteryl ester transfer protein, peroxisome proliferator-activated receptor alpha, apolipoprotein E, and apolipoprotein A-I polymorphisms on high-density lipoprotein cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I:A-II concentrations: the Prospective Epidemiological Study of Myocardial Infarction study. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> ,	12.7	8
117	Association between angiotensin-like 6 (ANGPTL6) gene polymorphisms and metabolic syndrome-related phenotypes in the French MONICA Study. <i>Diabetes and Metabolism</i> , <b>2009</b> , 35, 287-92	5.4	8
116	In obese and non-obese adults, the cis-regulatory rs361072 promoter variant of PIK3CB is associated with insulin resistance not with type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , <b>2009</b> , 96, 129-32	3.7	8
115	Association of OAZ1 gene polymorphisms with subclinical and clinical vascular events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 2120-6	9.4	8
114	Relevance and limitations of public databases for microarray design: a critical approach to gene predictions. <i>Pharmacogenomics Journal</i> , <b>2003</b> , 3, 235-41	3.5	8
113	Paraoxonase (Gln192-Arg) polymorphism in French type 2 diabetics. <i>Atherosclerosis</i> , <b>1999</b> , 147, 415-6	3.1	8
112	miRNA-dependent target regulation: functional characterization of single-nucleotide polymorphisms identified in genome-wide association studies of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , <b>2016</b> , 8, 20	9	7
111	Association of ornithine transcarbamylase gene polymorphisms with hypertension and coronary artery vasomotion. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 993-1000	2.3	7
110	Impact of incomplete DNase I treatment on human macrophage proteome analysis. <i>Proteomics - Clinical Applications</i> , <b>2009</b> , 3, 1236-46	3.1	7
109	Is the ornithine transcarbamylase gene a genetic determinant of Alzheimer's disease?. <i>Neuroscience Letters</i> , <b>2009</b> , 449, 76-80	3.3	7
108	Abdominal obesity is associated with ineffective control of cardiovascular risk factors in primary care in France. <i>Diabetes and Metabolism</i> , <b>2008</b> , 34, 606-11	5.4	7
107	Consommation de produits laitiers et facteurs de risque cardiovasculaire dans l'Étude MONICA. <i>Cahiers De Nutrition Et De Dietetique</i> , <b>2006</b> , 41, 33-38	0.2	7
106	APOE promoter polymorphisms and dementia in the elderly. <i>Neuroscience Letters</i> , <b>2004</b> , 365, 116-9	3.3	7
105	Commonalities between genetics of cardiovascular disease and neurodegenerative disorders. <i>Current Opinion in Lipidology</i> , <b>2004</b> , 15, 121-7	4.4	7

104	Haemostasis in relation to dietary fat as estimated by erythrocyte fatty acid composition: the prime study. <i>Thrombosis Research</i> , <b>2001</b> , 102, 285-93	8.2	7
103	Survival trends, coronary event rates, and the MONICA project. <i>Lancet, The</i> , <b>1999</b> , 354, 863-864	40	7
102	A new GTP-cyclohydrolase I mutation in an unusual dopa-responsive dystonia, familial form. <i>NeuroReport</i> , <b>1999</b> , 10, 487-91	1.7	7
101	Alzheimer's genetic risk factor FERMT2 (Kindlin-2) controls axonal growth and synaptic plasticity in an APP-dependent manner. <i>Molecular Psychiatry</i> , <b>2020</b> ,	15.1	6
100	Coronary heart disease incidence still decreased between 2006 and 2014 in France, except in young age groups: Results from the French MONICA registries. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1178-1186	3.9	6
99	Impact of cardiovascular risk factor control on long-term cardiovascular and all-cause mortality in the general population. <i>Annals of Medicine</i> , <b>2016</b> , 48, 559-567	1.5	6
98	Increased clusterin levels after myocardial infarction is due to a defect in protein degradation systems activity. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 608	9.8	6
97	Depression and mortality: artifact of measurement and analysis?. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 632-638	6.6	6
96	Identification of additional proteins in differential proteomics using protein interaction networks. <i>Proteomics</i> , <b>2013</b> , 13, 1065-76	4.8	6
95	Relationships between chronic use of statin therapy, presentation of acute coronary syndromes and one-year mortality after an incident acute coronary event. <i>International Journal of Cardiology</i> , <b>2013</b> , 163, 102-4	3.2	6
94	The role of a triplet repeat sequence of the very low density lipoprotein receptor gene in plasma lipid and lipoprotein level variability in humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 17, 2759-64	9.4	6
93	Fasting insulin concentrations and coronary heart disease incidence in France and Northern Ireland: the PRIME Study. <i>International Journal of Cardiology</i> , <b>2006</b> , 108, 189-96	3.2	6
92	Genetic susceptibility to ageing-associated diseases. <i>Comptes Rendus - Biologies</i> , <b>2002</b> , 325, 741-5	1.4	6
91	Associations of common SNPs in the SORT1, GCKR, LPL, APOA1, CETP, LDLR, APOE genes with lipid trait levels in an Algerian population sample. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2015</b> , 8, 7358-63	1.4	6
90	Ninety-nine independent genetic loci influencing general cognitive function include genes associated with brain health and structure (N = 280,360)		6
89	Association between TAFI antigen and Ala147Thr polymorphism of the TAFI gene and the angina pectoris incidence. The PRIME Study (Prospective Epidemiological Study of MI). <i>Thrombosis and Haemostasis</i> , <b>2003</b> , 89, 554-60	7	6
88	Minor allele of the factor V K858R variant protects from venous thrombosis only in non-carriers of factor V Leiden mutation. <i>Scientific Reports</i> , <b>2019</b> , 9, 3750	4.9	5
87	Expired-air carbon monoxide as a predictor of 16-year risk of all-cause, cardiovascular and cancer mortality. <i>Preventive Medicine</i> , <b>2015</b> , 81, 195-201	4.3	5

86	Effects of established blood pressure loci on blood pressure values and hypertension risk in an Algerian population sample. <i>Journal of Human Hypertension</i> , <b>2015</b> , 29, 296-302	2.6	5
85	A study on the polymorphisms of the renin-angiotensin system pathway genes for their effect on blood pressure levels in males from Algeria. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2014</b> , 15, 1-6	3	5
84	Functional and genetic analysis of haplotypic sequence variation at the nicastrin genomic locus. <i>Neurobiology of Aging</i> , <b>2012</b> , 33, 1848.e1-13	5.6	5
83	Low-density lipoprotein receptor-related protein 8 gene polymorphisms and dementia. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 266-71	5.6	5
82	Study of the genetic variability of ZAC1 (PLAGL1) in French population-based samples. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 314-21	1.9	5
81	Transdermal estrogen replacement therapy and plasma lipids in 693 French women. <i>Maturitas</i> , <b>1998</b> , 30, 265-72	5	5
80	Nutritional intakes of 1072 French free-living men with and without diagnosed cardiovascular risk factors. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 787-95	5.2	5
79	No association of the -48CT polymorphism of the presenilin 1 gene with Alzheimer disease in a late-onset sporadic population. <i>Journal of Neural Transmission</i> , <b>2002</b> , 109, 1023-7	4.3	5
78	Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide		5
77	Plasma amyloid $\beta$ levels are driven by genetic variants near APOE, BACE1, APP, PSEN2: A genome-wide association study in over 12,000 non-demented participants. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17, 1663-1674	1.2	5
76	Identification of a functional FADS1 3'UTR variant associated with erythrocyte n-6 polyunsaturated fatty acids levels. <i>Journal of Clinical Lipidology</i> , <b>2018</b> , 12, 1280-1289	4.9	5
75	The genetic history of France. <i>European Journal of Human Genetics</i> , <b>2020</b> , 28, 853-865	5.3	4
74	Predictive Accuracy of the European Society of Cardiology SCORE Among French People. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , <b>2016</b> , 36, 38-48	3.6	4
73	Isolated negative T waves in the general population is a powerful predicting factor of cardiac mortality and coronary heart disease. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 318-24	3.2	4
72	Hypomethylation of the promoter of the catalytic subunit of protein phosphatase 2A in response to hyperglycemia. <i>Physiological Reports</i> , <b>2014</b> , 2, e12076	2.6	4
71	Interregional differences in the clinical, biological and electrical characteristics of first acute coronary events in France: results from the MONICA registries. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 275-82	3.9	4
70	Lack of association of genetic variants in the LRP8 gene with familial and sporadic myocardial infarction. <i>Journal of Molecular Medicine</i> , <b>2008</b> , 86, 1163-70	5.5	4
69	Evolution and cost trends of antihypertensive and hypolipidaemic drug treatment in France. <i>Cardiovascular Drugs and Therapy</i> , <b>2003</b> , 17, 175-89	3.9	4



68	Apolipoprotein E in Creutzfeldt-Jakob disease. French Research Group on Epidemiology of Human Spongiform Encephalopathies. <i>Lancet, The</i> , <b>1995</b> , 345, 595-6	4.0	4
67	Lipoprotein particles in homozygous familial hypercholesterolemic patients treated with portacaval shunt and LDL apheresis. <i>Clinica Chimica Acta</i> , <b>1990</b> , 193, 165-79	6.2	4
66	Awareness, treatment and control of hyperlipidaemia in middle-aged men in France and northern Ireland in 1991-1993: the PRIME study. Prospective epidemiological study of myocardial infarction. <i>Acta Cardiologica</i> , <b>2002</b> , 57, 117-23	0.9	4
65	Genetic analysis of over one million people identifies 535 novel loci for blood pressure		4
64	Association between ABO haplotypes and the risk of venous thrombosis: impact on disease risk estimation. <i>Blood</i> , <b>2021</b> , 137, 2394-2402	2.2	4
63	Multimomics integrative analysis identifies allele-specific blood biomarkers associated to Alzheimer's disease etiopathogenesis. <i>Aging</i> , <b>2021</b> , 13, 9277-9329	5.6	4
62	Association between overall fruit and vegetable intake, and fruit and vegetable sub-types and blood pressure: the PRIME study (Prospective Epidemiological Study of Myocardial Infarction). <i>British Journal of Nutrition</i> , <b>2021</b> , 125, 557-567	3.6	4
61	Genetics of the thrombomodulin-endothelial cell protein C receptor system and the risk of early-onset ischemic stroke. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206554	3.7	4
60	Integrative network analysis reveals time-dependent molecular events underlying left ventricular remodeling in post-myocardial infarction patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2017</b> , 1863, 1445-1453	6.9	3
59	Examination of the brain natriuretic peptide rs198389 single-nucleotide polymorphism on type 2 diabetes mellitus and related phenotypes in an Algerian population. <i>Gene</i> , <b>2015</b> , 567, 159-63	3.8	3
58	Comparison of the rates of stroke and acute coronary events in northern France. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1534-1542	3.9	3
57	Concordance of two multiple analytical approaches demonstrate that interaction between BMI and ADIPOQ haplotypes is a determinant of LDL cholesterol in a general French population. <i>Journal of Human Genetics</i> , <b>2010</b> , 55, 227-31	4.3	3
56	Contribution of lifetime smoking habit in France and Northern Ireland to country and socioeconomic differentials in mortality and cardiovascular incidence: the PRIME Study. <i>Journal of Epidemiology and Community Health</i> , <b>2012</b> , 66, 599-604	5.1	3
55	Contribution of cardiovascular risk factors to coronary risk in patients with intermittent claudication in the PRIME Cohort Study of European men. <i>Atherosclerosis</i> , <b>2009</b> , 206, 563-8	3.1	3
54	Type A behaviour and consumption of an atherogenic diet: no association in the PRIME study. <i>Appetite</i> , <b>2007</b> , 49, 554-60	4.5	3
53	Angiotensin Converting Enzyme and Angiotensin II Type 1 Receptor Polymorphisms in Patients with Coronary Aneurysms. <i>Thrombosis Journal</i> , <b>2003</b> , 1, 5	5.6	3
52	Why mortality from heart disease is low in France. Rates of coronary events are similar in France and Southern Europe. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 320, 249-50		3
51	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , <b>2021</b> , 12, 6031	17.4	3

50	Pyk2 overexpression in postsynaptic neurons blocks amyloid $\beta$ -induced synaptotoxicity in microfluidic co-cultures. <i>Brain Communications</i> , <b>2020</b> , 2, fcaa139	4.5	3
49	Desmin aggregophagy in rat and human ischemic heart failure through PKC $\delta$ and GSK3 $\beta$ s upstream signaling pathways. <i>Cell Death Discovery</i> , <b>2021</b> , 7, 153	6.9	3
48	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 685-697 <sup>12.1</sup>	12.1	2
47	Exhaled breath NOx levels in a middle-aged adults population-based study: reference values and association with the smoking status. <i>Respiratory Medicine</i> , <b>2018</b> , 137, 134-140	4.6	2
46	Proteomic profiling of macrophages by 2D electrophoresis. <i>Journal of Visualized Experiments</i> , <b>2014</b> , e52219	2.9	2
45	Impact of occupational physical activity and related tasks on cardiovascular disease: emerging opportunities for prevention?. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4475-8	3.2	2
44	Adenylyl Cyclase 9 Polymorphisms Reveal Potential Link to HDL Function and Cardiovascular Events in Multiple Pathologies: Potential Implications in Sickle Cell Disease. <i>Cardiovascular Drugs and Therapy</i> , <b>2015</b> , 29, 563-572	3.9	2
43	All-Cause Mortality up to and After Coronary Heart Disease and Stroke Events in European Middle-Aged Men: The PRIME Study. <i>Stroke</i> , <b>2015</b> , 46, 1371-3	6.7	2
42	Lack of association of non-synonymous FUT2 and ALPL polymorphisms with venous thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2012</b> , 10, 1693-5	15.4	2
41	Could clinical decision rules relying on cardiovascular risk models increase psychosocial inequalities in health? Results from the PRIME cohort study. <i>Preventive Medicine</i> , <b>2011</b> , 52, 439-44	4.3	2
40	Which measure of adiposity for primary care?. <i>International Journal of Clinical Practice</i> , <b>2009</b> , 63, 1270-2	2.9	2
39	A study of the relationships between KLF2 polymorphisms and body weight control in a French population. <i>BMC Medical Genetics</i> , <b>2006</b> , 7, 26	2.1	2
38	Vers des profils pharmacogénétiques?. <i>Biofutur</i> , <b>2000</b> , 2000, 82-85		2
37	Genome-wide association study reveals novel genetic loci: a new polygenic risk score for mitral valve prolapse.. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	2
36	Association of impaired renal function with venous thrombosis: A genetic risk score approach. <i>Thrombosis Research</i> , <b>2017</b> , 158, 102-107	8.2	2
35	BIN1 recovers tauopathy-induced long-term memory deficits in mice and interacts with Tau through Thr348 phosphorylation		2
34	A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease		2
33	Genome-Wide Meta-Analysis of Late-Onset Alzheimer's Disease Using Rare Variant Imputation in 65,602 Subjects Identifies Novel Rare Variant Locus NCK2: The International Genomics of Alzheimer's Project (IGAP)		2

32	Gene Polymorphisms and Outcome After Coronary Angioplasty. <i>Current Interventional Cardiology Reports</i> , <b>2001</b> , 3, 281-286		2
31	ACE gene polymorphism and coronary restenosis. <i>Seminars in Interventional Cardiology: SIIC</i> , <b>1999</b> , 4, 145-9		2
30	Presenilin-1 polymorphism and neuropathological lesions of aging brain and late-onset Alzheimer's disease. <i>Neuropathology</i> , <b>1997</b> , 17, 217-219	2	1
29	Allelic variation in the promoter region of the LDL receptor gene: analysis of an African-specific variant in the FP2 cis-acting regulatory element. <i>Molecular and Cellular Probes</i> , <b>2003</b> , 17, 175-81	3.3	1
28	A critical assessment of the role of pharmacogenomics and pharmacogenetics approaches to cardiovascular diseases. <i>Pharmacogenomics Journal</i> , <b>2001</b> , 1, 95-7	3.5	1
27	Migraine, Stroke, and Cervical Arterial Dissection: Shared Genetics for a Triad of Brain Disorders With Vascular Involvement.. <i>Neurology: Genetics</i> , <b>2022</b> , 8, e653	3.8	1
26	The Alzheimer susceptibility gene BIN1 induces isoform-dependent neurotoxicity through early endosome defects.. <i>Acta Neuropathologica Communications</i> , <b>2022</b> , 10, 4	7.3	1
25	Association of low plasma antioxidant levels with all-cause mortality and coronary events in healthy middle-aged men from France and Northern Ireland in the PRIME study. <i>European Journal of Nutrition</i> , <b>2021</b> , 60, 2631-2641	5.2	1
24	Exome sequencing identifies rare damaging variants in the ATP8B4 and ABCA1 genes as novel risk factors for Alzheimer's Disease		1
23	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1
22	Abstract 88: Social Inequalities in Stroke Mortality, Incidence and Case-fatality in Europe.. <i>Stroke</i> , <b>2016</b> , 47,	6.7	1
21	Apolipoprotein Proteomic Profiling for the Prediction of Cardiovascular Death in Patients with Heart Failure. <i>Proteomics - Clinical Applications</i> , <b>2020</b> , 14, e2000035	3.1	1
20	Large disparities in 28-day case fatality by stroke subtype: data from a French stroke registry between 2008 and 2017. <i>European Journal of Neurology</i> , <b>2021</b> , 28, 2208-2217	6	1
19	The relationship between neighbourhood walkability and cardiovascular risk factors in northern France. <i>Science of the Total Environment</i> , <b>2021</b> , 772, 144877	10.2	1
18	Restenotic process and DD genotype after angiotensin-converting enzyme inhibitor treatment. <i>Lancet, The</i> , <b>2001</b> , 358, 758-759	40	0
17	Genome-Wide Association Meta-Analysis Supports Genes Involved in Valve and Cardiac Development to Associate With Mitral Valve Prolapse. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , 14, e003148	5.2	0
16	Short-term and residential exposure to air pollution: Associations with inflammatory biomarker levels in adults living in northern France.. <i>Science of the Total Environment</i> , <b>2022</b> , 154985	10.2	0
15	[P3099]: ISOFORM-DEPENDENT NEUROTOXICITY OF THE ALZHEIMER DISEASE RISK FACTOR BIN1 IN DROSOPHILA <b>2017</b> , 13, P972-P972		

- 14 O5-06-01: Hcs genome-wide sirna screening identifies new modulators of app metabolism among the genetic factors of Alzheimer's disease **2015**, 11, P327-P328
- 13 Acides gras om̄a-3 et r̄isque cardiovasculaire. *Oleagineux Corps Gras Lipides*, **2010**, 17, 232-235
- 12 Prot̄omique et marqueurs cardiaques. *Medecine Nucleaire*, **2007**, 31, 580-586 0.1
- 11 Role of Lipid Binding Proteins in Disease397-400
- 10 Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study. *Journal of Epidemiology and Community Health*, **1999**, 53, 393-8 5.1
- 9 Challenges at the APOE locus: a robust quality control approach for accurate APOE genotyping.. *Alzheimer's Research and Therapy*, **2022**, 14, 22 9
- 8 Gene Protecting against Age-Related Macular Degeneration **2000**, 19-26
- 7 FTS3-01-01: Biological Underpinnings of Vascular Contributions to Dementia **2016**, 12, P276-P276
- 6 FTS3-01-04: Setting the Agenda: Prevention Studies for Vascular Contributions to Dementia **2016**, 12, P277-P277
- 5 P2-078: Are Alzheimer's Disease Risk Genes Related to Markers of Brain Pathology? The Memento Cohort **2016**, 12, P638-P639
- 4 FTS3-01-02: Epidemiology of Vascular Related Risk Factors for Dementia **2016**, 12, P276-P276
- 3 FTS3-01-03: Biomarkers for Vascular Contributions to Dementia **2016**, 12, P276-P277
- 2 Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimer's disease. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*, **2018**, 10, 595-598 5.2
- 1 Comparison of clinical profiles and care for patients with incident versus recurrent acute coronary syndromes in France: Data from the MONICA registries.. *PLoS ONE*, **2022**, 17, e0263589 3.7