

# Philippe Amouyel

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1958730/philippe-amouyel-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

625  
papers

64,333  
citations

105  
h-index

240  
g-index

709  
ext. papers

77,965  
ext. citations

9.4  
avg, IF

6.53  
L-index

#	Paper	IF	Citations
625	Genome-wide association study reveals novel genetic loci: a new polygenic risk score for mitral valve prolapse.. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	2
624	Migraine, Stroke, and Cervical Arterial Dissection: Shared Genetics for a Triad of Brain Disorders With Vascular Involvement.. <i>Neurology: Genetics</i> , <b>2022</b> , 8, e653	3.8	1
623	Challenges at the APOE locus: a robust quality control approach for accurate APOE genotyping.. <i>Alzheimer's Research and Therapy</i> , <b>2022</b> , 14, 22	9	
622	The Alzheimer susceptibility gene BIN1 induces isoform-dependent neurotoxicity through early endosome defects.. <i>Acta Neuropathologica Communications</i> , <b>2022</b> , 10, 4	7.3	1
621	Comparison of clinical profiles and care for patients with incident versus recurrent acute coronary syndromes in France: Data from the MONICA registries.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0263589	3.7	
620	Short-term and residential exposure to air pollution: Associations with inflammatory biomarker levels in adults living in northern France.. <i>Science of the Total Environment</i> , <b>2022</b> , 154985	10.2	0
619	New insights into the genetic etiology of Alzheimer's disease and related dementias.. <i>Nature Genetics</i> , <b>2022</b> ,	36.3	27
618	Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 1636-1648	36.3	19
617	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , <b>2021</b> , 12, 6031	17.4	3
616	Association of low plasma antioxidant levels with all-cause mortality and coronary events in healthy middle-aged men from France and Northern Ireland in the PRIME study. <i>European Journal of Nutrition</i> , <b>2021</b> , 60, 2631-2641	5.2	1
615	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , <b>2021</b> , 10,	8.9	10
614	Association between ABO haplotypes and the risk of venous thrombosis: impact on disease risk estimation. <i>Blood</i> , <b>2021</b> , 137, 2394-2402	2.2	4
613	Multomics integrative analysis identifies allele-specific blood biomarkers associated to Alzheimer's disease etiopathogenesis. <i>Aging</i> , <b>2021</b> , 13, 9277-9329	5.6	4
612	Large disparities in 28-day case fatality by stroke subtype: data from a French stroke registry between 2008 and 2017. <i>European Journal of Neurology</i> , <b>2021</b> , 28, 2208-2217	6	1
611	Plasma amyloid $\beta$ levels are driven by genetic variants near APOE, BACE1, APP, PSEN2: A genome-wide association study in over 12,000 non-demented participants. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17, 1663-1674	1.2	5
610	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , <b>2021</b> , 12, 3417	17.4	23
609	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , <b>2021</b> , 42, 2439-2454	9.5	58

608	Desmin aggregopathy in rat and human ischemic heart failure through PKC $\beta$ and GSK3 $\beta$ 's upstream signaling pathways. <i>Cell Death Discovery</i> , <b>2021</b> , 7, 153	6.9	3
607	The relationship between neighbourhood walkability and cardiovascular risk factors in northern France. <i>Science of the Total Environment</i> , <b>2021</b> , 772, 144877	10.2	1
606	Association between overall fruit and vegetable intake, and fruit and vegetable sub-types and blood pressure: the PRIME study (Prospective Epidemiological Study of Myocardial Infarction). <i>British Journal of Nutrition</i> , <b>2021</b> , 125, 557-567	3.6	4
605	Genome-Wide Association Meta-Analysis Supports Genes Involved in Valve and Cardiac Development to Associate With Mitral Valve Prolapse. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , 14, e003148	5.2	0
604	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , <b>2021</b> , 398, 957-980	40	154
603	Cerebral small vessel disease genomics and its implications across the lifespan. <i>Nature Communications</i> , <b>2020</b> , 11, 6285	17.4	22
602	Alzheimer's genetic risk factor FERMT2 (Kindlin-2) controls axonal growth and synaptic plasticity in an APP-dependent manner. <i>Molecular Psychiatry</i> , <b>2020</b> ,	15.1	6
601	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , <b>2020</b> , 396, 1511-1524	40	73
600	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 685-697	12.1	2
599	Genome-wide association study of rate of cognitive decline in Alzheimer's disease patients identifies novel genes and pathways. <i>Alzheimer's and Dementia</i> , <b>2020</b> , 16, 1134-1145	1.2	9
598	Common Genetic Variation Indicates Separate Causes for Periventricular and Deep White Matter Hyperintensities. <i>Stroke</i> , <b>2020</b> , 51, 2111-2121	6.7	23
597	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , <b>2020</b> , 139, 1025-1044	14.3	18
596	Coronary heart disease incidence still decreased between 2006 and 2014 in France, except in young age groups: Results from the French MONICA registries. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1178-1186	3.9	6
595	The genetic history of France. <i>European Journal of Human Genetics</i> , <b>2020</b> , 28, 853-865	5.3	4
594	Residential exposure to outdoor air pollution and adult lung function, with focus on small airway obstruction. <i>Environmental Research</i> , <b>2020</b> , 183, 109161	7.9	10
593	Exposure to multiple air pollutants and the incidence of coronary heart disease: A fine-scale geographic analysis. <i>Science of the Total Environment</i> , <b>2020</b> , 714, 136608	10.2	8
592	Genetic correlations and genome-wide associations of cortical structure in general population samples of 22,824 adults. <i>Nature Communications</i> , <b>2020</b> , 11, 4796	17.4	16
591	Genome-wide association study of intracranial aneurysms identifies 17 risk loci and genetic overlap with clinical risk factors. <i>Nature Genetics</i> , <b>2020</b> , 52, 1303-1313	36.3	43

590	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , <b>2020</b> , 52, 1314-1332	36.3	26
589	Apolipoprotein Proteomic Profiling for the Prediction of Cardiovascular Death in Patients with Heart Failure. <i>Proteomics - Clinical Applications</i> , <b>2020</b> , 14, e2000035	3.1	1
588	Pyk2 overexpression in postsynaptic neurons blocks amyloid $\beta$ -induced synaptotoxicity in microfluidic co-cultures. <i>Brain Communications</i> , <b>2020</b> , 2, fcaa139	4.5	3
587	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2392-2409	15.1	45
586	Whole exome sequencing study identifies novel rare and common Alzheimer's-Associated variants involved in immune response and transcriptional regulation. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1859-1875	15.1	106
585	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 173-192	7.8	25
584	Association Between Depressive Symptoms and Incident Cardiovascular Diseases. <i>JAMA - Journal of the American Medical Association</i> , <b>2020</b> , 324, 2396-2405	27.4	35
583	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e1332-e1345	13.6	239
582	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1910915	10.4	14
581	The association between blood cadmium and glycated haemoglobin among never-, former, and current smokers: A cross-sectional study in France. <i>Environmental Research</i> , <b>2019</b> , 178, 108673	7.9	10
580	BIN1 recovers tauopathy-induced long-term memory deficits in mice and interacts with Tau through Thr phosphorylation. <i>Acta Neuropathologica</i> , <b>2019</b> , 138, 631-652	14.3	27
579	Genome-wide survey of copy number variants finds MAPT duplications in progressive supranuclear palsy. <i>Movement Disorders</i> , <b>2019</b> , 34, 1049-1059	7	15
578	Minor allele of the factor V K858R variant protects from venous thrombosis only in non-carriers of factor V Leiden mutation. <i>Scientific Reports</i> , <b>2019</b> , 9, 3750	4.9	5
577	A genome-wide association study identifies genetic loci associated with specific lobar brain volumes. <i>Communications Biology</i> , <b>2019</b> , 2, 285	6.7	14
576	Increased clusterin levels after myocardial infarction is due to a defect in protein degradation systems activity. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 608	9.8	6
575	Gene-based analysis in HRC imputed genome wide association data identifies three novel genes for Alzheimer's disease. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218111	3.7	12
574	Let-7f: A New Potential Circulating Biomarker Identified by miRNA Profiling of Cells Isolated from Human Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
573	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A $\beta$ tau, immunity and lipid processing. <i>Nature Genetics</i> , <b>2019</b> , 51, 414-430	36.3	917

572	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , <b>2019</b> , 51, 452-469	36.3	44
571	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. <i>Lancet, The</i> , <b>2019</b> , 394, 2173-2183	4.0	75
570	Circulating proteomic signature of early death in heart failure patients with reduced ejection fraction. <i>Scientific Reports</i> , <b>2019</b> , 9, 19202	4.9	9
569	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 1624-1636	36.3	81
568	Genetic determinants of risk in pulmonary arterial hypertension: international genome-wide association studies and meta-analysis. <i>Lancet Respiratory Medicine, the</i> , <b>2019</b> , 7, 227-238	35.1	55
567	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , <b>2019</b> , 40, 621-631	9.5	52
566	Trans-ethnic association study of blood pressure determinants in over 750,000 individuals. <i>Nature Genetics</i> , <b>2019</b> , 51, 51-62	36.3	152
565	Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , <b>2019</b> ,	6.5	17
564	Incidence of cardiovascular events in patients with stabilized coronary heart disease: the EUROASPIRE IV follow-up study. <i>European Journal of Epidemiology</i> , <b>2019</b> , 34, 247-258	12.1	15
563	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 946-955	7.9	35
562	PNPLA3 and TM6SF2 variants as risk factors of hepatocellular carcinoma across various etiologies and severity of underlying liver diseases. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 533-544	7.5	43
561	Sources of household air pollution: The association with lung function and respiratory symptoms in middle-aged adult. <i>Environmental Research</i> , <b>2018</b> , 164, 140-148	7.9	9
560	Sex Differences in Stroke Attack, Incidence, and Mortality Rates in Northern France. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 1368-1374	2.8	11
559	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , <b>2018</b> , 50, 559-571	36.3	221
558	Burden of Dilated Perivascular Spaces, an Emerging Marker of Cerebral Small Vessel Disease, Is Highly Heritable. <i>Stroke</i> , <b>2018</b> , 49, 282-287	6.7	43
557	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 872-883i	7.8	40
556	Exhaled breath NOx levels in a middle-aged adults population-based study: reference values and association with the smoking status. <i>Respiratory Medicine</i> , <b>2018</b> , 137, 134-140	4.6	2
555	Dietary linoleic acid interacts with FADS1 genetic variability to modulate HDL-cholesterol and obesity-related traits. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1683-1689	5.9	10

554	Fish Intake, Genetic Predisposition to Alzheimer Disease, and Decline in Global Cognition and Memory in 5 Cohorts of Older Persons. <i>American Journal of Epidemiology</i> , <b>2018</b> , 187, 933-940	3.8	41
553	Cost-effectiveness of optimized adherence to prevention guidelines in European patients with coronary heart disease: Results from the EUROASPIRE IV survey. <i>International Journal of Cardiology</i> , <b>2018</b> , 272, 20-25	3.2	19
552	Associations between long-term exposure to air pollution, glycosylated hemoglobin, fasting blood glucose and diabetes mellitus in northern France. <i>Environment International</i> , <b>2018</b> , 120, 121-129	12.9	33
551	Comparison of the rates of stroke and acute coronary events in northern France. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1534-1542	3.9	3
550	Male-specific epistasis between WWC1 and TLN2 genes is associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2018</b> , 72, 188.e3-188.e12	5.6	13
549	Joint genome-wide association study of progressive supranuclear palsy identifies novel susceptibility loci and genetic correlation to neurodegenerative diseases. <i>Molecular Neurodegeneration</i> , <b>2018</b> , 13, 41	19	41
548	Expression and Implication of Clusterin in Left Ventricular Remodeling After Myocardial Infarction. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004838	7.6	12
547	Transethnic, Genome-Wide Analysis Reveals Immune-Related Risk Alleles and Phenotypic Correlates in Pediatric Steroid-Sensitive Nephrotic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 2000-2013	12.7	41
546	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , <b>2018</b> , 50, 26-41	36.3	186
545	Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , <b>2018</b> , 50, 524-537	36.3	536
544	Low-grade systemic inflammation: a partial mediator of the relationship between diabetes and lung function. <i>Annals of Epidemiology</i> , <b>2018</b> , 28, 26-32	6.4	12
543	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , <b>2018</b> , 9, 5141	17.4	64
542	Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2018</b> , 10, 595-598	5.2	
541	Short-term exposure to air pollution: Associations with lung function and inflammatory markers in non-smoking, healthy adults. <i>Environment International</i> , <b>2018</b> , 121, 610-619	12.9	48
540	Genetics of the thrombomodulin-endothelial cell protein C receptor system and the risk of early-onset ischemic stroke. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206554	3.7	4
539	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , <b>2018</b> , 50, 1412-1425	36.3	386
538	Identification of a functional FADS1 3'UTR variant associated with erythrocyte n-6 polyunsaturated fatty acids levels. <i>Journal of Clinical Lipidology</i> , <b>2018</b> , 12, 1280-1289	4.9	5
537	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , <b>2018</b> , 9, 2098	17.4	254

536	Functional screening of Alzheimer risk loci identifies PTK2B as an in vivo modulator and early marker of Tau pathology. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 874-883	15.1	72
535	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , <b>2017</b> , 8, 13624	17.4	173
534	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , <b>2017</b> , 542, 186-190	50.4	412
533	Genetic invalidation of Lp-PLA as a therapeutic target: Large-scale study of five functional Lp-PLA-lowering alleles. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 492-504	3.9	16
532	Integrative network analysis reveals time-dependent molecular events underlying left ventricular remodeling in post-myocardial infarction patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2017</b> , 1863, 1445-1453	6.9	3
531	A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease. <i>Nature Neuroscience</i> , <b>2017</b> , 20, 1052-1061	25.5	228
530	Genome-wide, high-content siRNA screening identifies the Alzheimer's genetic risk factor FERMT2 as a major modulator of APP metabolism. <i>Acta Neuropathologica</i> , <b>2017</b> , 133, 955-966	14.3	40
529	17q21.31 duplication causes prominent tau-related dementia with increased MAPT expression. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 1119-1125	15.1	39
528	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , <b>2017</b> , 49, 1758-1766	310	
527	Changes over time in the prevalence and treatment of cardiovascular risk factors, and contributions to time trends in coronary mortality over 25 years in the Lille urban area (northern France). <i>Archives of Cardiovascular Diseases</i> , <b>2017</b> , 110, 689-699	2.7	8
526	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , <b>2017</b> , 71, 1210-1216	5.1	14
525	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , <b>2017</b> , 390, 2627-2642	40	2980
524	Ideal Cardiovascular Health and Incident Cardiovascular Disease: Heterogeneity Across Event Subtypes and Mediating Effect of Blood Biomarkers: The PRIME Study. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	10
523	Rare coding variants in PLAG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , <b>2017</b> , 49, 1373-1384	36.3	508
522	Contribution to Alzheimer's disease risk of rare variants in TREM2, SORL1, and ABCA7 in 1779 cases and 1273 controls. <i>Neurobiology of Aging</i> , <b>2017</b> , 59, 220.e1-220.e9	5.6	83
521	[P3099]: ISOFORM-DEPENDENT NEUROTOXICITY OF THE ALZHEIMER DISEASE RISK FACTOR BIN1 IN DROSOPHILA <b>2017</b> , 13, P972-P972		
520	MicroRNAs regulating superoxide dismutase 2 are new circulating biomarkers of heart failure. <i>Scientific Reports</i> , <b>2017</b> , 7, 14747	4.9	23
519	Tau deletion promotes brain insulin resistance. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 2257-2269	16.6	114

518	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 437-445	3.9	25
517	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , <b>2017</b> , 389, 37-55	40	1100
516	Association of impaired renal function with venous thrombosis: A genetic risk score approach. <i>Thrombosis Research</i> , <b>2017</b> , 158, 102-107	8.2	2
515	Time Trends in Lifestyle, Risk Factor Control, and Use of Evidence-Based Medications in Patients With Coronary Heart Disease in Europe: Results From 3 EUROASPIRE Surveys, 1999-2013. <i>Global Heart</i> , <b>2017</b> , 12, 315-322.e3	2.9	62
514	SORL1 rare variants: a major risk factor for familial early-onset Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 831-6	15.1	71
513	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 108-17	15.1	175
512	Impact of cardiovascular risk factor control on long-term cardiovascular and all-cause mortality in the general population. <i>Annals of Medicine</i> , <b>2016</b> , 48, 559-567	1.5	6
511	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , <b>2016</b> , 48, 1151-1161	36.3	181
510	Genome-wide association analyses identify new risk variants and the genetic architecture of amyotrophic lateral sclerosis. <i>Nature Genetics</i> , <b>2016</b> , 48, 1043-8	36.3	328
509	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , <b>2016</b> , 8, 341ra76	17.5	77
508	Educational class inequalities in the incidence of coronary heart disease in Europe. <i>Heart</i> , <b>2016</b> , 102, 958-965	4.0	40
507	Both exhaled nitric oxide and blood eosinophil count were associated with mild allergic asthma only in non-smokers. <i>Clinical and Experimental Allergy</i> , <b>2016</b> , 46, 543-54	4.1	16
506	miRNA-dependent target regulation: functional characterization of single-nucleotide polymorphisms identified in genome-wide association studies of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , <b>2016</b> , 8, 20	9	7
505	Increased level of phosphorylated desmin and its degradation products in heart failure. <i>Biochemistry and Biophysics Reports</i> , <b>2016</b> , 6, 54-62	2.2	10
504	ADAM30 Downregulates APP-Linked Defects Through Cathepsin D Activation in Alzheimer's Disease. <i>EBioMedicine</i> , <b>2016</b> , 9, 278-292	8.8	28
503	Predictive Accuracy of the European Society of Cardiology SCORE Among French People. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , <b>2016</b> , 36, 38-48	3.6	4
502	EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 636-48	3.9	549
501	Mutation in the 3'untranslated region of APP as a genetic determinant of cerebral amyloid angiopathy. <i>European Journal of Human Genetics</i> , <b>2016</b> , 24, 92-8	5.3	21

500	Genome-Wide Association Analysis of Young-Onset Stroke Identifies a Locus on Chromosome 10q25 Near HABP2. <i>Stroke</i> , <b>2016</b> , 47, 307-16	6.7	39
499	Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 567-78	7	21
498	Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. <i>Lancet Neurology, The</i> , <b>2016</b> , 15, 174-184	24.1	159
497	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , <b>2016</b> , 351, 1166-71	33.3	325
496	Apolipoprotein E (APOE) $\epsilon$ 4 and episodic memory decline in Alzheimer's disease: A review. <i>Ageing Research Reviews</i> , <b>2016</b> , 27, 15-22	12	49
495	Defeating Alzheimer's disease and other dementias: a priority for European science and society. <i>Lancet Neurology, The</i> , <b>2016</b> , 15, 455-532	24.1	921
494	Isolated negative T waves in the general population is a powerful predicting factor of cardiac mortality and coronary heart disease. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 318-24	3.2	4
493	Abstract 88: Social Inequalities in Stroke Mortality, Incidence and Case-fatality in Europe.. <i>Stroke</i> , <b>2016</b> , 47,	6.7	1
492	Genome-Wide Association Study for Incident Myocardial Infarction and Coronary Heart Disease in Prospective Cohort Studies: The CHARGE Consortium. <i>PLoS ONE</i> , <b>2016</b> , 11, e0144997	3.7	53
491	How obesity relates to socio-economic status: identification of eating behavior mediators. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 1794-1801	5.5	31
490	FTS3-01-01: Biological Underpinnings of Vascular Contributions to Dementia <b>2016</b> , 12, P276-P276		
489	FTS3-01-04: Setting the Agenda: Prevention Studies for Vascular Contributions to Dementia <b>2016</b> , 12, P277-P277		
488	P2-078: Are Alzheimer's Disease Risk Genes Related to Markers of Brain Pathology? The Memento Cohort <b>2016</b> , 12, P638-P639		
487	FTS3-01-02: Epidemiology of Vascular Related Risk Factors for Dementia <b>2016</b> , 12, P276-P276		
486	FTS3-01-03: Biomarkers for Vascular Contributions to Dementia <b>2016</b> , 12, P276-P277		
485	Evaluation of a Genetic Risk Score to Improve Risk Prediction for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 53, 921-32	4.3	54
484	Mosaic Loss of Chromosome Y in Blood Is Associated with Alzheimer Disease. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 1208-1219	11	90
483	ABCA7 rare variants and Alzheimer disease risk. <i>Neurology</i> , <b>2016</b> , 86, 2134-7	6.5	47

482	Low-frequency and common genetic variation in ischemic stroke: The METASTROKE collaboration. <i>Neurology</i> , <b>2016</b> , 86, 1217-26	6.5	98
481	A Role for Behavior in the Relationships Between Depression and Hostility and Cardiovascular Disease Incidence, Mortality, and All-Cause Mortality: the Prime Study. <i>Annals of Behavioral Medicine</i> , <b>2016</b> , 50, 582-91	4.5	15
480	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , <b>2016</b> , 387, 1513-1530	40	2039
479	Cystatin C and Cardiovascular Disease: A Mendelian Randomization Study. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 934-45	15.1	65
478	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , <b>2016</b> , 19, 1569-1582	25.5	147
477	Shared genetic contribution to Ischaemic Stroke and Alzheimer's Disease. <i>Annals of Neurology</i> , <b>2016</b> , 79, 739-747	9.4	42
476	Association of Alzheimer's disease GWAS loci with MRI markers of brain aging. <i>Neurobiology of Aging</i> , <b>2015</b> , 36, 1765.e7-1765.e16	5.6	63
475	Age- and sex-specific causal effects of adiposity on cardiovascular risk factors. <i>Diabetes</i> , <b>2015</b> , 64, 1841-529		50
474	Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53949). <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 183-92	15.1	250
473	Adventitial Tertiary Lymphoid Organs as Potential Source of MicroRNA Biomarkers for Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 11276-93	6.3	26
472	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 314, 52-60	27.4	365
471	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2015</b> , 3, 624-37	18.1	109
470	PLD3 and sporadic Alzheimer's disease risk. <i>Nature</i> , <b>2015</b> , 520, E1	50.4	46
469	Multiethnic genome-wide association study of cerebral white matter hyperintensities on MRI. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 398-409		119
468	Meta-analysis of 65,734 individuals identifies TSPAN15 and SLC44A2 as two susceptibility loci for venous thromboembolism. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 532-42	11	163
467	Tau phosphorylation regulates the interaction between BIN1's SH3 domain and Tau's proline-rich domain. <i>Acta Neuropathologica Communications</i> , <b>2015</b> , 3, 58	7.3	46
466	Common polygenic variation enhances risk prediction for Alzheimer's disease. <i>Brain</i> , <b>2015</b> , 138, 3673-84	11.2	227
465	Examination of the brain natriuretic peptide rs198389 single-nucleotide polymorphism on type 2 diabetes mellitus and related phenotypes in an Algerian population. <i>Gene</i> , <b>2015</b> , 567, 159-63	3.8	3

464	White Matter Lesion Progression: Genome-Wide Search for Genetic Influences. <i>Stroke</i> , <b>2015</b> , 46, 3048-576.7	18
463	Expired-air carbon monoxide as a predictor of 16-year risk of all-cause, cardiovascular and cancer mortality. <i>Preventive Medicine</i> , <b>2015</b> , 81, 195-201	4.3 5
462	Adverse Lifestyle Trends Counter Improvements in Cardiovascular Risk Factor Management in Coronary Patients. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 1634-1636	15.1 11
461	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , <b>2015</b> , 11, 658-71	1.2 146
460	Effects of established blood pressure loci on blood pressure values and hypertension risk in an Algerian population sample. <i>Journal of Human Hypertension</i> , <b>2015</b> , 29, 296-302	2.6 5
459	Genome-wide studies of verbal declarative memory in nondemented older people: the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 749-63	7.9 48
458	Common variation in PHACTR1 is associated with susceptibility to cervical artery dissection. <i>Nature Genetics</i> , <b>2015</b> , 47, 78-83	36.3 149
457	Adenylyl Cyclase 9 Polymorphisms Reveal Potential Link to HDL Function and Cardiovascular Events in Multiple Pathologies: Potential Implications in Sickle Cell Disease. <i>Cardiovascular Drugs and Therapy</i> , <b>2015</b> , 29, 563-572	3.9 2
456	Multimarker proteomic profiling for the prediction of cardiovascular mortality in patients with chronic heart failure. <i>PLoS ONE</i> , <b>2015</b> , 10, e0119265	3.7 10
455	Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 578-86	7.8 97
454	Association of Alzheimer's related genotypes with cognitive decline in multiple domains: results from the Three-City Dijon study. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 1173-8	15.1 29
453	Interplay between troponin T phosphorylation and O-N-acetylglucosaminylation in ischaemic heart failure. <i>Cardiovascular Research</i> , <b>2015</b> , 107, 56-65	9.9 27
452	All-Cause Mortality up to and After Coronary Heart Disease and Stroke Events in European Middle-Aged Men: The PRIME Study. <i>Stroke</i> , <b>2015</b> , 46, 1371-3	6.7 2
451	Patients with coronary artery disease and diabetes need improved management: a report from the EUROASPIRE IV survey: a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 133	8.7 74
450	Prevalence and underdiagnosis of airway obstruction among middle-aged adults in northern France: The ELISABET study 2011-2013. <i>Respiratory Medicine</i> , <b>2015</b> , 109, 1553-61	4.6 36
449	O5-06-01: Hcs genome-wide sirna screening identifies new modulators of app metabolism among the genetic factors of Alzheimer's disease <b>2015</b> , 11, P327-P328	
448	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , <b>2015</b> , 518, 187-196	50.4 920
447	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , <b>2015</b> , 518, 197-206	50.4 2687

446	Functional complementation in <i>Drosophila</i> to predict the pathogenicity of TARDBP variants: evidence for a loss-of-function mechanism. <i>Neurobiology of Aging</i> , <b>2015</b> , 36, 1121-9	5.6	19
445	Associations of common SNPs in the SORT1, GCKR, LPL, APOA1, CETP, LDLR, APOE genes with lipid trait levels in an Algerian population sample. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2015</b> , 8, 7358-63	1.4	6
444	Abdominal obesity and lower gray matter volume: a Mendelian randomization study. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 378-86	5.6	47
443	Low-fat and high-fat dairy products are differently related to blood lipids and cardiovascular risk score. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 1557-67	3.9	30
442	A genome-wide association meta-analysis of plasma A $\beta$ peptides concentrations in the elderly. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 1326-35	15.1	27
441	Genome-wide analysis of multi-ancestry cohorts identifies new loci influencing intraocular pressure and susceptibility to glaucoma. <i>Nature Genetics</i> , <b>2014</b> , 46, 1126-1130	36.3	171
440	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , <b>2014</b> , 46, 1173-86	36.3	1339
439	Missense variant in TREML2 protects against Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 1510-1519	5.6	2684
438	Genome-wide association interaction analysis for Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 2436-2443	5.6	49
437	Proteomic profiling of macrophages by 2D electrophoresis. <i>Journal of Visualized Experiments</i> , <b>2014</b> , e52219	1.9	2
436	A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. <i>Blood</i> , <b>2014</b> , 123, 777-85	2.2	14
435	Hypomethylation of the promoter of the catalytic subunit of protein phosphatase 2A in response to hyperglycemia. <i>Physiological Reports</i> , <b>2014</b> , 2, e12076	2.6	4
434	Assessing risk prediction models using individual participant data from multiple studies. <i>American Journal of Epidemiology</i> , <b>2014</b> , 179, 621-32	3.8	36
433	The TCF7L2 rs7903146 polymorphism, dietary intakes and type 2 diabetes risk in an Algerian population. <i>BMC Genetics</i> , <b>2014</b> , 15, 134	2.6	17
432	A study on the polymorphisms of the renin-angiotensin system pathway genes for their effect on blood pressure levels in males from Algeria. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2014</b> , 15, 1-6	3	5
431	Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e94661	3.7	90
430	The Road Ahead to Cure Alzheimer's Disease: Development of Biological Markers and Neuroimaging Methods for Prevention Trials Across all Stages and Target Populations. <i>Journal of prevention of Alzheimer's disease, The</i> , <b>2014</b> , 1, 181-202	3.8	39
429	Impact of REV-ERB alpha gene polymorphisms on obesity phenotypes in adult and adolescent samples. <i>International Journal of Obesity</i> , <b>2013</b> , 37, 666-72	5.5	34

428	A genome-wide search for common SNP x SNP interactions on the risk of venous thrombosis. <i>BMC Medical Genetics</i> , <b>2013</b> , 14, 36	2.1	23
427	Meta-analysis of gene-level associations for rare variants based on single-variant statistics. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 236-48	11	49
426	External validation of the 2008 Framingham cardiovascular risk equation for CHD and stroke events in a European population of middle-aged men. The PRIME study. <i>Preventive Medicine</i> , <b>2013</b> , 57, 49-54	4.3	14
425	Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene-diet interactions. <i>International Journal of Obesity</i> , <b>2013</b> , 37, 1499-505	5.5	12
424	Increased expression of BIN1 mediates Alzheimer genetic risk by modulating tau pathology. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 1225-34	15.1	251
423	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 1452-8	36.3	2714
422	A genome-wide association study for venous thromboembolism: the extended cohorts for heart and aging research in genomic epidemiology (CHARGE) consortium. <i>Genetic Epidemiology</i> , <b>2013</b> , 37, 512-521	2.6	80
421	Impact of APOE gene polymorphisms on the lipid profile in an Algerian population. <i>Lipids in Health and Disease</i> , <b>2013</b> , 12, 155	4.4	24
420	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 25-33	36.3	1172
419	Ischemic stroke is associated with the ABO locus: the EuroCLOT study. <i>Annals of Neurology</i> , <b>2013</b> , 73, 16-31	9.4	105
418	TREM2 variants in Alzheimer's disease. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 117-27	59.2	1805
417	Attainment of low-density lipoprotein cholesterol target in the French general population according to levels of cardiovascular risk: Insights from the MONA LISA study. <i>Archives of Cardiovascular Diseases</i> , <b>2013</b> , 106, 93-102	2.7	18
416	Depression and mortality: artifact of measurement and analysis?. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 632-638	6.6	6
415	Impact of occupational physical activity and related tasks on cardiovascular disease: emerging opportunities for prevention?. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4475-8	3.2	2
414	Identification of additional proteins in differential proteomics using protein interaction networks. <i>Proteomics</i> , <b>2013</b> , 13, 1065-76	4.8	6
413	Relationships between chronic use of statin therapy, presentation of acute coronary syndromes and one-year mortality after an incident acute coronary event. <i>International Journal of Cardiology</i> , <b>2013</b> , 163, 102-4	3.2	6
412	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , <b>2013</b> , 45, 501-12	36.3	437
411	Genome-wide association analysis identifies a susceptibility locus for pulmonary arterial hypertension. <i>Nature Genetics</i> , <b>2013</b> , 45, 518-21	36.3	82

410	A regulatory variant in CCR6 is associated with susceptibility to antitopoisomerase-positive systemic sclerosis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 3202-8		25
409	The role of adiposity in cardiometabolic traits: a Mendelian randomization analysis. <i>PLoS Medicine</i> , <b>2013</b> , 10, e1001474	11.6	144
408	Role of proinflammatory CD68(+) mannose receptor(-) macrophages in peroxiredoxin-1 expression and in abdominal aortic aneurysms in humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 431-8	9.4	54
407	Interregional differences in the clinical, biological and electrical characteristics of first acute coronary events in France: results from the MONICA registries. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 275-82	3.9	4
406	Multiple biomarkers for the prediction of ischemic stroke: the PRIME study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 659-66	9.4	52
405	Alcohol consumption patterns and body weight. <i>Annals of Nutrition and Metabolism</i> , <b>2013</b> , 62, 91-7	4.5	12
404	Lipoprotein(a) plasma levels and the risk of cancer: the PRIME study. <i>European Journal of Cancer Prevention</i> , <b>2013</b> , 22, 286-93	2	14
403	The Val158Met COMT polymorphism is a modifier of the age at onset in Parkinson's disease with a sexual dimorphism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2013</b> , 84, 666-73	5.5	40
402	Circulating plasma serine208-phosphorylated troponin T levels are indicator of cardiac dysfunction. <i>Journal of Cellular and Molecular Medicine</i> , <b>2013</b> , 17, 1335-44	5.6	8
401	Genetic and molecular insights into the role of PROX1 in glucose metabolism. <i>Diabetes</i> , <b>2013</b> , 62, 1738-45.9		29
400	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. <i>Nature Genetics</i> , <b>2013</b> , 45, 76-82	36.3	232
399	Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 461-70	15.1	77
398	Serum MMP-8: a novel indicator of left ventricular remodeling and cardiac outcome in patients after acute myocardial infarction. <i>PLoS ONE</i> , <b>2013</b> , 8, e71280	3.7	26
397	Association of HDL-related loci with age-related macular degeneration and plasma lutein and zeaxanthin: the Alienor study. <i>PLoS ONE</i> , <b>2013</b> , 8, e79848	3.7	32
396	Do lifestyle behaviours explain socioeconomic differences in all-cause mortality, and fatal and non-fatal cardiovascular events? Evidence from middle aged men in France and Northern Ireland in the PRIME Study. <i>Preventive Medicine</i> , <b>2012</b> , 54, 247-53	4.3	10
395	Genome-wide and gene-based association implicates FRMD6 in Alzheimer disease. <i>Human Mutation</i> , <b>2012</b> , 33, 521-9	4.7	21
394	Lack of association of non-synonymous FUT2 and ALPL polymorphisms with venous thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2012</b> , 10, 1693-5	15.4	2
393	High frequency of potentially pathogenic SORL1 mutations in autosomal dominant early-onset Alzheimer disease. <i>Molecular Psychiatry</i> , <b>2012</b> , 17, 875-9	15.1	197

392	Single polymorphism nucleotide rs1333049 on chromosome 9p21 is associated with carotid plaques but not with common carotid intima-media thickness in older adults. A combined analysis of the Three-City and the EVA studies. <i>Atherosclerosis</i> , <b>2012</b> , 222, 187-90	3.1	8
391	Total ApoE and ApoE4 isoform assays in an Alzheimer's disease case-control study by targeted mass spectrometry (n=669): a pilot assay for methionine-containing proteotypic peptides. <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, 1389-403	7.6	59
390	Functional and genetic analysis of haplotypic sequence variation at the nicastrin genomic locus. <i>Neurobiology of Aging</i> , <b>2012</b> , 33, 1848.e1-13	5.6	5
389	Both common variations and rare non-synonymous substitutions and small insertion/deletions in CLU are associated with increased Alzheimer risk. <i>Molecular Neurodegeneration</i> , <b>2012</b> , 7, 3	19	66
388	From genes to stroke subtypes. <i>Lancet Neurology</i> , <b>2012</b> , 11, 931-3	24.1	17
387	The major element of 1-year prognosis in acute coronary syndromes is severity of initial clinical presentation: Results from the French MONICA registries. <i>Archives of Cardiovascular Diseases</i> , <b>2012</b> , 105, 478-88	2.7	10
386	Sedentary behaviour, physical activity and dietary patterns are independently associated with the metabolic syndrome. <i>Diabetes and Metabolism</i> , <b>2012</b> , 38, 428-35	5.4	55
385	Fruit and vegetable intake and smoking cessation. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 1247-53	5.3	8
384	Excessive daytime sleepiness and vascular events: the Three City Study. <i>Annals of Neurology</i> , <b>2012</b> , 71, 661-7	9.4	48
383	Adipocytokines and the risk of ischemic stroke: the PRIME Study. <i>Annals of Neurology</i> , <b>2012</b> , 71, 478-86	9.4	46
382	Alzheimer risk associated with a copy number variation in the complement receptor 1 increasing C3b/C4b binding sites. <i>Molecular Psychiatry</i> , <b>2012</b> , 17, 223-33	15.1	149
381	Usefulness of circulating biomarkers for the prediction of left ventricular remodeling after myocardial infarction. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 277-83	3	45
380	Modifying effect of arterial hypertension on amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2012</b> , 13, 194-201		19
379	C-reactive protein, fibrinogen, and cardiovascular disease prediction. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1310-20	59.2	750
378	Common variants at 12q14 and 12q24 are associated with hippocampal volume. <i>Nature Genetics</i> , <b>2012</b> , 44, 545-51	36.3	175
377	Contribution of lifetime smoking habit in France and Northern Ireland to country and socioeconomic differentials in mortality and cardiovascular incidence: the PRIME Study. <i>Journal of Epidemiology and Community Health</i> , <b>2012</b> , 66, 599-604	5.1	3
376	Evidence for caveolin-1 as a new susceptibility gene regulating tissue fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 1034-41	2.4	26
375	ARMS2 A69S polymorphism and the risk for age-related maculopathy: the ALIENOR study. <i>JAMA Ophthalmology</i> , <b>2012</b> , 130, 1077-8		12

374	Depressive symptoms, a time-dependent risk factor for coronary heart disease and stroke in middle-aged men: the PRIME Study. <i>Stroke</i> , <b>2012</b> , 43, 1761-7	6.7	31
373	Caution in interpreting results from imputation analysis when linkage disequilibrium extends over a large distance: a case study on venous thrombosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e38538	3.7	16
372	Genetics of Alzheimer's disease: new evidences for an old hypothesis?. <i>Current Opinion in Genetics and Development</i> , <b>2011</b> , 21, 295-301	4.9	94
371	Effects of occupational and educational changes on obesity trends in France: the results of the MONICA-France survey 1986-2006. <i>Preventive Medicine</i> , <b>2011</b> , 52, 305-9	4.3	16
370	Could clinical decision rules relying on cardiovascular risk models increase psychosocial inequalities in health? Results from the PRIME cohort study. <i>Preventive Medicine</i> , <b>2011</b> , 52, 439-44	4.3	2
369	Study of thyroid hormone receptor alpha gene polymorphisms on Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2011</b> , 32, 624-30	5.6	12
368	Evidence of the association of BIN1 and PICALM with the AD risk in contrasting European populations. <i>Neurobiology of Aging</i> , <b>2011</b> , 32, 756.e11-5	5.6	72
367	Associations between common genetic polymorphisms in the liver X receptor alpha and its target genes with the serum HDL-cholesterol concentration in adolescents of the HELENA Study. <i>Atherosclerosis</i> , <b>2011</b> , 216, 166-9	3.1	16
366	Effects of insulin-like growth factor 1 in preventing acute coronary syndromes: the PRIME study. <i>Atherosclerosis</i> , <b>2011</b> , 218, 464-9	3.1	31
365	Associations of complement factor H and smoking with early age-related macular degeneration: the ALIENOR study <b>2011</b> , 52, 5955-62		39
364	Association between IgM anti-herpes simplex virus and plasma amyloid-beta levels. <i>PLoS ONE</i> , <b>2011</b> , 6, e29480	3.7	20
363	High blood pressure prevalence and control in a middle-aged French population and their associated factors: the MONA LISA study. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 43-50	1.9	70
362	KNG1 Ile581Thr and susceptibility to venous thrombosis. <i>Blood</i> , <b>2011</b> , 117, 3692-4	2.2	43
361	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , <b>2011</b> , 43, 429-35	36.3	1421
360	Regional factors interact with educational and income tax levels to influence food intake in France. <i>European Journal of Clinical Nutrition</i> , <b>2011</b> , 65, 1067-75	5.2	16
359	APOE and Alzheimer disease: a major gene with semi-dominant inheritance. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 903-7	15.1	391
358	Common polymorphisms in six genes of the methyl group metabolism pathway and obesity in European adolescents. <i>Pediatric Obesity</i> , <b>2011</b> , 6, e336-44		8
357	A genome-wide association study identifies LIPA as a susceptibility gene for coronary artery disease. <i>Circulation: Cardiovascular Genetics</i> , <b>2011</b> , 4, 403-12		98

356	Ten-year risk of all-cause mortality: assessment of a risk prediction algorithm in a French general population. <i>European Journal of Epidemiology</i> , <b>2011</b> , 26, 359-68	12.1	14
355	Cardiovascular proteomics: translational studies to develop novel biomarkers in heart failure and left ventricular remodeling. <i>Proteomics - Clinical Applications</i> , <b>2011</b> , 5, 57-66	3.1	19
354	Genome-wide association studies of cerebral white matter lesion burden: the CHARGE consortium. <i>Annals of Neurology</i> , <b>2011</b> , 69, 928-39	9.4	146
353	Strategy for purification and mass spectrometry identification of SELDI peaks corresponding to low-abundance plasma and serum proteins. <i>Journal of Proteomics</i> , <b>2011</b> , 74, 420-30	3.9	10
352	Association between a thyroid hormone receptor- $\beta$ gene polymorphism and blood pressure but not with coronary heart disease risk. <i>American Journal of Hypertension</i> , <b>2011</b> , 24, 1027-34	2.3	9
351	FADS1 genetic variability interacts with dietary linolenic acid intake to affect serum non-HDL-cholesterol concentrations in European adolescents. <i>Journal of Nutrition</i> , <b>2011</b> , 141, 1247-53	4.1	35
350	Study of estrogen receptor- $\alpha$ and receptor- $\beta$ gene polymorphisms on Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2011</b> , 26, 431-9	4.3	15
349	Genome-wide association study confirms BST1 and suggests a locus on 12q24 as the risk loci for Parkinson's disease in the European population. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 615-27	5.6	139
348	Measures of abdominal adiposity and the risk of stroke: the MONica Risk, Genetics, Archiving and Monograph (MORGAM) study. <i>Stroke</i> , <b>2011</b> , 42, 2872-7	6.7	58
347	Decreased serine207 phosphorylation of troponin T as a biomarker for left ventricular remodelling after myocardial infarction. <i>European Heart Journal</i> , <b>2011</b> , 32, 115-23	9.5	23
346	Association of vascular risk factors with cervical artery dissection and ischemic stroke in young adults. <i>Circulation</i> , <b>2011</b> , 123, 1537-44	16.7	105
345	Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002091	6	176
344	Systemic chemokine levels, coronary heart disease, and ischemic stroke events: the PRIME study. <i>Neurology</i> , <b>2011</b> , 77, 1165-73	6.5	47
343	Association of plasma A $\beta$ peptides with blood pressure in the elderly. <i>PLoS ONE</i> , <b>2011</b> , 6, e18536	3.7	19
342	Genetics of venous thrombosis: insights from a new genome wide association study. <i>PLoS ONE</i> , <b>2011</b> , 6, e25581	3.7	105
341	Quantitative mass spectrometry analysis using PACIFIC for the identification of plasma diagnostic biomarkers for abdominal aortic aneurysm. <i>PLoS ONE</i> , <b>2011</b> , 6, e28698	3.7	30
340	Association between the frequency of fruit and vegetable consumption and cardiovascular disease in male smokers and non-smokers. <i>European Journal of Clinical Nutrition</i> , <b>2010</b> , 64, 578-86	5.2	38
339	Adipocytokines and the risk of coronary heart disease in healthy middle aged men: the PRIME Study. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 118-26	5.5	38

338	Influence of maternal educational level on the association between the rs3809508 neuromedin B gene polymorphism and the risk of obesity in the HELENA study. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 478-86	5.5	14
337	Is the urea cycle involved in Alzheimer's disease?. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 21, 1013-21	4.3	51
336	Genome-wide analysis of genetic loci associated with Alzheimer disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 1832-40	27.4	888
335	Relative contribution of lipids and apolipoproteins to incident coronary heart disease and ischemic stroke: the PRIME Study. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 30, 252-9	3.2	45
334	Anthropometric assessment of abdominal obesity and coronary heart disease risk in men: the PRIME study. <i>Heart</i> , <b>2010</b> , 96, 136-40	5.1	54
333	C-reactive protein, interleukin 6, fibrinogen and risk of sudden death in European middle-aged men: the PRIME study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2010</b> , 30, 2047-52	9.4	85
332	Characteristics of current smokers, former smokers, and second-hand exposure and evolution between 1985 and 2007. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 730-6		17
331	Single nucleotide polymorphisms in the FADS gene cluster are associated with delta-5 and delta-6 desaturase activities estimated by serum fatty acid ratios. <i>Journal of Lipid Research</i> , <b>2010</b> , 51, 2325-33	6.3	134
330	Breast-feeding modulates the influence of the peroxisome proliferator-activated receptor-gamma (PPARG2) Pro12Ala polymorphism on adiposity in adolescents: The Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) cross-sectional study. <i>Diabetes Care</i> , <b>2010</b> , 33, 190-6	14.6	17
329	Residual cardiovascular risk in treated hypertension and hyperlipidaemia: the PRIME Study. <i>Journal of Human Hypertension</i> , <b>2010</b> , 24, 19-26	2.6	57
328	Patterns of alcohol consumption and ischaemic heart disease in culturally divergent countries: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>BMJ, The</i> , <b>2010</b> , 341, c6077	5.9	93
327	Concordance of two multiple analytical approaches demonstrate that interaction between BMI and ADIPOQ haplotypes is a determinant of LDL cholesterol in a general French population. <i>Journal of Human Genetics</i> , <b>2010</b> , 55, 227-31	4.3	3
326	Genome-wide pathway analysis implicates intracellular transmembrane protein transport in Alzheimer disease. <i>Journal of Human Genetics</i> , <b>2010</b> , 55, 707-9	4.3	43
325	No association between polymorphisms in the INSIG1 gene and the risk of type 2 diabetes and related traits. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 252-7	7	8
324	A study of the association between the ADAM12 and SH3PXD2A (SH3MD1) genes and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2010</b> , 468, 1-2	3.3	10
323	Association study of the CFH Y402H polymorphism with Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2010</b> , 31, 165-6	5.6	23
322	Profile of macrophages in human abdominal aortic aneurysms: a transcriptomic, proteomic, and antibody protein array study. <i>Journal of Proteome Research</i> , <b>2010</b> , 9, 3720-9	5.6	32
321	Low plasma retinol predicts coronary events in healthy middle-aged men: the PRIME Study. <i>Atherosclerosis</i> , <b>2010</b> , 208, 270-4	3.1	26

320	Gender differences in the implementation of cardiovascular prevention measures after an acute coronary event. <i>Heart</i> , <b>2010</b> , 96, 1744-9	5.1	73
319	Acides gras om̄ga-3 et risque cardiovasculaire. <i>Oleagineux Corps Gras Lipides</i> , <b>2010</b> , 17, 232-235		
318	Implication of the immune system in Alzheimer's disease: evidence from genome-wide pathway analysis. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 20, 1107-18	4.3	109
317	The CALHM1 P86L polymorphism is a genetic modifier of age at onset in Alzheimer's disease: a meta-analysis study. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 22, 247-55	4.3	48
316	Systematic analysis of candidate genes for Alzheimer's disease in a French, genome-wide association study. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 20, 1181-8	4.3	54
315	The pursuit of susceptibility genes for Alzheimer's disease: progress and prospects. <i>Trends in Genetics</i> , <b>2010</b> , 26, 84-93	8.5	98
314	Combinatorial peptide ligand library plasma treatment: Advantages for accessing low-abundance proteins. <i>Electrophoresis</i> , <b>2010</b> , 31, 2697-704	3.6	33
313	Suggestive evidence of associations between liver X receptor polymorphisms with type 2 diabetes mellitus and obesity in three cohort studies: HUNT2 (Norway), MONICA (France) and HELENA (Europe). <i>BMC Medical Genetics</i> , <b>2010</b> , 11, 144	2.1	23
312	Deep plasma proteomic analysis of patients with left ventricular remodeling after a first myocardial infarction. <i>Proteomics - Clinical Applications</i> , <b>2010</b> , 4, 654-73	3.1	28
311	Higher level of systemic C-reactive protein is independently predictive of coronary heart disease in older community-dwelling adults: the three-city study. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 129-35	5.6	15
310	Disability and incident coronary heart disease in older community-dwelling adults: the Three-City Study. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 636-42	5.6	16
309	Peroxisome proliferator-activated receptor gamma polymorphisms and coronary heart disease. <i>PPAR Research</i> , <b>2009</b> , 2009, 543746	4.3	21
308	Excessive daytime sleepiness is an independent risk indicator for cardiovascular mortality in community-dwelling elderly: the three city study. <i>Stroke</i> , <b>2009</b> , 40, 1219-24	6.7	122
307	Fractalkine receptor/ligand genetic variants and carotid intima-media thickness. <i>Stroke</i> , <b>2009</b> , 40, 2212-46.7		9
306	Association of ornithine transcarbamylase gene polymorphisms with hypertension and coronary artery vasomotion. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 993-1000	2.3	7
305	Associations between common genetic polymorphisms in angiopoietin-like proteins 3 and 4 and lipid metabolism and adiposity in European adolescents and adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 5070-7	5.6	28
304	Influence of cholesteryl ester transfer protein, peroxisome proliferator-activated receptor alpha, apolipoprotein E, and apolipoprotein A-I polymorphisms on high-density lipoprotein cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I:A-II concentrations: the Prospective Epidemiological Study of Myocardial Infarction study. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> ,	12.7	8
303	Effect of an FTO polymorphism on fat mass, obesity, and type 2 diabetes mellitus in the French MONICA Study. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> , 58, 971-5	12.7	56

302	Ten-year all-cause mortality in presumably healthy subjects on lipid-lowering drugs (from the Prospective Epidemiological Study of Myocardial Infarction [PRIME] prospective cohort). <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 381-6	3	26
301	Angiotensin I-converting enzyme I/D polymorphism and suicidal behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2009</b> , 150B, 290-4	3.5	27
300	Systematically missing confounders in individual participant data meta-analysis of observational cohort studies. <i>Statistics in Medicine</i> , <b>2009</b> , 28, 1218-37	2.3	38
299	Impact of incomplete DNase I treatment on human macrophage proteome analysis. <i>Proteomics - Clinical Applications</i> , <b>2009</b> , 3, 1236-46	3.1	7
298	Evidence for induction of the ornithine transcarbamylase expression in Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 106-16	15.1	35
297	Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 1004-16	15.1	141
296	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer's disease. <i>Nature Genetics</i> , <b>2009</b> , 41, 1094-9	36.3	1819
295	Which measure of adiposity for primary care?. <i>International Journal of Clinical Practice</i> , <b>2009</b> , 63, 1270-2	2.9	2
294	CADISP-genetics: an International project searching for genetic risk factors of cervical artery dissections. <i>International Journal of Stroke</i> , <b>2009</b> , 4, 224-30	6.3	60
293	Characterization of arginase 1 gene polymorphisms in the Algerian population and association with blood pressure. <i>Clinical Biochemistry</i> , <b>2009</b> , 42, 1178-82	3.5	17
292	Fruits, vegetables and coronary heart disease. <i>Nature Reviews Cardiology</i> , <b>2009</b> , 6, 599-608	14.8	204
291	Association of macronutrient intake patterns with being overweight in a population-based random sample of men in France. <i>Diabetes and Metabolism</i> , <b>2009</b> , 35, 129-36	5.4	13
290	Association between angiotensin-like 6 (ANGPTL6) gene polymorphisms and metabolic syndrome-related phenotypes in the French MONICA Study. <i>Diabetes and Metabolism</i> , <b>2009</b> , 35, 287-92	5.4	8
289	INR variability in atrial fibrillation: a risk model for cerebrovascular events. <i>European Journal of Internal Medicine</i> , <b>2009</b> , 20, 63-9	3.9	23
288	Association study of the paraoxonase 1 gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 152-6	5.6	23
287	Low-density lipoprotein receptor-related protein 8 gene polymorphisms and dementia. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 266-71	5.6	5
286	In obese and non-obese adults, the cis-regulatory rs361072 promoter variant of PIK3CB is associated with insulin resistance not with type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , <b>2009</b> , 96, 129-32	3.7	8
285	Is the ornithine transcarbamylase gene a genetic determinant of Alzheimer's disease?. <i>Neuroscience Letters</i> , <b>2009</b> , 449, 76-80	3.3	7

284	An age effect on the association of common variants of ACE with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2009</b> , 461, 181-4	3.3	20
283	Trends in plasma lipids, lipoproteins and dyslipidaemias in French adults, 1996-2007. <i>Archives of Cardiovascular Diseases</i> , <b>2009</b> , 102, 293-301	2.7	53
282	Contribution of cardiovascular risk factors to coronary risk in patients with intermittent claudication in the PRIME Cohort Study of European men. <i>Atherosclerosis</i> , <b>2009</b> , 206, 563-8	3.1	3
281	Association of plasma amyloid beta with risk of dementia: the prospective Three-City Study. <i>Neurology</i> , <b>2009</b> , 73, 847-53	6.5	111
280	Study of the genetic variability of ZAC1 (PLAGL1) in French population-based samples. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 314-21	1.9	5
279	Association between liver X receptor alpha gene polymorphisms and risk of metabolic syndrome in French populations. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 421-8	5.5	27
278	Recurrent in-frame insertion in C/EBPalpha TAD2 region is a polymorphism without prognostic value in AML. <i>Leukemia</i> , <b>2008</b> , 22, 655-7	10.7	11
277	Proteomic analysis in cardiovascular diseases. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2008</b> , 35, 362-6	3	9
276	Association study of the GAB2 gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Disease</i> , <b>2008</b> , 30, 103-6	7.5	31
275	A polymorphism in CALHM1 influences Ca <sup>2+</sup> homeostasis, Aβ levels, and Alzheimer's disease risk. <i>Cell</i> , <b>2008</b> , 133, 1149-61	56.2	263
274	Response: CALHM1 Association with Alzheimer's Disease Risk. <i>Cell</i> , <b>2008</b> , 135, 994-996	56.2	23
273	Abdominal obesity is associated with ineffective control of cardiovascular risk factors in primary care in France. <i>Diabetes and Metabolism</i> , <b>2008</b> , 34, 606-11	5.4	7
272	Paraoxonase activity and coronary heart disease risk in healthy middle-aged males: the PRIME study. <i>Atherosclerosis</i> , <b>2008</b> , 197, 556-63	3.1	28
271	Application of saturation dye 2D-DIGE proteomics to characterize proteins modulated by oxidized low density lipoprotein treatment of human macrophages. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 3572-82	5.6	20
270	Proteomic analysis of left ventricular remodeling in an experimental model of heart failure. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 5004-16	5.6	42
269	Distension of the carotid artery and risk of coronary events: the three-city study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 1392-7	9.4	67
268	Cognitive decline and survival in Alzheimer's disease according to education level. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2008</b> , 25, 74-80	2.6	48
267	An apolipoprotein A-I gene promoter polymorphism associated with cognitive decline, but not with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2008</b> , 25, 97-102	2.6	13

266	Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 625-30		14
265	Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study. <i>European Heart Journal</i> , <b>2008</b> , 29, 1966-74	9.5	48
264	Tea consumption is inversely associated with carotid plaques in women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 353-9	9.4	26
263	Calf circumference is inversely associated with carotid plaques. <i>Stroke</i> , <b>2008</b> , 39, 2958-65	6.7	20
262	Association study of the NEDD9 gene with the risk of developing Alzheimer's and Parkinson's disease. <i>Human Molecular Genetics</i> , <b>2008</b> , 17, 2863-7	5.6	16
261	Haplotypes across ACE and the risk of Alzheimer's disease: the three-city study. <i>Journal of Alzheimer's Disease</i> , <b>2008</b> , 13, 333-9	4.3	11
260	Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1078-84	1.9	39
259	Lack of association of genetic variants in the LRP8 gene with familial and sporadic myocardial infarction. <i>Journal of Molecular Medicine</i> , <b>2008</b> , 86, 1163-70	5.5	4
258	The APOA5 Trp19 allele is associated with metabolic syndrome via its association with plasma triglycerides. <i>BMC Medical Genetics</i> , <b>2008</b> , 9, 84	2.1	24
257	Predicting left ventricular remodeling after a first myocardial infarction by plasma proteome analysis. <i>Proteomics</i> , <b>2008</b> , 8, 1798-808	4.8	27
256	Depressed mood and dietary fish intake: direct relationship or indirect relationship as a result of diet and lifestyle?. <i>Journal of Affective Disorders</i> , <b>2007</b> , 104, 217-23	6.6	74
255	Genetic heterogeneity of Alzheimer's disease: complexity and advances. <i>Psychoneuroendocrinology</i> , <b>2007</b> , 32 Suppl 1, S62-70	5	57
254	Evidence for the association of the S100beta gene with low cognitive performance and dementia in the elderly. <i>Molecular Psychiatry</i> , <b>2007</b> , 12, 870-80	15.1	24
253	The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. <i>European Journal of Epidemiology</i> , <b>2007</b> , 22, 839-69	12.1	121
252	Association of arginase 1 gene polymorphisms with the risk of myocardial infarction and common carotid intima media thickness. <i>Journal of Medical Genetics</i> , <b>2007</b> , 44, 526-31	5.8	33
251	High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. <i>Journal of Epidemiology and Community Health</i> , <b>2007</b> , 61, 810-7	5.1	87
250	Association of OAZ1 gene polymorphisms with subclinical and clinical vascular events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 2120-6	9.4	8
249	Variations in the APP gene promoter region and risk of Alzheimer disease. <i>Neurology</i> , <b>2007</b> , 68, 684-7	6.5	48

248	Association between the T-381C polymorphism of the brain natriuretic peptide gene and risk of type 2 diabetes in human populations. <i>Human Molecular Genetics</i> , <b>2007</b> , 16, 1343-50	5.6	64
247	A possible role for the PPARG Pro12Ala polymorphism in preterm birth. <i>Diabetes</i> , <b>2007</b> , 56, 494-8	0.9	34
246	Impact of a CART promoter genetic variation on plasma lipid profile in a general population. <i>Molecular Genetics and Metabolism</i> , <b>2007</b> , 90, 199-204	3.7	10
245	Impact of the matrix metalloproteinase MMP-3 on dementia. <i>Neurobiology of Aging</i> , <b>2007</b> , 28, 1215-20	5.6	19
244	A prospective evaluation of left ventricular remodeling after inaugural anterior myocardial infarction as a function of gene polymorphisms in the renin-angiotensin-aldosterone, adrenergic, and metalloproteinase systems. <i>American Heart Journal</i> , <b>2007</b> , 153, 641-8	4.9	26
243	Efficacy of indapamide SR compared with enalapril in elderly hypertensive patients with type 2 diabetes. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 90-7	2.3	17
242	Type A behaviour and consumption of an atherogenic diet: no association in the PRIME study. <i>Appetite</i> , <b>2007</b> , 49, 554-60	4.5	3
241	Protéomique et marqueurs cardiaques. <i>Medecine Nucleaire</i> , <b>2007</b> , 31, 580-586	0.1	
240	Homocysteine and coronary heart disease risk in the PRIME study. <i>Atherosclerosis</i> , <b>2007</b> , 191, 90-7	3.1	13
239	Evidence of a role for lactadherin in Alzheimer's disease. <i>American Journal of Pathology</i> , <b>2007</b> , 170, 921-938	5.8	74
238	Bilirubin and coronary heart disease risk in the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 79-84		78
237	Association study of the Ubiquilin gene with Alzheimer's disease. <i>Neurobiology of Disease</i> , <b>2006</b> , 22, 691-705	3.5	25
236	Association between the metabolic syndrome and parental history of premature cardiovascular disease. <i>European Heart Journal</i> , <b>2006</b> , 27, 722-8	9.5	23
235	New insight into the association of apolipoprotein E genetic variants with carotid plaques and intima-media thickness. <i>Stroke</i> , <b>2006</b> , 37, 2917-23	6.7	23
234	Profiling of membrane proteins from human macrophages: comparison of two approaches. <i>Proteomics</i> , <b>2006</b> , 6, 2365-75	4.8	18
233	Plasma cystatin-C and development of coronary heart disease: The PRIME Study. <i>Atherosclerosis</i> , <b>2006</b> , 185, 375-80	3.1	86
232	Consommation de produits laitiers et facteurs de risque cardiovasculaire dans l'étude MONICA. <i>Cahiers De Nutrition Et De Dietetique</i> , <b>2006</b> , 41, 33-38	0.2	7
231	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure: a study in 686 consecutive patients. <i>American Heart Journal</i> , <b>2006</b> , 152, 736-41	4.9	22

230	The serotonin transporter promoter polymorphism and suicide. <i>Neuroscience Letters</i> , <b>2006</b> , 400, 13-5	3.3	13
229	Association study of the PIN1 gene with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2006</b> , 402, 259-61	3.3	22
228	Impact of APOA5/A4/C3 genetic polymorphisms on lipid variables and cardiovascular disease risk in French men. <i>International Journal of Cardiology</i> , <b>2006</b> , 106, 152-6	3.2	45
227	Fasting insulin concentrations and coronary heart disease incidence in France and Northern Ireland: the PRIME Study. <i>International Journal of Cardiology</i> , <b>2006</b> , 108, 189-96	3.2	6
226	Association study of the vascular endothelial growth factor gene with the risk of developing Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2006</b> , 27, 1212-5	5.6	34
225	Fruit and vegetable consumption and risk of coronary heart disease: a meta-analysis of cohort studies. <i>Journal of Nutrition</i> , <b>2006</b> , 136, 2588-93	4.1	789
224	Independent contribution of dairy products and calcium intake to blood pressure variations at a population level. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 671-81	1.9	63
223	A study of the relationships between KLF2 polymorphisms and body weight control in a French population. <i>BMC Medical Genetics</i> , <b>2006</b> , 7, 26	2.1	2
222	Sex hormone-binding globulin is a major determinant of the lipid profile: the PRIME study. <i>Atherosclerosis</i> , <b>2005</b> , 179, 369-73	3.1	55
221	Study of a new PPARgamma2 promoter polymorphism and haplotype analysis in a French population. <i>Molecular Genetics and Metabolism</i> , <b>2005</b> , 85, 140-8	3.7	22
220	Lack of association between certain candidate gene polymorphisms and the metabolic syndrome. <i>Molecular Genetics and Metabolism</i> , <b>2005</b> , 86, 293-9	3.7	39
219	Association between beta-1 and beta-2 adrenergic receptor gene polymorphisms and the response to beta-blockade in patients with stable congestive heart failure. <i>Pharmacogenetics and Genomics</i> , <b>2005</b> , 15, 137-42	1.9	93
218	TAFI gene haplotypes, TAFI plasma levels and future risk of coronary heart disease: the PRIME Study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2005</b> , 3, 1503-10	15.4	51
217	The APOA4 Thr347->Ser347 polymorphism is not a major risk factor of obesity. <i>Obesity</i> , <b>2005</b> , 13, 2132-8		11
216	The proteome and secretome of human arterial smooth muscle cells. <i>Proteomics</i> , <b>2005</b> , 5, 585-96	4.8	88
215	The impact of beta-adrenoreceptor gene polymorphisms on survival in patients with congestive heart failure. <i>European Journal of Heart Failure</i> , <b>2005</b> , 7, 966-73	12.3	48
214	Contributions of depressive mood and circulating inflammatory markers to coronary heart disease in healthy European men: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>Circulation</i> , <b>2005</b> , 111, 2299-305	16.7	196
213	Is there a relation between APOE expression and brain amyloid load in Alzheimer's disease?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2005</b> , 76, 928-33	5.5	36

212	Trends in coronary heart disease in France during the second half of the 1990s. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 209-15		20
211	APOE genotype, cholesterol level, lipid-lowering treatment, and dementia: the Three-City Study. <i>Neurology</i> , <b>2005</b> , 64, 1531-8	6.5	189
210	Plasma fibrinogen level and the risk of major cardiovascular diseases and nonvascular mortality: an individual participant meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 294, 1799-809	27.4	770
209	Cholesterol 25-hydroxylase on chromosome 10q is a susceptibility gene for sporadic Alzheimer's disease. <i>Neurodegenerative Diseases</i> , <b>2005</b> , 2, 233-41	2.3	46
208	Education, socioeconomic and lifestyle factors, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , <b>2005</b> , 34, 268-75	7.8	73
207	Fruit and vegetable consumption and risk of stroke: a meta-analysis of cohort studies. <i>Neurology</i> , <b>2005</b> , 65, 1193-7	6.5	257
206	Association between peroxisome proliferator-activated receptor gamma haplotypes and the metabolic syndrome in French men and women. <i>Diabetes</i> , <b>2005</b> , 54, 3043-8	0.9	68
205	Household income is associated with the risk of metabolic syndrome in a sex-specific manner. <i>Diabetes Care</i> , <b>2005</b> , 28, 409-15	14.6	135
204	Trends in coronary heart disease in France during the second half of the 1990s. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 209-215		19
203	Overall alcohol intake, beer, wine, and systemic markers of inflammation in western Europe: results from three MONICA samples (Augsburg, Glasgow, Lille). <i>European Heart Journal</i> , <b>2004</b> , 25, 2092-100	9.5	148
202	Alcohol intake and diet in France, the prominent role of lifestyle. <i>European Heart Journal</i> , <b>2004</b> , 25, 1153-62	9.5	95
201	The association of metabolic disorders with the metabolic syndrome is different in men and women. <i>Annals of Nutrition and Metabolism</i> , <b>2004</b> , 48, 43-50	4.5	44
200	Association study of Notch 4 polymorphisms with Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2004</b> , 75, 377-81	5.5	12
199	Alcohol consumption and cardiovascular disease: differential effects in France and Northern Ireland. The PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2004</b> , 11, 336-43		22
198	Prognostic impact of matrix metalloproteinase gene polymorphisms in patients with heart failure according to the aetiology of left ventricular systolic dysfunction. <i>European Heart Journal</i> , <b>2004</b> , 25, 688-93	9.5	70
197	Endothelial cell markers and the risk of coronary heart disease: the Prospective Epidemiological Study of Myocardial Infarction (PRIME) study. <i>Circulation</i> , <b>2004</b> , 109, 1343-8	16.7	177
196	Nutritional intakes of 1072 French free-living men with and without diagnosed cardiovascular risk factors. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 787-95	5.2	5
195	TLR4/Asp299Gly, CD14/C-260T, plasma levels of the soluble receptor CD14 and the risk of coronary heart disease: The PRIME Study. <i>European Journal of Human Genetics</i> , <b>2004</b> , 12, 1041-9	5.3	64

194	Endothelin-converting enzyme-1 is expressed in human cerebral cortex and protects against Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2004</b> , 9, 1122-8, 1059	15.1	47
193	Two-dimensional maps and databases of the human macrophage proteome and secretome. <i>Proteomics</i> , <b>2004</b> , 4, 1761-78	4.8	74
192	CYP2D6 polymorphism, pesticide exposure, and Parkinson's disease. <i>Annals of Neurology</i> , <b>2004</b> , 55, 430-4	9.4	148
191	Beta-adrenergic receptor blockade and the angiotensin-converting enzyme deletion polymorphism in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , <b>2004</b> , 6, 17-21	12.3	24
190	Change in cardiovascular risk factors in France, 1985-1997. <i>European Journal of Epidemiology</i> , <b>2004</b> , 19, 25-32	12.1	42
189	Impact of genetic variation of PPARgamma in humans. <i>Molecular Genetics and Metabolism</i> , <b>2004</b> , 83, 93-102	3.7	119
188	Paraoxonase 1 gene polymorphisms and dementia in humans. <i>Neuroscience Letters</i> , <b>2004</b> , 358, 41-4	3.3	29
187	Exclusion of CYP46 and APOM as candidate genes for Alzheimer's disease in a French population. <i>Neuroscience Letters</i> , <b>2004</b> , 363, 139-43	3.3	37
186	APOE promoter polymorphisms and dementia in the elderly. <i>Neuroscience Letters</i> , <b>2004</b> , 365, 116-9	3.3	7
185	Assessment of Nurr1 nucleotide variations in familial Parkinson's disease. <i>Neuroscience Letters</i> , <b>2004</b> , 366, 135-8	3.3	19
184	Alpha-synuclein locus duplication as a cause of familial Parkinson's disease. <i>Lancet, The</i> , <b>2004</b> , 364, 1167-9	4.0	1579
183	Frequency of fruit and vegetable consumption and coronary heart disease in France and Northern Ireland: the PRIME study. <i>British Journal of Nutrition</i> , <b>2004</b> , 92, 963-72	3.6	87
182	Commonalities between genetics of cardiovascular disease and neurodegenerative disorders. <i>Current Opinion in Lipidology</i> , <b>2004</b> , 15, 121-7	4.4	7
181	Residual coronary risk in men aged 50-59 years treated for hypertension and hyperlipidaemia in the population: the PRIME study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 415-23	1.9	21
180	Are the Framingham and PROCAM coronary heart disease risk functions applicable to different European populations? The PRIME Study. <i>European Heart Journal</i> , <b>2003</b> , 24, 1903-11	9.5	161
179	Joint use of clinical parameters, biological markers and CAGE questionnaire for the identification of heavy drinkers in a large population-based sample. <i>Alcohol and Alcoholism</i> , <b>2003</b> , 38, 121-7	3.5	25
178	Fish consumption is associated with lower heart rates. <i>Circulation</i> , <b>2003</b> , 108, 820-5	16.7	101
177	The Gly16-->Arg16 and Gln27-->Glu27 polymorphisms of beta2-adrenergic receptor are associated with metabolic syndrome in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 4862-6	5.6	63

176	Association between TAFI antigen and Ala147Thr polymorphism of the TAFI gene and the angina pectoris incidence. <i>Thrombosis and Haemostasis</i> , <b>2003</b> , 89, 554-560	7	63
175	Evolution and cost trends of antihypertensive and hypolipidaemic drug treatment in France. <i>Cardiovascular Drugs and Therapy</i> , <b>2003</b> , 17, 175-89	3.9	4
174	Polymorphism of the codon 129 of the prion protein (PrP) gene and neuropathology of cerebral ageing. <i>Acta Neuropathologica</i> , <b>2003</b> , 106, 71-4	14.3	22
173	S18Y polymorphism in the UCH-L1 gene and Parkinson's disease: evidence for an age-dependent relationship. <i>Movement Disorders</i> , <b>2003</b> , 18, 130-7	7	54
172	Angiotensin Converting Enzyme and Angiotensin II Type 1 Receptor Polymorphisms in Patients with Coronary Aneurysms. <i>Thrombosis Journal</i> , <b>2003</b> , 1, 5	5.6	3
171	Islet-brain1/C-Jun N-terminal kinase interacting protein-1 (IB1/JIP-1) promoter variant is associated with Alzheimer's disease. <i>Molecular Psychiatry</i> , <b>2003</b> , 8, 413-22, 363	15.1	34
170	Relevance and limitations of public databases for microarray design: a critical approach to gene predictions. <i>Pharmacogenomics Journal</i> , <b>2003</b> , 3, 235-41	3.5	8
169	Plasma fibrinogen explains much of the difference in risk of coronary heart disease between France and Northern Ireland. The PRIME study. <i>Atherosclerosis</i> , <b>2003</b> , 166, 103-9	3.1	48
168	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , <b>2003</b> , 170, 169-76	3.1	127
167	C-reactive protein, interleukin-6, and fibrinogen as predictors of coronary heart disease: the PRIME Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2003</b> , 23, 1255-61	9.4	296
166	The role of matrix metalloproteinase-9 in dementia. <i>Neuroscience Letters</i> , <b>2003</b> , 350, 181-3	3.3	21
165	Allelic variation in the promoter region of the LDL receptor gene: analysis of an African-specific variant in the FP2 cis-acting regulatory element. <i>Molecular and Cellular Probes</i> , <b>2003</b> , 17, 175-81	3.3	1
164	Association between Parkinson's disease and polymorphisms in the nNOS and iNOS genes in a community-based case-control study. <i>Human Molecular Genetics</i> , <b>2003</b> , 12, 79-86	5.6	85
163	Association of 3'-UTR polymorphisms of the oxidised LDL receptor 1 (OLR1) gene with Alzheimer's disease. <i>Journal of Medical Genetics</i> , <b>2003</b> , 40, 424-30	5.8	32
162	Interleukin-18 and the risk of coronary heart disease in European men: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>Circulation</i> , <b>2003</b> , 108, 2453-9	16.7	273
161	Risk factors for coronary heart disease in patients treated for human immunodeficiency virus infection compared with the general population. <i>Clinical Infectious Diseases</i> , <b>2003</b> , 37, 292-8	11.6	302
160	Family history, longevity, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , <b>2003</b> , 32, 71-7	7.8	33
159	A functional polymorphism in a STAT5B site of the human PPAR gamma 3 gene promoter affects height and lipid metabolism in a French population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2003</b> , 23, 289-94	9.4	85

158	Association between TAFI antigen and Ala147Thr polymorphism of the TAFI gene and the angina pectoris incidence. The PRIME Study (Prospective Epidemiological Study of MI). <i>Thrombosis and Haemostasis</i> , <b>2003</b> , 89, 554-60	7	6
157	Significant impact of the highly informative (CA) <sub>n</sub> repeat polymorphism of the APOA-II gene on the plasma APOA-II concentrations and HDL subfractions: The ECTIM study. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 110, 19-24		13
156	No association of the -48CT polymorphism of the presenilin 1 gene with Alzheimer disease in a late-onset sporadic population. <i>Journal of Neural Transmission</i> , <b>2002</b> , 109, 1023-7	4.3	5
155	Efficacy of very low dose perindopril 2 mg/indapamide 0.625 mg combination on left ventricular hypertrophy in hypertensive patients: the P.I.C.X.E.L. study rationale and design. <i>Journal of Human Hypertension</i> , <b>2002</b> , 16, 653-9	2.6	11
154	Types of alcoholic beverages and blood lipids in a French population. <i>Journal of Epidemiology and Community Health</i> , <b>2002</b> , 56, 24-8	5.1	41
153	The 5A6A polymorphism in the promoter of the stromelysin-1 (MMP3) gene as a risk factor for restenosis. <i>European Heart Journal</i> , <b>2002</b> , 23, 721-5	9.5	48
152	Psychosocial risk factors for heart disease in France and Northern Ireland: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>International Journal of Epidemiology</i> , <b>2002</b> , 31, 1227-34	7.8	36
151	Value of HDL cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I/A-II in prediction of coronary heart disease: the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 1155-61	9.4	144
150	Contribution of APOE promoter polymorphisms to Alzheimer's disease risk. <i>Neurology</i> , <b>2002</b> , 59, 59-66	6.5	96
149	Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9 and MMP-12 genes as determinants of aneurysmal coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 40, 43-8	15.1	181
148	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , <b>2002</b> , 163, 377-84	3.1	170
147	Genetic susceptibility to ageing-associated diseases. <i>Comptes Rendus - Biologies</i> , <b>2002</b> , 325, 741-5	1.4	6
146	No association of the HLA-A2 allele with Alzheimer's disease. <i>Neuroscience Letters</i> , <b>2002</b> , 335, 75-8	3.3	18
145	Awareness, treatment and control of hyperlipidaemia in middle-aged men in France and northern ireland in 1991-1993: the PRIME study. Prospective epidemiological study of myocardial infarction. <i>Acta Cardiologica</i> , <b>2002</b> , 57, 117-23	0.9	4
144	No genetic association of the ubiquitin carboxy-terminal hydrolase-L1 gene S18Y polymorphism with familial Parkinson's disease. <i>Journal of Neural Transmission</i> , <b>2001</b> , 108, 979-84	4.3	37
143	Alzheimer disease is not associated with polymorphisms in the angiotensinogen and renin genes. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 105, 761-4		14
142	Impact of sulfonylurea receptor 1 genetic variability on non-insulin-dependent diabetes mellitus prevalence and treatment: a population study. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 101, 4-8		36
141	Do cardiovascular risk factors in men depend on their spouses' occupational category?. <i>European Journal of Epidemiology</i> , <b>2001</b> , 17, 347-56	12.1	9

140	Leisure-time physical activity and regular walking or cycling to work are associated with adiposity and 5 y weight gain in middle-aged men: the PRIME Study. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 940-8	5.5	98
139	Polymorphisms in the insulin response element of APOC-III gene promoter influence the correlation between insulin and triglycerides or triglyceride-rich lipoproteins in humans. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 1012-7	5.5	11
138	Genetic susceptibility factors for Alzheimer's disease. <i>European Journal of Pharmacology</i> , <b>2001</b> , 412, 1-12	5.3	65
137	The human G-protein beta3 subunit C825T polymorphism is associated with coronary artery vasoconstriction. <i>European Heart Journal</i> , <b>2001</b> , 22, 845-8	9.5	28
136	A critical assessment of the role of pharmacogenomics and pharmacogenetics approaches to cardiovascular diseases. <i>Pharmacogenomics Journal</i> , <b>2001</b> , 1, 95-7	3.5	1
135	VLDL receptor polymorphism, cognitive impairment, and dementia. <i>Neurology</i> , <b>2001</b> , 56, 1183-8	6.5	20
134	Different alcohol drinking and blood pressure relationships in France and Northern Ireland: The PRIME Study. <i>Hypertension</i> , <b>2001</b> , 38, 1361-6	8.5	43
133	Relationships between alcoholic beverages and cardiovascular risk factor levels in middle-aged men, the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction Study. <i>Atherosclerosis</i> , <b>2001</b> , 157, 431-40	3.1	37
132	Genetic analysis of synphilin-1 in familial Parkinson's disease. <i>Neurobiology of Disease</i> , <b>2001</b> , 8, 317-23	7.5	17
131	Neuropathological epidemiology of cerebral aging: a study of two genetic polymorphisms. <i>Neurobiology of Aging</i> , <b>2001</b> , 22, 227-35	5.6	15
130	Haemostasis in relation to dietary fat as estimated by erythrocyte fatty acid composition: the prime study. <i>Thrombosis Research</i> , <b>2001</b> , 102, 285-93	8.2	7
129	Effect of the APOE promoter polymorphisms on cerebral amyloid peptide deposition in Alzheimer's disease. <i>Lancet, The</i> , <b>2001</b> , 357, 608-9	40	38
128	Effect of ACE inhibitors on angiographic restenosis after coronary stenting (PARIS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , <b>2001</b> , 357, 1321-4	40	82
127	Restenotic process and DD genotype after angiotensin-converting enzyme inhibitor treatment. <i>Lancet, The</i> , <b>2001</b> , 358, 758-759	40	0
126	Blood lipid concentrations and risk of myocardial infarction. <i>Lancet, The</i> , <b>2001</b> , 358, 1064-5	40	26
125	Ambulatory heart failure management in private practice in France. <i>European Journal of Heart Failure</i> , <b>2001</b> , 3, 503-7	12.3	13
124	Polymorphisms of the tissue factor pathway inhibitor gene and the risk of restenosis after coronary angioplasty. <i>Blood Coagulation and Fibrinolysis</i> , <b>2001</b> , 12, 317-23	1	23
123	Association between nutrition knowledge and nutritional intake in middle-aged men from Northern France. <i>Public Health Nutrition</i> , <b>2001</b> , 4, 27-33	3.3	76

122	The angiotensin I converting enzyme gene as a susceptibility factor for dementia. <i>Neurology</i> , <b>2001</b> , 56, 1593-5	6.5	24
121	Prevalence of type 2 diabetes and impaired fasting glucose in the middle-aged population of three French regions - The MONICA study 1995-97. <i>Diabetes and Metabolism</i> , <b>2001</b> , 27, 347-58	5.4	25
120	Gene Polymorphisms and Outcome After Coronary Angioplasty. <i>Current Interventional Cardiology Reports</i> , <b>2001</b> , 3, 281-286		2
119	Very low density lipoprotein receptor in Alzheimer disease. <i>Microscopy Research and Technique</i> , <b>2000</b> , 50, 273-7	2.8	16
118	Linkage exclusion in French families with probable Parkinson's disease. <i>Movement Disorders</i> , <b>2000</b> , 15, 1075-83	7	32
117	Patterns of alcohol consumption in middle-aged men from France and Northern Ireland. The PRIME study. <i>European Journal of Clinical Nutrition</i> , <b>2000</b> , 54, 321-8	5.2	31
116	Impact of polymorphisms of the human beta2-adrenoceptor gene on obesity in a French population. <i>International Journal of Obesity</i> , <b>2000</b> , 24, 382-7	5.5	69
115	Association of hypertensive status and its drug treatment with lipid and haemostatic factors in middle-aged men: the PRIME study. <i>Journal of Human Hypertension</i> , <b>2000</b> , 14, 511-8	2.6	11
114	The renin angiotensin system and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , <b>2000</b> , 903, 437-41	6.5	52
113	The North-East-South gradient of coronary heart disease mortality and case fatality rates in France is consistent with a similar gradient in risk factor clusters. <i>European Journal of Epidemiology</i> , <b>2000</b> , 16, 317-22	12.1	24
112	Impact of the Peroxisome Proliferator Activated Receptor gamma2 Pro12Ala polymorphism on adiposity, lipids and non-insulin-dependent diabetes mellitus. <i>International Journal of Obesity</i> , <b>2000</b> , 24, 195-9	5.5	131
111	An uncoupling protein 3 gene polymorphism associated with a lower risk of developing Type II diabetes and with atherogenic lipid profile in a French cohort. <i>Diabetologia</i> , <b>2000</b> , 43, 1424-8	10.3	70
110	Characteristics of male vitamin supplement users aged 50-59 years in France and Northern Ireland: the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>International Journal for Vitamin and Nutrition Research</i> , <b>2000</b> , 70, 102-9	1.7	13
109	Overweight and obesity: a major challenge for coronary heart disease secondary prevention in clinical practice in Europe. <i>European Heart Journal</i> , <b>2000</b> , 21, 808-13	9.5	24
108	The transcriptional factor LBP-1c/CP2/LSF gene on chromosome 12 is a genetic determinant of Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>2000</b> , 9, 2275-80	5.6	71
107	Independent association of an APOE gene promoter polymorphism with increased risk of myocardial infarction and decreased APOE plasma concentrations-the ECTIM study. <i>Human Molecular Genetics</i> , <b>2000</b> , 9, 57-61	5.6	107
106	Intronic polymorphism in the fatty acid transport protein 1 gene is associated with increased plasma triglyceride levels in a French population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2000</b> , 20, 1330-4	9.4	32
105	Paraoxonase polymorphism (Gln192Arg) as a determinant of the response of human coronary arteries to serotonin. <i>Circulation</i> , <b>2000</b> , 101, 740-3	16.7	21

104	Associations between classical cardiovascular risk factors and coronary artery disease in two countries at contrasting risk for myocardial infarction: the PRIME study. <i>International Journal of Cardiology</i> , <b>2000</b> , 74, 191-8	3.2	13
103	A FE65 polymorphism associated with risk of developing sporadic late-onset alzheimer's disease but not with Abeta loading in brains. <i>Neuroscience Letters</i> , <b>2000</b> , 293, 29-32	3.3	29
102	Effect of the angiotensin I-converting enzyme I/D polymorphism on cognitive decline. The EVA Study Group. <i>Neurobiology of Aging</i> , <b>2000</b> , 21, 75-80	5.6	35
101	Absence of relationship between plasma Lp(a), Lp-AI, anti-oxidized LDL autoantibodies, LDL immune complexes concentrations and restenosis after percutaneous transluminal coronary angioplasty. <i>Clinica Chimica Acta</i> , <b>2000</b> , 299, 129-40	6.2	11
100	Vers des profils pharmacogénétiques ?. <i>Biofutur</i> , <b>2000</b> , 2000, 82-85		2
99	Gender related association between genetic variations of APOC-III gene and lipid and lipoprotein variables in northern France. <i>Atherosclerosis</i> , <b>2000</b> , 150, 149-57	3.1	35
98	The relationship between apolipoprotein AI-containing lipoprotein fractions and environmental factors: the prospective epidemiological study of myocardial infarction (PRIME study). <i>Atherosclerosis</i> , <b>2000</b> , 152, 399-405	3.1	18
97	Why mortality from heart disease is low in France. Rates of coronary events are similar in France and Southern Europe. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 320, 249-50		3
96	Interactions between apolipoprotein E and apolipoprotein(a) in patients with late-onset Alzheimer disease. <i>Annals of Internal Medicine</i> , <b>2000</b> , 132, 533-7	8	27
95	Gene Protecting against Age-Related Macular Degeneration <b>2000</b> , 19-26		
94	Influence of apolipoprotein E genotype on the risk of cognitive deterioration in moderate drinkers and smokers. <i>Epidemiology</i> , <b>2000</b> , 11, 280-4	3.1	97
93	Identification of a genetic risk factor for idiopathic dilated cardiomyopathy. Involvement of a polymorphism in the endothelin receptor type A gene. CARDIGENE group. <i>European Heart Journal</i> , <b>1999</b> , 20, 1587-91	9.5	40
92	Trends and geographical disparities in coronary heart disease in France: are results concordant when different definitions of events are used?. <i>International Journal of Epidemiology</i> , <b>1999</b> , 28, 1050-8	7.8	17
91	Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study. <i>Journal of Epidemiology and Community Health</i> , <b>1999</b> , 53, 393-8	5.1	
90	Unhealthy effects of atmospheric temperature and pressure on the occurrence of myocardial infarction and coronary deaths. A 10-year survey: the Lille-World Health Organization MONICA project (Monitoring trends and determinants in cardiovascular disease). <i>Circulation</i> , <b>1999</b> , 100, E1-7	16.7	340
89	Apolipoprotein E phenotypes in demented and cognitively impaired patients with and without cerebrovascular disease. <i>European Journal of Neurology</i> , <b>1999</b> , 6, 415-21	6	27
88	Alpha-2 macroglobulin gene and Alzheimer disease. <i>Nature Genetics</i> , <b>1999</b> , 22, 17-9; author reply 21-2	36.3	88
87	Influence of parental history of hypertension on blood pressure. <i>Journal of Human Hypertension</i> , <b>1999</b> , 13, 631-6	2.6	23

86	Is the LDL receptor-related protein involved in Alzheimer's disease?. <i>Neurogenetics</i> , <b>1999</b> , 2, 109-13	3	24
85	Association between coding variability in the LRP gene and the risk of late-onset Alzheimer's disease. <i>Human Genetics</i> , <b>1999</b> , 104, 432-4	6.3	47
84	No pathogenic mutations in the persyn gene in Parkinson's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 259, 65-68	3	13
83	No association between the alpha-2 macroglobulin I1000V polymorphism and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 262, 137-9	3.3	45
82	No pathogenic mutations in the beta-synuclein gene in Parkinson's disease. <i>Neuroscience Letters</i> , <b>1999</b> , 269, 107-9	3.3	25
81	Survival trends, coronary event rates, and the MONICA project. <i>Lancet, The</i> , <b>1999</b> , 354, 863-864	40	7
80	Beta2-adrenoceptor gene polymorphism, body weight, and physical activity. <i>Lancet, The</i> , <b>1999</b> , 353, 896	40	121
79	Contribution of trends in survival and coronary-event rates to changes in coronary heart disease mortality: 10-year results from 37 WHO MONICA project populations. Monitoring trends and determinants in cardiovascular disease. <i>Lancet, The</i> , <b>1999</b> , 353, 1547-57	40	1065
78	The deletion genotype of the angiotensin I-converting enzyme is associated with an increased vascular reactivity in vivo and in vitro. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 34, 830-6	15.1	23
77	Lack of association between genetic variations of apo A-I-C-III-A-IV gene cluster and myocardial infarction in a sample of European male: ECTIM study. <i>Atherosclerosis</i> , <b>1999</b> , 145, 187-95	3.1	35
76	Paraoxonase (Gln192-Arg) polymorphism in French type 2 diabetics. <i>Atherosclerosis</i> , <b>1999</b> , 147, 415-6	3.1	8
75	Characterization of a unique genetic variant in the beta1-adrenoceptor gene and evaluation of its role in idiopathic dilated cardiomyopathy. CARDIGENE Group. <i>Journal of Molecular and Cellular Cardiology</i> , <b>1999</b> , 31, 1025-32	5.8	97
74	A new GTP-cyclohydrolase I mutation in an unusual dopa-responsive dystonia, familial form. <i>NeuroReport</i> , <b>1999</b> , 10, 487-91	1.7	7
73	ACE gene polymorphism and coronary restenosis. <i>Seminars in Interventional Cardiology: SIIC</i> , <b>1999</b> , 4, 145-9		2
72	Dual determination of angiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 79-81	3	26
71	Transdermal estrogen replacement therapy and plasma lipids in 693 French women. <i>Maturitas</i> , <b>1998</b> , 30, 265-72	5	5
70	Association at LRP gene locus with sporadic late-onset Alzheimer's disease. <i>Lancet, The</i> , <b>1998</b> , 351, 1787-80	40	88
69	Predictors of restenosis after coronary stent implantation. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 1291-8	15.1	205

68	The epsilon4 allele of the apolipoprotein E gene as a potential protective factor for exudative age-related macular degeneration. <i>American Journal of Ophthalmology</i> , <b>1998</b> , 125, 353-9	4.9	232
67	A genetic polymorphism of the peroxisome proliferator-activated receptor gamma gene influences plasma leptin levels in obese humans. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 435-40	5.6	164
66	Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30-64. <i>Journal of Epidemiology and Community Health</i> , <b>1998</b> , 52, 665-71	5.1	20
65	Pronounced impact of Th1/E47cs mutation compared with -491 AT mutation on neural APOE gene expression and risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 1511-6	5.6	101
64	Influence of alcohol consumption and various beverages on waist girth and waist-to-hip ratio in a sample of French men and women. <i>International Journal of Obesity</i> , <b>1998</b> , 22, 1178-83	5.5	68
63	Angiotensin II type 1 receptor gene polymorphism is associated with an increased vascular reactivity in the human mammary artery in vitro. <i>Journal of Vascular Research</i> , <b>1998</b> , 35, 356-62	1.9	43
62	A new polymorphism in the APOE promoter associated with risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1998</b> , 7, 533-40	5.6	135
61	The very low density lipoprotein (VLDL) receptor is a genetic susceptibility factor for Alzheimer disease in a European Caucasian population. <i>Alzheimer Disease and Associated Disorders</i> , <b>1998</b> , 12, 368-77	7.5	18
60	Polymorphism of the prion protein is associated with cognitive impairment in the elderly: the EVA study. <i>Neurology</i> , <b>1998</b> , 51, 734-7	6.5	58
59	Cigarette smoking is associated with unhealthy patterns of nutrient intake: a meta-analysis. <i>Journal of Nutrition</i> , <b>1998</b> , 128, 1450-7	4.1	284
58	Associations of Fibrinogen, Factor VII and PAI-1 with Baseline Findings among 10,500 Male Participants in a Prospective Study of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , <b>1998</b> , 80, 749-756	7.56	170
57	Associations of fibrinogen, factor VII and PAI-1 with baseline findings among 10,500 male participants in a prospective study of myocardial infarction--the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , <b>1998</b> , 80, 749-56	7	31
56	Association of angiotensin converting enzyme and angiotensin II type 1 receptor genotypes with left ventricular function and mass in patients with angiographically normal coronary arteries. <i>Heart</i> , <b>1997</b> , 77, 502-5	5.1	33
55	Incidence, case fatality, risk factors of acute coronary heart disease and occupational categories in men aged 30-59 in France. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26, 47-57	7.8	42
54	Distortion of allelic expression of apolipoprotein E in Alzheimer's disease. <i>Human Molecular Genetics</i> , <b>1997</b> , 6, 2151-4	5.6	74
53	Sex differences in awareness and control of hypertension in France. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 1205-10	1.9	35
52	Effect of smoking cessation on lipoprotein A-I and lipoprotein A-I:A-II levels. <i>Metabolism: Clinical and Experimental</i> , <b>1997</b> , 46, 711-5	12.7	31
51	APOE genotyping and response to drug treatment in Alzheimer's disease. <i>Lancet, The</i> , <b>1997</b> , 349, 539	40	71

50	The angiotensin II type 1 receptor gene polymorphism is associated with coronary artery vasoconstriction. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 486-90	15.1	95
49	Association between the low density lipoprotein receptor-related protein (LRP) and Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1997</b> , 227, 68-70	3.3	88
48	The role of a triplet repeat sequence of the very low density lipoprotein receptor gene in plasma lipid and lipoprotein level variability in humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 17, 2759-64	9.4	6
47	Presenilin-1 polymorphism and neuropathological lesions of aging brain and late-onset Alzheimer's disease. <i>Neuropathology</i> , <b>1997</b> , 17, 217-219	2	1
46	Five frequent polymorphisms of the PAI-1 gene: lack of association between genotypes, PAI activity, and triglyceride levels in a healthy population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 17, 851-8	9.4	66
45	D allele of the angiotensin I-converting enzyme is a major risk factor for restenosis after coronary stenting. <i>Circulation</i> , <b>1997</b> , 96, 56-60	16.7	92
44	Apolipoprotein E and Alzheimer disease: genotype-specific risks by age and sex. <i>American Journal of Human Genetics</i> , <b>1997</b> , 60, 439-46	11	86
43	Early effect of ApoE-epsilon 4 allele on cognitive results in a group of highly performing subjects: the EVA study. Etude sur le Vieillissement Articiel. <i>Neuroscience Letters</i> , <b>1996</b> , 218, 9-12	3.3	66
42	The deletion allele of the angiotensin I converting enzyme gene as a genetic susceptibility factor for cognitive impairment. <i>Neuroscience Letters</i> , <b>1996</b> , 217, 203-205	3.3	64
41	Inconstant apolipoprotein E (ApoE)-like immunoreactivity in amyloid beta protein deposits: relationship with APOE genotype in aging brain and Alzheimer's disease. <i>Acta Neuropathologica</i> , <b>1996</b> , 92, 180-5	14.3	23
40	ACE polymorphism, a genetic predictor of occlusion after coronary angioplasty. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 679-81	3	13
39	Cigarette smoking is associated with differences in nutritional habits and related to lipoprotein alterations independently of food and alcohol intake. <i>European Journal of Clinical Nutrition</i> , <b>1996</b> , 50, 647-54	5.2	19
38	The deletion allele of the angiotensin I converting enzyme gene as a genetic susceptibility factor for cognitive impairment. <i>Neuroscience Letters</i> , <b>1996</b> , 217, 203-5	3.3	9
37	ApoE immunoreactivity and microglial cells in Alzheimer's disease brain. <i>Neuroscience Letters</i> , <b>1995</b> , 195, 5-8	3.3	102
36	Familial defective apolipoprotein B-100 and myocardial infarction. The ECTIM study. Etude Cas-Témoins de l'Infarctus du Myocarde. <i>Atherosclerosis</i> , <b>1995</b> , 116, 269-71	3.1	12
35	Multiple coronary heart disease risk factors are associated with menopause and influenced by substitutive hormonal therapy in a cohort of French women. <i>Atherosclerosis</i> , <b>1995</b> , 118, 123-33	3.1	87
34	Apolipoprotein E in Creutzfeldt-Jakob disease. French Research Group on Epidemiology of Human Spongiform Encephalopathies. <i>Lancet, The</i> , <b>1995</b> , 345, 595-6	40	4
33	Molecular typing of neolithic human bones. <i>Journal of Archaeological Science</i> , <b>1995</b> , 22, 649-658	2.9	15

32	Relation between the deletion polymorphism of the angiotensin-converting enzyme gene and late luminal narrowing after coronary angioplasty. <i>Circulation</i> , <b>1995</b> , 92, 296-9	16.7	30
31	Myocardial infarction case-fatality gradient in three French regions: the influence of acute coronary care. <i>International Journal of Epidemiology</i> , <b>1994</b> , 23, 700-9	7.8	14
30	Impact of apolipoprotein E polymorphism on lipoproteins and risk of myocardial infarction. The ECTIM Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1994</b> , 14, 1412-9		172
29	Apolipoprotein E, epsilon 4 allele as a major risk factor for sporadic early and late-onset forms of Alzheimer's disease: analysis of the 19q13.2 chromosomal region. <i>Human Molecular Genetics</i> , <b>1994</b> , 3, 569-74	5.6	344
28	Myocardial infarction and coronary deaths in the World Health Organization MONICA Project. Registration procedures, event rates, and case-fatality rates in 38 populations from 21 countries in four continents. <i>Circulation</i> , <b>1994</b> , 90, 583-612	16.7	1777
27	The apolipoprotein E alleles as major susceptibility factors for Creutzfeldt-Jakob disease. The French Research Group on Epidemiology of Human Spongiform Encephalopathies. <i>Lancet, The</i> , <b>1994</b> , 344, 1315-8	40	115
26	Apolipoprotein E allele epsilon 4 is linked to increased deposition of the amyloid beta-peptide (A-beta) in cases with or without Alzheimer's disease. <i>Neuroscience Letters</i> , <b>1994</b> , 178, 221-4	3.3	73
25	Association of occurrence of aneurysmal bleeding with meteorologic variations in the north of France. <i>Stroke</i> , <b>1994</b> , 25, 338-41	6.7	77
24	Confirmation of the epsilon 4 allele of the apolipoprotein E gene as a risk factor for late-onset Alzheimer's disease. <i>Neurology</i> , <b>1994</b> , 44, 342-4	6.5	82
23	Deletion polymorphism in angiotensin-converting enzyme gene associated with parental history of myocardial infarction. <i>Lancet, The</i> , <b>1993</b> , 341, 991-2	40	226
22	Apolipoprotein E-epsilon 4 allele and Alzheimer's disease. <i>Lancet, The</i> , <b>1993</b> , 342, 1308-9	40	38
21	Parental history of early myocardial infarction is associated with decreased levels of lipoparticle AI in adolescents. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1993</b> , 13, 1640-4		34
20	A case-control study of lipoprotein particles in two populations at contrasting risk for coronary heart disease. The ECTIM Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1992</b> , 12, 701-7		214
19	Deletion polymorphism in the gene for angiotensin-converting enzyme is a potent risk factor for myocardial infarction. <i>Nature</i> , <b>1992</b> , 359, 641-4	50.4	1670
18	Testing for association between disease and linked marker loci: a log-linear-model analysis. <i>American Journal of Human Genetics</i> , <b>1991</b> , 48, 926-34	11	54
17	Lipoprotein particles in homozygous familial hypercholesterolemic patients treated with portacaval shunt and LDL apheresis. <i>Clinica Chimica Acta</i> , <b>1990</b> , 193, 165-79	6.2	4
16	Two nuclear oncogenic proteins, P135gag-myb-ets and p61/63myc, cooperate to induce transformation of chicken neuroretina cells. <i>Journal of Virology</i> , <b>1989</b> , 63, 3382-8	6.6	15
15	Expression of ETS proto-oncogenes in astrocytes in human cortex. <i>Brain Research</i> , <b>1988</b> , 447, 149-53	3.7	18

14	Heart tumors specifically induced in young avian embryos by the v-myc oncogene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1987</b> , 84, 7982-6	11.5	26
13	Induction of proliferation of neuroretina cells by long terminal repeat activation of the carboxy-terminal part of c-mil. <i>Molecular and Cellular Biology</i> , <b>1987</b> , 7, 1995-1998	4.8	10
12	Characterization of a MH2 mutant lacking the v-myc oncogene. <i>Virology</i> , <b>1986</b> , 153, 272-9	3.6	11
11	Rearrangement of chromosome 21 in Alzheimer's disease. <i>Annales De Génétique</i> , <b>1986</b> , 29, 226-8		12
10	Role of Lipid Binding Proteins in Disease397-400		
9	Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide		5
8	Ninety-nine independent genetic loci influencing general cognitive function include genes associated with brain health and structure (N = 280,360)		6
7	Common variants in Alzheimer's disease: Novel association of six genetic variants with AD and risk stratification by polygenic risk scores		9
6	Genetic analysis of over one million people identifies 535 novel loci for blood pressure		4
5	Exome sequencing identifies rare damaging variants in the ATP8B4 and ABCA1 genes as novel risk factors for Alzheimer's Disease		1
4	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1
3	BIN1 recovers tauopathy-induced long-term memory deficits in mice and interacts with Tau through Thr348 phosphorylation		2
2	A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease		2
1	Genome-Wide Meta-Analysis of Late-Onset Alzheimer's Disease Using Rare Variant Imputation in 65,602 Subjects Identifies Novel Rare Variant Locus NCK2: The International Genomics of Alzheimer's Project (IGAP)		2