

# Alaa S Amin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1959705/alaa-s-amin-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94  
papers

1,192  
citations

20  
h-index

28  
g-index

99  
ext. papers

1,288  
ext. citations

3.3  
avg, IF

4.91  
L-index

#	Paper	IF	Citations
94	Spectrophotometric and spectrofluorometric methods for the determination of non-steroidal anti-inflammatory drugs: A review. <i>Arabian Journal of Chemistry</i> , <b>2013</b> , 6, 145-163	5.9	73
93	Spectrophotometric determination of gatifloxacin in pure form and in pharmaceutical formulation. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2007</b> , 67, 1306-12	4.4	47
92	Spectrophotometric determination of piroxicam and tenoxicam in pharmaceutical formulations using alizarin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2002</b> , 29, 729-36	3.5	47
91	Utility of certain Eacceptors for the spectrophotometric determination of norfloxacin. <i>Analyst, The</i> , <b>1995</b> , 120, 1189-1193	5	46
90	A facile Pechini sol-gel synthesis of TiO <sub>2</sub> /Zn <sub>2</sub> TiO <sub>2</sub> /ZnO/C nanocomposite: an efficient catalyst for the photocatalytic degradation of Orange G textile dye. <i>RSC Advances</i> , <b>2017</b> , 7, 30411-30421	3.7	41
89	Spectrophotometric determination of iron in environmental and food samples using solid phase extraction. <i>Food Chemistry</i> , <b>2013</b> , 141, 1941-6	8.5	40
88	Spectrophotometric determination of certain cephalosporins in pure form and in pharmaceutical formulations. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2004</b> , 60, 2831-5	4.4	36
87	Simultaneous spectrophotometric determination of thorium and rare earth metals with pyrimidine azo dyes and cetylpyridinium chloride. <i>Talanta</i> , <b>2001</b> , 54, 611-20	6.2	36
86	Cloud-point extraction, preconcentration and spectrophotometric determination of trace quantities of copper in food, water and biological samples. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 120, 88-96	4.4	34
85	Utility of Certain Eand EAcceptors for the Spectrophotometric Determination of Sildenafil Citrate (Viagra). <i>Mikrochimica Acta</i> , <b>2001</b> , 137, 63-69	5.8	30
84	Chromium speciation in environmental samples using a solid phase spectrophotometric method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2012</b> , 96, 541-7	4.4	27
83	Utility of solid-phase spectrophotometry for determination of dissolved iron(II) and iron(III) using 2,3-dichloro-6-(3-carboxy-2-hydroxy-1-naphthylazo)quinoxaline. <i>Talanta</i> , <b>2008</b> , 76, 1241-5	6.2	26
82	Spectrophotometric determination of pipazethate HCl, dextromethorphan HBr and drotaverine HCl in their pharmaceutical preparations. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2007</b> , 67, 1088-93	4.4	25
81	Utility of solid phase spectrophotometry for the modified determination of trace amounts of cadmium in food samples. <i>Food Chemistry</i> , <b>2012</b> , 132, 518-24	8.5	24
80	Preparation, spectroscopic and antibacterial studies on charge-transfer complexes of 2-hydroxypyridine with picric acid and 7,7,8,8-tetracyano-p-quinodimethane. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 145, 302-312	4.4	23
79	Study of the solid phase extraction and spectrophotometric determination of nickel using 5-(4?-chlorophenylazo)-6-hydroxypyrimidine-2,4-dione in environmental samples. <i>Journal of Saudi Chemical Society</i> , <b>2012</b> , 16, 451-459	4.3	22
78	Atomic absorption spectroscopic, conductometric and colorimetric methods for determination of fluoroquinolone antibiotics using ammonium reineckate ion-pair complex formation. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2004</b> , 60, 973-8	4.4	22

77	Utility of solid phase extraction for spectrophotometric determination of gold in water, jewel and ore samples. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2010</b> , 77, 1054-8	4.4	21
76	Simple and selective spectrophotometric determination of ruthenium after solid phase extraction with some quinoxaline dyes into microcrystalline p-dichlorobenzene. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2002</b> , 58, 1831-7	4.4	21
75	Study on the solid phase extraction and spectrophotometric determination of cobalt with 5-(2-benzothiazolylazo)-8-hydroxyquinolene. <i>Arabian Journal of Chemistry</i> , <b>2014</b> , 7, 715-721	5.9	20
74	Pyrocatechol violet in pharmaceutical analysis. Part I. A spectrophotometric method for the determination of some beta-lactam antibiotics in pure and in pharmaceutical dosage forms. <i>Il Farmaco</i> , <b>2001</b> , 56, 211-8		19
73	Utilization of cloud-point extraction for colorimetric determination of trace amounts of thorium(IV) in real samples. <i>RSC Advances</i> , <b>2015</b> , 5, 52095-52100	3.7	17
72	Colorimetric determination of benzocaine, lignocaine and procaine hydrochlorides in pure form and in pharmaceutical formulations using p-benzoquinone. <i>Analytical Sciences</i> , <b>2003</b> , 19, 1457-9	1.7	17
71	Acetylacetone-formaldehyde reagent for the spectrophotometric determination of some sulfa drugs in pure and dosage forms. <i>Mikrochimica Acta</i> , <b>1996</b> , 124, 227-233	5.8	17
70	Study on solid phase extraction and spectrophotometric determination of vanadium with 2,3-dichloro-6-(2,7-dihydroxy-1-naphthylazo)quinoxaline. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2009</b> , 73, 195-200	4.4	16
69	Utilization of ion exchanger and spectrophotometry for assaying amoxicillin and flucloxacillin in dosage form. <i>International Journal of Pharmaceutics</i> , <b>2007</b> , 338, 225-30	6.5	16
68	Solid-phase spectrophotometric determination of trace amounts of vanadium using 2,3-dichloro-6(3-carboxy-2-hydroxynaphthylazo)quinoxaline. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2003</b> , 59, 1025-33	4.4	16
67	Spectrophotometric assay of cephalosporins in pharmaceutical products, using chromotrope 2B and chromotrope 2R. <i>Mikrochimica Acta</i> , <b>1996</b> , 124, 203-209	5.8	15
66	Spectrophotometric Microdetermination of Some Pharmaceutically Important Aminoquinoline Antimalarials, as Ion-Pair Complexes. <i>Mikrochimica Acta</i> , <b>2000</b> , 134, 133-138	5.8	14
65	Colorimetric Microdetermination of some Corticosteroid Drugs Using Indophenol as Chromophoric Reagent. <i>Analytical Letters</i> , <b>1996</b> , 29, 1527-1537	2.2	14
64	Use of cloud-point preconcentration for spectrophotometric determination of trace amounts of antimony in biological and environmental samples. <i>Analytical Biochemistry</i> , <b>2016</b> , 492, 1-7	3.1	12
63	An ionic liquid-based microextraction method for highly selective and sensitive trace determination of nickel in environmental and biological samples. <i>Analytical Methods</i> , <b>2015</b> , 7, 10229-10237	3.2	12
62	Determination of rhodium in metallic alloy and water samples using cloud point extraction coupled with spectrophotometric technique. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 136 Pt C, 1955-61	4.4	12
61	Determination of thallium at ultra-trace levels in water and biological samples using solid phase spectrophotometry. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2013</b> , 110, 262-8	4.4	12
60	Ion-pairing and reversed phase liquid chromatography for the determination of three different quinolones: Enrofloxacin, lomefloxacin and ofloxacin. <i>Arabian Journal of Chemistry</i> , <b>2011</b> , 4, 249-257	5.9	12

59	Colorimetric Determination of Sildenafil Citrate (Viagra) Through Ion-Associate Complex Formation. <i>Journal of AOAC INTERNATIONAL</i> , <b>2009</b> , 92, 125-130	1.7	12
58	Colorimetric Estimation of Melatonin in Pharmaceutical Formulations. <i>Mikrochimica Acta</i> , <b>2000</b> , 135, 81-85	5.8	12
57	Vanadophosphoric Acid as a Modified Reagent for the Spectrophotometric Determination of Certain Cephalosporins and their Dosage Forms. <i>Monatshefte Für Chemie</i> , <b>2000</b> , 131, 0313-0319	1.4	12
56	Spectrophotometric methods for the determination of anti-emetic drugs in bulk and in pharmaceutical preparations. <i>Analytical Sciences</i> , <b>2003</b> , 19, 747-51	1.7	11
55	SPECTROPHOTOMETRIC DETERMINATION OF CADMIUM USING THIAZOLYLAZO CHROMOGENIC REAGENTS IN THE PRESENCE OF TRITON X-100: APPLICATION IN ENVIRONMENTAL SAMPLES. <i>Analytical Letters</i> , <b>2001</b> , 34, 163-176	2.2	11
54	Three Spectrophotometric Methods for the Determination of Oxomemazine Hydrochloride in Bulk and in Pharmaceutical Formulations Using Bromocresol Green, Congo Red, and Methyl Orange. <i>Analytical Letters</i> , <b>2008</b> , 41, 80-89	2.2	10
53	Conductometric and indirect AAS determination of antimalarials. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2003</b> , 31, 785-94	3.5	10
52	Colorimetric Procedure for the Microdetermination of the Antibilharzial Drug Praziquantel and its Applications to Pharmaceutical Formulations. <i>Mikrochimica Acta</i> , <b>2001</b> , 137, 35-40	5.8	10
51	Spectrophotometric methods for sertraline hydrochloride and/or clidinium bromide determination in bulk and pharmaceutical preparations. <i>Chemical Papers</i> , <b>2009</b> , 63,	1.9	9
50	Quantitative Determination of Some Pharmaceutical Veterinary Formulations Using Bromocresol Purple and Bromocresol Green. <i>Analytical Letters</i> , <b>1997</b> , 30, 2503-2513	2.2	9
49	New Colorimetric Methods for the Determination of Indapamide and its Formulations. <i>Mikrochimica Acta</i> , <b>2001</b> , 137, 185-189	5.8	9
48	Colorimetric Microdetermination of Mercury(II) with Some Quinoxaline Azo Compounds in Presence of an Anionic Surfactant. <i>Monatshefte Für Chemie</i> , <b>2001</b> , 132, 587-596	1.4	9
47	Spectrophotometric determination of gemifloxacin mesylate, moxifloxacin hydrochloride, and enrofloxacin in pharmaceutical formulations using Acid dyes. <i>Journal of Analytical Methods in Chemistry</i> , <b>2014</b> , 2014, 286379	2	8
46	Spectrophotometric Determination of Some Fluoroquinolone Derivatives in Dosage Forms and Biological Fluids Using Ion-Pair Complex Formation. <i>Analytical Letters</i> , <b>2008</b> , 41, 837-852	2.2	8
45	Utility of the ion-pair formation for spectrophotometric determination of terfenadine in pure form and in some pharmaceutical formulations. <i>Mikrochimica Acta</i> , <b>1999</b> , 130, 173-179	5.8	8
44	Modified Spectrophotometric Method for the Determination of Some Important Antibiotics Through Charge - Transfere Complexation Reaction with Chloranil. <i>Spectroscopy Letters</i> , <b>1996</b> , 29, 1003-1011	1.1	8
43	Spectrophotometric Determination of Zinc in Pharmaceutical Samples with Some Salicylic Azo Compounds. <i>Analytical Letters</i> , <b>1994</b> , 27, 95-102	2.2	8
42	Application of a triacetylcellulose membrane with immobilized of 5-(2,4-dimethylphenylazo)-6-hydroxypyrimidine-2,4-dione for mercury determination in real samples. <i>Sensors and Actuators B: Chemical</i> , <b>2015</b> , 221, 1342-1347	8.5	7

41	Utilization of solid phase spectrophotometry for the determination of trace amounts of copper using 5-(2-benzothiazolylazo)-8-hydroxyquinoline. <i>Chemical Papers</i> , <b>2009</b> , 63,	1.9	7
40	Cloud-Point Extraction and Spectrophotometric Determination of Trace Quantities of Bismuth in Environmental Water and Biological Samples. <i>Spectroscopy Letters</i> , <b>2011</b> , 44, 424-431	1.1	7
39	Membrane optode for uranium(VI) preconcentration and colorimetric determination in real samples. <i>RSC Advances</i> , <b>2017</b> , 7, 46566-46574	3.7	6
38	Utility of solid phase extraction for UV-visible spectrophotometric determination of gallium in environmental and biological samples. <i>RSC Advances</i> , <b>2016</b> , 6, 1938-1944	3.7	6
37	Solid-Phase Extraction Using Polymer-Based Cartridge Modified with 2-(2-benzothiazolylazo)-3-hydroxyphenol for Preconcentration of Uranium(VI) Ions from Water and Real Samples. <i>Spectroscopy Letters</i> , <b>2012</b> , 45, 246-255	1.1	6
36	Complexation and Spectrophotometric Study of Samarium(III) Using Pyrimidine Azo Derivatives in the Presence of Cetyltrimethyl Ammonium Bromide. <i>Analytical Letters</i> , <b>2010</b> , 43, 2598-2608	2.2	6
35	Sensitive spectrophotometric methods for determination of some organophosphorus pesticides in vegetable samples. <i>Chemical Industry and Chemical Engineering Quarterly</i> , <b>2010</b> , 16, 11-18	0.7	6
34	Spectrophotometric Determination of Pipazethate Hydrochloride in Pure Form and in Pharmaceutical Formulations. <i>Journal of AOAC INTERNATIONAL</i> , <b>2007</b> , 90, 686-692	1.7	6
33	High Sensitive and Selective Spectrophotometric Determination of Aluminium after Collection on a Membrane Filter Using 2,3-Dichloro-6-(3-carboxy-2-hydroxy-1-naphthylazo)quinoxaline and Zephiramine. <i>Analytical Letters</i> , <b>2007</b> , 40, 2959-2973	2.2	6
32	Indirect spectrophotometric determination of gentamicin and vancomycin antibiotics based on their oxidation by potassium permanganate. <i>Open Chemistry</i> , <b>2006</b> , 4, 708-722	1.6	6
31	Spectrophotometric determination of 6-aminopenicillanic acid using bromophenol blue and bromothymol blue. <i>Mikrochimica Acta</i> , <b>1995</b> , 117, 187-194	5.8	6
30	Optimized and validated spectrophotometric determination of two antifungal drugs in pharmaceutical formulations using an ion-pair complexation reactionPeer review under responsibility of Taibah University.View all notes. <i>Journal of Taibah University for Science</i> , <b>2016</b> , 10, 26-37	3	5
29	Utilization of tetrazolium blue for the colorimetric assay of tannins in tea. <i>Mikrochimica Acta</i> , <b>1997</b> , 126, 105-108	5.8	5
28	New polycrystalline solid state responsive electrodes for the determination of the selenite ion. <i>Electroanalysis</i> , <b>1995</b> , 7, 587-590	3	5
27	Cloud-Point Extraction for Preconcentration and Platinum Determination Using Spectrophotometry in Environmental Samples. <i>Analytical Chemistry Letters</i> , <b>2017</b> , 7, 128-141	1	4
26	Quantification of silver in several samples using a new ionophore polymer membrane as an optical sensor.. <i>RSC Advances</i> , <b>2021</b> , 11, 35300-35310	3.7	4
25	Determination of Nano Amounts of Copper in Environmental, Biological, and Water Samples Via Cloud Point Extraction and Spectrophotometry. <i>Analytical Chemistry Letters</i> , <b>2016</b> , 6, 820-833	1	4
24	Application of Cloud Point Extraction for Separation of Iron in Water, Food and Environmental Samples Perior to Determination by Spectrophotometry. <i>Analytical Chemistry Letters</i> , <b>2016</b> , 6, 296-312	1	4

23	Colorimetric Assay of Cimetidine in the Presence of Its Oxidative Degradates. <i>Journal of AOAC INTERNATIONAL</i> , <b>2009</b> , 92, 382-386	1.7	3
22	MICRODETERMINATION OF ZINC(II) IN ALLOYS AND ORES BY VISIBLE SPECTROPHOTOMETRIC TECHNIQUE USING 2,3-DICHLORO-6- (2-HYDROXYNAPHTHYLAZO)- QUINOXALINE IN PRESENCE OF MIXED SURFACTANTS. <i>Analytical Letters</i> , <b>2002</b> , 35, 585-597	2.2	3
21	Utility of 5-(2,4-Dimethylphenylazo)-6-hydroxy-pyrimidine-2,4-dione in PVC membrane for a novel green optical chemical sensor to detect zinc ion in environmental samples.. <i>Analytical Biochemistry</i> , <b>2022</b> , 643, 114579	3.1	3
20	Fast and Reliable Synthesis of Melanin Nanoparticles with Fine-Tuned Metal Adsorption Capacities for Studying Heavy Metal Ions Uptake. <i>Nanotechnology, Science and Applications</i> , <b>2021</b> , 14, 101-111	3.9	3
19	Utility of a novel optical sensor design for ultra-trace detection of chromium colorimetrically in real environmental samples. <i>International Journal of Environmental Analytical Chemistry</i> , 1-18	1.8	3
18	Solid Phase Extraction Using Polymer-Based C18 Cartridge Modified with 5-(2-Methyl-4-Hydroxyphenylazo)-6-Hydroxypyrimidine-2,4-Dione for Spectrophotometric Determination of Indium(III) in Water and Real Samples. <i>Analytical Chemistry Letters</i> , <b>2019</b> , 9, 582-593	1	2
17	Solid Phase Extraction and Spectrophotometric Determination of Palladium with 1-(2-benzothiazolylazo)-2-hydroxy-3-naphthoic Acid. <i>Analytical Chemistry Letters</i> , <b>2017</b> , 7, 724-736	1	2
16	Utility of solid-phase spectrophotometry to determine trace amounts of zinc in environmental and biological samples. <i>Analytical Biochemistry</i> , <b>2011</b> , 418, 172-9	3.1	2
15	Spectrophotometric quantification of fluoxetine hydrochloride: Application to quality control and quality assurance processes. <i>Chemical Papers</i> , <b>2010</b> , 64,	1.9	2
14	Comparison of Ion-Pairing and Reversed Phase Liquid Chromatography in Determination of Sulfamethoxazole and Trimethoprim. <i>Analytical Letters</i> , <b>2008</b> , 41, 1878-1894	2.2	2
13	Novel potentiometric methods for the estimation of bisoprolol and alverine in pharmaceutical forms and human serum. <i>Reviews in Analytical Chemistry</i> , <b>2021</b> , 40, 127-135	2.3	2
12	Preconcentration and Determination of Tungsten Using Cold-Induced Aggregation Microextraction Technique Via Ionic Liquid in Environmental and Biological Samples. <i>Analytical Chemistry Letters</i> , <b>2018</b> , 8, 297-310	1	1
11	Design of a novel optical sensor for determination of trace amounts of tin in food and in environmental samples. <i>International Journal of Environmental Analytical Chemistry</i> , <b>2020</b> , 1-16	1.8	1
10	Auto-combustion Fabrication and Optical Properties of Zinc Oxide Nanoparticles for Degradation of Reactive Red 195 and Methyl Orange Dyes. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2021</b> , 31, 3780-3792	3.2	1
9	Determination of scandium in monazite and environmental samples using cloud point extraction coupled with a spectrophotometric technique. <i>RSC Advances</i> , <b>2016</b> , 6, 73797-73804	3.7	1
8	Determination of tin (IV) in alloys and in canned food by visible spectrophotometric technique using pyrimidine azo compounds in presence of mixed surfactants. <i>Annali Di Chimica</i> , <b>2002</b> , 92, 729-39		1
7	Colorimetric determination of sildenafil citrate (Viagra) through ion-associate complex formation. <i>Journal of AOAC INTERNATIONAL</i> , <b>2009</b> , 92, 125-30	1.7	1
6	Colorimetric assay of cimetidine in the presence of its oxidative degradates. <i>Journal of AOAC INTERNATIONAL</i> , <b>2009</b> , 92, 382-6	1.7	1

5	Facile Fabrication of Nano-sized SiO <sub>2</sub> by an Improved Sol-Gel Route: As an Adsorbent for Enhanced Removal of Cd(II) and Pb(II) Ions. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2022</b> , 32, 1129	3.2	0
4	Sensitive optical thin film sensor based on incorporation of 2-(2-hydroxynaphthylazo)-benzothiazole in a sol-gel matrix for detection of manganese(II) in environmental samples.. <i>Analytical Biochemistry</i> , <b>2022</b> , 114720	3.1	0
3	Optimized solid phase extraction methodology for separation, and spectrophotometric determination of boron using amberlite XAD-16 resin modified with 2-(2-benzothiazolylazo)-4-methoxyphenol. <i>RSC Advances</i> , <b>2015</b> , 5, 66975-66980	3.7	
2	Optimization and validation of spectrophotometric methods for determination of finasteride in dosage and biological forms. <i>Pharmaceutical Methods</i> , <b>2012</b> , 3, 48-55	1	
1	Utility of solid-phase extraction coupled with spectrophotometry for a novel green nano determination of copper(II) using 4-((furan-2-ylmethylene) amino)-5-methyl-4H-1,2,4-triazole-3-thiol. <i>International Journal of Environmental Analytical Chemistry</i> , 1-22	1.8	