Jean-Jacques Rouby

List of Publications by Citations

Source: https://exaly.com/author-pdf/1960698/jean-jacques-rouby-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 10,022 40 75 g-index

75 11,711 8 5.52 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
71	International evidence-based recommendations for point-of-care lung ultrasound. <i>Intensive Care Medicine</i> , 2012 , 38, 577-91	14.5	2015
70	Comparative diagnostic performances of auscultation, chest radiography, and lung ultrasonography in acute respiratory distress syndrome. <i>Anesthesiology</i> , 2004 , 100, 9-15	4.3	1186
69	Bedside ultrasound assessment of positive end-expiratory pressure-induced lung recruitment. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 341-7	10.2	884
68	Nebulized and intravenous colistin in experimental pneumonia caused by Pseudomonas aeruginosa. <i>Intensive Care Medicine</i> , 2010 , 36, 1147-55	14.5	644
67	Therapeutic Effects of Human Mesenchymal Stem Cell-derived Microvesicles in Severe Pneumonia in Mice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 324-36	10.2	288
66	Nosocomial bronchopneumonia in the critically ill. Histologic and bacteriologic aspects. <i>The American Review of Respiratory Disease</i> , 1992 , 146, 1059-66		288
65	Clinical review: Bedside lung ultrasound in critical care practice. <i>Critical Care</i> , 2007 , 11, 205	10.8	275
64	Ultrasound assessment of antibiotic-induced pulmonary reaeration in ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2010 , 38, 84-92	1.4	261
63	Ultrasound assessment of lung aeration loss during a successful weaning trial predicts postextubation distress*. <i>Critical Care Medicine</i> , 2012 , 40, 2064-72	1.4	253
62	Computed tomography assessment of positive end-expiratory pressure-induced alveolar recruitment in patients with acute respiratory distress syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 1444-50	10.2	238
61	Risk factors and clinical relevance of nosocomial maxillary sinusitis in the critically ill. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994 , 150, 776-83	10.2	238
60	Regional distribution of gas and tissue in acute respiratory distress syndrome. III. Consequences for the effects of positive end-expiratory pressure. CT Scan ARDS Study Group. Adult Respiratory Distress Syndrome. <i>Intensive Care Medicine</i> , 2000 , 26, 1215-27	14.5	230
59	Regional distribution of gas and tissue in acute respiratory distress syndrome. I. Consequences for lung morphology. CT Scan ARDS Study Group. <i>Intensive Care Medicine</i> , 2000 , 26, 857-69	14.5	217
58	Acute respiratory distress syndrome: lessons from computed tomography of the whole lung. <i>Critical Care Medicine</i> , 2003 , 31, S285-95	1.4	209
57	A lung computed tomographic assessment of positive end-expiratory pressure-induced lung overdistension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998 , 158, 1571-7	10.2	178
56	Regional distribution of gas and tissue in acute respiratory distress syndrome. II. Physiological correlations and definition of an ARDS Severity Score. CT Scan ARDS Study Group. <i>Intensive Care Medicine</i> , 2000 , 26, 1046-56	14.5	172
55	A scanographic assessment of pulmonary morphology in acute lung injury. Significance of the lower inflection point detected on the lung pressure-volume curve. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 1612-23	10.2	166

(2016-1993)

54	Histologic aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 1993 , 19, 383-9	14.5	159
53	Nebulized ceftazidime and amikacin in ventilator-associated pneumonia caused by Pseudomonas aeruginosa. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 106-15	10.2	158
52	Efficacy of high-dose nebulized colistin in ventilator-associated pneumonia caused by multidrug-resistant Pseudomonas aeruginosa and Acinetobacter baumannii. <i>Anesthesiology</i> , 2012 , 117, 1335-47	4.3	143
51	A simple automated method for measuring pressure-volume curves during mechanical ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 275-82	10.2	138
50	Lung deposition and efficiency of nebulized amikacin during Escherichia coli pneumonia in ventilated piglets. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 166, 1375-81	10.2	126
49	Personalised mechanical ventilation tailored to lung morphology versus low positive end-expiratory pressure for patients with acute respiratory distress syndrome in France (the LIVE study): a multicentre, single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine,the</i> ,	35.1	116
48	Lung morphology predicts response to recruitment maneuver in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2010 , 38, 1108-17	1.4	97
47	Training for Lung Ultrasound Score Measurement in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 398-401	10.2	80
46	Lung tissue concentrations of nebulized amikacin during mechanical ventilation in piglets with healthy lungs. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 165, 171-5	10.2	78
45	Lung ultrasound in acute respiratory distress syndrome and acute lung injury. <i>Current Opinion in Critical Care</i> , 2008 , 14, 70-4	3.5	76
44	Early fluid loading in acute respiratory distress syndrome with septic shock deteriorates lung aeration without impairing arterial oxygenation: a lung ultrasound observational study. <i>Critical Care</i> , 2014 , 18, R91	10.8	73
43	Response to recruitment maneuver influences net alveolar fluid clearance in acute respiratory distress syndrome. <i>Anesthesiology</i> , 2007 , 106, 944-51	4.3	73
42	Expiratory washout versus optimization of mechanical ventilation during permissive hypercapnia in patients with severe acute respiratory distress syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 77-85	10.2	71
41	Aerosolized antibiotics for ventilator-associated pneumonia: lessons from experimental studies. <i>Anesthesiology</i> , 2012 , 117, 1364-80	4.3	70
40	Lung ultrasonography for assessment of oxygenation response to prone position ventilation in ARDS. <i>Intensive Care Medicine</i> , 2016 , 42, 1546-1556	14.5	67
39	Mechanical ventilation-induced air-space enlargement during experimental pneumonia in piglets. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 958-64	10.2	67
38	Nebulization of Antiinfective Agents in Invasively Mechanically Ventilated Adults: A Systematic Review and Meta-analysis. <i>Anesthesiology</i> , 2017 , 126, 890-908	4.3	64
37	Elevated Plasma Levels of sRAGE Are Associated With Nonfocal CT-Based Lung Imaging in Patients With ARDS: A Prospective Multicenter Study. <i>Chest</i> , 2016 , 150, 998-1007	5.3	62

36	Prevention of gram negative nosocomial bronchopneumonia by intratracheal colistin in critically ill patients. Histologic and bacteriologic study. <i>Intensive Care Medicine</i> , 1994 , 20, 187-92	14.5	51
35	Intravenous versus nebulized ceftazidime in ventilated piglets with and without experimental bronchopneumonia: comparative effects of helium and nitrogen. <i>Anesthesiology</i> , 2005 , 102, 995-1000	4.3	48
34	Influence of lung aeration on pulmonary concentrations of nebulized and intravenous amikacin in ventilated piglets with severe bronchopneumonia. <i>Anesthesiology</i> , 2002 , 97, 199-206	4.3	47
33	Measurement of alveolar derecruitment in patients with acute lung injury: computerized tomography versus pressure-volume curve. <i>Critical Care</i> , 2006 , 10, R95	10.8	46
32	Nebulized ceftazidime in experimental pneumonia caused by partially resistant Pseudomonas aeruginosa. <i>Intensive Care Medicine</i> , 2009 , 35, 1792-800	14.5	41
31	Key considerations on nebulization of antimicrobial agents to mechanically ventilated patients. <i>Clinical Microbiology and Infection</i> , 2017 , 23, 640-646	9.5	38
30	Comparison of lung tissue concentrations of nebulized ceftazidime in ventilated piglets: ultrasonic versus vibrating plate nebulizers. <i>Intensive Care Medicine</i> , 2008 , 34, 1718-23	14.5	30
29	Intratracheal Administration of Antimicrobial Agents in Mechanically Ventilated Adults: An International Survey on Delivery Practices and Safety. <i>Respiratory Care</i> , 2016 , 61, 1008-14	2.1	28
28	Nosocomial infection in the critically ill: the lung as a target organ. <i>Anesthesiology</i> , 1996 , 84, 757-9	4.3	28
27	Lung Ultrasound in Emergency and Critically Ill Patients: Number of Supervised Exams to Reach Basic Competence. <i>Anesthesiology</i> , 2020 , 132, 899-907	4.3	26
26	Bench-to-bedside review: adjuncts to mechanical ventilation in patients with acute lung injury. <i>Critical Care</i> , 2005 , 9, 465-71	10.8	15
25	Ventilator-associated pneumonia caused by multidrug-resistant Gram-negative bacteria: understanding nebulization of aminoglycosides and colistin. <i>Intensive Care Medicine</i> , 2020 , 46, 766-770	14.5	15
24	Histology and microbiology of ventilator-associated pneumonias. <i>Seminars in Respiratory Infections</i> , 1996 , 11, 54-61		15
23	Lung deposition of continuous and intermittent intravenous ceftazidime in experimental Pseudomonas aeruginosa bronchopneumonia. <i>Intensive Care Medicine</i> , 2006 , 32, 2042-8	14.5	13
22	Ischaemic colitis: indications, extent, and results of standardized emergency surgery. <i>Digestive and Liver Disease</i> , 2014 , 46, 505-11	3.3	12
21	T regulatory cells activation and distribution are modified in critically ill patients with acute respiratory distress syndrome: A prospective single-centre observational study. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2020 , 39, 35-44	3	11
20	Modification of Tracheal Cuff Shape and Continuous Cuff Pressure Control to Prevent Microaspiration in an Ex Vivo Pig Tracheal Two-Lung Model. <i>Critical Care Medicine</i> , 2017 , 45, e1262-e126	5 5 ·4	9
19	Plasma levels of sRAGE, loss of aeration and weaning failure in ICU patients: a prospective observational multicenter study. <i>PLoS ONE</i> , 2013 , 8, e64083	3.7	8

(2021-2016)

18	Lung ultrasound: a useful tool in the weaning process?. <i>Revista Brasileira De Terapia Intensiva</i> , 2016 , 28, 5-7	1.2	8
17	Nebulized Antibiotics: Epithelial Lining Fluid Concentrations Overestimate Lung Tissue Concentrations. <i>Anesthesiology</i> , 2019 , 131, 229-232	4.3	8
16	Influence of diluent volume of colistimethate sodium on aerosol characteristics and pharmacokinetics in ventilator-associated pneumonia caused by MDR bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1639-1646	5.1	6
15	Nebulization of Vancomycin Provides Higher Lung Tissue Concentrations than Intravenous Administration in Ventilated Female Piglets with Healthy Lungs. <i>Anesthesiology</i> , 2020 , 132, 1516-1527	4.3	6
14	Trendelenburg Position and Morbid Obesity: A Respiratory Challenge for the Anesthesiologist. <i>Anesthesiology</i> , 2019 , 131, 10-13	4.3	6
13	The INHALE trial: multiple reasons for a negative result. <i>Lancet Infectious Diseases, The</i> , 2020 , 20, 778-7	79 5.5	5
12	Inoculation Pneumonia Caused by Coagulase Negative. Frontiers in Microbiology, 2019, 10, 2198	5.7	5
11	Respiratory effects of the Jarvik-7 artificial heart. <i>Journal of Applied Physiology</i> , 1989 , 66, 1984-9	3.7	5
10	Role of miR-466 in mesenchymal stromal cell derived extracellular vesicles treating inoculation pneumonia caused by multidrug-resistant Pseudomonas aeruginosa. <i>Clinical and Translational Medicine</i> , 2021 , 11, e287	5.7	5
9	SARS-CoV-2 pneumonia-receptor binding and lung immunopathology: a narrative review. <i>Critical Care</i> , 2021 , 25, 53	10.8	5
8	Nebulized Colistin in Ventilator-Associated Pneumonia and Tracheobronchitis: Historical Background, Pharmacokinetics and Perspectives. <i>Microorganisms</i> , 2021 , 9,	4.9	4
7	Bedside Ultrasound Assessment of Positive End Expiratory PressureInduced Lung Recruitment. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 185, 457-458	10.2	2
6	Nebulized antibiotics for ventilator-associated pneumonia: methodological framework for future multicenter randomized controlled trials. <i>Current Opinion in Infectious Diseases</i> , 2021 , 34, 156-168	5.4	2
5	Sevoflurane in Acute Respiratory Distress Syndrome: Are Lung Protection and Anesthesia Depth Influenced by Pulmonary Morphology?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 830-832	10.2	1
4	Lack of lung tissue penetration after intravenous colistimethate administration: reply to Imberti. <i>Intensive Care Medicine</i> , 2010 , 36, 1796-1797	14.5	1
3	Intraoperative pulmonary hyperdistention estimated by transthoracic lung ultrasound: A pilot study. <i>Anaesthesia, Critical Care & Dain Medicine</i> , 2020 , 39, 825-831	3	1
2	Functional respiratory imaging of the airways in the acute respiratory distress syndrome. <i>Anaesthesia, Critical Care & Distress amp; Pain Medicine,</i> 2020 , 39, 207-213	3	О
1	Management of severe trauma worldwide: implementation of trauma systems in emerging countries: China, Russia and South Africa. <i>Critical Care</i> , 2021 , 25, 286	10.8	O